

LAB TD 3 Python Git Linux





```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git diff
diff --git a/src/main.py b/src/main.py
index 884b045..736ecb1 100644
--- a/src/main.py
+++ b/src/main.py
@@ -1,15 +1,8 @@
-from pathlib import Path
 import csv
 import json
+from pathlib import Path

-
-DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
-LOOKBACK_LABEL = "1 month"
-INTERVAL_LABEL = "Daily"
+DATA_DIR = Path(__file__).resolve().parent.parent / "data" / "sample"


 def load_instruments():
@@ -26,6 +19,29 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    ticker = asset["ticker"]
+    name = asset["name"]
+    count = len(prices)
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
```

```
diff --git a/src/main.py b/src/main.py
index 884b045..736ecb1 100644
--- a/src/main.py
+++ b/src/main.py
@@ -1,15 +1,8 @@
-from pathlib import Path
 import csv
 import json
+from pathlib import Path

-
-DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
-LOOKBACK_LABEL = "1 month"
-INTERVAL_LABEL = "Daily"
+DATA_DIR = Path(__file__).resolve().parent.parent / "data" / "sample"


 def load_instruments():
@@ -26,6 +19,29 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    ticker = asset["ticker"]
+    name = asset["name"]
+    count = len(prices)
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
:
```

1) The modified file is src/main.py
2) Lines added : green lines with a +
3) Lines removed : red lines with a –
4) Yes the diff matched the work I intented in TD02 (dynamic path, add functions get_first_close, get_last_close & display_market_summary)
5) No debugging output the code is ready to commit

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git status
On branch branchemaelys
Your branch is up to date with 'origin/branchemaelys'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git status --short
 M src/main.py
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git diff
diff --git a/src/main.py b/src/main.py
index 884b045..736ecb1 100644
--- a/src/main.py
+++ b/src/main.py
@@ -1,15 +1,8 @@
-from pathlib import Path
 import csv
 import json
+from pathlib import Path

-
-DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
-LOOKBACK_LABEL = "1 month"
-INTERVAL_LABEL = "Daily"
+DATA_DIR = Path(__file__).resolve().parent.parent / "data" / "sample"


 def load_instruments():
@@ -26,6 +19,29 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
```

Tracked file modified: A file that Git already knows and tracks (because it is part of your project's history) but which has been modified in your working directory. These changes are in your working tree and have not yet been prepared for a commit.

Untracked file: A brand new file that you have created in your project directory, but which Git is not tracking yet. Git knows the file exists, but it will ignore it in your commits until you explicitly tell Git to start tracking it (using git add).

Staged change: A modification (either to a tracked file or a newly added file) that you have explicitly selected and moved into the **staging area** using the git add command. This means it is locked in and ready to be recorded in your next git commit.

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git add src/main.py
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git status
On branch branchemaelys
Your branch is up to date with 'origin/branchemaelys'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/main.py

PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git diff --staged
diff --git a/src/main.py b/src/main.py
index 884b045..736ecb1 100644
--- a/src/main.py
+++ b/src/main.py
@@ -1,15 +1,8 @@
-from pathlib import Path
 import csv
 import json
+from pathlib import Path

-
-DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
-LOOKBACK_LABEL = "1 month"
-INTERVAL_LABEL = "Daily"
+DATA_DIR = Path(__file__).resolve().parent.parent / "data" / "sample"


 def load_instruments():
@@ -26,6 +19,29 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
```

```
diff --git a/src/main.py b/src/main.py
index 884b045..736ecb1 100644
--- a/src/main.py
+++ b/src/main.py
@@ -1,15 +1,8 @@
-from pathlib import Path
 import csv
 import json
+from pathlib import Path

-
-DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
-LOOKBACK_LABEL = "1 month"
-INTERVAL_LABEL = "Daily"
+DATA_DIR = Path(__file__).resolve().parent.parent / "data" / "sample"


 def load_instruments():
@@ -26,6 +19,29 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    ticker = asset["ticker"]
+    name = asset["name"]
+    count = len(prices)
+    first_close = get_first_close(prices)
+    last_close = get_last_close(prices)
```

1. git diff (Unstaged Changes)

- **What it shows:** The modifications you have made in your working directory since your last save/commit, but **have not yet** prepared for the next commit (they haven't been added with git add).

2. git diff --staged (Staged Changes)

- **What it shows:** The changes you **have** explicitly selected and prepared (using git add) to go into your *next* commit.

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> gi
t diff
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> cd
 C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> py
thon src\main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> gi
t add src/main.py
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> gi
t status
On branch branchemaelys
Your branch is up to date with 'origin/branchemaelys'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/main.py
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
commit -m "feat: complete TD02 market summary and core logic"
[branchemaelys 07b0b45] feat: complete TD02 market summary and core logic
 1 file changed, 33 insertions(+), 25 deletions(-)
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
status
On branch branchemaelys
Your branch is ahead of 'origin/branchemaelys' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
log --oneline
07b0b45 (HEAD -> branchemaelys) feat: complete TD02 market summary and core lo
gic
96bb20d (origin/branchemaelys) Add TD1-2 PDF report
5207db8 (origin/main, origin/HEAD, main) first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
```

The new commit is at the top of the list with its Id and descriptive message

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git show HEAD
commit 07b0b459c0f9563d89074ba8bc65aa33ba28b427 (HEAD -> branchemaelys)
Author: mlemiere <maelys.le_miere@edu.devinci.fr>
Date:   Fri Nov 13 17:48:47 2026 +0100

    feat: complete TD02 market summary and core logic

diff --git a/src/main.py b/src/main.py
index 884b045..736ecb1 100644
--- a/src/main.py
+++ b/src/main.py
@@ -1,15 +1,8 @@
-from pathlib import Path
 import csv
 import json
+from pathlib import Path

-
-DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
-LOOKBACK_LABEL = "1 month"
-INTERVAL_LABEL = "Daily"
+DATA_DIR = Path(__file__).resolve().parent.parent / "data" / "sample"


 def load_instruments():
@@ -26,6 +19,29 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
```

```
:
commit 07b0b459c0f9563d89074ba8bc65aa33ba28b427 (HEAD -> branchemaelys)
Author: mlemiere <maelys.le_miere@edu.devinci.fr>
Date:   Fri Nov 13 17:48:47 2026 +0100

    feat: complete TD02 market summary and core logic

diff --git a/src/main.py b/src/main.py
index 884b045..736ecb1 100644
--- a/src/main.py
+++ b/src/main.py
@@ -1,15 +1,8 @@
-from pathlib import Path
 import csv
 import json
+from pathlib import Path

-
-DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
-LOOKBACK_LABEL = "1 month"
-INTERVAL_LABEL = "Daily"
+DATA_DIR = Path(__file__).resolve().parent.parent / "data" / "sample"


 def load_instruments():
@@ -26,6 +19,29 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
```

Which files changed? (Quels fichiers ont changé ?)

- Le fichier **src/main.py** a été modifié.

What the diff represents? (Que représente le diff ?)

- Il représente l'ajout de la logique métier du TD02 : le calcul dynamique des chemins (DATA_DIR), l'implémentation des fonctions utilitaires (get_first_close, get_last_close) et l'affichage du résumé de marché (display_market_summary).

Why the commit message is appropriate? (Pourquoi le message du commit est-il approprié ?)

- Parce qu'il respecte les bonnes pratiques (ex: préfixe feat: suivi d'une description claire comme feat: complete TD02 market summary and core logic), ce qui permet à n'importe quel développeur de comprendre immédiatement l'apport du commit sans avoir à lire tout le code.

Who is recorded as the author? (Qui est enregistré comme auteur ?)

- Ton propre nom et ton adresse e-mail configurés dans Git (git config user.name et git config user.email).

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git status
On branch branchemaelys
Your branch is ahead of 'origin/branchemaelys' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git log --oneline
07b0b45 (HEAD -> branchemaelys) feat: complete TD02 market summary and core logic
96bb20d (origin/branchemaelys) Add TD1-2 PDF report
5207db8 (origin/main, origin/HEAD, main) first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> python src/main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders>
```

```
commit 07b0b459c0f9563d89074ba8bc65aa33ba28b427 (HEAD -> branchemaelys)
Author: mlemiere <maelys.le_miere@edu.devinci.fr>
Date:   Fri Nov 13 17:48:47 2026 +0100

    feat: complete TD02 market summary and core logic

diff --git a/src/main.py b/src/main.py
index 884b045..736ecb1 100644
--- a/src/main.py
+++ b/src/main.py
@@ -1,15 +1,8 @@
-from pathlib import Path
 import csv
 import json
+from pathlib import Path

-
-DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
-LOOKBACK_LABEL = "1 month"
-INTERVAL_LABEL = "Daily"
+DATA_DIR = Path(__file__).resolve().parent.parent / "data" / "sample"


 def load_instruments():
@@ -26,6 +19,29 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
```

TD 4

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
status
On branch branchemaelys
Your branch is ahead of 'origin/branchemaelys' by 1 commit.
  (use "git push" to publish your local commits)

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Lab TD3 python git linux.pdf

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
log --oneline -5
07b0b45 (HEAD -> branchemaelys) feat: complete TD02 market summary and core lo
gic
96bb20d (origin/branchemaelys) Add TD1-2 PDF report
5207db8 (origin/main, origin/HEAD, main) first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> pyth
on src/main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders>
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
branch
* branchemaelys
  main
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
branch
  branchemaelys
* main
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders>
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
switch -c feature/display-observation-dates
Switched to a new branch 'feature/display-observation-dates'
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
branch
  branchemaelys
* feature/display-observation-dates
  main
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> pyth
on src/main.py
=== MarketPulse ===

Instrument
AAPL - Apple Inc.
Last price: 266.20 USD

Benchmark
SP500 - S&P 500
Last level: 6742.00

Period: 1 month
Interval: Daily

Observations
AAPL: 21
SP500: 21
First date   : 2026-09-01
Last date    : 2026-09-30
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git status
On branch feature/display-observation-dates
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git diff
diff --git a/src/main.py b/src/main.py
index 884b045..bbfbdad 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,13 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+

 def main():
     instruments = load_instruments()
@@ -55,6 +62,8 @@ def main():
     print("Observations")
     print(f"{instrument['ticker']}: {len(instrument_prices)}")
     print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
+    print(f"First date    : {get_first_date(instrument_prices)}")
+    print(f"Last date     : {get_last_date(instrument_prices)}")


 if __name__ == "__main__":
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
add src/main.py
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
diff --staged
diff --git a/src/main.py b/src/main.py
index 884b045..bbfbdad 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,13 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+

 def main():
     instruments = load_instruments()
@@ -55,6 +62,8 @@ def main():
     print("Observations")
     print(f"{instrument['ticker']}: {len(instrument_prices)}")
     print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
+    print(f"First date    : {get_first_date(instrument_prices)}")
+    print(f"Last date     : {get_last_date(instrument_prices)}")


 if __name__ == "__main__":
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
commit -m "feat: display first and last observation dates"
[feature/display-observation-dates 5ab1307] feat: display first and last obser
vation dates
 1 file changed, 9 insertions(+)
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
status
On branch feature/display-observation-dates
nothing to commit, working tree clean
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
log --oneline -5
5ab1307 (HEAD -> feature/display-observation-dates) feat: display first and la
st observation dates
5207db8 (origin/main, origin/HEAD, main) first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders>
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
log --oneline --graph --decorate --all
* 5ab1307 (HEAD -> feature/display-observation-dates) feat: display first and
last observation dates
| * 07b0b45 (branchemaelys) feat: complete TD02 market summary and core logic
| * 96bb20d (origin/branchemaelys) Add TD1-2 PDF report
|/
* 5207db8 (origin/main, origin/HEAD, main) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
diff main..feature/display-observation-dates
diff --git a/src/main.py b/src/main.py
index 884b045..bbfbdad 100644
--- a/src/main.py
+++ b/src/main.py
@@ -25,6 +25,13 @@ def load_prices():
 def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]

+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+

 def main():
     instruments = load_instruments()
@@ -55,6 +62,8 @@ def main():
     print("Observations")
     print(f"{instrument['ticker']}: {len(instrument_prices)}")
     print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
+    print(f"First date   : {get_first_date(instrument_prices)}")
+    print(f"Last date    : {get_last_date(instrument_prices)}")


 if __name__ == "__main__":
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git merge feature/display-observation-dates
Updating 5207db8..5ab1307
Fast-forward
 src/main.py | 9 +++++++++
 1 file changed, 9 insertions(+)
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> python src/main.py
=== MarketPulse ===

Instrument
AAPL - Apple Inc.
Last price: 266.20 USD

Benchmark
SP500 - S&P 500
Last level: 6742.00

Period: 1 month
Interval: Daily

Observations
AAPL: 21
SP500: 21
First date   : 2026-09-01
Last date    : 2026-09-30
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git branch
  branchemaelys
  feature/display-observation-dates
* main
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git log --oneline --graph --decorate --all
* 5ab1307 (HEAD -> main, feature/display-observation-dates) feat: display first and last observation dates
| * 07b0b45 (branchemaelys) feat: complete TD02 market summary and core logic
| * 96bb20d (origin/branchemaelys) Add TD1-2 PDF report
|/
* 5207db8 (origin/main, origin/HEAD) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git branch -d feature/display-observation-dates
Deleted branch feature/display-observation-dates (was 5ab1307).
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git branch
  branchemaelys
* main
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git log --oneline --graph --decorate --all
* 5ab1307 (HEAD -> main) feat: display first and last observation dates
| * 07b0b45 (branchemaelys) feat: complete TD02 market summary and core logic
| * 96bb20d (origin/branchemaelys) Add TD1-2 PDF report
|/
* 5207db8 (origin/main, origin/HEAD) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders>
```

```
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> git
log --oneline --graph --decorate --all
* 5ab1307 (HEAD -> main) feat: display first and last observation dates
| * 07b0b45 (branchemaelys) feat: complete TD02 market summary and core logic
| * 96bb20d (origin/branchemaelys) Add TD1-2 PDF report
|/
* 5207db8 (origin/main, origin/HEAD) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders> pyth
on src/main.py
=== MarketPulse ===

Instrument
AAPL - Apple Inc.
Last price: 266.20 USD

Benchmark
SP500 - S&P 500
Last level: 6742.00

Period: 1 month
Interval: Daily

Observations
AAPL: 21
SP500: 21
First date   : 2026-09-01
Last date    : 2026-09-30
PS C:\Users\maely\ProjectGitLinuxPython\esilv-marketpulse-g07-Tryharders>
```