
Scan results for star-wars-guide.vercel.app




Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.





In the report you'll find the results for dozens of tests focusing mainly on these categories:

- ✓ Screen-reader adjustments (blind users)
- Keyboard navigation adjustments (motor impaired)
- UI, design and readability adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	No	0	0	
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen reader only text or an "aria-label" attribute should be used for that description.	No -	0	0	
3	Links should include text that is setting expectations to what page they are leading to. If empty links are used a layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	S	9	0	100

Successful Elements

<a aria-label="Go to homepage" href="/" ><img alt="Star Wars Logo" fetchpriority="h
igh" width="200" height="200" decoding="async" data-nimg="1" style="color:transpare
nt" srcset="/_next/image?url=%2Fimages%2Flogo.png&w=256&q=75 1x, /_next/ima
g...</pre>

<a aria-label="Link to characters" href="/characters" ><div class="cursor-pointer">
<div class="flex flex-row justify-center"><img alt="Main characters from the Star W ars movie series" fetchpriority="high" width="300" height="300" decoding="async" da t...</pre>

<a aria-label="Link to planets" href="/planets" ><div class="cursor-pointer"><div c
lass="flex flex-row justify-center"><img alt="Planets in the Star Wars universe, in
cluding Tatooine and Endor" fetchpriority="high" width="300" height="300" decoding
="...</pre>

<a aria-label="Link to films" href="/films" ><div class="cursor-pointer"><div class
="flex flex-row justify-center"><img alt="Film posters of all Star Wars movies" fet
chpriority="high" width="300" height="300" decoding="async" data-nimg="1" style="co
l...</pre>

<a aria-label="Link to species" href="/species" ><div class="cursor-pointer"><div c
lass="flex flex-row justify-center"><img alt="Different species from Star Wars such
as Wookiees and Twileks" fetchpriority="high" width="300" height="300" decoding="a
s...</pre>

<a aria-label="Link to starships" href="/starships" ><div class="cursor-pointer"><d
iv class="flex flex-row justify-center"><img alt="Various starships from the Star W
ars universe including the Millennium Falcon" fetchpriority="high" width="300" heig
h...</pre>

<a aria-label="Link to vehicles" href="/vehicles" ><div class="cursor-pointer"><div
class="flex flex-row justify-center"><img alt="Famous vehicles in Star Wars such as
the AT-AT Walker and TIE Fighter" fetchpriority="high" width="300" height="300" d
e...</pre>

```
te" class="font-bold" href="https://www.lucasfilm.com/" >Lucasfilm Ltd.</a>
          <a target="_blank" rel="noopener noreferrer" aria-label="Visit Jean-Pierre Carvalh</pre>
          o's website" class="font-bold" href="https://jeanpierrecarvalho.pt/" >Jean-Pierre C
          arvalho</a>
         Links that open in a new tab or a new window should
                                                                        2
                                                                                                 100
        either have an "aria-label" attribute or a screen-reader
        only element explaining to screen-readers that this
        opens in a new tab.
        Successful Elements
          <a target="_blank" rel="noopener noreferrer" aria-label="Visit Lucasfilm Ltd. websi
          te" class="font-bold" href="https://www.lucasfilm.com/" >Lucasfilm Ltd.</a>
          <a target="_blank" rel="noopener noreferrer" aria-label="Visit Jean-Pierre Carvalh
          o's website" class="font-bold" href="https://jeanpierrecarvalho.pt/" >Jean-Pierre C
          arvalho</a>
5
        An H1 title provides information to blind-users using
                                                            Yes
                                                                        Pass
                                                                                                 100
        screen-readers of what the main topic of the page is
        and each page should have exactly one H1 title.
        Successful Elements
          <h1 class="font-starjout text-5xl text-center text-yellow-500" role="heading" aria-
          level="1" aria-label="Page title: home" id="page-title">home</h1>
6
        HTML title elements (H1-6) should have texts. If images Yes
                                                                        Pass
                                                                                                 100
        or links are used, they should include an alternative or
        screen-reader only text.
         Elements that visually appear as titles but are coded
                                                            No
                                                                        0
        with a non-heading HTML Tag should include a "role"
        attribute that equals to "heading" or have their tags
        fixed.
        Title levels should not be skipped and should be built
                                                                        Pass
                                                                                                 100
        with consistent hierarchy. For example: you cannot
        have "h4" titles and "h2" titles without having "h3" titles.
        Interactive elements such as links, buttons and form
                                                            Yes
                                                                        Pass
                                                                                                 100
        fields should all be navigable using the keyboard by
        either using a focusable element (a, button, input, etc.)
        or including the "tabindex" attribute that equals to "0".
```

<a target="_blank" rel="noopener noreferrer" aria-label="Visit Lucasfilm Ltd. websi

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.		0	0	
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer. Successful Elements <a <="" a="" href="#main-content">	s:not-sr-o			
	focus:absolute focus:bg-black focus:p-2 foc	us:text-wh	ite" >Skip	to main cor	ntent
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.		0	0	
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	
16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.		7	0	100

Successful Elements

<img alt="Star Wars Logo" fetchpriority="high" width="200" height="200" decoding="a
sync" data-nimg="1" style="color:transparent" srcset="/_next/image?url=%2Fimages%2F
logo.png&w=256&q=75 1x, /_next/image?url=%2Fimages%2Flogo.png&w=640&am
p;...</pre>

<img alt="Main characters from the Star Wars movie series" fetchpriority="high" wid
th="300" height="300" decoding="async" data-nimg="1" style="color:transparent" srcs
et="/_next/image?url=%2Fimages%2Fcharacters.png&w=384&q=75 1x, /_next/imag
e?...</pre>

<img alt="Planets in the Star Wars universe, including Tatooine and Endor" fetchpri
ority="high" width="300" height="300" decoding="async" data-nimg="1" style="color:t
ransparent" srcset="/_next/image?url=%2Fimages%2Fplanets.png&w=384&q=75 1x,
...</pre>

<img alt="Film posters of all Star Wars movies" fetchpriority="high" width="300" he
ight="300" decoding="async" data-nimg="1" style="color:transparent" srcset="/_next/
image?url=%2Fimages%2Ffilms.png&w=384&q=75 1x, /_next/image?url=%2Fimages%2
F...</pre>

<img alt="Different species from Star Wars such as Wookiees and Twileks" fetchprior
ity="high" width="300" height="300" decoding="async" data-nimg="1" style="color:tra
nsparent" srcset="/_next/image?url=%2Fimages%2Fspecies.png&w=384&q=75 1x, /
_...</pre>

<img alt="Various starships from the Star Wars universe including the Millennium Fa
lcon" fetchpriority="high" width="300" height="300" decoding="async" data-nimg="1"
style="color:transparent" srcset="/_next/image?url=%2Fimages%2Fstarships.png&w=
3...</pre>

<img alt="Famous vehicles in Star Wars such as the AT-AT Walker and TIE Fighter" fe
tchpriority="high" width="300" height="300" decoding="async" data-nimg="1" style="c
olor:transparent" srcset="/_next/image?url=%2Fimages%2Fvehicles.png&w=384&q
= ...</pre>

- Background images that are not just for decoration No 0 purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.
 - Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".

No 0


0

 \cap

Figure elements that are used to display images should No have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.

21

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	d No	0	0	
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role attribute that equals to "none" or "presentation" so they are excluded from screen-readers.		0	0	
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No €	0	0	
25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	2	0	100
	Successful Elements				
	<pre><main aria-l="" aria-labelledby="page-title" id="main-content" role="main"><div class="b 2 pb-2 border-opacity-60"><h1 ari<="" aria-labelledby="page-ti 00 bg-gray-900 px-2 pb-2 border-opacity-60 center text-yellow-500" class="font</pre></td><td>order-2 bo</td><td>rder-yello</td><td>w-500 bg-gra</td><td>y-900 px-</td></tr><tr><td></td><td><pre><main role=" main"="" pre="" role="heading"></h1></div></main></pre>	"> <h1 clas<="" td=""><td>s="font-st</td><td>arjout text-</td><td>5xl text-</td></h1>	s="font-st	arjout text-	5xl text-
29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enterkey.	1	0	0	
30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	



35	Font sizes should be at least 11px in size in order to stay Yes readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	s F	Pass	-	100
36	Letter spacing should not be set to below -1px in order Yes to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	s F	² ass	-	100
37	Elements that have texts should meet a minimum Yes contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	s 7	7	4	64
	<pre><h1)<="" 1"="" aria-label="Page title: home" class="font-starjout text-5xl text-center level=" id="page" pre=""></h1></pre>				ng" aria-
	<pre>characters</pre>	er text-ye	ellow-500'	'aria-label	l="Title:
	<pre>planets</pre>	er text-ye	ellow-500'	'aria-labe	l="Title:
	<pre>films</pre>	er text-ye	ellow-500'	'aria-label	l="Title:
	<pre>species</pre>	er text-ye	ellow-500'	'aria-label	l="Title:
	<pre>starships</pre>	er text-ye	ellow-500'	'aria-labe	l="Title:
	<pre>vehicles</pre>	er text-ye	ellow-500'	'aria-labe	l="Title:
	Failed Elements				
	<pre>Star Wars and all associated names and/or i ="_blank" rel="noopener noreferrer" aria-label ="font-bold" href="https://www.lucasfilm.com/"</pre>	l="Visit	Lucasfilm	Ltd. websit	
	<pre><a "="" a="" aria-label="Visit Jean-Pierre Carvalh =" class="font-bold" href="https://www.lucasf</pre></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td><pre>© €!— →2024€!— → eferrer" https:="" jeanpierrecarvalho.pt="" rel="noopener noreferrer" target="_blank" te"="">Jean-Pierre p></pre>	ho's webs:	ite" class	s="font-bolo	d" href

<a target="_blank" rel="noopener noreferrer" aria-label="Visit Jean-Pierre Carvalh
o's website" class="font-bold" href="https://jeanpierrecarvalho.pt/" >Jean-Pierre C
arvalho

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No)	0	0
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
44	Tables that are missing a THEAD row with TH elements should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	,No	0	0
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute o a screen-reader only text that explains this is deleted text.	No r	0	0
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "arialabel" attribute or a screen-reader only texts conveying the score/rate.	No	0	0

48	Making use of an accessibility interface helps to ensure No that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	0	0	
49	Iframe elements should include a "title" or an "aria- No label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	0	0	