

Feature-to-Feature Example

Select programming elements — packages ncluding:	classes ☑ features	Show dependencies □ packages □ classes ☑ features including: excluding:
/(m*Node)\\\1\(/		li li
Results		
Dependencies Closure	Metrics	
	Show: V inhounds	authounds empty nodes
	Show. El Inbounds	□ databunas □ emply nodes
Select program		Show dependencies
	ming elements	Show dependencies
□ pad	ming elements kage ⊏ class ▽ feature	Show dependencies □ package □ class □ feature
including: /(w*Node)\.\1\(/	ming elements kage 「class 「feature excluding:	Show dependencies □ package □ class □ feature

Including / (\w*Node) \. \1\(/

Calls to constructors of classes ending in Node



Feature-to-Feature Example

Select programming elements packages classes features ncluding: excluding:	Show dependencies packages classes features including: excluding:
NodeFactory/ Results	
Dependencies Closure Metrics	
All processing the second seco	
Show: 🗹 inbounds	authounds empty nodes
Show: Inbounds	□ outbounds □ empty nodes Show dependencies
Select programming elements	Show dependencies
Select programming elements package class feature	Show dependencies ☐ package ☐ class ☐ feature

Including /NodeFactory/
Calls to methods of NodeFactory