

jebini@localhost:~ — /usr/bin/vim emp.awk

Q

≡

×

BEGIN{

print "Id Name OS DBMS Status"

print "-----"

count=0

}

{

status="Pass"

for(i=3;i<=4;i++){

if(\$i<45){

status="Fail"

count+=1

break

}

}

print \$1"\t"\$2"\t"\$3"\t"\$4"\t"status

}

END{

print "-----"

print "NUMBER OF FAILURES :",count

print "NUMBER OF PASSED :",NR-count

-- INSERT --

20,37-44All


```
awk: emp.awk:21: (END OF FILE)
awk: emp.awk:21: ^ source files / command-line arguments must contain complete
functions or rules
[jeb@localhost ~]$ vi emp.awk
[jeb@localhost ~]$ awk -f emp.awk emp.dat
awk: emp.awk:21: (END OF FILE)
awk: emp.awk:21: ^ source files / command-line arguments must contain complete
functions or rules
[jeb@localhost ~]$ vi emp.awk
[jeb@localhost ~]$ awk -f emp.awk emp.dat
Id Name OS DBMS Status
-----
101 Steve 99 40 Fail
102 Clint 55 20 Fail
103 Tony 99 100 Pass
104 Bruce 10 28 Fail
105 Peter 3 9 Fail
Fail
-----
NUMBER OF FAILURES : 5
NUMBER OF PASSED : 1
[jeb@localhost ~]$
```


jebin@localhost:~

[jebin@localhost ~]\$ vi employee.dat

[jebin@localhost ~]\$ vi employee.dat

[jebin@localhost ~]\$ vi employee.awk

[jebin@localhost ~]\$ awk -f employee.awk employee.dat

NAME PAY DAYSWORKED

Steve 10000 10

Bruce 20000 20

Tony 30000 30

TOTAL PAY: 60000

NO OF EMPLOYEES: 4

AVERAGE PAY: 15000

[jebin@localhost ~]\$

 jebin@localhost:~ — /usr/bin/vim employee.awk   

```
BEGIN{  
    sum=0  
    count=0  
    print "NAME PAY DAYSWORKED"  
    print "-----"  
  
    print $1"\t"$2"\t"$3  
    sum+=$2  
    count+=1  
  
    print "-----"  
    print "TOTAL PAY:",sum  
    print "NO OF EMPLOYEES:",count  
    print "AVERAGE PAY:",sum/count  
}
```

-- INSERT --

16,1

All