

[illegible]

+

jebin@localhost:/mnt/cdrom — /usr/bin/vim calculator.sh

Q ≡ ×


```
echo "ENTER THE FIRST NUMBER : "  
read a  
echo "ENTER SECOND NUMBER : "  
read b  
echo "ENTER OPERATION 1-ADD, 2-SUBRACTION, 3-MULTIPLY, 4-DIVISION"  
read op  
case $op in  
  1)echo "RESULT is : $((a+b))" ;;  
  2)echo "RESULT is : $((a-b))" ;;  
  3)echo "RESULT is : $((a*b))" ;;  
  4)echo "RESULT is : $((a/b))" ;;  
  *)echo "RESULT is : $((a+b))" ;;  
esac
```

~
~
~
~
~
~
~
~
~
~

-- INSERT --

13,5

All



A terminal window titled "jebin@localhost:~" with search, menu, and close buttons in the title bar. The terminal shows the following sequence of commands and output:

```
[jebin@localhost ~]$ vi leap.sh
[jebin@localhost ~]$ sh leap.sh
Enter a year
2024
2024 is a leap year
[jebin@localhost ~]$
```

```
jebin@localhost ~]$ vi cal.sh
jebin@localhost ~]$ sh cal.sh
ENTER THE FIRST NUMBER :
0
ENTER SECOND NUMBER :
3
ENTER OPERATION 1-ADD, 2-SUBTRACTION, 3-MULTIPLY, 4-DIVISION
RESULT is : 43
jebin@localhost ~]$ sh cal.sh
ENTER THE FIRST NUMBER :
3
ENTER SECOND NUMBER :
28
ENTER OPERATION 1-ADD, 2-SUBTRACTION, 3-MULTIPLY, 4-DIVISION
RESULT is : -195
jebin@localhost ~]$ sh cal.sh
ENTER THE FIRST NUMBER :
3
ENTER SECOND NUMBER :
28
ENTER OPERATION 1-ADD, 2-SUBTRACTION, 3-MULTIPLY, 4-DIVISION
RESULT is : 0
jebin@localhost ~]$ sh cal.sh
ENTER THE FIRST NUMBER :
ENTER SECOND NUMBER :
ENTER OPERATION 1-ADD, 2-SUBTRACTION, 3-MULTIPLY, 4-DIVISION
RESULT is : 27
jebin@localhost ~]$ █
```