


Week3Day1 Assignment: Browser Extensions with Vibe coding

Initially playwright with typescript is not supported.



Through vibe coding asked the AI to update the codebase from Java selenium to playwright typescript and implement it.



Open Chat

Ctrl + Alt + I

Show All Commands

Ctrl + Shift + P

Find in Files

Ctrl + Shift + F

CHAT

← JAVA SELENIUM IMPLEMENTATION AN... □

Read my entire workspace to analyze how java selenium was implemented in the code base and provide the list of impacted files.

Searched for Java files and Selenium references

I'll search your workspace for Java and Selenium-related code to understand the implementation.

Searched for files matching selenium, java, webdriver

Now let me read the key files that contain Java and Selenium references:

Reviewed 10 files and searched for multiple regex patterns

Let me get the complete list of all files and check the entire prompts file:

I want to implement playwright with typescript similar to Java and Selenium

Analyzed Playwright implementation requirements for TypeScript

I'll help you implement Playwright with TypeScript similar to Java/Selenium. Let me clarify the requirements first:

Analyzing your answers...

Q: What code generation modes do you need for Playwright/TypeScript?

A: Page Object Model only (like SELENIUM_JAVA_PAGE_ONLY)

Q: Do you want to support Playwright Test framework or just Playwright library?

A: Both

Q: For Cucumber mode, should TypeScript/Playwright use BDD framework?

A: Yes, generate Cucumber feature + TypeScript step definitions

Analyzed user requirements for Playwright and Cucumber integration

Perfect! I'll implement Playwright with TypeScript. Let me read the full logic to understand how to integrate it properly:

Reviewed chat.js lines 550 to 620 and 1 to 50

+ JS chat.js

Describe what to build

EXPLORER

AI-EXTENSION

assets\images

hush.png

logo-small.png

qeagle-small.png

lib

marked

prism

src

config

content

scripts

api

JS groq-api.js

JS openai-api.js

JS testleaf-api.js

JS chat.js

JS init-colors.js

JS init-config.js

JS popup.js

JS prompts.js

JS tabs.js

styles

bg.js

manifest.json

panel.html

OUTLINE

TIMELINE

src > scripts > JS chat.js > ...

6

class ChatUI {

666

async resetChat() {

712

713

714

715

716

717 // Initialize

718 document.addEventListener('DOMContentLoaded', () => {

719 new ChatUI();

720 });

721

CHAT

← JAVA SELENIUM IMPLEMENTATION ANALYSIS

Updated getPromptKeys() method (lines 550-600)

Routes TypeScript/Playwright to appropriate prompts

Supports both Page Object and Cucumber modes

Updated addUnsupportedLanguageMessage() (line 633)

Now mentions both Java/Selenium and TypeScript/Playwright as supported

Supported Combinations Now

Language	Engine	Mode	Prompt Key
Java	Selenium	Page Only	SELENIUM_JAVA_PAGE_ONLY
Java	Selenium	Cucumber + Steps	CUCUMBER_WITH_SELENIUM_JAVA_STEPS
TypeScript	Playwright	Page Only	PLAYWRIGHT_TS_PAGE_ONLY
TypeScript	Playwright	Cucumber + Steps	CUCUMBER_WITH_PLAYWRIGHT_TS_STEPS

Users can now select TypeScript + Playwright from the extension and generate production-ready code with Playwright imports and patterns!

+ JS chat.js

Describe what to build

+ Agent Claude Haiku 4.5

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript



Code Generator

Settings

Supported Language

TypeScript



Browser Engine

Playwright



Select LLM Provider

Groq




Select Model

llama-3.3-70b-versatile





Groq API Key

.....



AI has generated with cucumber framework coding and tried to generate page only with playwright.



Worked as expected.

