```
package com.tipsplit.ai

import android.content.Intent
import android.os.Bundle
import android.webkit.WebView
import android.webkit.WebViewClient
import android.widget.Button
import android.widget.LinearLayout
import androidx.appcompat.app.AppCompatActivity

class MainActivity : AppCompatActivity() {

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)

        val layout = LinearLayout(this)
        layout.orientation = LinearLayout.VERTICAL

        val webView = WebView(this)
        val settings = webView.settings
        settings.javaScriptEnabled = true
        settings.domStorageEnabled = true
        settings.loadWithOverviewMode = true
        settings.useWideViewPort = true
        webView.webViewClient = WebViewClient()
        webView.loadUrl("file:///android_asset/index.html")

        // Bridge for navigation
        webView.addJavascriptInterface(object {
            @android.webkit.JavascriptInterface
            fun navigateTo(section: String) {
                if (section == "history") {
                    val intent = Intent(this@MainActivity, HistoryActivity::class.java)
                    startActivity(intent)
                }
            }
        }, "AndroidBridge")

        val voiceButton = Button(this).apply {
            text = "Open Voice Input"
            setOnClickListener {
                val intent = Intent(this@MainActivity, VoiceInputActivity::class.java)
                startActivity(intent)
            }
```

```
        }

        layout.addView(webView)
        layout.addView(voiceButton)

        setContentView(layout)
    }
}
```

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    package="com.tipsplit.ai">

    <uses-permission android:name="android.permission.RECORD_AUDIO" />
    <uses-permission android:name="android.permission.INTERNET" />

    <application
        android:allowBackup="true"
        android:icon="@mipmap/ic_launcher"
        android:label="Tip-n-Split AI"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportsRtl="true"
        android:usesCleartextTraffic="true"
        android:theme="@style/Theme.TipSplitAI">

        <activity android:name=".MainActivity" android:exported="true">
            <intent-filter>
                <action android:name="android.intent.action.MAIN" />
                <category android:name="android.intent.category.LAUNCHER" />
            </intent-filter>
        </activity>

        <activity android:name=".VoiceInputActivity" android:exported="true" />
        <activity android:name=".HistoryActivity" android:exported="true" />

    </application>
</manifest>
```

```
package com.tipsplit.ai

import android.os.Bundle
import android.widget.LinearLayout
import android.widget.TextView
import androidx.appcompat.app.AppCompatActivity
```

```
import com.google.firebase.firestore.FirebaseFirestore
import com.google.firebase.firestore.Query

class HistoryActivity : AppCompatActivity() {

    private lateinit var container: LinearLayout

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)

        container = LinearLayout(this).apply {
            orientation = LinearLayout.VERTICAL
        }
        setContentView(container)

        FirebaseFirestore.getInstance().collection("voiceLogs")
            .orderBy("timestamp", Query.Direction.DESCENDING)
            .limit(20)
            .get()
            .addOnSuccessListener { result ->
                for (doc in result) {
                    val input = doc.getString("input") ?: "(empty)"
                    val timestamp = doc.getTimestamp("timestamp")?.toDate().toString()

                    val tv = TextView(this).apply {
                        text = "$timestamp → $input"
                        textSize = 16f
                    }
                    container.addView(tv)
                }
            }
            .addOnFailureListener { e ->
                val errorView = TextView(this).apply {
                    text = "Error loading history: ${e.message}"
                }
                container.addView(errorView)
            }
    }
}

package com.tipsplit.ai

import android.content.Intent
import android.os.Bundle
```

```
import android.speech.RecognizerIntent
import android.speech.RecognitionListener
import android.speech.SpeechRecognizer
import android.widget.LinearLayout
import android.widget.TextView
import android.widget.Toast
import androidx.appcompat.app.AppCompatActivity
import com.google.firebase.firestore.FirebaseFirestore
import com.google.firebase.firestore.FieldValue
import java.util.*

class VoiceInputActivity : AppCompatActivity() {

    private var recognizer: SpeechRecognizer? = null
    private lateinit var transcriptView: TextView

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)

        val layout = LinearLayout(this)
        layout.orientation = LinearLayout.VERTICAL
        transcriptView = TextView(this)
        layout.addView(transcriptView)
        setContentView(layout)

        recognizer = SpeechRecognizer.createSpeechRecognizer(this)
        val intent = Intent(RecognizerIntent.ACTION_RECOGNIZE_SPEECH).apply {
            putExtra(RecognizerIntent.EXTRA_LANGUAGE_MODEL,
RecognizerIntent.LANGUAGE_MODEL_FREE_FORM)
            putExtra(RecognizerIntent.EXTRA_LANGUAGE, Locale.getDefault())
        }

        recognizer?.setRecognitionListener(object : RecognitionListener {
            override fun onResults(results: Bundle) {
                val matches =
results.getStringArrayList(SpeechRecognizer.RESULTS_RECOGNITION)
                if (matches != null && matches.isNotEmpty()) {
                    val voiceInput = matches[0]
                    transcriptView.text = "You said: $voiceInput"

                    FirebaseFirestore.getInstance().collection("voiceLogs")
                        .add(
                            hashMapOf(
                                "input" to voiceInput,
```

```
                        "timestamp" to FieldValue.serverTimestamp()
                    )
                )
                .addOnSuccessListener {
                    Toast.makeText(this@VoiceInputActivity, "Saved to Firestore",
Toast.LENGTH_SHORT).show()
                }
                .addOnFailureListener { e ->
                    Toast.makeText(this@VoiceInputActivity, "Error: ${e.message}",
Toast.LENGTH_LONG).show()
                }
            }
        }

        override fun onReadyForSpeech(params: Bundle) {}
        override fun onBeginningOfSpeech() {}
        override fun onRmsChanged(rmsdB: Float) {}
        override fun onBufferReceived(buffer: ByteArray) {}
        override fun onEndOfSpeech() {}
        override fun onError(error: Int) {
            Toast.makeText(this@VoiceInputActivity, "Error code: $error",
Toast.LENGTH_SHORT).show()
        }
        override fun onPartialResults(partialResults: Bundle) {}
        override fun onEvent(eventType: Int, params: Bundle) {}
    })

    recognizer?.startListening(intent)
  }

  override fun onDestroy() {
    super.onDestroy()
    recognizer?.destroy()
  }
}

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Tip-n-Split AI</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
```

```
<!-- Header -->
<header>
  <h1>Tip-n-Split AI</h1>
  <p class="tagline">Smart dining, simple splitting</p>
</header>

<!-- Input Fields -->
<section id="inputs" class="card">
  <label>Bill Total ($): <input type="number" id="billTotal" placeholder="0.00"></label>
  <label>Tax Amount ($): <input type="number" id="taxAmount" placeholder="0.00"></label>
  <label class="toggle">
    <input type="checkbox" id="tipOnTax"> Tip on Tax
  </label>

  <div id="tipButtons">
    <button onclick="setTip(10)">10%</button>
    <button onclick="setTip(20)">20%</button>
    <button onclick="customTip()">Custom</button>
  </div>

  <label>Split Among (People): <input type="number" id="splitPeople" value="1"></label>
</section>

<!-- Calculated Results -->
<section id="results" class="card">
  <div class="result-box">
    <p>Tip Amount: <span id="tipAmount">$0.00</span></p>
    <p>Total Bill: <span id="totalBill">$0.00</span></p>
    <p>Each Pays: <span id="eachPays">$0.00</span></p>
  </div>
</section>

<!-- Tools & Actions -->
<section id="tools" class="card">
  <button class="outline" onclick="roundUp()">Round Up</button>
  <button class="primary" onclick="sendText()">Send Text to Group</button>
  <div id="payments">
    <button class="venmo">Venmo</button>
    <button class="cashapp">CashApp</button>
    <button class="paypal">PayPal</button>
  </div>
</section>

<!-- Feature Tiles -->
```

```
  <section id="features">
    <div class="tile locked" onclick="unlockFeature('scanner')">📷 <br>Scanner</div>
    <div class="tile locked" onclick="unlockFeature('ai')">✨ <br>AI Assistant</div>
    <div class="tile" onclick="navigate('history')">🕒 <br>History</div>
    <div class="tile locked" onclick="unlockFeature('wallet')">💳 <br>Wallet</div>
  </section>

  <!-- Voice Input Floating Button -->
  <button id="voiceInputBtn" onclick="navigate('voice')">🎤 OPEN VOICE INPUT</button>

  <!-- Ad Banner -->
  <footer id="adBanner">
    <p>Advertisement</p>
    <!-- Placeholder for Ad SDK integration -->
  </footer>

  <script src="script.js"></script>
</body>
</html>

body {
  font-family: 'Inter', sans-serif;
  margin: 20px;
  background: #121212; /* Dark background */
  color: #f5f5f5;       /* Light text for contrast */
}

header {
  text-align: center;
  margin-bottom: 30px;
}

h1 {
  font-size: 3em; /* Tripled size */
  font-weight: 700;
}

.tagline {
  color: #bbb;
  font-size: 1.5em; /* Tripled size */
}

.card {
  background: #1e1e1e;
```

```
  padding: 24px;
  border-radius: 16px;
  box-shadow: 0 4px 12px rgba(0,0,0,0.6);
  margin-bottom: 30px;
}

label {
  display: block;
  margin: 18px 0;
  font-size: 1.5em; /* Tripled size */
}

input {
  padding: 20px;
  font-size: 1.5em; /* Tripled size */
  border: 1px solid #444;
  border-radius: 8px;
  width: 100%;
  background: #2a2a2a;
  color: #f5f5f5;
}

#tipButtons {
  display: flex;
  justify-content: space-around;
  margin: 18px 0;
}

#tipButtons button {
  flex: 1;
  margin: 8px;
  padding: 20px;
  border-radius: 24px;
  border: 2px solid #666;
  background: #2a2a2a;
  color: #f5f5f5;
  font-size: 1.5em; /* Tripled size */
  font-weight: 600;
}

#tipButtons button.active {
  background: #4CAF50;
  color: #fff;
  border: 2px solid #4CAF50;
```

```
}

.result-box {
  text-align: center;
}

.result-box p {
  font-size: 2em; /* Tripled size */
  margin: 12px 0;
}

.result-box span {
  font-weight: bold;
  color: #4CAF50;
}

button {
  cursor: pointer;
  transition: transform 0.1s ease;
  font-size: 1.5em; /* Tripled size */
}

button:active {
  transform: scale(0.95);
}

button.outline {
  border: 2px solid #4CAF50;
  background: transparent;
  color: #4CAF50;
  padding: 16px;
  border-radius: 12px;
  width: 100%;
}

button.primary {
  background: #4CAF50;
  color: #fff;
  padding: 20px;
  border-radius: 12px;
  margin-top: 16px;
  width: 100%;
}
```

```
#payments {
  display: flex;
  justify-content: space-around;
  margin-top: 16px;
}

#payments button {
  flex: 1;
  margin: 8px;
  border-radius: 12px;
  padding: 18px;
  font-size: 1.5em; /* Tripled size */
}

.venmo { background: #3D95CE; color: #fff; }
.cashapp { background: #00D632; color: #fff; }
.paypal { background: #003087; color: #fff; }

#features {
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 20px;
  margin-top: 30px;
}

.tile {
  background: #1e1e1e;
  text-align: center;
  padding: 40px;
  border-radius: 14px;
  font-size: 2em; /* Tripled size */
  box-shadow: 0 2px 8px rgba(0,0,0,0.6);
}

.tile.locked {
  opacity: 0.5;
  position: relative;
}

.tile.locked::after {
  content: " 🔒 ";
  position: absolute;
  top: 12px;
  right: 12px;
```

```
  font-size: 1.5em;
}

#voiceInputBtn {
  position: fixed;
  bottom: 100px;
  right: 20px;
  background: #4CAF50;
  color: #fff;
  padding: 24px 32px;
  border-radius: 50px;
  font-size: 1.5em; /* Tripled size */
  box-shadow: 0 4px 12px rgba(0,0,0,0.6);
  animation: pulse 2s infinite;
}

@keyframes pulse {
  0% { box-shadow: 0 0 0 0 rgba(76, 175, 80, 0.4); }
  70% { box-shadow: 0 0 0 16px rgba(76, 175, 80, 0); }
  100% { box-shadow: 0 0 0 0 rgba(76, 175, 80, 0); }
}

#adBanner {
  position: fixed;
  bottom: 0;
  left: 0;
  right: 0;
  background: #1e1e1e;
  border-top: 1px solid #444;
  text-align: center;
  padding: 14px;
  font-size: 1.2em;
  color: #bbb;
}

let tipPercent = 0;
let unlockedFeatures = {};

function setTip(percent) {
  tipPercent = percent;
  document.querySelectorAll('#tipButtons button').forEach(btn => btn.classList.remove('active'));
  event.target.classList.add('active');
  calculate();
}
```

```
function customTip() {
  const custom = prompt("Enter custom tip percentage:");
  if (custom) {
    tipPercent = parseFloat(custom);
    calculate();
  }
}

function calculate() {
  const bill = parseFloat(document.getElementById("billTotal").value) || 0;
  const tax = parseFloat(document.getElementById("taxAmount").value) || 0;
  const people = parseInt(document.getElementById("splitPeople").value) || 1;
  const tipOnTax = document.getElementById("tipOnTax").checked;

  const base = tipOnTax ? bill + tax : bill;
  const tip = base * (tipPercent / 100);
  const total = bill + tax + tip;
  const each = total / people;

  document.getElementById("tipAmount").textContent = `$${tip.toFixed(2)}`;
  document.getElementById("totalBill").textContent = `$${total.toFixed(2)}`;
  document.getElementById("eachPays").textContent = `$${each.toFixed(2)}`;
}

function roundUp() {
  const total = parseFloat(document.getElementById("totalBill").textContent.replace("$", "")) || 0;
  const rounded = Math.ceil(total);
  const people = parseInt(document.getElementById("splitPeople").value) || 1;
  const each = rounded / people;

  document.getElementById("totalBill").textContent = `$${rounded.toFixed(2)}`;
  document.getElementById("eachPays").textContent = `$${each.toFixed(2)}`;
}

function sendText() {
  const tip = document.getElementById("tipAmount").textContent;
  const total = document.getElementById("totalBill").textContent;
  const each = document.getElementById("eachPays").textContent;
  alert(`Bill breakdown:\nTip: ${tip}\nTotal: ${total}\nEach Pays: ${each}`);
}

function unlockFeature(feature) {
  if (!unlockedFeatures[feature]) {
```

```
    alert(`Watch an ad to unlock ${feature}`);
    // Simulate ad watched
    unlockedFeatures[feature] = true;
    const tile = document.querySelector(`.tile[onclick*="${feature}"]`);
    tile.classList.remove("locked");
    alert(`${feature} unlocked`);
  } else {
    navigate(feature);
  }
}

function navigate(section) {
  if (section === "history") {
    AndroidBridge.navigateTo("history");
  } else if (section === "voice") {
    AndroidBridge.navigateTo("voice");
  } else {
    alert(`Navigating to ${section}`);
  }
}
```