

CORRIDOR 7

ALIEN INVASION

TECHNICAL & STRATEGY COMPENDIUM

Gameplay mechanics | weapons and actors | maps and asset containers
engine deltas | executable offsets | modding and reverse-engineering notes

Research Edition 1.0 • 18 July 2026

Prepared as an evidence-graded dossier. It explicitly distinguishes retail behavior, developer documentation, executable-level discoveries, successor-code clues, and unresolved questions.

0 How to Read This Compendium

This is not a conventional fan walkthrough. It is a combined player manual, strategy reference, map-editing specification, asset-format survey, and reverse-engineering status report. The central rule is simple: no guessed memory offset, sprite number, or source-code claim is presented as fact.

EVIDENCE GRADES CONFIRMED means directly stated by a retail manual, the official BradyGames guide, the Capstone design papers, or the Corridor 7-specific MapEdit documentation. IMPLEMENTATION-LEVEL means a reproducible binary/file-format discovery. LINEAGE means evidence from the later Corridor 8 source tree and is never silently treated as Corridor 7 source. INFERENCE means the conclusion follows from several sources but has not been verified against an original C7 source listing.

The largest surviving gap is the original source code. Les Bird released Corridor 8 prototype source, not Corridor 7 source; ECWolf reports that its Corridor 7 disassembly is mapped, but the complete annotated disassembly is not presently exposed as a public source tree. Consequently, this edition can document known executable offsets and map/object semantics but cannot honestly provide every function address or C symbol from the retail executable. [T4] [S1]

Research Coverage at a Glance

Area	Coverage	Basis
Retail controls, HUD, difficulty, weapons, items, enemies	High	Manual + official guide
Map semantics, triggers, doors, animation, teleporters	High	MapEdit 8.4 Corridor 7 guide
File containers and map compression	High	ModdingWiki + WDC observations
Executable offsets	Medium-high	Published reproducible offsets; version-specific
Every wall and sprite index	Incomplete	Graphical floppy list exists; no clean indexed text dump located; CD list was described as unfinished
Original C source and full symbol map	Not public	ECWolf mapping status is public; mapped body is not
Map-by-map routes	Medium	Official guide has maps; this edition summarizes systems and level families without reproducing copyrighted maps

Citation Key

Bracketed source codes such as [P1] or [T3] refer to the bibliography in Appendix H. Page references use the printed page number where it is visible; PDF page numbers may differ by front matter.

Contents

Section	Subject
1	Identity, versions, and development history
2	Story, mission structure, and victory conditions
3	Controls, HUD, saving, and difficulty
4	Core simulation: alerting, vision, mapping, access, and secrets
5	Weapons, ammunition, mines, and damage behavior
6	Health, armor, inventory, and interactable resources
7	Complete alien field manual
8	Strategy doctrine and tactical playbook
9	Level architecture, numbering, bonus floors, and multiplayer
10	Technical architecture and asset containers
11	Map format, map planes, codes, triggers, and engine limits
12	What changed from stock Wolfenstein 3D
13	Executable offsets and reverse-engineering findings
14	Source-code archaeology and Corridor 8 lineage evidence
15	Modding and reproducible extraction workflow
16	Contradictions, bugs, oddities, and unresolved questions
A-H	Quick references, code appendix, research gaps, and bibliography

1 Identity, Versions, and Development History

Corridor 7: Alien Invasion is a 1994 DOS first-person shooter by Capstone Software/IntraCorp built on a heavily modified licensed id Software engine. Contemporary MapEdit documentation calls it the fourth game in the Wolfenstein-engine line after Wolfenstein 3D, Spear of Destiny, and Blake Stone: Aliens of Gold, but emphasizes that Corridor 7 behaves more like Wolfenstein/Spear than Blake Stone except where Capstone rewrote wall, door, animation, and visibility systems. [P3]

1.1 Retail and Derived Versions

Version	Content	Executable/map identity	Important differences
Floppy/disk retail	30 main floors + 6 bonus floors	C7.EXE / CORR7.EXE naming varies in documentation	No alien-world campaign; no network mode; incompatible maps with CD release.
CD-ROM retail	30 Delta Base + 10 alien-world floors + 6 bonus + 8 network arenas	CORR7CD.EXE launched through CORR7.BAT	Adds cinematics, CD audio, teleporters, extra aliens/weapons, modem/IPX multiplayer.
One-level demo	Unique demo map	MAPHEAD.DMO external; MAPTEMP.DMO	Map header is external rather than embedded.
Play Now / budget variants	Retail-derived	File layouts vary	VSMAPED notes identify format quirks; do not assume retail offsets without hashing the executable.
Modern Steam/GOG packaging	DOSBox-wrapped CD build	Launch wrapper/batch file	Packaging is modern; game code remains the DOS executable.

MAP INCOMPATIBILITY The first 30 floors and six bonus floors appear nearly identical between floppy and CD releases, but MapEdit explicitly states that their map groups are incompatible. A map built for one executable must not be assumed to work in the other. [P3]

1.2 Credits and Production Clues

Role	Credit
Executive producer	Leigh Rothschild
Producer	David Turner
Director	Amy Smith Boylan
Programmers	Les Bird, Jeff Schulz, Rafael Paiz, Joe Abbati
Artists	Ruben Cabrera, Carlos Ibarra, Scott Nixon
Level design	Les Bird, Scott Nixon, Richard Henning
Music and sound	Joe Abbati
Quality assurance	James Wheeler, Katie Gangi

Many alien names are reverse spellings. The documentation explicitly notes this naming convention. Direct reversals include SOLRAC/CARLOS, TTOCS/SCOTT, EITAK/KATIE, SEMAJ/JAMES, TENAJ/JANET, TEBAZILE / ELIZABET, and NERRAW/WARREN. Some correspond visibly to credited staff; others may be in-jokes or character names. [P3]

1.3 Original Design Intent vs. Shipped Game

The revised Capstone design paper lists differentiators such as usable wall equipment, items displayed on shelves, body armor, expanded weapons/enemies, and creatures that could apparently play dead and revive. It also describes a level-25 technician/shield-generator beat. These are design intentions, not a blanket guarantee that every item survived unchanged in retail. [P4]

DESIGN-DOCUMENT CAUTION A design document answers “what Capstone planned,” not necessarily “what the released executable does.” Features are labeled design-only unless the manual, strategy guide, map data, or executable behavior independently confirms them.

2 Story, Mission Structure, and Victory Conditions

In 2012, Dr. Donald Fox returns from Mars with an ageless metallic object recovered near a face-like formation. The government moves it to Delta Base, an underground Nevada weapons/research complex. Gamma testing transforms it into a gateway; armed aliens pour through, kill the staff, and begin converting both the facility and atmosphere. A lone special-forces Marine is sent to descend to Corridor 7, restore contact, and destroy the object. [P1]

2.1 Campaign Progression

Stage	Function
Floors 1-20	Predominantly human office/lab/military architecture; alien occupation rises.
Floors 21-30	Heavily converted hybrid/alien environment; energy ammunition becomes more important.
Floor 25	Major boss and story beat; Solrac can appear as an untouchable apparition elsewhere.
Floor 30, floppy	Destroy the vortex; Solrac need not necessarily be killed if the vortex can be destroyed.
Floor 30, CD	Enter the vortex to continue to the alien world. The map editor guide also notes a destruction/ending path.
Floors 31-40, CD	Alien-world campaign using teleporters instead of conventional elevators.
Floor 40, CD	Reach/enter the final vortex; Tebazile is the final guardian and may be optional if the exit can be reached.

2.2 “Secure the Floor” Rule

The exit does not merely require reaching an elevator. Each rank requires a percentage of the initial alien population to be eliminated. The counter on the HUD tracks aliens remaining; on Captain and Major, the manual describes the elevator requirement as a zero counter. [P1]

Rank	Kills required	Other behavior
Corporal	10%	Fewest aliens; body armor; full map supplied.
Lieutenant	75%	No starting armor; map supplied.
Captain	100%	Partial proximity view until the Floor Plan is found.

Rank	Kills required	Other behavior
Major	100%	Largest population; aliens are tougher.
President	100% implied	Objects and aliens relocated pseudo-randomly within a distance factor; no documented command-line selector.

3 Controls, HUD, Saving, and Difficulty

3.1 Default Controls

Input	Action
Arrow keys	Move forward/back; turn left/right
Right Shift + movement	Run / quick movement
Alt + Left/Right	Strafe/slide
Ctrl or left mouse	Fire; hold for continuous fire where supported
Right mouse	Move forward
Space	Open/use doors, computers, dispensers, chambers, and pushwalls
1-8	Select weapons
M	Place proximity mine
Enter	Cycle normal, night-vision, infrared visor modes
Tab	Toggle proximity map
S	Toggle score display
I	Toggle item/alien/level display
Esc	Main menu
F2/F3	Save/load mission
F4/F5	Sound/music toggle
F6	Control toggle/configuration
F7	End mission
F8/F9	Auto-quick-save / quick-load
Alt-P / Alt-F / Alt-S (CD)	CD audio play / next track / stop

3.2 HUD Semantics

HUD element	Meaning
Health	Current hit points; base maximum 100 unless Adrenaline raises it for the current floor.
Armor	Separate pool. Incoming damage is divided between armor and health; armor never makes the Marine damage-proof.
Standard ammunition	Shared by human projectile weapons; 200-round base capacity.
Alien energy	Separate pool, displayed as energy/percentage depending on HUD mode; maximum 999 units.

HUD element	Meaning
Mines	Count carried; maximum crate is 25.
Visor battery	Consumed by night vision and infrared, not normal vision.
Pass cards	Blue/red clearance for the current floor only.
Current weapon	Weapon readout/icon.
Aliens remaining	Floor-security objective; based on initial count and rank.
Floor	Current level index.
Score	Kills plus secret/bonus accounting.
Proximity map	Motion-detector/map overlay; full range after Floor Plan pickup.

3.3 Saving and Autosave

The CD manual describes ten titled save slots and an automatic save of the last completed floor so the next session can begin in the elevator. F8/F9 provide quick-save/quick-load behavior. Save before opening a dangerous room, entering a transporter, committing mines to a corridor, or consuming one-time resources. [P1] [P2]

4 Core Simulation: Alerting, Vision, Mapping, Access, and Secrets

4.1 Alien Alerting and Sound Zones

Corridor 7 retains a tile/area-based alert model. The MapEdit guide reveals an unusually important rule: if the Marine fires while standing on a particular floor code, all aliens standing on that same floor code shift to attack mode and move toward the Marine. Designers can therefore use shared area values as sound/alert zones. [P3]

- Opening doors and activating the wrong security terminal can disclose the Marine’s location. [P2] [P3]
- Some actors begin in patrol, ambush, or inactive arrangements; their map placement and floor code affect activation. [P2] [P3]
- Aliens cannot see through any wall, including glass/see-through walls. If an alien is active behind glass, some other event alerted it. [P2] [P3]
- Once active, aliens may path toward the player through doors and, on CD alien floors, use teleporters. [P2] [P3]

4.2 Visor Modes

Mode	Behavior
Normal	No battery cost; default for routine navigation.
Night vision	Green-enhanced view for dark/long corridors; drains battery.
Infrared	Reveals invisible Enirams, laser hazards, and security-terminal information; drains battery.

INFRARED EXPLOIT The official strategy guide says infrared can distinguish blue/red access terminals in a bank of computers. This lets the player avoid alarm terminals without trial and error. [P2]

4.3 Proximity Map

The map is simultaneously an automap and motion detector. Before collecting the Floor Plan, it covers only a limited local range. After the pickup, it exposes the whole mapped floor, but intentionally excludes hidden/restricted sections. Moving aliens appear as flashing yellow dots, the Marine as blue, and armed mines as red. Motionless actors or disguised Bandors may not reveal themselves. [P1] [P2]

- Leave it on whenever screen size and attention permit; it consumes no energy.
- Gray/unmapped masses often indicate a secret room, perimeter corridor, maze, or warehouse.
- Use dot speed as a rough actor classifier: Animated Probes are very fast; Alioprobes/Rodex tend to move more slowly.
- Transporter destinations can be tracked by watching the map immediately before and after transit.

4.4 Access Cards and Security Computers

Blue and red access are issued by wall computers and expire at the end of the floor. Security offices often contain both valid terminals and intrusion/alarm terminals. Locked rooms frequently include a valid terminal on the inside so a player who enters through a pushwall can unlock the normal exit. The blue grid-like security-room force-field doors do not themselves require a card. [P1] [P3]

4.5 Secrets, Pushwalls, and Scoring

Corridor 7 has no traditional treasure. Secret areas hold equipment: armor, weapons, maps, mines, batteries, health, or invulnerability. Two pushwall object codes distinguish score-bearing restricted secrets from maintenance/perimeter passages. [P3]

Object code	Meaning	Scoring effect
0x0062	Restricted pushwall	Counts toward restricted-area/secret completion.
0x0065	Unrestricted pushwall	Typically opens a maintenance perimeter; does not count toward the secret bonus.

5 Weapons, Ammunition, Mines, and Damage Behavior

The official guide publishes broad damage ranges rather than deterministic per-shot values. “0-255” indicates a variable result, not guaranteed zero-damage hits under normal conditions. Range, distance, spread, target defenses, and randomization can alter effective damage. [P2]

Key	Weapon	Consumption	Range	Guide damage	Operational role
1	Taser	None	Short	0-255	Unlimited but slow; emergency fallback.
2	Assault Shotgun	5 standard points/shot	Medium; strongest close	25-350	CD-only close-range weapon; the guide describes its close-range role.
3	M-24 C.A.W.	1 standard/shot	Medium	0-255	Fast automatic general-purpose weapon; starts with Marine.
4	M-343 Tribarrel	1 standard/round; 3-round burst	Long	(0-255) x3	Preferred human weapon; effective at distance.

Key	Weapon	Consumption	Range	Guide damage	Operational role
5	Alien Dual Blaster	2 energy/shot	Medium	0-255	Economical alien sidearm; good for conserving standard ammo.
6	Alien Plasma Rifle	3-5 net energy/shot	Short/medium	(0-255)+25 splash	Traveling plasma; ~10-foot blast; can detonate mines.
7	Alien Assault Cannon	0-2 energy/burst	Long	0-255	Four-round burst; very efficient; CD-only.
8	Alien Disintegrator	44-46 energy/shot	Long	1,000	Boss/emergency weapon; enormous energy cost; CD-only.
M	Proximity Mine	1 mine	Triggered radius	(2-400)+100	15-foot blast radius; lethal to Marine; maximum 25 carried.

5.1 Ammunition Pools and Capacity

Resource	Capacity	Expansion/replenishment
Standard ammunition	200 base maximum	Ammo Packs add 500 each; two may be carried; practical cap documented as 999.
Alien energy	999 maximum	Charge Pack adds 100 units.
Proximity mines	25 maximum	One crate.
Visor energy	Battery units	Each battery station/pickup adds 100 units according to the guide.

5.2 Plasma Recharge Quirk

The Plasma Rifle briefly reserves about 31 energy units at firing time, then recharges most of that amount so the net cost is usually 3-5 units. Rapid fire can therefore drain the pool much faster than the nominal net cost suggests. Pause between shots. [P2]

5.3 Hitscan vs. Traveling Projectiles

CLASSIFICATION LIMIT The surviving retail documentation uses “projectile” broadly and does not publish a complete attack-function table. Plasma is explicitly a traveling blast with time-of-flight and splash; mines are world actors. Conventional gunfire behaves as effectively immediate line fire in play, while the guide also claims certain high-powered shots can pass through an alien and damage a target behind it. A definitive function-by-function classification awaits the mapped disassembly or direct executable tracing.

5.4 Mine Doctrine

- Place mines while backing away; they arm after three short beeps. [P2]
- Use doorways and intersections, but preserve your return route. [P2]
- A mine can kill the Marine; do not approach an armed red dot casually. [P2]
- Plasma bolts can detonate mines. Use this to clear a blocked route—or exploit an enemy Plasma Rifle shot. [P2]
- Bosses survive multiple mines; soften them before committing ammunition. [P2]
- Dead actors or close geometry can cause premature detonation; create distance immediately. [P2]

6 Health, Armor, Inventory, and Interactable Resources

Resource	Interaction	Effect	Tactical note
Medic Pack	Wall dispenser behind a raising shield	+25 health, up to current maximum	Open shield early even if healthy; it may become an emergency station.
Health Chamber	Enter and use	Up to +100 based on chamber energy	Partially drained chambers retain remaining charge.
Adrenaline	Pickup	+300 maximum/current health for current floor	Maximum resets to 100 on next floor.
Body Armor	Pickup	+200 armor; stacks	Damage is shared with health; very high armor does not replace health.
Invulnerability Sphere	Pickup	Temporary immunity	Use immediately for boss push, escape, or a dangerous resource sweep.
Ammo Bay	Wall dispenser	+50 standard rounds	One clip per bay.
Ammo Pack	Pickup	+500 capacity; maximum two	Does not include ammunition.
Charge Pack	Pickup/drop	+100 alien energy	Common on converted/alien floors.
Visor Battery	Wall unit/pickup	+100 visor energy	Bank for Enirams, lasers, dark corridors, and terminal identification.
Floor Plan	Pickup	Full proximity-map coverage	Usually in security office or secret area.

6.1 Armor Mathematics: What Is and Is Not Known

The manual says incoming damage is divided between armor and health, and each suit contributes 200 armor points. The exact split percentage and rounding function are not published in the surviving retail manuals. Therefore, this edition does not invent a formula. Empirically measuring the split requires controlled damage tests at fixed difficulty and actor/weapon. [P1] [P2]

7 Complete Alien Field Manual

The official guide states that the floppy game has 12 alien types and the CD game has 16, counting added aliens and the “surprise” Nerraw. The following table preserves the guide’s health, threat, level range, and score values. [P2]

Actor	Type	Health	Damage	Levels	Score	Behavior / counterplay
Alioprobe	Guard/sentry	25	Low	20-39	100	Slow alarm unit, dangerous in packs; clear quickly before it draws traffic.
Animated Probe	Centurion	100	Low	1-40	400	Extremely fast, sound-reactive, sometimes ambush placed; electronic whine.
Bandor	Guard/morpher	50	High	5-39	500	Disguises as furniture/plants; morph sound; other Bandors may rush to a kill site.

Actor	Type	Health	Damage	Levels	Score	Behavior / counterplay
Eitak	Guard	100	Medium	30-40	800	Primary alien-world guard; accurate in groups; use sustained fire and open space.
Eniram	Warrior/cloaked	200	Medium	2-40	1,000	Invisible until firing; infrared or proximity map required; distinct decloak sound.
Eniram Boss	Boss	2,000	Very high	5 and 30	2,500	Solid/non-cloaking; Plasma Rifle; avoid narrow corridors.
Mechanoid Warrior	Boss	1,000	Very high	10-40	2,500	Slow, audible footsteps, brutal close-range fire; may drop Dual Blaster.
Otrebor	Sub-boss/technician	200	High	24-40	700	Usually alone; evil laugh; burst down from range.
Rodex	Centurion	50	Medium	2-40	700	Pack attacker; may retreat/turn away; distinctive squeal.
Semaj	Low floor predator	100	Low	31-40	100	Purple slime that attacks legs; no ranged weapon; easy to miss during larger fights.
Solrac	Leader/boss	3,000	Very high	25 and 30	2,500	Eye-energy attack; apparitions elsewhere are untouchable; alien weapons preferred.
Tebazile	Guardian boss	1,000 x5	High	40	10,000	Five-stage morph sequence: Tebazile -> Eniram Boss -> Tymok -> Solrac -> Tebazile.
Tenaj	Technician	150	Medium	6-40	700	Smart, quick, ambush-prone; often turns away; may drop charge packs.
Ttocs	Warrior	150	Medium	14-40	700	Slow and not bright, but durable; maintain distance; squishy alert sound.
Tymok	Boss	2,000	Very high	15-39	2,500	Fast dodger with Plasma Rifle; works alone; keep moving and mine approach lanes.
Nerraw	Unknown/surprise	Unknown	Unknown; extremely lethal	31-39	Not listed	Small and apparently harmless; can kill a strong Marine in seconds; first seen on 31.

7.1 Actor-Specific Tactics

- Alioprobes: prioritize the pack's front edge and do not spend boss ammunition on 25-health sentries. [P2]
- Animated Probes: sound is the warning; pre-aim at doors and use rapid fire rather than a slow plasma shot. [P2]
- Bandors: do not spray every chair. Watch the motion detector, listen for morphing, and check behind after entering a furnished room. [P2]
- Enirams: turn on infrared before committing to a dark corridor; if contact vanishes, stop firing blindly and reacquire on the map. [P2]
- Mechanoids: their long-range effectiveness is poorer than close range. Backpedal, mine, and use M-343 bursts. [P2]
- Solrac/Tymok/Eniram Boss: clear lesser actors first so the boss cannot pin you while trash mobs chew your armor. [P2]
- Semaj: treat every purple floor form as an immediate target during alien-world fights. [P2]

- Tebazile: budget damage for five health phases. The Disintegrator, Assault Cannon, and pre-positioned mines reduce exposure. [P2]

8 Strategy Doctrine and Tactical Playbook

8.1 Universal Rules

Doctrine	Reason
Keep moving	Active aliens hunt relentlessly; stand still only in a cleared, defensible pocket.
Listen before looking	Door movement, footsteps, morphing, squeals, laughs, and stereo direction can reveal threats off-screen.
Use the map continuously	It is free, catches moving threats, and exposes migration paths.
Fight at range	Most alien weapons become more dangerous at close range; M-343 is the workhorse.
Door-peek	Step into a room and immediately retreat to pull actors into a prepared firing lane.
Strafe corners	Expose the minimum body area, fire, then return to cover.
Open health bays early	A raised blast shield turns the dispenser into a one-action emergency resource later.
Do not auto-pick every resource	Leave armor/adrenaline when a later emergency pickup would create more value; ammo is usually worth taking.
Route before mining	Never mine the only corridor you must traverse to reach the exit or a required terminal.
Exploit hit-stun	The guide reports that many aliens do not fire while being hit; fast weapons can suppress return fire.

8.2 Resource Economy by Campaign Phase

Phase	Recommended economy
Early Delta Base	Standard ammo is plentiful; M-24 is efficient. Find Floor Plan and access terminals before deep clearing.
Midgame	Acquire M-343 and at least one capacity pack; use mines to control boss spaces.
Converted floors 21+	Shift toward alien energy because standard ammo becomes scarce and charge packs drop from enemies.
Alien world 31-40	Assault Cannon is exceptionally efficient; reserve Disintegrator for bosses/escapes; keep IR power for Enirams and hazards.

8.3 Door and Terminal Exploits

- A corpse in a doorway can hold the door open. Use it as a firing aperture, but remember it also gives enemies access. [P2]
- If an alien opens a locked door, kill it and rush to the inside terminal before the path closes. [P2]
- Guide active aliens toward a preferred choke point by moving while watching their map dots. [P2]
- Opening a door is a sound event; do not open unnecessary doors when trying to isolate a room. [P2]

8.4 Bonus-Floor Scoring

The strategy guide advises the M-24 on bonus floors because scoring rewards projectile hits and the weapon can deliver many rounds quickly. Ammunition is restored after leaving the bonus floor, so accuracy and hit throughput matter more than conservation there. [P2]

9 Level Architecture, Numbering, Bonus Floors, and Multiplayer

9.1 Internal Level Numbering

Internal levels	Purpose	Version/context
1-30	Delta Base campaign	Both releases
31-36	Bonus A-F	Floppy warp namespace
31-40	Alien world campaign	CD namespace
41-46	Bonus A-F	CD warp namespace
47-50	Empty/unused	CD
51-58	Network/modem arenas	CD
59-60	Empty/unused	CD

9.2 Bonus Entrances

MapEdit states that bonus floors are entered only from campaign floors 1, 5, 10, 15, 20, and 25, usually through hidden or boss-protected elevators with a special floor code. This yields six bonus floors A-F. The CD manual's statement that there are "five" bonus floors conflicts with both the six entry points and the guide's A-F namespace and is almost certainly a documentation error. [P1] [P2] [P3]

9.3 Earth-Floor Design Grammar

- Wide office/laboratory spaces are preferred over Wolfenstein-style dungeon corridors. [P3]
- Most Earth floors have an outer maintenance perimeter opened by a pushwall; these are often unrestricted secrets. [P3]
- Security offices pair useful access terminals with alarm terminals. [P3]
- The environment becomes progressively alien-converted, and animated/transparent wall technology makes the lower floors visually active. [P3]
- Hidden spaces replace treasure rooms with survival equipment and shortcuts. [P3]

9.4 Alien-World Design Grammar

The ten CD-only alien floors abandon conventional elevators. Teleporter object cells become functional only when placed on designated floor codes. Aliens can use the same network, enabling multi-directional pursuit and sudden reinforcements. A maximum of eight teleporters per floor is documented. [P3]

9.5 Network and Modem Play

The CD release supports IPX networking and 9600-baud-or-faster modem play. Players may select the Marine or alien classes with different health, speed, and damage characteristics. Team mode prevents players controlling the same character from damaging one another and aggregates team kills. Starting positions are assigned randomly from placed starts. [P1] [P3]

ARENA-COUNT DISCREPANCY The CD manual says ten network/modem levels, while MapEdit and the diagnostic warp table identify eight arenas, levels 51-58. The executable/map namespace evidence favors eight.

10 Technical Architecture and Asset Containers

10.1 DOS Runtime Profile

Component	Retail CD requirement
CPU	386-25 MHz or higher
Conventional memory	590,000 bytes free
RAM	2 MB
Display	VGA
OS	MS-DOS 5.0+
Storage	1 MB hard disk free for CD install, plus CD-ROM drive
Audio	AdLib, Sound Blaster, Sound Blaster Pro, Logitech SoundMan, compatible cards
Input	Keyboard; mouse/joystick recommended

10.2 File Inventory

File/family	Role
CORR7CD.EXE / C7.EXE	Main executable; contains map-header table in retail CD/floppy builds.
MAPTEMP.CO7	RLEW-compressed map planes; retail map data.
MAPHEAD.DMO / MAPTEMP.DMO	Demo uses an external map header and demo map file.
GFXTILES.CO7	Walls/textures and sprites; replaces Wolf3D's graphics portion of VSWAP.
AUDIOMUS.CO7	Digital-sound pages and page-header data; Corridor 7-specific hard-coded header pointer.
AUDIO*.CO7 / AUDIOHED*.CO7	AudioT/IMF music and sound container family; naming varies by package.
VGA*.FAT / VGA*.CO7	Screens, fonts, UI graphics/file allocation data depending on build.
CONFIG.DAT	Configuration.
AUTOSAVE.DAT	Autosave state.
CORR7.BAT	CD startup wrapper; establishes local/CD behavior and proper presentation/audio path.
SEQONE/SEQTHREE/SEQFOUR.CO7	Capstone logo, opening cinematic, ending cinematic.

10.3 Data-Path Diagram

Runtime subsystem	Primary source	Index/header location	Important distinction
Maps	MAPTEMP.CO7	MAPHEAD embedded in EXE	RLEW only; disk and CD headers differ.
Walls/sprites	GFXTILES.CO7	Internal page/chunk structure used by WDC/XWE	Separate from digital sound; C7 uses single wall images with runtime shading.
Digital PCM	AUDIOMUS.CO7	Page-header offset hard-coded in EXE	9009 Hz community-measured playback rate.
AdLib/IMF	AudioT-family CO7 files	Audio header/dictionary arrangement	OPL music and effects use id-family container concepts.
UI/screens/fonts	VGA-family files	FAT/header files	Not stored in GFXTILES.

10.4 Why MAPTEMP Matters

Unlike Wolfenstein 3D v1.1+, which normally stores Carmack-compressed maps in GAMEMAPS, Corridor 7 retail uses MAPTEMP.CO7 with RLEW compression only. The header table that would ordinarily live in MAPHEAD is compiled/embedded in the executable. This is why replacing MAPTEMP alone is insufficient when map offsets change. [T2] [P3]

11 Map Format, Planes, Codes, Triggers, and Engine Limits

11.1 GameMaps Header Structure

Offset	Type	Meaning
0x00	INT32LE	Plane 0 offset
0x04	INT32LE	Plane 1 offset
0x08	INT32LE	Plane 2 offset
0x0C	UINT16LE	Plane 0 compressed length
0x0E	UINT16LE	Plane 1 compressed length
0x10	UINT16LE	Plane 2 compressed length
0x12	UINT16LE	Width in tiles
0x14	UINT16LE	Height in tiles
0x16	char[16]	Internal map name

Wolf-family executables generally assume 64 x 64 maps even though width and height are stored. Each decompressed plane therefore normally contains 4,096 16-bit cells (8,192 bytes). Corridor 7 mod reports confirm that malformed/non-64x64 map data is rejected. [T2]

11.2 Plane Roles

As in Wolfenstein-derived games, the wall/floor plane and object/actor plane are parallel 64 x 64 arrays. Corridor 7 overlays trigger object codes onto the same cell as the wall or door they modify. The exact use of a third plane can vary by tool/version; parsers should read all nonzero planes rather than assuming it is empty. [P3] [T2]

11.3 Confirmed Object Codes

Code	Meaning	Implementation note
0x0055	Medic Pack / animate-count participant	Counts toward the same per-level animate limit noted below.
0x0056	Slow wall animation	Cycles base wall plus next three wall IDs.
0x0057	Normal wall animation	Same four-frame sequence, normal speed.
0x0058	High-speed wall animation	Same four-frame sequence, high speed.
0x0062	Restricted pushwall	Counts for restricted-area completion/bonus.
0x0065	Unrestricted pushwall	Does not count for restricted-area completion.
0x0067	Sliding-door see-through/open-close activator	Placed on same map cell.
0x0068	Glass see-through activator	Placed on same map cell.
0x0069	Wall/fence see-through activator	Placed on same map cell.
0x006A	Non-sliding door activator with see-through	Runs four door frames forward to open and in reverse to close.
0x006B	Single-cell no clipping / thin partition	Allows passage through a wall/door image; used for permanently open forms.

11.4 Confirmed Floor Codes

Code/range	Meaning	Version/note
0x008F	Hide area from automap	Floppy version
0x0103	Hide area from automap	CD version
0x0117-0x011E	Teleporter destination groups 1-8	CD; teleporter object only functions on these floor values
0x011F	Next-level teleporter	CD alien floors; replaces elevator

11.5 Wall Animation and Door Mechanics

- An animated wall uses four consecutive wall codes: the selected/base wall and the next three IDs. [P3]
- 0x56/0x57/0x58 choose the cycle speed; any single frame may be used without an animation trigger. [P3]
- Conventional sliding doors need no special animation object but are limited to 63 per floor. [P3]
- Non-sliding doors include rising health/medic shields, inside-out alien entrances/elevator doors, and disappearing force fields. [P3]
- 0x6A animates a non-sliding door through four frames forward and backward. [P3]
- 0x6B turns an opened wall/door image into a thin, passable partition by enabling no-clipping on one cell. [P3]

11.6 Hard Limits

Resource	Documented limit
Conventional sliding doors	63 per floor
Combined animate entries	32 total across 0x56-0x58, 0x6A, 0x6B, plus map code 0x55
Teleporters	8 per floor
Map dimensions	64 x 64 expected by engine family
Failure text	Exceeding animate count aborts load with “32+ Sliding Walls”

11.7 Variant/Community Mapping Observations

Observed ID/pattern	Meaning and confidence
Object 18	In a Play Now level, appears thousands of times and must be marked invisible in VSMAPED; likely a structural/floor-related marker rather than a normal object.
First 89 object entries	VSMAPED author reports entry numbers correspond directly to object numbers, Wolf-style, for the examined variant.
Wall 90	Can be assigned as a floor-like area in VSMAPED to make 3D preview work; not a retail semantic guarantee.
Wall 138	Observed beneath ambush guards and labeled “Floor ambush” by the VSMAPED author.
Start positions / turning points	Reported unchanged from Wolfenstein conventions in the examined variant.

NOT A COMPLETE SPRITE LIST These observations are useful anchors, but they are not a substitute for MAPDATA.CO7/OBJDATA.CO7 or a WDC export from a specific game version. IDs can differ between disk, CD, demo, and budget builds.

12 What Changed from Stock Wolfenstein 3D

Subsystem	Stock Wolf3D	Corridor 7	Consequence
Map header placement	External MAPHEAD.WL*	Embedded in C7 executable (demo external)	Requires EXE update when map offsets change.
Map compression	RLEW + Carmack in v1.1+ GAMEMAPS	RLEW-only MAPTEMP.CO7	Simpler decompression; different packaging.
Wall graphics	Light/dark wall pairs in VSWAP	Single wall image plus dynamic shading behavior	Larger/more flexible wall set; editor needs C7 mode.
Walls/visibility	Opaque solid walls	Glass, masking/see-through walls, fences, see-through doors	Rendered partition may block movement but not vision; alien sight still cannot cross it.
Wall animation	Very limited/static	Four-frame cyclic animated walls with selectable speeds	Environment appears mechanically alive.
Doors	Horizontal sliding doors plus pushwalls	Sliding, rising, split/inside-out, force-field, animated non-sliding doors	Dedicated triggers and no-clip cells.
Weapons	Knife/pistol/machine gun/chaingun, one bullet pool	8 selectable weapons, human ammo + alien energy, mines	Multiple attack forms and resource economies.
Actors	Human guards/dogs/bosses	Cloaking, morphing, pack/sentry roles, bosses, floor predators	Proximity/IR systems support detection mechanics.
Health/armor	Health and food/medkits; no armor pool	Health, stackable armor, adrenaline max-health boost, chambers	Two-layer survivability.
Navigation	No automap	Proximity map with moving actors/mines and hidden-area masking	Map becomes a core tactical sensor.
Vision	Normal palette/view	Night vision and infrared with battery	Detects invisible actors, lasers, terminals.
Access control	Gold/silver keys	Per-floor red/blue computer-issued access	Terminals can alarm and reset per floor.
Environment	Static castle/prison rooms	Functional dispensers, security computers, chambers, lasers, animated conversion machinery	Interaction is more systemic.
Audio storage	Digitized sound pages inside VSWAP	Digital sound in AUDIOMUS; textures/sprites in GFXFILES	Hard-coded sound-page metadata in EXE.

Subsystem	Stock Wolf3D	Corridor 7	Consequence
Digital sample rate	~7042 Hz Wolf3D playback	~9009 Hz C7 measured	Different Sound Blaster divisor.
Multiplayer	None	CD IPX network + modem, classes/team mode	Major engine/game-loop addition.
Cinematics/CD audio	No CD-ROM movie/audio path	Flic-like CO7 sequences and MSCDEX/CD tracks	New startup and runtime subsystems.

12.1 Rendering and Shading

VSMAPED documentation notes that Corridor 7 walls are not stored as Wolfenstein-style light/dark pairs and must be treated as “single” images. This strongly indicates that brightness/shading is applied at render time rather than by selecting paired wall pages. See-through walls add a masking/transparent draw path absent from stock Wolf3D. The exact assembly/C implementation is not public in this edition. [S2]

12.2 AI Difference That Is Easy to Misunderstand

Transparent rendering does not imply transparent AI line-of-sight. MapEdit explicitly warns that aliens cannot see through any wall. Thus the renderer can show the Marine an actor through glass while actor perception remains blocked by the tile partition. [P3]

13 Executable Offsets and Reverse-Engineering Findings

VERSION SPECIFICITY Offsets are valid only for the identified uncompressed retail executables. Verify hashes and surrounding bytes before patching. Budget releases, cracked executables, wrappers, or modified builds may move data.

13.1 Embedded MAPHEAD Offsets

Build	Container	Header offset	Note
CD retail	CORR7CD.EXE	0x30D50	Executable reported uncompressed
Floppy retail	C7.EXE	0x24BF0	Executable reported uncompressed
Demo	MAPHEAD.DMO	External file	No EXE extraction required

At the header offset, expect a 16-bit RLEW tag followed by the level-header offset table used to locate each map header within MAPTEMP.CO7. A parser should validate offsets against file size and verify 64 x 64 dimensions before trusting the table. [T2]

13.2 Digital-Sound Header Patch Points

Executable	Patch offset	Original 6 bytes	AUDIOMUS page-header offset
CORR7CD.EXE	0x3B66A	44 01 00 40 14 00	0x00144000
C7.EXE	0x2FE38	B9 00 00 90 0B 00	0x000B9000

The first two bytes are a little-endian 16-bit page count. The next four are a little-endian 32-bit offset to the digital-sound page header in AUDIOMUS.CO7. Pages are 0x1000 bytes. If the AUDIOMUS size changes, the header offset must point to the final 4 KiB page and the page count must match. [T3]

Documented sound-page calculation

```
# Example from the documented CD rebuild procedure
AUDIOMUS size      = 0x145000
last page/header   = 0x145000 - 0x1000 = 0x144000
page count         = 0x144000 / 0x1000 = 0x0144
bytes to patch     = 44 01 00 40 14 00
```

13.3 Digital Sample Rate

WDC developer Adam Biser compared recorded playback with extracted samples and measured Corridor 7 digital sound at approximately 9009 Hz, corresponding to a Sound Blaster time-constant/divisor value of 145. Wolfenstein 3D uses approximately 7042 Hz. [T3]

13.4 Diagnostic Command Line and Runtime Keys

Starting diagnostic mode

```
CORR7 level1diagnostic
# CD direct level start:  CORR7 TEDLEVEL <level-1> [BABY|EASY|NORMAL|HARD]
# Disk direct level start: CORR7 GOLEVEL <level-1> [BABY|EASY|NORMAL|HARD]
# Other switches: NOPICS, NOWAIT
```

After a floor loads, press Tab + Left Shift + Left Ctrl together. Then hold Backspace and press one of the keys below. [P2] [P3]

Backspace +	Effect
C	Statistics, doors, actors; total and active actor counts
D	Walking debug: position/tile data in real time
F	Detailed player/tile/actor information; angle 0 = North
G	God mode; does not grant unlimited ammo
I	+100,000 score, 200 standard rounds, 100 alien energy, next weapon
M	Memory information
N	No clipping; perimeter boundary remains special
P	Prompt for cinematic/Flic name
R	Display Solrac graphic
T	Teleporter IDs, locations, destinations
W	Warp to level namespace

IMMEDIATE CHEAT W + A + X together (no diagnostic startup) grants all weapons, 25 mines, 100 health, both access cards, Floor Plan, 200 standard rounds, and 100 alien energy. It does not exceed those listed caps on repeated use. [P2]

14 Source-Code Archaeology and Corridor 8 Lineage Evidence

14.1 What Is Public

Artifact	Status	Research value
Wolfenstein 3D source	Public	Provides baseline renderer/cache/map/actor architecture.
Corridor 7 retail source	Not publicly released	No complete original C tree found.
ECWolf Corridor 7 disassembly map	Reported mapped	Roadmap reports success; mapped code itself is not a normal public source tree.
Operation Body Count executable symbols	Known research lead	ECWolf notes demo debug symbols, useful because OBC is based on C7 code.
Corridor 8 prototype source	Public	1996 successor source; retains many CORR7 filenames but explicitly is not C7 source.

14.2 Corridor 8 Files That Preserve the C7 Naming Lineage

Successor file	Apparent subsystem
CORR7CD.C	MSCDEX/CD drive detection and CD routines
CORR7ENG.C	Engine/rendering-side systems
CORR7GAM.C / corr7gam.cc	Game state and loop
corr7act.c	Actors
corr7wep.c	Weapons
CORR7PLR.C / corr7plr.cc	Player
corr7gfx.c	Graphics
corr7snd.c / Corr7snd.cc	Sound
corr7eff.c	Effects
CORR7MEN.C	Menus
corr7mul.c	Multiplayer
corr7smk.c	Smacker/cinematic support
corr7tmr.c	Timers
CORR7KBD.C / C7CNTRL.H	Keyboard/input
CORR7CFG.C / READCFG.C	Configuration
corr7.h and *.def headers	Constants, enums, prototypes, shared structures

14.3 Successor Header Evidence (Do Not Back-Port Blindly)

The 27 February 1996 Corridor 8 corr7.h defines systems that sound like evolved Corridor 7 concepts: sprite translucency/masking flags, wall-sprite/floor-sprite flags, actor states such as patrol/ambush/chase/dodge/attack, heat-source capacity, light/sector effects, and multiple game types. It also includes crouch, jump, look, sectors, and Doom-compatible tags that clearly exceed the 1994 Corridor 7 feature set. [S1]

Corridor 8 symbol	Value/meaning
MAXDOORS	100
MAXHEATSOURCES	200
MAXFOOTSTEPS	32
MAXSTARTSPOTS	32
MAXDEFINEDACTORS	30
MAXLIGHTEFFECTS	100
MAXSECTOREFFECTS	100
SPRC_TRANSLUCENT	Sprite flag
SPRC_WALLSPRITE / FLOORSPRITE	Geometry-oriented sprite flags
WALC_MASKINGWALL / TRANSLUSCENT	Masked/translucent wall flags

LINEAGE, NOT FACT These constants document the successor architecture and naming continuity. They must not be cited as Corridor 7 retail limits unless independently confirmed by the retail executable or its data.

14.4 CD Detection Lineage

The successor CORR7CD.C calls multiplex interrupt 2Fh with AX=1500h to detect MSCDEX and AX=150Dh to enumerate CD drive letters. This is consistent with Corridor 7's DOS CD requirements and error messages, but the surviving file is dated 1996 and belongs to Corridor 8. [S1]

15 Modding and Reproducible Extraction Workflow

15.1 Recommended Tools

Tool	Use
WDC 1.19.x	Maps, sounds, images, text, executable patching; full support for disk/CD/demo.
MapEdit 8.4	Historical DOS map editor; ships distinct disk/CD MAPDATA.CO7 and OBJDATA.CO7 definitions.
XWE 1.10	Can open/extract GFXFILES.CO7 images.
Hex editor	Validate/patch MAPHEAD or AUDIOMUS metadata after making backups.
DOSBox-X / DOSBox Staging debugger	Runtime tracing, breakpoints, memory inspection, repeatable test environment.
Python parser	Scan map planes, unique object codes, counts, and per-floor usage.

15.2 Safe Extraction Procedure

1. Create immutable copies of the original executable and all CO7 data files; record SHA-256 hashes.
2. Identify build: floppy, CD, demo, Play Now/budget, or modified storefront wrapper.

3. Use WDC's exact game profile. Never mix disk and CD definitions.
4. Export maps, graphics, sounds, and definition lists before editing anything.
5. If map plane sizes/offsets change, rebuild or patch the embedded MAPHEAD for that exact executable.
6. If AUDIOMUS page layout changes, patch the six-byte sound header metadata at the verified version-specific location.
7. Launch with KEEPFILERS when required by a wrapper that otherwise restores/deletes modified MAPTEMP.CO7.
8. Test one change at a time under diagnostic mode and retain crash text, coordinates, and hashes.

15.3 A Minimal MAPTEMP Scanner

Reference parser skeleton (read-only)

```

#!/usr/bin/env python3
"""Scan Corridor 7 MAPTEMP planes using an embedded/external MAPHEAD.
Validate against your exact build before modifying anything.
"""
from __future__ import annotations
import struct
from pathlib import Path

LEVEL_SLOTS = 100

def u16(data: bytes, off: int) -> int:
    return struct.unpack_from("<H", data, off)[0]

def u32(data: bytes, off: int) -> int:
    return struct.unpack_from("<I", data, off)[0]

def rlew_expand(blob: bytes, tag: int, expected_words: int) -> list[int]:
    # Plane data begins with expanded byte count.
    expanded_bytes = u16(blob, 0)
    if expanded_bytes != expected_words * 2:
        raise ValueError(f"unexpected expanded size {expanded_bytes}")
    src, out = 2, []
    while src + 2 <= len(blob) and len(out) < expected_words:
        word = u16(blob, src); src += 2
        if word != tag:
            out.append(word)
            continue
        count = u16(blob, src); value = u16(blob, src + 2); src += 4
        out.extend([value] * count)
    if len(out) != expected_words:
        raise ValueError(f"expanded {len(out)} words; expected {expected_words}")
    return out

def read_maphead(container: bytes, off: int) -> tuple[int, list[int]]:
    tag = u16(container, off)
    offsets = [u32(container, off + 2 + i*4) for i in range(LEVEL_SLOTS)]
    return tag, offsets

def scan(exe: Path, maps: Path, maphead_offset: int) -> None:
    exeb = exe.read_bytes(); mapb = maps.read_bytes()
    tag, level_offsets = read_maphead(exeb, maphead_offset)
    print(f"RLEW tag = 0x{tag:04X}")
    for slot, h in enumerate(level_offsets, start=1):
        if h in (0, 0xFFFFFFFF) or h >= len(mapb):
            continue
        poff = [u32(mapb, h + i*4) for i in range(3)]
        plen = [u16(mapb, h + 12 + i*2) for i in range(3)]
        width, height = u16(mapb, h+18), u16(mapb, h+20)
        name = mapb[h+22:h+38].split(b"\0",1)[0].decode("ascii", "replace")
        if (width, height) != (64, 64):
            raise ValueError(f"slot {slot}: {width}x{height}, expected 64x64")
        print(f"\nslot={slot} name={name!r}")
        for plane in range(3):
            if plen[plane] == 0:
                continue
            raw = mapb[poff[plane]:poff[plane]+plen[plane]]
            words = rlew_expand(raw, tag, width*height)
            used = sorted(set(words))
            print(f" plane {plane}: {len(used)} unique codes; "
                  f"min=0x{used[0]:04X} max=0x{used[-1]:04X}")

# CD retail known header offset: 0x30D50
# Floppy retail known header offset: 0x24BF0

```

15.4 How to Build the Missing Wall/Sprite Crosswalk

9. Export every GFXFILES.CO7 wall and sprite page as numbered PNG from WDC or XWE.
10. Export MAPDATA.CO7 and OBJDATA.CO7 from MapEdit 8.4 for the matching version.
11. Scan every MAPTEMP plane and produce per-code frequency plus first-use floor/coordinate.
12. Join definition names to map codes, then join actor/static definitions to GFXFILES image indices.
13. For ambiguous entries, place one specimen near the Level 1 start in a disposable map and observe it under diagnostic mode.
14. Record actor direction/skill variants separately; a single creature can occupy many object codes and many animation frames.
15. Publish the output with executable/data hashes so disk, CD, demo, and budget mappings are never conflated.

WHY THIS EDITION DOES NOT FABRICATE THE TABLE A floppy graphical wall/object list was posted publicly, but no clean indexed text form was located, and the site said a CD version was still in progress. Without the exact definition files or game data, assigning image numbers from screenshots would create false certainty.

16 Contradictions, Bugs, Oddities, and Unresolved Questions

Topic	Conflict/oddity	Working interpretation
Bonus count	CD manual says five; MapEdit and warp namespace show six (A-F, entry floors 1/5/10/15/20/25).	Treat six as correct.
Network arena count	Manual says ten; MapEdit/debug namespace says 51-58 (eight).	Treat eight as executable/map reality.
Nerraw naming	Retail manual omits name; MapEdit/guide apply NERRAW to an overlooked CD alien.	Name is post-release but established in documentation.
Tebazile requirement	Guide describes final boss but also says player only needs vortex access.	Boss may be bypassable depending on map state/path.
Level 40 teleporter	Modern mod report says an alien can block final teleport and cannot be telefragged.	Known community-reported softlock; map replacement fixes it.
Modified MAPTEMP restoration	Some storefront/batch setups restore/delete changed map data on exit.	Use KEEPFILES in the launch batch when modding.
Plasma energy wording	Manual simplification says weapon drains 50% then recharges; guide gives 31 temporary / 3-5 net units.	Use the strategy guide's more precise account.
Original source	C7 source absent; C8 filenames look like C7.	Never cite Corridor 8 code as direct C7 implementation.

16.1 Highest-Value Remaining Research Tasks

- Obtain and hash clean disk/CD/demo data sets; export WDC definitions and GFXFILES page indexes.
- Acquire or request publication of ECWolf's mapped disassembly annotations.
- Use Operation Body Count demo debug symbols to identify code inherited from C7, then match functions by binary similarity.
- Trace actor damage/armor functions to recover exact formulas and difficulty scaling.
- Trace every weapon attack entry to classify hitscan, projectile, penetration, spread, and random damage functions.
- Map all wall IDs, object IDs, sprite-frame ranges, sound pages, and actor spawn variants per build.
- Document the exact President-mode relocation algorithm and RNG seed behavior.

Appendix A - Quick Player Reference

Situation	Best immediate response
Unknown room	Map on -> step in -> step back -> listen -> engage from doorway.
Invisible fire	Infrared on; reacquire Eniram on map; strafe, do not spray blindly.
Boss footsteps/laugh	Clear minor actors, establish a long lane, lay retreat mines.
Low standard ammo after floor 21	Switch to Dual/Assault Cannon; hunt charge-pack drops.
Mine blocks route	Detonate from range with Plasma Rifle; retreat before splash.
Locked door opened by alien	Kill actor, cross immediately, use inside access terminal.
Bandor suspected	Watch map and listen for morph sound; check behind, avoid random furniture fire.
Health bay found at full health	Open shield now; leave pack for emergency.
Transporter destination dangerous	Keep map visible and be prepared to step back into transporter.

Appendix B - Command-Line and Cheat Reference

Command/switch	Meaning
NOPICS	Skip cutscenes
NOWAIT	Skip several startup screens
TEDLEVEL nn	CD: start level number nn+1
GOLEVEL nn	Disk: start level number nn+1
BABY / EASY / NORMAL / HARD	Corporal / Lieutenant / Captain / Major
level1diagnostic	Enable diagnostic-key initialization
W+A+X	Immediate resource/weapon cheat

Appendix C - Complete Confirmed Code Table

Code	Semantic	Notes
0x0055	Medic Pack / animate-count participant	Counts toward the same per-level animate limit noted below.
0x0056	Slow wall animation	Cycles base wall plus next three wall IDs.
0x0057	Normal wall animation	Same four-frame sequence, normal speed.
0x0058	High-speed wall animation	Same four-frame sequence, high speed.
0x0062	Restricted pushwall	Counts for restricted-area completion/bonus.
0x0065	Unrestricted pushwall	Does not count for restricted-area completion.
0x0067	Sliding-door see-through/open-close activator	Placed on same map cell.

Code	Semantic	Notes
0x0068	Glass see-through activator	Placed on same map cell.
0x0069	Wall/fence see-through activator	Placed on same map cell.
0x006A	Non-sliding door activator with see-through	Runs four door frames forward to open and in reverse to close.
0x006B	Single-cell no clipping / thin partition	Allows passage through a wall/door image; used for permanently open forms.
0x008F	Hide area from automap	Floppy version
0x0103	Hide area from automap	CD version
0x0117-0x011E	Teleporter destination groups 1-8	CD; teleporter object only functions on these floor values
0x011F	Next-level teleporter	CD alien floors; replaces elevator

Appendix D - Level/Version Reference

Namespace	Floppy	CD
1-30	Main campaign	Delta Base campaign
31-36	Bonus A-F	Alien campaign floors 31-36
37-40	Not campaign	Alien campaign floors 37-40
41-46	N/A	Bonus A-F
47-50	N/A	Unused
51-58	N/A	Network/modem arenas
59-60	N/A	Unused

Appendix E - Evidence-Graded Identifier Ledger

Identifier	Meaning	Confidence
0x30D50	CD embedded MAPHEAD offset	Implementation-level; version-specific
0x24BF0	Floppy embedded MAPHEAD offset	Implementation-level; version-specific
0x3B66A	CD sound metadata patch offset	Implementation-level; verify bytes
0x2FE38	Floppy sound metadata patch offset	Implementation-level; verify bytes
0x0055-0x006B selected	Map object/trigger codes	Confirmed by MapEdit docs
0x008F / 0x0103	Hidden automap floor values	Confirmed by MapEdit docs
0x0117-0x011F	Teleporter floor values	Confirmed by MapEdit docs
Object 18 / wall 90 / wall 138	Variant observations	Community editor procedure; low/medium confidence
Full wall/sprite range	Not reconstructed	Requires exact GFXFILES and definition exports

Appendix F - Research Checklist for a Full Source Port

- Data loaders: MAPTEMP/MAPHEAD, GFXFILES, AUDIOMUS, AudioT/IMF, VGA UI files, saves/config.
- Renderer: fixed-height raycaster, runtime shading, masked/transparent walls, animated four-frame walls, thin partitions.
- World: sliding and non-sliding doors, force fields, pushwalls, interactable wall equipment, lasers, teleporters.
- Player: movement/strafe/run, visor modes, map, dual ammo pools, mines, health/armor/adrenaline/invulnerability.
- Actors: floor-zone alerting, patrol/ambush/chase, doors, teleporter use, invisibility, morphing, boss phase changes, drops.
- Weapons: exact damage RNG, spread, range falloff, penetration, splash, temporary energy reservation/recharge.
- Progression: kill quotas, per-floor access reset, bonus entrances, campaign namespace, victory scripts/cinematics.
- Multiplayer: IPX/modem synchronization, class stats, team rules, random spawns, network maps.
- Compatibility: disk/CD/demo data signatures and versioned definitions.

Appendix G - What Would Make the Next Edition Substantially Better

The next edition should ingest a legally obtained clean copy of each game version and export machine-readable WDC indexes. With those files, the document can add: every wall ID with image thumbnail; every static/object code; every actor spawn code by direction and difficulty; sprite animation ranges; sound-page indexes; per-floor counts and coordinates; complete map diagrams; and binary function addresses tied to hashes.

Appendix H - Bibliography and Primary Sources

- [P1] Corridor 7 CD-ROM Manual (1994), IntraCorp/Capstone. Scanned PDF and plaintext transcription.
<https://archive.org/details/corridor-7-cd-manual>
- [P2] Steven W. Schafer, Corridor 7 Official Strategy Guide, BradyGames. Scanned 222-page guide.
<https://lesbird.com/C7Strategy.pdf>
- [P3] Warren Buss, Editing/Creating New Floors for Corridor 7: Alien Invasion, MapEdit 8.4 documentation.
<https://github.com/serpenscaput/wl9/blob/master/!%20-%20Tools/MapEdit/Mapedit%208.4/Mapedit%208.4%20-%20C7.DOC>
- [P4] Capstone Corridor 7 Revised Design Document, developer archive. https://lesbird.com/C7Design_Revised.pdf
- [T1] ModdingWiki: Corridor 7 Alien Invasion - file inventory and tool support.
https://moddingwiki.shikadi.net/wiki/Corridor_7_Alien_Invasion
- [T2] ModdingWiki: GameMaps Format - RLEW/Carmack variants, map header layout, embedded Corridor 7 offsets.
https://moddingwiki.shikadi.net/wiki/GameMaps_Format
- [T3] Adam Biser, “Changing digital sounds in Corridor 7,” WDC community - hard-coded offsets, page format, measured sample rate. <https://itch.io/t/46778/changing-digital-sounds-in-corridor-7>
- [T4] ECWolf wiki roadmap - Corridor 7 disassembly mapping status and OBC debug-symbol note.
https://maniacsvault.net/ecwolf/wiki/Development_roadmap
- [T5] Les Bird developer archive - Corridor 7 design, strategy, and manual scans; source-release context.
<https://lesbird.com/>
- [T6] WDC product page - current full support for Corridor 7 disk, CD, and demo. <https://adambiser.itch.io/wdc>
- [S1] Corridor 8 prototype source mirror; README explicitly states it is not Corridor 7 source; corr7.h and CORR7*.C files preserve lineage. <https://github.com/helco88/corridor-8>
- [S2] Vincent’s Wolf Tools map-description guide - Corridor 7 Play Now mapping observations.
<https://github.com/serpenscaput/wl9/blob/master/!%20-%20Tools/Vincent%27s%20Wolf%20Tools/>

[Vincent%27s%20Wolf%20Tools%20update%207/Vincent%27s%20Wolf%20Tools%20update%207%20-%20map_descriptions.txt](#)

[C1] KBW's Corridor 7 archive - items, weapons, cast, cheats, downloads, and historical tool notes.
<https://corridor7.tripod.com/>

[C2] Steam community report: Lieutenant enemy transfer and level-40 transporter softlock fix.
<https://steamcommunity.com/app/1341890/discussions/0/4288062617433919063/>

COPYRIGHT NOTE This compendium summarizes and cites the manuals and guide. It does not reproduce the official guide's level maps, full page scans, artwork, or long verbatim passages. Game assets remain the property of their respective rights holders.

END OF RESEARCH EDITION 1.0