






PSU ENP_N.P024 (Region: ENP_N)
40 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_N.P032 (Region: ENP_N)
35 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_N.P056 (Region: ENP_N)
44 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_S.P006 (Region: ENP_S)
43 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_S.P030 (Region: ENP_S)
36 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_S.P062 (Region: ENP_S)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_W.P000 (Region: ENP_W)
42 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_W.P018 (Region: ENP_W)
25 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_W.P022 (Region: ENP_W)
37 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_W.P050 (Region: ENP_W)
44 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU ENP_W.P054 (Region: ENP_W)
44 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA1.P001 (Region: WCA1)
35 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA1.P017 (Region: WCA1)
35 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA1.P065 (Region: WCA1)
43 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA2A.P009 (Region: WCA2A)
37 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA2A.P021 (Region: WCA2A)
37 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA2A.P037 (Region: WCA2A)
42 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA2A.P061 (Region: WCA2A)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA2A.P069 (Region: WCA2A)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA2A.P073 (Region: WCA2A)
45 clusters shown; cells with < 2 plots omitted
ridge
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA2B.P053 (Region: WCA2B)
42 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P004 (Region: WCA3AC)
43 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P011 (Region: WCA3AC)
44 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P015 (Region: WCA3AC)
40 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P023 (Region: WCA3AC)
43 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P026 (Region: WCA3AC)
37 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P031 (Region: WCA3AC)
35 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P047 (Region: WCA3AC)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P055 (Region: WCA3AC)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P066 (Region: WCA3AC)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P071 (Region: WCA3AC)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AC.P079 (Region: WCA3AC)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P003 (Region: WCA3AN)
29 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P007 (Region: WCA3AN)
40 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P019 (Region: WCA3AN)
39 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P035 (Region: WCA3AN)
35 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P039 (Region: WCA3AN)
43 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P043 (Region: WCA3AN)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P051 (Region: WCA3AN)
44 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P059 (Region: WCA3AN)
45 clusters shown; cells with < 2 plots omitted
ridge
Cluster−mean percent cover (%)
100
75
50
25
0
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AN.P067 (Region: WCA3AN)
44 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AS.P002 (Region: WCA3AS)
40 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AS.P034 (Region: WCA3AS)
35 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AS.P036 (Region: WCA3AS)
36 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AS.P045 (Region: WCA3AS)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AS.P052 (Region: WCA3AS)
42 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AS.P058 (Region: WCA3AS)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition



PSU WCA3AS.P063 (Region: WCA3AS)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition


PSU WCA3AS.P068 (Region: WCA3AS)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition


PSU WCA3B.P020 (Region: WCA3B)
42 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition


PSU WCA3B.P028 (Region: WCA3B)
42 clusters shown; cells with < 2 plots omitted
ridge
slough
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition


PSU WCA3B.P044 (Region: WCA3B)
44 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition


PSU WCA3B.P108 (Region: WCA3B)
45 clusters shown; cells with < 2 plots omitted
ridge
slough
trans
Cluster−mean percent cover (%)
100
75
50
25
0
C1
C2
C3
Cycle
Species functional group
ridge
slough
transition