Status	Finished
Started	Sunday, 18 October 2026, 9:10 PM
Completed	Sunday, 18 October 2026, 9:17 PM
Duration	7 mins 20 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece'),True}

b. {'rec', True, ('cse', 'ece')}

c. {'rec', 1, ('cse', 'ece')} ✓

d. Error

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. (36, 25, 14) ✓

b. (3,14,25)

c. (58,47,36,25)

d. Error

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. True ✓
True

c. False
True

d. True
False

Question **4**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only integers as its elements.

b. In Python, a tuple can contain both integers and strings as its elements. ✓

c. In Python, a tuple can contain either string or integer but not both at a time.

d. In Python, a tuple can contain only strings as its elements.

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

- a. iii
- b. ii
- c. i,ii ✓
- d. All of the above

Question **6**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (16,17,18,19) ✓
- b. (25,19,18,17)
- c. Error
- d. (16,17,18)

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- a. Error
- b. False ✓
- c. True
- d. Error

Question **8**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

a. <class 'int'>

b. <class 'str'> ✓

c. <class 'tuple'>

d. str

Question **9**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. We can change the tuple once created

b. A tuple is unordered

c. A tuple maintains the order of items ✓

d. None of these

Question **10**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['8', '30', '3', '2'] ✓

b. ['30', '8', '3', '2']

c. ['2', '3', '8', '30']

d. ['2', '3', '30', '8']

Question **11**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Error

b. (Computer)

c. Computer

d. () ✓

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, '10', 50, 20, 60, 30}

b. {40, 10, '10', 50, 20, 60, 30} ✓

c. SynatxError: Different types cannot be used with sets

d. {40, 10, 50, 20, 60, 30}

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl1=tupl+tupl ✓

b. tupl.sort()

c. tupl.append(2)

d. tupl[1]=2

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. ii,iv

b. i,iii ✓

c. i,ii

d. iii,iv