> *A4 landscape · single page · Full details:* `tooling-guide.md` + `bmad-ecc-integration.md`

SITUATION → ACTION

I have a...	Do this
Small feature	`/plan` → `/tdd` → `/code-review` → commit
Bug fix	`/tdd` (failing test FIRST) → `/code-review`
Build broken	`/build-fix`
UI change	`/plan` → `/tdd` → `/e2e`
Unclear scope	BMAD `quick-flow`
New epic	BMAD `create-prd` → `create-arch` → stories
Security concern	"Run security-reviewer on [module]"
Before merging	`/build-fix` → `/refactor-clean` → `/e2e`
Unfamiliar codebase	Serena `find_symbol` / BMAD `document-project`

WORKFLOW CHAINS

Daily: `sprint-status` → `/plan` → `/tdd` → `/code-review` → commit · **Pre-merge:** `/build-fix` → `/refactor-clean` → `/e2e` **Quick solo:** BMAD `tech-spec` → `quick-dev` → `/code-review` · **Post-feature:** `/update-docs` → `/update-codemaps` → `/refactor-clean` → `/e2e` **Full epic:** `create-prd` → `create-arch` → `create-stories` → *(per story)* `/plan` → `/tdd` → `/code-review` → BMAD `code-review` → `retrospective`

ERROR RECOVERY

Problem	Recovery
Tests keep failing	Read error, fix impl not tests, `/tdd` again
Build broken	`/build-fix` → `/code-review`
CRITICALs in review	Fix all → `/code-review` again
Going in circles	`gemini "problem + what tried"`
Lost context	`/update-codemaps` → re-read architecture

BMAD ↔ ECC AUTO-CHAINING

BMAD completes...	ECC auto-runs
`dev-story` → "review"	**MUST** `/code-review` + security if sensitive
`quick-dev` → commit	**MUST** `/code-review` + security if sensitive
`code-review` findings	`/plan` (gaps) · `architect` (bad spec) · `security` (patches)
`create-story` → ready	SHOULD `/plan` pre-flight
`create-architecture`	SHOULD `architect` + `security-reviewer`
`sprint-planning`	SHOULD `/plan` dependency map

Reverse: ECC agents auto-load BMAD artifacts (story AC, PRD, arch) if `_bmad-output/` exists.

RULES ALWAYS ON

Immutability (never mutate) · TDD mandatory (80%+) · No hardcoded secrets · Conventional commits · BMAD-ECC auto-chain · Validate at boundaries · Small files (800 max) · Research before coding (GitHub → Context7 → Exa)

ESCAPE HATCHES

Complex/stuck: `gemini` · Live docs: `get-library-docs` (Context7) · Symbol lookup: Serena `find_symbol` · Arch question: `architect` agent · Learn: `/learn` · End of epic: BMAD `retrospective`

Background (auto): `infra-gateway` · `Serena` · `NotebookLM` · `Context7` — BMAD invoke: "Run the BMAD workflow at `~/_bmad/bmm/workflows/<name>`"