

## Hungry Games Training, Part III

### Required Files

- Hungry Game Part 3.pdf
- hungry\_game\_part\_3.zip

### Background

It is now time to equip your Tribute with the skills necessary to survive in the Hungry Games.

The goal of the Games is survival. A number of Tributes will be sent into an arena and the winner is the last one standing. Tributes can die from hunger, perish from attacks by roaming wild animals, or be killed in combat by other Tributes.

What should your Tribute do to survive in the Games? Should she always attack Animals for food, or should she only do so when her hunger value has become extremely low? Should she always be on the offensive and attack other Tributes, or should she try to be defensive and run away to outlast the other Tributes? You decide!

### Introduction


In this mission, you will create an “Artificial Intelligence” (AI) agent. Create a new class, XX AI (where XX is your name) that extends the Tribute class, and give your Tribute intelligence. You will then run a simulation with XX AI to ensure that your AI can perform some basic tasks.

### Simulation

For this mission, we have provided you with a simulation engine to test the behaviour of your AI agent. Please go to **Coursemology** and download the archived file hungry\_game\_part\_3.zip and extract it somewhere on your computer. The template file hungry\_game\_3-template.py is included in the zip file.

Similar to previous missions, you should implement your AI class in hungry\_game\_3-template.py. To run the simulations, simply uncomment the task you wish to simulate at the bottom of this file, and run this file in IDLE.

However, due to limitations of the graphical interface, please do **NOT** simulate more than one task at any time. Do it one at a time, and comment the tasks you do not wish to simulate.



(a) Graphics User Interface

```

*Python 3.4.1 Shell*

Time 19:
Pig moved from (3, 1) to (2, 1)
XX AI executed ('ATTACK', 'Emmanuel', 'Crossbow')
XX AI attacked Emmanuel (0 dmg)
Cow moved from (1, 2) to (1, 1)
Deer moved from (3, 1) to (3, 2)

Time 20:
Deer moved from (1, 2) to (1, 1)
Cow moved from (1, 1) to (1, 2)
Sheep moved from (3, 2) to (3, 3)
XX AI executed ('GO', 'SOUTH')
XX AI moved from (1, 1) to (2, 1)
Chicken moved from (2, 1) to (2, 2)
Pig moved from (3, 1) to (2, 1)
Deer moved from (3, 2) to (2, 2)

Time 21:
Deer moved from (1, 1) to (2, 1)
Sheep moved from (1, 3) to (2, 3)
Cow moved from (1, 2) to (1, 3)
XX AI executed ('GO', 'NORTH')
XX AI moved from (2, 1) to (1, 1)
Pig moved from (2, 1) to (2, 2)

Time 22:
Cow moved from (1, 3) to (2, 3)
XX AI executed ('ATTACK', 'Emmanuel', 'Crossbow')
XX AI attacked Emmanuel (0 dmg)
Pig moved from (2, 1) to (1, 1)
Deer moved from (2, 1) to (1, 1)
Sheep moved from (2, 3) to (3, 3)

Time 23:
Deer moved from (1, 1) to (2, 1)

```

(b) Console/Shell

Figure 1: Hungry Games Simulation

We have provided both a graphical output (Figure 1(a)) and a textual output (Figure 1(b)) for the simulation. The graphical output will execute each event one at a time, and might take very long to complete if your solution takes a long time to run. If you do not wish to see the graphical output, simply set `gui=False` in the simulation task code.

```

# Run task 1 with gui
simulation.task1(XX_AI("XX AI", 100), gui=True)
# Without gui
simulation.task1(XX_AI("XX AI", 100), gui=False)

```

Please note that in order for the simulation to work correctly, you should **NOT** be modifying any file other than `hungry_game_3-template.py`.

**NOTE:** To ensure consistency across all the AI classes, we have provided you with the reference classes for the Hungry Games. These classes are correct implementations of what you did in Hungry Game Part I and II. As such, there is no need for you to include your code from previous missions.

## Tribute AI

Your AI class must implement a compulsory method, `next_action()`, and this method should return a tuple indicating what your Tribute will do in the current turn.

In the `next_action()` method, you are only allowed to use the following methods of Tribute:

- a. `get_health()`: Returns your Tribute's current health
- b. `get_weapons()`: Returns the tuple of weapons currently in your inventory.
- c. `get_food()`: Returns the tuple of food currently in your inventory.
- d. `get_medicine()`: Returns the tuple of medicines currently in your inventory.
- e. `objects_around()`: Returns the objects at the current location, including other Tributes, but excluding yourself
- f. `get_exits()`: Returns the list of possible exits at your current location.
- g. `get_hunger()`: Returns your Tribute's current hunger
- h. `get_inventory()`: Returns a list of your Tribute's current inventory

You are also allowed to access the getters (methods names that start with a `get` on the objects you see around you, i.e. you can call `get_weapons()` for the other Tributes, or `get_food_value()` for the food you see, or `get_health()` for the animals you see.

In addition, you are allowed to query certain objects using the following methods.

- a. `min_damage()` of weapons
- b. `max_damage()` of weapons
- c. `weapon_type()` of ammos
- d. `shots_left()` of ranged weapons

However, you are **NOT** allowed to call the setters, or access the properties of any objects directly! That means that you should not be making any changes to the state of the world in your code.

In addition, you should not allow your Tribute to see beyond your current location (i.e. you are **not** allowed to interact with any Place object directly). Doing so would result in significant deduction in your marks for this Mission!

`next_action()` can have the following valid return values:

- a. ("ATTACK", LivingThing object, Weapon object): Attacks LivingThing with Weapon.
- b. ("TAKE", Thing\_object): Takes Thing and puts it in your inventory.  
Note that your Tribute can only take Thing if it is in the same Place as the Tribute.
- c. ("EAT", Food\_object): Eats the Food in your inventory
- d. ("GO", Direction): Goes to Direction (one of the values in `self.get_exits()`)
- e. ("LOAD", RangedWeapon\_object, Ammo\_object): Loads Ammo for RangedWeapon
- f. None: Do nothing

**Remember:** You are **not** allowed to access the state and properties of any objects directly, and you are only allowed to use getters for the objects. You may, however, store states in your AI class if necessary.

**IMPORTANT WARNING:** Because we provide you with the flexibility in choosing the approach by which you solve the problems in this mission, **we require that you submit well commented/annotated code.**

Describe your approach to the programming questions, and then annotate the blocks of relevant code that implements your idea. **If you fail to do so, you risk having marks deducted.** Do not assume that the Council can read your mind.

We have created a couple of special training grounds, to help you verify your next action method. Your method should be able to produce a sequence of actions that satisfies the objective of each training ground.

A training ground of size  $N \times N$  contains  $N \times N$  Place instances arranged in a square grid. In this mission, a LivingThing who stays at a place in the training ground can go north, south, east, and west. The LivingThing cannot move out of the boundary of the training ground.


Place(1,1)	Place(1,2)
Place(2,1)	Place(2,2)

Figure 2: 2x2 training area

### Task 1: Eating and Hunting (5 marks)

In this  $1 \times 1$  training ground, there is only one area, and it contains a Chicken, an Axe, and a Bow. Your objective is to make sure that your next action method is capable of producing a sequence of actions that will allow your AI to kill the Chicken and take the Chicken meat.

Sample run for Task 1:



```
==== Task 1 ====
Time 1:
XX AI executed ('TAKE', 'Arrows')
XX AI took Arrows

Time 2:
XX AI executed ('TAKE', 'Bow')
XX AI took Bow

Time 3:
XX AI executed ('TAKE', 'Axe')
XX AI took Axe

Time 4:
XX AI executed ('ATTACK', 'Chicken', 'Axe')
XX AI attacked Chicken (6 dmg)

Time 5:
XX AI executed ('ATTACK', 'Chicken', 'Axe')
XX AI attacked Chicken (13 dmg)

Time 6:
XX AI executed ('ATTACK', 'Chicken', 'Axe')
XX AI attacked Chicken (10 dmg)

Time 7:
XX AI executed ('ATTACK', 'Chicken', 'Axe')
XX AI attacked Chicken (14 dmg)
Chicken went to heaven!
XX AI killed Chicken

Time 8:
XX AI executed ('TAKE', 'Chicken meat')
XX AI took Chicken meat

You survived!
```

Ln: 17 Col: 7

## Task 2: Attack! (5 marks)

In this  $2 \times 2$  training ground, there are weapons scattered in the map, as well as a stationary docile Tribute. Your objective is to make sure that your next action method is capable of producing a sequence of actions that will allow your AI to pick up weapons, find the docile Tribute, and kill him before starving to death.

Note: your Tribute cannot see beyond the place it is staying (i.e., it cannot take items or attack enemies at other places without first moving there).

Sample run for Task 2:

```
Python 3.3.3 Shell
===== Task 2 =====
Time: 1
XX AI executed ('GO', 'NORTH')
XX AI moved from (2, 1) to (1, 1)

Time: 2
XX AI executed ('GO', 'EAST')
XX AI moved from (1, 1) to (1, 2)

Time: 3
XX AI executed ('TAKE', 'Sword')
XX AI took Sword

Time: 4
XX AI executed ('ATTACK', 'Ong Ming Hui', 'Sword')
XX AI attacked Ong Ming Hui (25 dmg)

Time: 5
XX AI executed ('ATTACK', 'Ong Ming Hui', 'Sword')
XX AI attacked Ong Ming Hui (13 dmg)

Time: 6
XX AI executed ('ATTACK', 'Ong Ming Hui', 'Sword')
XX AI attacked Ong Ming Hui (15 dmg)

Time: 7
XX AI executed ('ATTACK', 'Ong Ming Hui', 'Sword')
XX AI attacked Ong Ming Hui (19 dmg)

Time: 8
XX AI executed ('ATTACK', 'Ong Ming Hui', 'Sword')
XX AI attacked Ong Ming Hui (25 dmg)

Time: 9
XX AI executed ('ATTACK', 'Ong Ming Hui', 'Sword')
XX AI attacked Ong Ming Hui (20 dmg)
Ong Ming Hui went to heaven!
XX AI killed Ong Ming Hui

You passed!
Ln: 46 Col: 4
```

### **Optional Task: Final training before the Battle**

Before you proceed to our **Hungry Games Contest**, here is a final training ground for you to get used to the environment.

In this  $3 \times 3$  training ground, there are various objects scattered in the map, and some docile Tributes. Ensure that your next action method can use Weapons, RangedWeapons, Food and Medicine.

The map for the optional task is generated with the config function. Feel free to modify the code inside the config function and see how your AI behaves!

**NOTE:** This is an optional task and will not be graded.

*[Reference: Computer Science Conversion Course for MOE Teachers 2015, Mission 12-14]*