

- [Ordered Lists](#)
- [Summary](#)

Ordered Lists

In Ordered list, the items are listed one by one using **Numbers**. Order of the items are important in this list. This list is created by using `` tag.

`ol` stands for ordered list and each item within it is denoted using the line item tag `li`.

test1.html

```
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <title>Web Developer Courses</title>
5    </head>
6    <body>
7      <ol>
8        <li>Html</li>
9        <li>Css</li>
10       <li>JavaScript</li>
11       <li>Bootstrap</li>
12     </ol>
13   </body>
14 </html>
```

Begin List tag


List Items

End List tag

COPY

```
<!DOCTYPE html>
<html>
  <head>
    <title>Web Developer Courses</title>
  </head>
  <body>
    <ol>
      <li>Html</li>
      <li>Css</li>
      <li>JavaScript</li>
      <li>Bootstrap</li>
    </ol>
  </body>
</html>
```

Output:



If you want to change the type of the listing from numbers to capital alphabets, you can change it using the **type** attribute. The syntax is:-

```
<ol type = "A">
```


COPY

The full code will look like this:-

```
<!DOCTYPE html>
<html>
  <head>
    <title>Web Developer Courses</title>
  </head>
  <body>
    <ol type = "A">
      <li>Html</li>
      <li>Css</li>
      <li>JavaScript</li>
      <li>Bootstrap</li>
    </ol>
  </body>
</html>
```

COPY

Output:



Just like capital alphabets, you can also make the listing roman letters. Here's how.

COPY


```
<ol type = "I">
```

Here's the full code

COPY

```
<!DOCTYPE html>
<html>
  <head>
    <title>Web Developer Courses</title>
  </head>
  <body>
    <ol type = "I">
      <li>Html</li>
      <li>Css</li>
      <li>JavaScript</li>
      <li>Bootstrap</li>
    </ol>
  </body>
</html>
```

Output:



The type of listings also include, small letter alphabets, small letter roman numbers etc. Here's the full list

COPY

```
<ol type = "1"> // Default-Case Numerals //
<ol type = "I"> // Upper-Case Numerals //
<ol type = "i"> // Lower-Case Numerals //
<ol type = "A"> // Upper-Case Letters //
<ol type = "a"> // Lower-Case Letters //
```

Summary

- An ordered list starts with the `` tag. Each list item starts with the `` tag.

COPY

```
<ol>
  <li> </li>
</ol>
```

← TABLE OF CONTENTS

→ GO TO NEXT