

< TABLE OF CONTENTS

Quotations

> GO TO NEXT

- [Normal Quote](#)
- [Block Quote](#)
- [Summary](#)



The Quotation elements in HTML are used to insert quoted texts within a web page.

i.e. Imagine you have a page that talks about a topic. And you need to include another piece of text in it which was either said by someone or taken from somewhere. In this scenario we use the quotations. In both case, that piece of text is not part of the page - it was taken from somewhere else.

There are two kinds of quotations:-

- Normal quote
- Block quote

Normal Quote

A normal quote is usually a sentence said by someone. It is denoted by **q** tag.
The **<q>** element is used to set a set of text inside the quotation marks.
It has both opening and closing tags.

For example,

```
<p>Rahul said <q>I am not coming to play today</q></p>.
```


COPY

Output:

Rahul said “I am not coming to play today”.

Block Quote


The `<blockquote>` element is usually used to quote a piece of text taken from another source.



COPY

```
<!DOCTYPE html>
<html>
<head>
  <title>Blockquote</title>
</head>
<body>
  <h3>The History of India</h3>
  <p>The wikipedia mentions <blockquote>According to consensus in modern genetics, anatomically modern humans first arrived on the Indian subcontinent from Africa between 73,000 and 55,000 years ago.[1] However, the earliest known human remains in South Asia date to about 30,000 years ago.</blockquote></p>
</body>
</html>
```

Output:



Summary

- `<blockquote>`:-Defines a section that is quoted from another source.

[← TABLE OF CONTENTS](#)

[→ GO TO NEXT](#)