


jeeshant_assignmen



1- Attendance.java

```
public class Attendance {  
    public static void main (String [] args) {  
        System.out.print ("Classes attended:");  
        int attended = Sc.nextInt ();  
        double percentage = (attended * 100.0) / total;  
        if (percentage >= 75) {  
            System.out.println ("Eligible for Exam");  
        } else {  
            System.out.println ("Not eligible");  
        }  
    }  
}
```



Scanned with CamScanner

jeeshant_assignmen

The screenshot shows an IDE window with a project named "2nd_assignment". The project structure includes a "src" folder containing "AgePredictor.java" and "Attendance.java". The "AgePredictor.java" file is open, showing the following code:

```
1 public class AgePredictor {
2     public static void main(String[] args) {
3         Scanner sc = new Scanner(System.in);
4
5         System.out.print("Enter your age: ");
6         int age = sc.nextInt();
7
8         System.out.println("After 10 years: " + (age + 10));
9         System.out.println("After 25 years: " + (age + 25));
10        System.out.println("After 50 years: " + (age + 50));
11
12        int year = 2026 + (100 - age);
13        System.out.println("You will turn 100 in: " + year);
14    }
15 }
```

The Run console shows the output for an input age of 20:

```
Enter your age: 20
After 10 years: 30
After 25 years: 45
After 50 years: 70
You will turn 100 in: 2106
Process finished with exit code 0
```


2. Age predictor . java

```
public class Age Predictor {  
    public static void main (String [] args) {  
        Scanner sc = new Scanner (System.in);  
        System.out.print ("Enter your age:");  
        int age = sc.nextInt();  
        System.out.println ("After 10 years: " + (age + 10));  
        System.out.println ("After 25 years: " + (age + 25));  
        System.out.println ("After 50 years: " + (age + 50));  
        int year = 2026 + (100 - age);  
        System.out.println ("You will turn 100 in: " + year);  
    }  
}
```


jeeshant_assignment

The screenshot shows an IDE with a project named "2nd_assignment". The project structure includes a "src" folder with files "AgePredictor", "Attendance", and "Fitness". The "Fitness.java" file is open, showing the following code:

```
public class Fitness {  
    public static void main(String[] args) {  
  
        int total = 0, max = 0;  
  
        for (int i = 1; i <= 7; i++) {  
            System.out.print("Steps for day " + i + ": ");  
            int steps = sc.nextInt();  
  
            total += steps;  
            if (steps > max) max = steps;  
        }  
  
        double avg = total / 7.0;  
  
        System.out.println("Total steps: " + total);  
        System.out.println("Average steps: " + avg);  
        System.out.println("Highest steps: " + max);  
    }  
}
```


The "Run" tab shows the output of the program:

```
Steps for day 1: 150  
Steps for day 2: 200  
Steps for day 3: 500  
Steps for day 4: 550  
Steps for day 5: 600  
Total steps: 2215  
Average steps: 316.42857142857144  
Highest steps: 600
```


3 - fitness.java

```
public class fitness {  
    public static void main (String[] args) {  
        int total = 0, max = 0;  
        for (int i = 1; i <= 7; i++) {  
            System.out.print ("Steps for day " + i + ": ");  
            int steps = sc.nextInt();  
            total += steps;  
            if (steps > max) max = steps;  
        }  
        double avg = total / 7.0;  
        System.out.println ("Total steps: " + total);  
        System.out.println ("Average steps: " + avg);  
        System.out.println ("Highest steps: " + max);  
    }  
}
```



jeeshant_assignment



4. fibonacci.java

```
public class fibonacci {  
    public static void main (String[] args) {  
        System.out.print ("Enter n: ");  
        int n = sc.nextInt();  
        int a = 0, b = 1;  
        for (int i = 1; i <= n; i++) {  
            System.out.print (a + " ");  
            int next = a + b;  
            a = b;  
            b = next;  
        }  
    }  
}
```



jeeshant_assignment



5. Primecheck.java

```
public class Primecheck {  
    public static void main (String [] args) {  
        if (n <= 1) isPrime = false;  
        for (int i = 2; i <= n/2; i++) {  
            if (n % i == 0) {  
                isPrime = false;  
                break;  
            }  
        }  
        System.out.println(isPrime ? "Prime" : "Not Prime");  
    }  
}
```


jeeshant_assignmen



6. logicalCheck.java

```
import java.util.Scanner;
public class logicalCheck {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        int a = sc.nextInt();
        int b = sc.nextInt();
        int c = sc.nextInt();
        if (c == a+b) {
            System.out.println("True");
        } else {
            System.out.println("False");
        }
    }
}
```


jeeshant_assignment

The screenshot shows an IDE with a project named '2nd_assignment'. The project structure includes a 'src' folder with several Java files: 'AgoPredictor', 'Attendance', 'Fibonacci', 'Fitness', 'LogicalCheck', 'PrimeCheck', 'Table', and '.gitignore'. The 'Table.java' file is open in the editor, showing the following code:

```
1 import java.util.Scanner;
2
3 public class Table {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         System.out.print("Enter number: ");
8         int n = sc.nextInt();
9
10        for (int i = 1; i <= 10; i++) {
11            System.out.println(n + " x " + i + " = " + (n * i));
12        }
13    }
14 }
```

The 'Run' console shows the output of the program. It prompts 'Enter number: 2' and then prints the multiplication table for 2, from 2 x 1 to 2 x 10. The output is:

```
Enter number: 2
2 x 1 = 2
2 x 2 = 4
2 x 3 = 6
2 x 4 = 8
2 x 5 = 10
2 x 6 = 12
2 x 7 = 14
2 x 8 = 16
2 x 9 = 18
2 x 10 = 20
```

The console also shows 'Process finished with exit code 0'.

7. Table.java

```
import java.util.Scanner;
public class Table {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Enter number: ");
        int n = sc.nextInt();
        for (int i = 1; i <= 10; i++) {
            System.out.println (n + " x " + i + " = ");
        }
    }
}
```


jeeshant_assignmen

The screenshot shows an IDE with a project named '2nd_assignment'. The project structure includes a 'src' folder with files like 'AgePredictor', 'Attendance', 'Fibonacci', 'Fitness', 'LogicalCheck', 'PrimeCheck', 'Pyramid', 'Table', and 'Triangle'. The 'Pyramid.java' file is open, showing the following code:

```
1 import java.util.Scanner;
2
3 public class Pyramid {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         int rows = sc.nextInt();
8
9         for (int i = 1; i <= rows; i++) {
10             for (int j = 1; j <= rows - i; j++) {
11                 System.out.print(" ");
12             }
13             for (int j = 1; j <= (2 * i - 1); j++) {
14                 System.out.print("*");
15             }
16             System.out.println();
17         }
18     }
19 }
```

The 'Run' tab is active, showing the output of the program. The input is 5, and the output is a pyramid pattern of asterisks:

```
5
 *
 ***
 *****
 *******
 *****
 ***
 *
```


Process finished with exit code 0

9. Pyramid.java

```
import java.util.Scanner;

public class Pyramid {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        int rows = sc.nextInt();
        for (int i = 1; i <= rows; i++) {
            for (int j = 1; j <= rows - i + 1; j++) {
                System.out.print (" ");
            }
            for (int j = 1; j <= (2 * i - 1); j++) {
                System.out.print ("*");
            }
            System.out.println();
        }
    }
}
```


jeeshant_assignment



10. Palindrome.java

jeeshant_assignmen

```
import java.util.Scanner;
public class Palindrome {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int num = sc.nextInt();
        int original = num;
        int reverse = 0;
        while (num != 0) {
            int digit = num % 10;
            reverse = reverse * 10 + digit;
            num /= 10;
        }
        if (original == reverse)
            System.out.println("Palindrome");
        else
            System.out.println("Not Palindrome");
    }
}
```


jeeshant_assignment

The screenshot displays the IntelliJ IDEA IDE interface. On the left, the 'Project' view shows a directory structure for '2nd_assignment' with files like 'AgePredictor', 'Attendance', 'Calculator', 'Fibonacci', 'Fitness', 'Grade', 'LogicalCheck', 'Palindrome', 'PrimeCheck', 'Pyramid', 'Table', and 'Triangle'. The 'Calculator.java' file is selected. The main editor shows the code for the 'Calculator' class, which uses a switch statement to perform arithmetic operations based on user input. The 'Run' window at the bottom shows the execution output, including the command used to run the program and the sequence of inputs and outputs.

```
import java.util.Scanner;

public class Calculator {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        double a = sc.nextDouble();
        double b = sc.nextDouble();

        System.out.print("Enter operator (+ - * /): ");
        char op = sc.next().charAt(0);

        switch (op) {
            case '+': System.out.println(a + b); break;
            case '-': System.out.println(a - b); break;
            case '*': System.out.println(a * b); break;
            case '/': System.out.println(a / b); break;
            default: System.out.println("Invalid operator");
        }
    }
}
```

Run Log: LogicalCheck x Calculator x

```
"C:\Program Files\Java\jdk-25.0.3\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=54153" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8
20.5
20.8
Enter operator (+ - * /): +
31.3
Process finished with exit code 0
```


11. Calculator - java

```
import java.util.Scanner;
public class Calculator {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        double a = sc.nextDouble();
        double b = sc.nextDouble();
        System.out.print("Enter operator (+ - * /): ");
        char op = sc.next().charAt(0);
        switch (op) {
            case '+': System.out.println(a + b); break;
            case '-': System.out.println(a - b); break;
            case '*': System.out.println(a * b); break;
            case '/': System.out.println(a / b); break;
            default: System.out.println("Invalid operator");
        }
    }
}
```


jeeshant_assignmen

The screenshot displays the IntelliJ IDEA IDE interface. The top toolbar includes icons for file operations and a 'Start Free Trial' button. The 'Run' tab is active, showing the execution of the 'Grade.java' file. The code in the editor defines a 'Grade' class with a 'main' method that uses a 'Scanner' to take user input and prints the corresponding grade based on the input marks.

```
import java.util.Scanner;

public class Grade {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.print("Enter marks: ");
        int marks = sc.nextInt();

        String grade = (marks >= 90) ? "A" :
            (marks >= 80) ? "B" :
            (marks >= 70) ? "C" :
            (marks >= 60) ? "D" : "F";

        System.out.println("Grade: " + grade);
    }
}
```

The Run console shows the following output:

```
"C:\Program Files\Java\jdk-25.8.3\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=54164" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8
Enter marks: 80
Grade: B
Process finished with exit code 0
```


19. Grade.java

```
import java.util.Scanner;

public class Grade {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Enter marks: ");
        int marks = sc.nextInt();
        String grade;
        if (marks >= 90) grade = "A";
        else if (marks >= 80) grade = "B";
        else if (marks >= 70) grade = "C";
        else if (marks >= 60) grade = "D";
        else grade = "F";
        System.out.println ("Grade: " + grade);
    }
}
```