Name: JEET DESAI

Enrolment No: 200303124588

Task - Front End Web development

Completed HTML/CSS Task and JavaScript Task

1. Index.html

```
<!DOCTYPE html>
<html>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Parul University-Gujarat</title>
    <link rel="stylesheet" href="style.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Poppins:wght@700&display=swap"
rel="stylesheet">
link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@700;800&display=sw
ap" rel="stylesheet">
<link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-
free@6.2.1/css/fontawesome.min.css" integrity="sha384-
QYIZto+st3yW+o8+50HfT6S482Zsvz2WfOzpFSXMF9zqeLcFV0/wlZpMtyFcZALm"
crossorigin="anonymous">
link
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&display=swap" rel="stylesheet">
</head>
<body>
    <section class="header">
           <a href="index.html"><img src="logo1.png"></a>
           <div class="nav-links" id="navLinks">
                <i class="fa fa-times" onclick="hidemenu()"></i></i>
               <l
                   <div id="outputContainer"></div>
                   <a href="index.html">HOME</a>
                   <a href="ranking.html">RANKING</a>
                   <a href="#">ADMISSION</a>
                   <l
                       <a href="#">Companies coming</a>
                       <a href="companies.html">Studnet Placed</a>
                       <a href="#">Fee Structure</a>
```

```
<a href="">FACULTIES</a>
                  <l
                      <a href="#">Engineering</a>
                      <a href="#">Medical</a>
                      <a href="#">Commerce</a>
                      <a href="#">Arts</a>
                      <a href="#">Law</a>
                  <a href="">LIFE AT PU</a>
                      <a href="#">Academics</a>
                      <a href="#">Co-curricular Activities</a>
                      <a href="#">Sports</a>
                  <a href="Rform.html">Enquire Now</a>
           </div>
           <i class="fa fa-bars"onclick="showmenu()"></i></i>
       </nav>
   </section>
   <div class="naacpic">
       <img src="naac1.png">
       <div class="topleft">NAAC A++</div>
       <div class="topleftnext"> HAI TOH BEST HAI</div>
   </div>
   <section class="footer">
       <h4>Parul University Vadodara, Gujarat</h4>
       A Quality Student deserves a quality university<br>>br>Designed by
Jeet desai</br>
       <div class="icons">
                  <a href = "https://www.facebook.com/"><img src</pre>
="facebook.jfif" width="30"></a>
                  <a href = "https://www.instagram.com/"><img src</pre>
="instagram.png"width="30"></a>
                  <a href = "https://twitter.com/i/flow/login"><img</pre>
src="twitter.png"width="30"></a>
       </div>
   </section>
   <script>
       var navLinks = document.getElementById("navlinks");
       function showmenu(){
           navLinks.style.right="0";
       function hidemenu(){
```

```
navLinks.style.right="-200px"
}
</script>
</body>
</html>
```

2. style.css


```
.header{
    min-height: 100vh;
    width:100%;
    background-image:linear-
gradient(rgba(250,218,215,0.4),rgba(250,218,215,0.4)),url("pugate.jpeg");
    background-position: center;
    background-size: cover;
    position: relative;
nav{
    background-color: white;
    display: flex;
    padding: 2% 6%;
    justify-content: space-between;
    align-items: center;
    margin:0;
    font-family: 'Poppins', sans-serif;
nav img{
    width: 150px;
.nav-links{
    text-align: right;
.nav-links ul li{
    list-style:none;
    display: inline-block;
    padding: 8px 12px;
    position: relative;
.nav-links ul li a {
    color:black;
    text-decoration: none;
    font-size: 13px;
.nav-links ul li::after{
   content: '';
```

```
width: 0%;
    height: 2px;
    display: block;
    margin: auto;
    background: blue;
    transition: 0.5s;
.nav-links ul li:hover::after{
    width: 100%;
.naacpic img{
    width: 100%;
    padding: 150px 0px 0px;
    background-size: cover;
.topleft {
    position: absolute;
    top: 900px;
    left: 16px;
    font-size:2.5cm;
    background-color: red;
    font-family: 'Poppins', sans-serif;
    color: aliceblue;
.topleftnext {
    position: absolute;
    top: 1030px;
    left: 16px;
    font-size:1.5cm;
    background-color: yellow;
    font-family: 'Poppins', sans-serif;
nav .fa{
    display: none;
@media(max-width: 700px){
    .text-box h1{
        font-size: 20px;
    .nav-links ul li{
        display: block;
    .nav-links{
        position:absolute;
        background:coral;
        height: 100vh;
        width: 200px;
        top:0;
```

```
right:-200;
        text-align: left;
        z-index: 2;
        transition: 1s;
    nav .fa{
        display: block;
        color:white;
        margin: 10px;
        font-size: 22px;
        cursor: pointer;
    .nav-links ul{
        padding: 30px;
.footer{
    width: 100%;
    text-align: center;
    padding:30px 0;
.footer h4{
    margin-bottom: 25px;
    margin-top: 20px;
    font-weight: 600;
    font-family: 'Kenia', cursive;
    font-family: 'Poppins', sans-serif;
.icons{
    margin: 0px;
    cursor:pointer;
    padding: 18px 0;
    size: 100px;
nav ul li a{
    color:blue;
    display: block;
    padding: 15px;
    font-size: 10px;
.nav-links ul ul{
    position:absolute;
    top: 85px;
    opacity: 0;
    visibility:hidden;
    background-color:antiquewhite;
nav ul li:hover > ul{
```


```
top: 50px;
  opacity: 1;
  visibility:visible;
  transition: 0.3s linear;
}
nav ul ul li{
  width: 150px;
  display: list-item;
  position: relative;
  border-top: none;
}
```


Output of above code











3. Ranking.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>RANKING</title>
    <link rel="stylesheet" href="rank.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    k
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Skranji:wght@700&display=swap" rel="stylesheet">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <script src="https://kit.fontawesome.com/160f12c7d4.js"</pre>
crossorigin="anonymous"></script>
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Sedgwick+Ave+Display&family=Skranji:wght@700&display=swap"
rel="stylesheet">
</head>
<body>
```

```
<a href="index.html"><img src="logo1.png"></a>
      <div class="nav-links" id="navLinks">
          <!-- <i class="fa fa-times" onclick="hidemenu()"></i> -->
          <l
             <div id="outputContainer"></div>
             <a href="index.html">HOME</a>
             <a href="ranking.html">RANKING</a>
             <a href="">ADMISSION</a>
             <l
                 <a href="#">Companies coming</a>
                 <a href="companies.html">Studnet Placed</a>
                 <a href="#">Fee Structure</a>
             <a href="">FACULTIES</a>
             <l
                 <a href="#">Engineering</a>
                 <a href="#">Medical</a>
                 <a href="#">Commerce</a>
                 <a href="#">Arts</a>
                 <a href="#">Law</a>
             <a href="">LIFE AT PU</a>
                 <a href="#">Academics</a>
                 <a href="#">Co-curricular Activities</a>
                 <a href="#">Sports</a>
             <a href="Rform.html">Enquire Now</a>
          </div>
      <!-- <i class="fa fa-bars"onclick="showmenu()"></i> -->
   </nav>
<img src="rank.jpeg">
<div class="topleft">
<div class="row">
   <img src="nirf.png">
      <h3>National institutional ranking framework</h3>
      All india <b>TOP 200</b> University <br> Ranking
   </div>
<div class="row1">
   <img src="gsirf.jpg">
   <h3>Gujarat State Institution Rating Framework</h3>
```

```
<b>4 out of 5 Rating</b> by GSIRF<br/>br> Ranking Framework Among
<br>Leading Universities <br>Statewide
   </div>
   <div class="stars">
      <h3>Overall rating of the university</h3>
      <i class="fa-solid fa-star" style="color: #f1f529;"></i></i>
       <i class="fa-regular fa-star" style="color: #f1f529;"></i></i>
   </div>
   </div>
<section style="padding-bottom: 40px;">
<img src="indiatoday.png"class="banner"><h3>India Today</h3>
Parul University Overall ranking by India Today is 111 out of 178 colleges
in India in 2021 and it was 113 out of 120 colleges
   in India in 2020. Parul University Computer Applications ranking by India
Today is 41 out of 110 colleges in India in 2020 and
   it was 38 out of 100 colleges in India in 2019.
   >
        Stream
        2023 Ranking
        >2022 Ranking
        >2021 Ranking
      </thead>
   Overall
          -
          -
          #111 out of 178 in India 2021<br>
             #3rd in Gujarat
      >
          BBA/BBM
          -
          -
          #111 out of 178 in India 2021<br>
             #3rd in Gujarat
      BCA
          #52 out of 170 in India 2023<br>
             #3rd in Gujarat
          #45 out of 149 in India 2022<br>
```

```
#3rd in Gujarat
         #44 out of 146 in India 2021
      <hr>>
      <img src="nirf.png"class="banner"><h3>NIRF</h3>
      Parul University Overall ranking by NIRF is 151 out of 200 colleges
in India in 2023. Parul University Pharmacy ranking
         by NIRF is 53 out of 125 colleges in India in 2023 and it was 86
out of 125 colleges in India in 2022.
         <thead>
            Stream
               2023 Ranking
               >2022 Ranking
            </thead>
      Overall
               #151 out of 200 in India 2023<br>
                   #4th in Gujarat
               -
            Pharmacy
               #53 out of 125 in India 2023<br>
                   #4th in Gujarat
               #86 out of 125 in India 2022<br>
                   #5th in Gujarat
            <hr>>
         <img src="outlook.jpg"class="banner"><h3>OUTLOOK</h3>
         Parul University Overall ranking by Outlook is 40 out of 110
colleges in India in 2021 and it was 24 out of 50 colleges
             in India in 2020. Parul University Architecture ranking by
Outlook is 17 out of 30 colleges in India in 2023
             and it was 17 out of 30 colleges in India in 2022.
         Stream
               >2023 Ranking
               >2022 Ranking
```

```
2021 Ranking
             </thead>
         Overall
               -
               -
               #40 out of 110 in India 2021<br>
                  #4th in Gujarat
            Architecture
               #17 out of 30 in India 2023
               #17 out of 30 in India 2022
               #15 out of 25 in India 2021
            MBA
               #33 out of 200 in India 2023
               #39 out of 120 in India 2022
               #45 out of 119 in India 2021
            Science
               #48 out of 100 in India 2023<br>
                  #3rd in Gujarat
               #48 out of 105 in India 2022<br>
                  #3rd in Gujarat
               #48 out of 105 in India 2021<br>
                  #3rd in Gujarat
            BCA
               #40 out of 110 in India 2023<br>
                  #4th in Gujarat
               #40 out of 110 in India 2022<br>
                  #4th in Gujarat
               #40 out of 110 in India 2021<br>
                  #4th in Gujaratt
            <hr>>
         <img src="iirf.jpg"class="banner"><h3>IIRF</h3>
         Parul University Overall ranking by IIRF is 80 out of 171
colleges in India in 2023 and it was 114 out of 161 colleges
```

```
in India in 2022. Parul University Dental ranking by IIRF is
41 out of 60 colleges in India in 2023.
        <thead>
           Stream
              >2023 Ranking
              >2022 Ranking
            </thead>
        Overall
              #80 out of 171 in India 2023
              #114 out of 161 in India 2022
           Dental
              #41 out of 60 in India 2023
              -
           Medical
              #62 out of 100 in India 2023<br>
                 -
           Physiotherapy
              -
              #113 out of 114 in India 2022<br>
                 #5th in Gujarat
           <hr>>
        <img src="toi.png"class="banner"><h3>The Times of India</h3>
        Parul University Overall ranking by The Times Of India is 62
out of 101 colleges in India in 2021 and it was 38 out of 71
        colleges in India in 2020. Parul University B.Tech ranking by The
Times Of India is 99 out of 147 colleges in India in 2019.
        Stream
              2021 Ranking
              2020 Ranking
              2019 Ranking
```

```
</thead>
         Overall
                 #62 out of 101 in India 2021<br>
                    #2nd in Gujarat
                 #38 out of 71 in India 2020<br>
                    #3rd in Gujarat
                 -
              BTECH
                 -
                 #99 out of 147 in India 2019
                    #4th in Gujarat
              BBA/BBM
                 #62 out of 101 in India 2021
                 #38 out of 71 in India 2020<br>
                    #3rd in Gujarat
                 -
           <hr>>
           <img src="nirf.png"class="banner"><h3>National Institution
Ranking Framework Innovation</h3>
           Parul University Overall ranking by National Institutional
Ranking Framework Innovation is 11 out of 312 colleges
               in India in 2023 and it was 26 out of 50 colleges in
India in 2020.
           <thead>
           Stream
              2023 Ranking
              >2020 Ranking
           </thead>
         Overall
              #11 out of 312 in India 2023<br>
                 #1st in Gujarat
              #26 out of 50 in India 2020
```

```
</section>
<section class="footer">
    <h4>Parul University Vadodara, Gujarat</h4>
    A Quality Student deserves a quality
university<br><br>Designed by Jeet desai</br>
    <div class="icons">
               <a href = "https://www.facebook.com/"><i class="fa-brands fa-</pre>
facebook fa-xl"></i></a>
               <a href = "https://www.instagram.com/"><i class="fa-brands fa-</pre>
instagram fa-xl"></i></a>
               <a href = "https://twitter.com/i/flow/login"><i class="fa-</pre>
brands fa-x-twitter fa-xl"></i></a>
    </div>
</section>
<script>
    var navLinks = document.getElementById("navlinks");
    function showmenu(){
       navLinks.style.right="0";
    function hidemenu(){
       navLinks.style.right="-200px"
</script>
</body>
</html>
```

4. Rank.css

```
img{
    width: 100%;
    background-image: no-repeat;
    font-family: 'Poppins', sans-serif;
}
h1{
    padding: 10px;
    background-color:whitesmoke;
    color: red;
    text-align: center;
}
.topleft {
    position: absolute;
    top: 220px;
    left: 100px;
```

```
font-size:0.5cm;
   font-family: 'Poppins', sans-serif;
   justify-content: space-between;
   text-align: center;
.row{
   flex-basis: 31%;
   background:#fff3f3;
   border-radius: 10px;
   padding:20px 12px;
   margin-bottom: 15%;
   box-sizing:border-box;
   height: 300px;
   width: 70%;
.row1{
   flex-basis: 31%;
   background:#fff3f3;
   border-radius: 10px;
   padding:20px 12px;
   margin-bottom: 5%;
   box-sizing:border-box;
   height: 350px;
   width: 70%;
.topleft img{
   width: 30%;
   height: 30%;
.stars{
   flex-basis: 31%;
   background:red;
   border-radius: 10px;
   padding:5px 5px;
   margin-bottom: 5%;
   box-sizing:border-box;
   height: 150px;
   width: 80%;
   color: beige;
.stars img{
   width:50%;
   height: 50px;
   border:2px inset black;
```


```
background-color: #fff3f3;
    margin-left: auto;
   margin-right: auto;
   border-collapse:collapse;
   padding: 5px;
th{
   padding:7px;
table {
   border-collapse: collapse;
   margin: 25px auto;
   font-size: 0.9em;
    font-family: sans-serif;
    min-width: 400px;
    box-shadow: 0 0 20px rgba(0, 0, 0, 0.15);
table thead tr {
   background-color: black;
    color: #ffffff;
    text-align: left;
table th,table td {
   padding: 12px 15px;
table tbody tr {
   border-bottom: 1px solid #dddddd;
/* table tbody tr:nth-of-type(even) {
   background-color: #f3f3f3;
table tbody tr:last-of-type {
   border-bottom: 2px solid black;
table tbody tr.active-row {
   font-weight: bold;
    color: #009879;
.banner{
   height: 8%;
   width: 8%;
   padding: 5px;
   margin: 20px 660px 0px;
   mix-blend-mode: multiply;
```


```
filter: contrast(1);
section{
   background-color: azure;
section p{
    font-family: 'Kenia', cursive;
    font-family: 'Poppins', sans-serif;
    font-family: 'Skranji', cursive;
    text-align: justify;
   margin-left: 80px;
   margin-right: 80px;
section h3{
font-size: 1cm;
text-align: center;
margin: 15px;
hr{
    background-color: black;
   margin: 20px 80px 0px;
   border: none;
   height: 1.5px;
.header{
   min-height: 100vh;
   width:100%;
    position: relative;
nav{
    background-color: white;
    display: flex;
   padding: 2% 6%;
    justify-content: space-between;
    align-items: center;
   margin:0;
    font-family: 'Poppins', sans-serif;
nav img{
   width: 150px;
.nav-links{
   text-align: right;
.nav-links ul li{
```


```
list-style:none;
    display: inline-block;
    padding: 8px 12px;
    position: relative;
.nav-links ul li a {
   color:black;
    text-decoration: none;
    font-size: 13px;
.nav-links ul li::after{
    content: '';
   width: 0%;
   height: 2px;
   display: block;
   margin: auto;
    background: blue;
   transition: 0.5s;
.nav-links ul li:hover::after{
   width: 100%;
nav ul li a{
   color:blue;
   display: block;
    padding: 15px;
    font-size: 10px;
.nav-links ul ul{
    position:absolute;
   top: 85px;
   opacity: 0;
   visibility:hidden;
   background-color:antiquewhite;
nav ul li:hover > ul{
   top: 50px;
   opacity: 1;
   visibility:visible;
   transition: 0.3s linear;
nav ul ul li{
   width: 150px;
   display: list-item;
   position: relative;
   border-top: none;
```

```
.footer{
    width: 100%;
    text-align: center;
    padding:30px 0;
    background-color: white;
.footer h4{
    margin-bottom: 25px;
    margin-top: 20px;
    font-weight: 600;
    font-family: 'Kenia', cursive;
    font-family: 'Poppins', sans-serif;
.icons{
    margin: 0px;
    cursor:pointer;
    padding: 18px 0;
    size: 100px;
@media(max-width: 700px){
    .text-box h1{
        font-size: 20px;
    .nav-links ul li{
        display: block;
    .nav-links{
        position:absolute;
        background:coral;
        height: 100vh;
        width: 200px;
        top:0;
        right:-200;
        text-align: left;
        z-index: 2;
        transition: 1s;
    nav .fa{
        display: block;
        color:white;
        margin: 10px;
        font-size: 22px;
        cursor: pointer;
    .nav-links ul{
        padding: 30px;
```

Output for the above code







5. Companies.html

```
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Companies</title>
<link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Skranji:wght@700&display=swap" rel="stylesheet">
    <script src="https://kit.fontawesome.com/160f12c7d4.js"</pre>
crossorigin="anonymous"></script>
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Sedgwick+Ave+Display&family=Skranji:wght@700&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="companies.css">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Inconsolata:wght@700&family=Ken
ia&family=Pacifico&family=Poppins:wght@700;800&family=Sedgwick+Ave+Display&fam
ily=Skranji:wght@700&display=swap" rel="stylesheet">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    k
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Skranji:wght@700&display=swap" rel="stylesheet">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <script src="https://kit.fontawesome.com/160f12c7d4.js"</pre>
crossorigin="anonymous"></script>
    link
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Sedgwick+Ave+Display&family=Skranji:wght@700&display=swap"
rel="stylesheet">
    <nav>
        <a href="index.html"><img src="logo1.png"></a>
        <div class="nav-links" id="navLinks">
            <!-- <i class="fa fa-times" onclick="hidemenu()"></i> -->
            <l
                <div id="outputContainer"></div>
                <a href="index.html">HOME</a>
                <a href="ranking.html">RANKING</a>
                <a href="">ADMISSION</a>
                <l
                    <a href="#">Companies coming</a>
                    <a href="#">Studnet Placed</a>
```

```
<a href="#">Fee Structure</a>
             <a href="">FACULTIES</a>
             <l
                <a href="#">Engineering</a>
                <a href="#">Medical</a>
                <a href="#">Commerce</a>
                <a href="#">Arts</a>
                <a href="#">Law</a>
             <a href="">LIFE AT PU</a>
             <l
                <a href="#">Academics</a>
                <a href="#">Co-curricular Activities</a>
                 <a href="#">Sports</a>
             <a href="Rform.html">Enquire Now</a>
          </div>
      <!-- <i class="fa fa-bars"onclick="showmenu()"></i> -->
   </nav>
<body>
   <div class="Companybg">
   <div class="title">
   <h3>After Completeing graduation from pu whats next? </h3>
   <h2>Your Impeccable Placement</h2>
   <h1>Opportunities with Milestone Packages</h1></div>
   We have<br><b>2000+ Recruiters</b><br>Ready to provide you
with the Best<br>Job offers with Upto<br><b>30Lakh Highest<br>>
             Package</b><br>and average Packages of<br><b> 8 LPA</b>
          <b>Awarded as the<br>Best University<br>in
Placements<br>by ASSOCHAM</b>
          <b>How We help get hired by the best?</b>
             <br>Career Development and Training
             <br>>Industry Collaboration For UpSkilling
             <br>Campus Drives and Interview Training
          </div>
   <div class="gallery-scroll">
      <figure class="gallery-item">
```

```
<img class="gallery-img" src="Gujana Pandaya.jpg" alt="symbol image"</pre>
title="symbol image">
          <figcaption>Gujan Pandaya<br>Data Engineer At<br>
facebook</figcaption>
        </figure>
        <!-- ... 20 Images at all ... -->
        <figure class="gallery-item">
          <img class="gallery-img" src="Mansi.jpeg" alt="symbol image"</pre>
title="symbol image">
          <figcaption>Mansi Dalwani<br>Data Strategist At<br>
Google</figcaption>
        </figure>
        <figure class="gallery-item">
            <img class="gallery-img" src="milin.jpeg" alt="symbol image"</pre>
title="symbol image">
            <figcaption>Milind Purswami <br>Security Engineer At<br>
Snapchat</figcaption>
          </figure>
          <figure class="gallery-item">
            <img class="gallery-img" src="amazon.png" alt="symbol image"</pre>
title="symbol image">
            <figcaption>Jay Vadiya<br>Cloud Technical Manager At<br>
Amazon</figcaption>
          </figure>
      </div><!-- end gallery-scroll -->
    <section class="footer">
        <h4>Parul University Vadodara, Gujarat</h4>
        A Quality Student deserves a quality
university<br><br>Designed by Jeet desai</br>
        <div class="icons">
                    <a href = "https://www.facebook.com/"><i class="fa-brands"</pre>
fa-facebook fa-xl"></i></a>
                    <a href = "https://www.instagram.com/"><i class="fa-brands"</pre>
fa-instagram fa-xl"></i></a>
                    <a href = "https://twitter.com/i/flow/login"><i class="fa-</pre>
brands fa-x-twitter fa-xl"></i></a>
        </div>
    </section>
    <script>
        var navLinks = document.getElementById("navlinks");
        function showmenu(){
            navLinks.style.right="0";
        function hidemenu(){
            navLinks.style.right="-200px"
    </script>
```

```
</body>
</html>
```

6. Companies.css


```
.header{
   min-height: 100vh;
   width:100%;
    position: relative;
nav{
    background-color: white;
    display: flex;
   padding: 2% 6%;
    justify-content: space-between;
    align-items: center;
   margin:0;
    font-family: 'Poppins', sans-serif;
nav img{
   width: 150px;
.nav-links{
   text-align: right;
.nav-links ul li{
   list-style:none;
   display: inline-block;
   padding: 8px 12px;
   position: relative;
.nav-links ul li a {
   color:black;
    text-decoration: none;
   font-size: 13px;
.nav-links ul li::after{
    content: '';
   width: 0%;
   height: 2px;
   display: block;
   margin: auto;
   background: blue;
   transition: 0.5s;
.nav-links ul li:hover::after{
```


```
width: 100%;
nav ul li a{
    color:blue;
    display: block;
    padding: 15px;
    font-size: 10px;
.nav-links ul ul{
    position:absolute;
    top: 85px;
    opacity: 0;
    visibility:hidden;
    background-color:antiquewhite;
nav ul li:hover > ul{
    top: 50px;
    opacity: 1;
    visibility:visible;
    transition: 0.3s linear;
nav ul ul li{
    width: 150px;
    display: list-item;
    position: relative;
    border-top: none;
.footer{
    width: 100%;
    text-align: center;
    padding:30px 0;
    background-color: white;
.footer h4{
    margin-bottom: 25px;
    margin-top: 20px;
    font-weight: 600;
    font-family: 'Kenia', cursive;
    font-family: 'Poppins', sans-serif;
.icons{
    margin: 0px;
    cursor:pointer;
    padding: 18px 0;
    size: 100px;
```

```
.title{
    text-align: center;
    color: whitesmoke;
    font-family: sans-serif;
    padding: 10px;
table{
    width:100%;
    margin-left: 80px;
    margin-right: 100px;
    padding:20px;
    font-size: large;
    color: yellow;
    font-family: Verdana;
.transparent{
        flex-basis: 31%;
        background:rgb(246, 3, 3);
        border-radius: 10px;
        padding:20px 12px;
        margin-bottom: 15%;
        box-sizing:border-box;
        height: 200px;
        width: 20%;
        color: #f0f0f0;
        text-align: center;
.gallery-scroll {
    display: flex;
    flex-wrap: nowrap;
    margin: 0;
    padding: 0;
    background-color: #f0f0f0;
    scroll-snap-type: x mandatory;
    scroll-behavior: smooth;
    overflow-x: scroll;
    font-family: 'Inconsolata', monospace;
    font-family: 'Kenia', cursive;
    font-family: 'Pacifico', cursive;
    font-family: 'Poppins', sans-serif;
    font-family: 'Sedgwick Ave Display', cursive;
    font-family: 'Skranji', cursive;
  .gallery-item {
    border-radius: 20px;
    padding:20px;
```

```
font-size: 1.2rem;
  text-align: center;
  background-color: #333;
  color: #d9d9d9;
  scroll-snap-align: center;
}
.Companybg{
  background-image: url('combg.jpg');
}
.right{
  padding-left: 150px;
}
.gallery-item img{
  padding-bottom: 15px;
}
```

Output for above code





7. Rform.html

```
<html>
<title>FORM</title>
<link rel = "stylesheet" href="Rform.css">
</head>
<style>
    table, td, th{
        border:2px black;
        border-collapse: collapse;
        width: 30%;
        height: 30%;
        padding: 10px;
    .submit{
        margin-top: 20px;
        border-radius: 10px;
</style>
<link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    link
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Skranji:wght@700&display=swap" rel="stylesheet">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <script src="https://kit.fontawesome.com/160f12c7d4.js"</pre>
crossorigin="anonymous"></script>
```

```
link
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Sedgwick+Ave+Display&family=Skranji:wght@700&display=swap"
rel="stylesheet">
   <link rel="preconnect" href="https://fonts.googleapis.com">
   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
   link
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Skranji:wght@700&display=swap" rel="stylesheet">
   <link rel="preconnect" href="https://fonts.googleapis.com">
   <script src="https://kit.fontawesome.com/160f12c7d4.js"</pre>
crossorigin="anonymous"></script>
   link
href="https://fonts.googleapis.com/css2?family=Kenia&family=Poppins:wght@700;8
00&family=Sedgwick+Ave+Display&family=Skranji:wght@700&display=swap"
rel="stylesheet">
       <a href="index.html"><img src="logo1.png"></a>
       <div class="nav-links" id="navLinks">
           <!-- <i class="fa fa-times" onclick="hidemenu()"></i> -->
          <l
              <div id="outputContainer"></div>
              <a href="index.html">HOME</a>
              <a href="ranking.html">RANKING</a>
              <a href="">ADMISSION</a>
              <l
                  <a href="#">Companies coming</a>
                  <a href="#">Studnet Placed</a>
                  <a href="#">Fee Structure</a>
              <a href="">FACULTIES</a>
              <l
                  <a href="#">Engineering</a>
                  <a href="#">Medical</a>
                  <a href="#">Commerce</a>
                  <a href="#">Arts</a>
                  <a href="#">Law</a>
              <a href="">LIFE AT PU</a>
              <l
                  <a href="#">Academics</a>
                  <a href="#">Co-curricular Activities</a>
                  <a href="#">Sports</a>
```

```
<a href="">Enquire Now</a>
         </div>
      <!-- <i class="fa fa-bars"onclick="showmenu()"></i> -->
   </nav>
<body>
<form action = "response.html" style="background-image: url('regbg.jpeg');">
<center>
FIRST NAME : 
<input type = "text" placeholder = "FIRST NAME" required>
LAST NAME : 
<input type = "text" placeholder= "LAST NAME">
CITY : 
<input type = "text" placeholder = "CITY NAME">
EMAIL ID
<input type = "email"><a href
="https://mail.google.com/mail/u/0/#inbox?compose=new"></a>
   MOBILE NO : 
<input type="number">
<input class="submit" type="button" value="SUBMIT">
<input class="submit" type="button" value="CANCEL"onclick="alert ('ALL DATA</pre>
WILL BE LOST')">
</center>
</form>
<section class="footer">
   <h4>Parul University Vadodara, Gujarat</h4>
   A Quality Student deserves a quality
university<br><br>Designed by Jeet desai</br>
   <div class="icons">
             <a href = "https://www.facebook.com/"><i class="fa-brands fa-</pre>
facebook fa-xl"></i></a>
```

8. Rform.css

```
form{
    height: 60%;
    padding-top: 100px;
    background-image: azure;
body{
    margin: 0px;
.header{
    min-height: 100vh;
    width:100%;
    position: relative;
nav{
    background-color: white;
    display: flex;
    padding: 2% 6%;
    justify-content: space-between;
    align-items: center;
    margin:0;
    font-family: 'Poppins', sans-serif;
```

```
nav img{
    width: 150px;
.nav-links{
    text-align: right;
.nav-links ul li{
    list-style:none;
    display: inline-block;
    padding: 8px 12px;
    position: relative;
.nav-links ul li a {
   color:black;
    text-decoration: none;
    font-size: 13px;
.nav-links ul li::after{
    content: '';
   width: 0%;
   height: 2px;
   display: block;
   margin: auto;
    background: blue;
    transition: 0.5s;
.nav-links ul li:hover::after{
   width: 100%;
nav ul li a{
   color:blue;
    display: block;
    padding: 15px;
    font-size: 10px;
.nav-links ul ul{
   position:absolute;
    top: 85px;
    opacity: 0;
   visibility:hidden;
   background-color:antiquewhite;
nav ul li:hover > ul{
   top: 50px;
    opacity: 1;
   visibility:visible;
    transition: 0.3s linear;
```

```
nav ul ul li{
    width: 150px;
    display: list-item;
    position: relative;
    border-top: none;
.footer{
    width: 100%;
    text-align: center;
    padding:30px 0;
    background-color: white;
.footer h4{
    margin-bottom: 25px;
    margin-top: 20px;
    font-weight: 600;
    font-family: 'Kenia', cursive;
    font-family: 'Poppins', sans-serif;
.icons{
    margin: 0px;
    cursor:pointer;
    padding: 18px 0;
    size: 100px;
```

Output for above code

