01 / ASSESSMENT

Useful capabilities. Too much work for the reader.

A platform-wide UI and usability review for nontechnical property teams and clients.

The concern is justified.

The current interface is uneven. Its weakest screens present technical records and process details before a clear answer or next action. This is more than a styling problem: hierarchy, language and navigation make routine work harder.

What the evidence supports

The supplied Property intelligence screenshot is representative of a real issue: a long, unstructured market-data list. The review also found broken navigation, vague errors, confusing data ownership and repeated client views. It does **not** establish that every screen became worse over time; there is no complete before-and-after baseline.

58	Captured screen states
21	Primary internal navigation destinations reviewed
6	Client portal sections reviewed using current components
320 / 390 px	Targeted narrow-screen checks

Fix these first

1. Repair broken destinations and explain failed loads.
2. Put useful answers and existing knowledge before forms and raw records.
3. Unify the client story and the shared visual patterns.

Keep what already works

The calm shell, visible property context, competitor cards, focused report detail and simple conversation layout are worth preserving. The source history and approval safeguards should remain; their presentation needs to be clearer.

02 / PRIORITIES

Address task blockers before polish.

High = likely to block a task or undermine understanding of results. Medium = recurring friction, readability or access risk. These are review judgments, not measured user failure rates.

F01 · HIGH · Turn raw intelligence into a useful answer

Users must interpret the records themselves and cannot quickly tell what changed or what needs attention. **First move:** Lead with a short takeaway, 3–4 meaningful results and one next action.

Screens 17, 18, 42, 65

F02 · HIGH · Make Community knowledge a review workflow

A property manager has to understand the storage and processing model before updating a policy. **First move:** Show current facts and a Needs review queue first.

Screens 02, 03, 04, 05, 06, 62

F03 · HIGH · Repair links and confusing destinations

Users lose confidence and cannot predict what a navigation item will do. **First move:** Fix the brand link, remove or accurately rename the duplicate assistant destination, and give portfolio work an explicit multi-property context.

Screens 23, 28, 34, 35, 68

F04 · HIGH · Make errors and missing data actionable

Users cannot distinguish no activity, no connected source and a failed request, or know how to recover. **First move:** Use separate states for Not connected, No records in this period, Loading and Could not load.

Screens 01, 05, 12, 19, 25

F05 · HIGH · Explain the relationship between imported and approved data

Users may assume property information disappeared or enter duplicate records. **First move:** Offer one understandable inventory with source and approval status.

Screens 03, 04, 07

F06 · HIGH · Give the client portal a distinct, simpler purpose

Clients must choose between similar pages and interpret analyst terminology; property/date context may be lost when navigating. **First move:** Home should explain results and decisions.

Screens 40, 41, 42, 45, 63, 65

03 / PRIORITIES

Make the product feel coherent.

Apply these improvements through shared components so the same problems do not return in the next module.

F07 · MEDIUM · Apply one visual and interaction system

Button styles, accent colors, tab treatments and heading sizes vary between modules. Some workbenches look like default forms inside an otherwise polished shell. **Direction:** Create shared page headers, tabs, tables, status badges, form sections, empty/error states and evidence drawers. Use a common type scale, spacing and primary action style.

Screens 03, 14, 17, 19, 29, 31

F08 · MEDIUM · Prioritize the first mobile screen

At 390 px, navigation, introductions and controls consume most of the first screen. At 320 px, the client question field exceeds its card content area. The comparison table scrolls locally rather than causing whole-page overflow. **Direction:** Use a compact header, a single primary action, collapsible filters and card summaries for small screens. Keep table scrolling clearly signposted and make inputs fit their containers.

Screens 61, 62, 63, 65, 66, 67

F09 · MEDIUM · Improve MarketVision comparison and freshness

Competitor cards are useful, but historical brand paragraphs dominate and one brand-voice field renders a JSON-like array. Missing prices and old research compete with current values. **Direction:** Use consistent compact cards with current asking rent, observation date, availability and source. Put historical brand analysis in details. Format lists as readable tags and avoid unnecessary decimal precision.

Screens 14, 15, 37, 60, 67

F10 · MEDIUM · Translate operational language

The interface uses terms including text chunks, hash-guarded, Dead Letter, IANA and inquiry cohort stage ratios. **Direction:** Use task language in primary views and reserve technical details for support/admin panels. Retain material limitations beside the relevant action in short, concrete wording.

Screens 04, 07, 08, 16, 20, 22, 27, 31, 33

F11 · MEDIUM · Complete focused accessibility checks


The widget send button is icon-only and its source has no accessible name. The message input relies on placeholder text rather than an explicit label. Narrow layout issues were also observed. **Direction:** Name the send button, label the message input and verify keyboard order, focus, dialogs, contrast, text resizing and target sizes across the shared components.

Screens 51, 64, 66

04 / PROPERTY INTELLIGENCE

Give users the conclusion first.

Evidence: live AMLI Aero · screens 17–22. The screen below is a scrolled detail view, not the page header.



18 · Live internal screenshot. Repeated competitor observations fill the page with little visual grouping.

Why it feels unfinished

Many entries repeat the same structure, date and missing-data wording. Every observation is given similar prominence, so the user must create the comparison mentally. More empty space around a raw list does not make the list easier to understand.

A better first-level structure

Performance → property and period → one plain-language takeaway → 3–4 key results → next action → a short market-context summary. Put full comparisons in MarketVision, with a clear link back.


Keep uncertainty visible, in ordinary language.

Example: “Marketing data is not connected for this period. Results below include recorded inquiries and tours.” Then offer **Connect marketing data** and **View data details**. Do not turn unavailable values into zero or imply that marketing caused a lease.

05 / COMMUNITY KNOWLEDGE

Start with what the community knows.

Evidence: live AMLI Aero and Acacia · screens 02–07 and 62.



04 · Live source-management screen. Several different workflows are presented together.

The user’s mental model

“Here is our pet policy, here is where it came from, and here is whether it is approved.” The current interface instead foregrounds files, text chunks, preparation and retained versions. The safeguards are valuable; users should not need to learn their implementation to do routine work.

1 Add information	Upload a file, add a web page or edit a fact. Explain supported formats beside the action.
2 Review changes	Show suggested information, original source, conflicts and what is still missing.
3 Approve and use	Confirm the exact change and show where it is available. Keep history and rollback accessible.

Resolve the apparent data contradiction

Show imported and approved floorplans together with source/status labels. Imported source text is not automatically an approved fact. A review queue should explain that relationship. Replace the empty manual-inventory instruction about “archiving the final plan” with a relevant add/import action.

06 / NAVIGATION AND OWNERSHIP

Each place needs one clear job.

The earlier concern about conflating community knowledge and performance is valid. Their responsibilities should stay distinct.

Place	User question	Owns
Community knowledge	What is true about this property?	Facts, policies, source evidence, photos, brand and review status.
MarketVision	What are competitors offering?	Competitor profiles, asking rents, availability, dates and market comparisons.
Performance	What happened, and what needs attention?	Outcomes, trends, data coverage and measured improvements.
Client reports	What should we communicate this month?	Reviewed narrative, approved results and agreed next steps.
Portfolio	What changes across selected communities?	Explicit multi-property selection and comparisons.

Use familiar task labels

Keep product brands as secondary labels: **Leads** (TourSpark), **Conversations** (LumaLeasing), **Follow-up** (LeadPulse), **Website** (SiteForge), **Content** (ForgeStudio), **Market** (MarketVision). Validate names with users before rollout.

Reduce the first navigation decision

Offer a small set of task groups: Home, Community, Leasing, Marketing, Results and Administration. Reveal related destinations within the group. Keep quick access to frequently used tasks; do not merely hide 21 links behind an unlabeled menu.


Confirmed repairs

“Review brand sources” opens a 404 (34), although its property-specific destination works (35). “Luma AI Assistant” opens the conversation inbox (28). The portfolio screen should show portfolio scope directly instead of retaining an unrelated property selector (23).

07 / MARKET AND OPERATIONS

Separate useful detail from system status.

Evidence: live screens 05, 08, 12, 14–16, 19, 25 and 37.



14 · Live MarketVision. Card structure helps, but long historical descriptions reduce comparability.

MarketVision has a good foundation

Keep the competitor cards, comparison selection and detail drawer. Make each card follow the same short structure: current asking rent, availability, observation date and source. Place historical positioning and brand analysis inside details. Render arrays as readable labels rather than punctuation-heavy data.


Observed state	Recommended response
Files: processing/text-source errors	Name the failed section, preserve usable files and give a targeted retry.
SiteForge: build cannot be confirmed	Show the last known saved state and a Check status action. Avoid implying a new build was started.
Campaign / agency evidence errors	Explain which results are unavailable and which work can continue.
No connected advertising records	Show Not connected or Data unavailable. Use 0 only when supported by the source.

These failures were visible in the live UI. This review did not determine their server-side causes or whether they are intermittent.

08 / CLIENT PORTAL

Answer three client questions.

Local preview of the current components with synthetic Sample Grove data. Production client authentication and live client data were not tested.



45 · Local preview excerpt. The report's "What this means" and "Next steps" are strong patterns.

How are we doing?	Home: plain-language outcome summary, important change and any decision needed.
Why did it change?	Results: trends, relevant comparisons and expandable evidence, with stable date/property filters.
What is the team doing next?	Reports: reviewed narrative and agreed actions. Conversations remain a separate, easy-to-find record.

Remove the duplicated first impression

Overview and Performance begin with much of the same comparison, funnel and KPI content (40–41). Insights adds a separate terminology-heavy interpretation (42). Give Home a short story and combine the detailed measurement experience under Results.


Preserve the useful simplicity

The report library, property directory and conversation views are clear (43–47). Keep them focused. A multi-property client can use a property directory; a single-property client should not need to navigate a portfolio concept to find results.


09 / MOBILE

Reflow works better than prioritization.


Most tested pages fit the viewport. The recurring problem is how much a user must pass before reaching useful content.



61 · Internal intelligence



62 · Community facts



63 · Client home · local

What was measured

At 390 px, internal Intelligence stayed within the viewport but extended roughly 4,219 px vertically. Client Insights used a 505 px table in a scrolling card. At 320 px, its question field exceeded the card’s content width; the page body did not overflow.

What should change

Compress repeated headers and descriptions. Show the primary result or action before secondary filters. Make mobile tabs discoverable, fit form fields to cards and offer compact comparison summaries before detailed tables. The visitor chat’s focused mobile layout is a useful positive reference (64).

The green client-preview banner is an audit label, not part of the product. Exclude its extra height when assessing the production header.

10 / VISUAL SYSTEM AND LANGUAGE

Calm, readable and predictable.

A professional interface comes from clear priorities and consistent behavior as much as from color and spacing.

Typography	Start with 16 px primary body, 14 px supporting text and a restrained 32 / 24 / 18 px heading scale. Avoid using small metadata styling for essential instructions.
Density	Use short summaries and comparison tables/cards. Keep explanatory prose near 65–80 characters per line; do not stretch long paragraphs across the entire workspace.
Controls	One primary action style, consistent tabs, labeled fields and visible focus. Aim for comfortable 44 px main controls; this is a product target, not the WCAG AA minimum.
States	Shared patterns for Loading, Empty, Not connected, Error, Needs review and Approved. Pair color with words or icons.

Current wording	User-oriented alternative
Prepare search data	Prepare this source for review
Stored text chunks	Imported source content
Dead Letter	CRM delivery needs attention
Inquiry cohort stage ratios	Progress from inquiry to lease
IANA time zone	Time zone · select a city
Pipelines	Data connections and imports

Copy examples are design directions. Preserve the exact meaning of each operation; preparation must not be described as approval or publication. For stage ratios, retain a short explanation that counts are separately recorded and are not verified person-by-person conversion rates.

Accessibility is a separate acceptance gate

Name the widget’s icon-only send button and add an explicit message-input label. Then test keyboard paths, screen-reader names, focus, dialogs, contrast and zoom. This visual review is not a WCAG conformance certification.

11 / DELIVERY PLAN

Improve one complete task at a time.

Recommended sequence. No product changes or deployment were made as part of this review.

Order	Outcome	Lead
First · Restore trust	Repair brand/assistant navigation; clarify failed loads, missing data and imported-versus-approved status. Fix the narrow input and widget labels.	Product + engineering
Next · Simplify core work	Redesign Community knowledge and Performance around existing information, a short summary and the next action. Align client Home and Results.	Product + design
Then · Make it consistent	Apply shared headers, forms, tables and states across MarketVision, leasing, content and administration. Consolidate navigation.	Design + engineering
Before release · Verify	Use representative data, empty/error states and narrow screens. Walk through whole tasks with actual staff and clients.	Design + QA + users

Test with nontechnical users

Run two short rounds with about five internal users and five clients per round. Ask them to perform realistic tasks without a walkthrough. Record completion, wrong turns, time, assistance needed and their explanation of the result. These are proposed tests; no participant study has been conducted.

- **Staff:** find and update a pet policy; explain whether an imported floorplan is approved; compare three competitors; recover from an unavailable data source.
- **Client:** explain the month’s results; identify a decision or next step; find the latest report; read a leasing conversation; change property without losing the reporting period.
- **Release target:** at least 80% of participants complete each key task unassisted, no critical context mistakes, and no misleading zero/missing-data interpretations. Treat this as a target to validate, not an existing score.

12 / COVERAGE

Internal workspace inventory.

All 21 primary sidebar destinations were visited. Additional settings, property and detail states are included in the gallery.

Area	Screens	Main opportunity
Overview	01	Consistent missing-data meaning; concise next action.
Community knowledge	02–06	Existing knowledge first; review queue and source ownership.
Floorplans	07	Unify the view of imported and manual inventory.
TourSpark / LumaLeasing	08–09	Keep familiar lists; simplify operational terminology.
LeadPulse / ReviewFlow	10–11	Clarify next actions and align shared controls.
SiteForge / ForgeStudio	12–13	Clear starting steps, saved status and recovery.
MarketVision / PropertyAudit	14–16, 37	Compact comparisons, freshness and plain audit language.
Property intelligence	17–22	Summary first; move raw detail and advanced setup deeper.
Portfolio assistant	23	Explicit multi-community context.
Client reporting	24	Keep monthly draft/review purpose distinct.
Agency review / Activity	25–26	Recoverable errors and useful history states.
Pipelines / Luma AI Assistant	27–28	Rename imports; fix duplicate assistant destination.
Team / Client access	29–30	Retain understandable access tables.
Settings / Workflows / CRM	31–33	Simple preferences; guided advanced administration.
Brand link / BrandForge / Property editor	34–36	Fix broken route; distinguish basic identity and policies.

Primary captures use the live staff session, mainly AMLI Aero. Mobile checks also used Acacia. A capture records one visible state, not every state of a module.

13 / COVERAGE AND LIMITS

What was reviewed — and what remains.

58 original screenshot files are included in the gallery and downloadable bundle.

37 live internal states	01–37 · All primary navigation destinations plus selected tabs, forms, errors and details.
12 local client/public states	40–51 · Six client sections, report/conversation detail, sign-in, recovery, mobile signup and visitor widget.
9 targeted responsive captures	60–68 · Internal, client and widget checks at 390 px; client Insights also at 320 px.

How the client preview was made

The existing staff session redirects the client route to the internal dashboard. As requested, client pages were therefore rendered locally using the current React components and styles with synthetic sample data. Authentication and write operations were disabled. The body font can differ slightly from production; the preview is layout/content evidence, not proof of live client data or permissions.

Evidence and limitations

The audit combines browser screenshots, accessible page text, selected layout measurements and targeted source inspection. Most internal pages scroll inside the main panel, so their captures show a viewport; selected lower/detail states were captured separately. Long local client pages have full-page images. The gallery records dimensions and the source URL for every capture.

- Not exercised: submissions, publishing, invitations, actual message delivery, booking completion, or other write workflows.
- Not fully covered: every tab/modal, every property and permission role, valid invite/booking-token pages, generated public property websites, and every loading/error state.
- No complete historical visual baseline, participant usability study, full keyboard/screen-reader audit or backend root-cause investigation was performed.
- The artifacts contain live internal workspace screenshots. Keep the bundle within the intended review audience.

14 / EVIDENCE AND REFERENCES

A review grounded in the current product.

Audit date: October 15, 2026 · reviewed source revision: 13682b4 · browser: hellop11.com plus an isolated local preview.

Code locations that explain the visible issues

Paths below are relative to **p11-platform/apps/web/**. They identify targeted implementation follow-up, not a request to replace the underlying data model.

components/intelligence/InsightsView.tsx	Flat market observations and shared internal/client analysis presentation.
components/intelligence/ClientInsights.tsx	Shared analysis component; header links use the path without preserving query context.
components/client-portal/ClientPortal.tsx	Repeated leading summary blocks across Overview and Performance.
components/brandforge/PropertyBrandInsightsCard.tsx	Brand-source link points to the non-property route.
app/dashboard/luma/page.tsx	Redirects the assistant destination to leasing conversations.
components/community/ and community-brain/	Technical source, processing, publication and authority language.
components/siteforge/ManualFloorPlansConsole.tsx	Manual-only inventory and misleading empty-state copy.
components/layout/navigation.ts; app/globals.css	Navigation breadth and shared type/control foundation.
public/lumaleasing.js	Message input and icon-only send button markup.

Design standards used

Guidance draws on familiar language, visible status and progressive disclosure. WCAG 2.2 informs accessibility recommendations; conformance still needs a separate audit.

Nielsen Norman Group · Usability heuristics

Nielsen Norman Group · Aesthetic and minimalist design

W3C · Target size minimum (24 × 24 CSS px, with exceptions)

W3C · Reflow and two-dimensional content exceptions

W3C · Text contrast minimum