



Usage Guideline

CBPRPlus-camt.058.001.08_NotificationTo-ReceiveCancellationAdvice

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message **MX camt.058.001.08**. You can also consult [this information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

20 February 2026

Table of Contents

Message Functionality	3
1 Restriction summary	5
2 Structure	7
3 ISO 20022 Rules	9
4 Message Building Blocks	10
5 Message Components	19
6 Message Datatypes	219
Legal Notices	256

Message Functionality

This Usage Guideline is based on the camt.058.001.08 message definition. In addition, Cross Border Payments and Reporting Plus (CBPR+) has defined usage of BusinessApplicationHeaderV02 as mandatory. The following section will be dealing with the camt.058.001.08 only.

Overview

Principles:

1) AGENTS IDENTIFICATION - Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) - However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

2) Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*^_`{|}~";<>@[\\]

< is replaced with <

> is replaced with >

4. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI.

Collection Description

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Outline

The CBPRPlus SR2026 (Combined) / CBPRPlus-camt.058.001.08_NotificationToReceiveCancellation-Advice message is composed of 4 building blocks

a. GroupHeader

Set of elements used to provide further details on the message.

b. OriginalNotification

Set of elements used to identify the original notification, to which the cancellation advice refers.

c. CancellationReason

Reason for the cancellation of the notification.

d. SupplementaryData

Additional information that cannot be captured in the structured elements and/or any other specific block.

1 Restriction summary

This Usage Guideline restricts the camt.058.001.08 message. This also includes the BusinessApplicationHeaderV02.

Restriction Type	See page
Removed elements	13, 14, 18, 24, 24, 24, 27, 27, 27, 28, 28, 32, 32, 32, 33, 33, 39, 40, 47, 47, 47, 47, 47, 47, 48, 48, 48, 70, 70, 71, 71, 71, 71, 75, 75, 75, 75, 80, 80, 80, 82, 82, 83, 83, 84, 84, 103, 109, 109, 109, 109, 113, 114, 114, 115, 117, 117, 118, 118, 120, 124, 125, 125, 126, 126, 126, 128, 140, 140, 141, 141, 148, 148, 148, 148, 151, 156, 156, 156, 156, 161, 161, 161, 161, 161, 161, 162, 162, 162, 162, 178, 178, 178, 178
Make mandatory	12, 17, 49, 49, 50, 50, 50, 50, 50, 50, 50, 50, 81, 81, 95, 95, 95, 95, 98, 98, 98, 98, 105, 121, 170, 170, 170, 170, 170, 170, 170, 171, 174, 174, 174, 174, 175, 175, 175, 175, 175, 175
Reduce Multiplicity	15, 105, 107, 108, 108, 108, 108, 121, 153, 153, 153, 153, 155, 175, 175, 175, 175, 175, 175, 176, 176, 176, 176, 185, 185, 185, 185
Ignore	n.a.
Text rules	25, 25, 26, 29, 29, 29, 29, 29, 29, 30, 30, 37, 38, 38, 74, 74, 74, 74, 75, 104, 104, 111, 116, 116, 116, 127, 127, 127, 134, 134, 136, 136, 136, 136, 136, 137, 139, 139, 139, 139, 146, 146, 146, 146
Conditional rules	n.a.
Formal rules	10, 15, 16, 17, 26, 26, 26, 30, 30, 31, 78, 78, 79, 79, 79, 80, 104, 104, 116, 134, 134, 135, 135, 135, 137, 138, 138
Fixed values	12, 12
Truncates	n.a.
Comments	n.a.
Annotations	n.a.
Changed datatypes	11, 13, 14, 22, 22, 22, 37, 38, 38, 38, 39, 44, 44, 44, 46, 46, 46, 50, 51, 51, 51, 51, 51, 51, 51, 51, 51, 58, 58, 58, 58, 59, 59, 59, 59, 59, 59, 59, 60, 61, 73, 73, 73, 73, 73, 77, 77, 77, 89, 89, 90, 90, 90, 90, 94, 94, 94, 94, 94, 95, 95, 95, 95, 95, 97, 97, 97, 97, 97, 98, 98,

Restriction Type	See page
	99, 99, 99, 99, 100, 103, 105, 109, 110, 110, 110, 110, 110, 111, 112, 119, 119, 120, 145, 145, 145, 145, 149, 156, 156, 156, 156, 156, 162, 162, 162, 162, 162, 162, 162, 162, 163, 163, 163, 163, 163, 163, 163, 163, 163, 163, 164, 164, 164, 164, 164, 164, 164, 164, 164, 165, 165, 165, 165, 165, 165, 165, 165, 165, 166, 166, 166, 166, 166, 166, 166, 166, 166, 166, 167, 167, 167, 167, 167, 167, 167, 167, 167, 167, 167, 168, 168, 168, 168, 168, 168, 168, 168, 168, 168, 169, 169, 169, 169, 169, 169, 169, 169, 169, 169, 169, 170, 170, 170, 171, 171, 171, 171, 171, 171, 171, 171, 171, 172, 172, 172, 172, 172, 172, 172, 172, 172, 172, 173, 173, 173, 173, 173, 173, 173, 173, 173, 173, 174, 174, 174, 174, 174, 174, 174, 176, 176, 176, 176, 176, 176, 176, 176, 176, 178, 178, 178, 178, 179, 179, 179, 179, 179, 179, 179, 179, 180, 180, 180, 180, 180, 180, 180, 180, 181, 181, 181, 181, 181, 181, 181, 181, 182, 182, 182, 182, 182, 182, 182, 183, 183, 183, 183, 183, 183, 183, 184, 184, 184, 184, 184, 184, 184, 185, 185, 185, 186, 186, 186, 186, 187, 188, 188, 189, 189, 189, 190
Extensions	n.a.
Synonyms	n.a.

2 Structure

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	<i>BusinessApplicationHeaderV02</i>	<AppHdr>		[1..1]		
	CharacterSet	<CharSet>		[0..1]		10
	From	<Fr>		[1..1]		10
	OrganisationIdentification	<OrgId>	{Or	[1..1]		141
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		142
	To	<To>		[1..1]		11
	OrganisationIdentification	<OrgId>	{Or	[1..1]		141
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		142
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		11
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		11
	BusinessService	<BizSvc>		[0..1]	 	12
	MarketPractice	<MktPrctc>		[0..1]		12
	Registry	<Regy>		[1..1]		100
	Identification	<Id>		[1..1]		101
	CreationDate	<CreDt>		[1..1]		13
	BusinessProcessingDate	<BizPrctgDt>		[0..1]		13
	CopyDuplicate	<CpyDplct>		[0..1]		13
	PossibleDuplicate	<PssblDplct>		[0..1]		13
	Priority	<Prty>		[0..1]		14
	Signature	<Sgntr>		[0..1]		14
	Related	<Rltd>		[0..*]	R[0..1]	14
	CharacterSet	<CharSet>		[0..1]		36
	From	<Fr>		[1..1]		36
	To	<To>		[1..1]		36
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		37
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		37
	BusinessService	<BizSvc>		[0..1]		38
	CreationDate	<CreDt>		[1..1]		38

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CopyDuplicate	<CpyDplct>		[0..1]		39
	PossibleDuplicate	<PssblDplct>		[0..1]		39
	Priority	<Prty>		[0..1]		39
	Signature	<Sgntr>		[0..1]		40
	NotificationToReceiveCancellationAdvice-V08	<NtfctnToRcvCxlAdv>		[1..1]		15
	GroupHeader	<GrpHdr>		[1..1]		16
	MessageIdentification	<MsgId>		[1..1]		99
	CreationDateTime	<CreDtTm>		[1..1]		99
	MessageSender	<MsgSndr>		[0..1]		100
	OriginalNotification	<OrgnlNtfctn>		[1..1]		16
	OriginalMessageIdentification	<OrgnlMsgId>		[1..1]		119
	OriginalCreationDateTime	<OrgnlCreDtTm>		[0..1]		119
	OriginalNotificationIdentification	<OrgnlNtfctnId>		[1..1]		119
	NotificationCancellation	<NtfctnCxl>		[0..1]		120
	OriginalNotificationReference	<OrgnlNtfctnRef>		[0..*]	 R[1..1]	120
	CancellationReason	<CxlRsn>		[0..1]	 	17
	Originator	<Orgtr>		[0..1]		103
	Reason	<Rsn>		[0..1]		105
	AdditionalInformation	<AddtlInf>		[0..*]	 R[0..2]	105
	SupplementaryData	<SplmtryData>		[0..*]		17
	PlaceAndName	<PlcAndNm>		[0..1]		204
	Envelope	<Envlp>		[1..1]		205

3 ISO 20022 Rules

R1 **RelatedPresentWhenCopyDupl** ✓

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Error handling:

- *Error severity:* Warning
- *Error Code:* H00001
- *Error Text:* Element Related is missing

4 Message Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-camt.058.001.08_NotificationToReceiveCancellationAdvice message definition.

Usage Guideline on Root Node

- on camt.058.001.08/fullmessage

- **CBPR_BusinessMessageIdentifier_FormalRule:**

The Business Message Identifier must match the Message Identification in the Group Header.

For each [Full Message], every occurrence of [Full Message/BusinessApplication-HeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/NotificationToReceiveCancellationAdviceV08/GroupHeader/MessageIdentification] value

4.1 Header Building Blocks

Note The following chapter identifies the building blocks of the BusinessApplicationHeaderV02 definition.

4.1.1 CharSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: ["UnicodeChartsCode" on page 255](#)

4.1.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype ["Party44Choice__1" on page 141](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		141
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		142

4.1.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 141 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		141
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		142

4.1.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 226

Usage Guideline details

- on [camt.058.001.08/header/BusinessMessageIdentifier](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226

4.1.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: ["Max35Text" on page 246](#)

Usage Guideline details

- **on camt.058.001.08/header/MessageDefinitionIdentifier**
Single value: camt.058.001.08

4.1.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: ["Max35Text" on page 246](#)

Usage Guideline details

- **on camt.058.001.08/header/BusinessService**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.058.001.08/header/BusinessService**
Single value: swift.cbprplus.03

4.1.7 MarketPractice

XML Tag: MktPrctc

Presence: [0..1]

Definition: Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

The **MktPrctc** block contains the following elements (see datatype ["ImplementationSpecification1" on page 100](#) for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		100
	Identification	<Id>		[1..1]		101

4.1.8 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Datatype: "CBPR_DateTime" on page 223

Usage Guideline details

- **on camt.058.001.08/.header/CreationDate**
Type changed to: CBPR_DateTime on page 223

4.1.9 BusinessProcessingDate

XML Tag: BizPrcgDt

Presence: [0..1]

Definition: Processing date and time indicated by the sender for the receiver of the business message. This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

Datatype: "ISODatetime" on page 243

Usage Guideline details

- **This element(camt.058.001.08/.header/BusinessProcessingDate) is removed.**

4.1.10 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "CopyDuplicate1Code" on page 228

4.1.11 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: ["YesNoIndicator" on page 255](#)

4.1.12 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: ["Priority2Code" on page 250](#)

Usage Guideline details

- **on [camt.058.001.08/header/Priority](#)**
Type changed to: [Priority2Code on page 250](#)

4.1.13 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- **This element([camt.058.001.08/header/Signature](#)) is removed.**

4.1.14 Related

XML Tag: Rltd

Presence: [0..*]

Definition: Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

The **Rltd** block contains the following elements (see datatype "BusinessApplicationHeader5__1" on page 35 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		36
	From	<Fr>		[1..1]		36
	To	<To>		[1..1]		36
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	37
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	37
	BusinessService	<BizSvc>		[0..1]	⚠	38
	CreationDate	<CreDt>		[1..1]	⚠	38
	CopyDuplicate	<CpyDplct>		[0..1]		39
	PossibleDuplicate	<PssblDplct>		[0..1]	🚫	39
	Priority	<Prty>		[0..1]	⚠	39
	Signature	<Sgntr>		[0..1]	🚫	40

Usage Guideline details

- **on camt.058.001.08/.header/Related**

This element has change repeatability, the maximum occurrence has been changed to : 1

4.2 Payload Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-camt.058.001.08_NotificationToReceiveCancellationAdvice payload definition.

Usage Guideline on Root Node

- **on camt.058.001.08/**

- **CBPR_Message_Identification_FormalRule:**

This element must not start or end with a slash '/' and must not contain two consecutive slashes '//'.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08], the value of every occurrence of [NotificationToReceiveCancellationAdviceV08/GroupHeader/MessageIdentification] must not comply with the following XML pattern : `'(/.*)|(.*/)|(.*/.*)'`

- on camt.058.001.08/

- **CBPR_Original_Item_Identification_FormalRule:**

This element must not start or end with a slash '/' and must not contain two consecutive slashes '//'.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08], the value of every occurrence of [NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemIdentification] must not comply with the following XML pattern : `'(/.*)|(.*/)|(.*/.*)'`

4.2.1 GroupHeader

XML Tag: GrpHdr

Presence: [1..1]

Definition: Set of elements used to provide further details on the message.

The **GrpHdr** block contains the following elements (see datatype "GroupHeader77__1" on page 99 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		99
	CreationDateTime	<CreDtTm>		[1..1]		99
	MessageSender	<MsgSndr>		[0..1]		100

4.2.2 OriginalNotification

XML Tag: OrgnlNtfctn

Presence: [1..1]

Definition: Set of elements used to identify the original notification, to which the cancellation advice refers.

The **OrgnlNtfctn** block contains the following elements (see datatype "OriginalNotification14__1" on page 118 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalMessageIdentification	<OrgnlMsgId>		[1..1]		119
	OriginalCreationDateTime	<OrgnlCreDtTm>		[0..1]		119
	OriginalNotificationIdentification	<OrgnlNtfctnId>		[1..1]		119
	NotificationCancellation	<NtfctnCxl>		[0..1]		120
	OriginalNotificationReference	<OrgnlNtfctnRef>		[0..*]	 R[1..1]	120

4.2.3 CancellationReason

XML Tag: CxlRsn

Presence: [0..1]

Definition: Reason for the cancellation of the notification.

The **CxlRsn** block contains the following elements (see datatype "NotificationCancellationReason1__1" on page 103 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Originator	<Orgtr>		[0..1]		103
	Reason	<Rsn>		[0..1]		105
	AdditionalInformation	<AddtlInf>		[0..*]	 R[0..2]	105

Usage Guideline details

- on camt.058.001.08/CancellationReason

This element is now mandatory, the minimum occurrence has been changed to : 1

- on camt.058.001.08/CancellationReason

- CBPR_Reason_Code_NARR_Additional_Information_FormalRule:

If Reason code = NARR, then Additional Information is mandatory.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/CancellationReason], if
every occurrence of [CancellationReason/Reason/Code] has value included in
the following list 'NARR'
, then
at least one occurrence of the following element(s) [CancellationReason/AdditionalInformation] must be present

4.2.4 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "SupplementaryData1" on page 204 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		204
	Envelope	<Envlp>		[1..1]		205

Usage Guideline details

- This element(camt.058.001.08/SupplementaryData) is removed.

5 Message Components

Note The following chapter identifies the message components.

5.1 AccountIdentification4Choice

Definition: Specifies the unique identification of an account as assigned by the account servicer.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		19
	Other	<Othr>	Or}	[1..1]		19

Used in element(s)

"Identification" on page 41

5.1.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 243

5.1.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1](#)" on page 88 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		88
	SchemeName	<SchmeNm>		[0..1]		88
	Issuer	<Issr>		[0..1]		89

5.2 AccountIdentification4Choice__1

Definition: Specifies the unique identification of an account as assigned by the account servicer.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		20
	Other	<Othr>	Or}	[1..1]		20

Used in element(s)

"Identification" on page 43

5.2.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 243

5.2.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1__1](#)" on page 89 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	89
	SchemeName	<SchmeNm>		[0..1]		90
	Issuer	<Issr>		[0..1]	⚠	90

5.3 AccountSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		21
	Proprietary	<Prtry>	Or}	[1..1]		21

Used in element(s)

"SchemeName" on page 88

5.3.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalAccountIdentification1Code" on page 233

5.3.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 246

5.4 AccountSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		21
	Proprietary	<Prtry>	Or}	[1..1]		22

Used in element(s)

"SchemeName" on page 90

5.4.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalAccountIdentification1Code" on page 233

5.4.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 226](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/RelatedAccount/Identification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedAccount/Identification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Account/Identification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.5 AddressType3Choice

Definition: Choice of formats for the type of address.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		22
	Proprietary	<Prtry>	Or}	[1..1]		22

Used in element(s)

["AddressType" on page 161](#), ["AddressType" on page 177](#), ["AddressType" on page 157](#)

5.5.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of address expressed as a code.

Datatype: ["AddressType2Code" on page 220](#)

5.5.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of address expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype "[GenericIdentification30](#)" on page 91 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	Issuer	<Issr>		[1..1]		92
	SchemeName	<SchmeNm>		[0..1]		92

5.6 BranchAndFinancialInstitutionIdentification6

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		23
	BranchIdentification	<BrnchId>		[0..1]	🚫	24

Used in element(s)

"AccountServicer" on page 114, "Agent" on page 133, "FinancialInstitutionIdentification" on page 140, "IntermediaryAgent" on page 117

5.6.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18](#)" on page 68 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		69
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		69
	LEI	<LEI>		[0..1]		69

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	🚫	70
	PostalAddress	<PstlAdr>		[0..1]	🚫	70
	Other	<Othr>		[0..1]	🚫	71

5.6.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 33 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		34
	LEI	<LEI>		[0..1]		34
	Name	<Nm>		[0..1]		34
	PostalAddress	<PstlAdr>		[0..1]		34

Usage Guideline details

- This element(camt.058.001.08/.header/Related/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/IntermediaryAgent/BranchIdentification) is removed.
- This element(camt.058.001.08/.header/Related/From/FinancialInstitutionIdentification/BranchIdentification) is removed.

5.7 BranchAndFinancialInstitutionIdentification6__1

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		25
	BranchIdentification	<BrnchId>		[0..1]		27

Used in element(s)

"Agent" on page 136, "DebtorAgent" on page 127, "DebtorAgent" on page 115

5.7.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18_1" on page 71 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		72
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		72
	LEI	<LEI>		[0..1]		72
	Name	<Nm>		[0..1]		73
	PostalAddress	<PstlAdr>		[0..1]		73
	Other	<Othr>		[0..1]		75

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormalRule:

Name and Address must always be present together.

```
For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification],
  for each [FinancialInstitutionIdentification], if
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and for each [FinancialInstitutionIdentification], if
      at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
      at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
```

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormalRule:

Name and Address must always be present together.

```
For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification],
  for each [FinancialInstitutionIdentification], if
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and for each [FinancialInstitutionIdentification], if
      at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
      at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present
```

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormalRule:

Name and Address must always be present together.

```

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification],
  for each [FinancialInstitutionIdentification], if
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then
      at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
      and for each [FinancialInstitutionIdentification], if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
        then
          at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

5.7.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 33 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		34
	LEI	<LEI>		[0..1]		34
	Name	<Nm>		[0..1]		34
	PostalAddress	<PstlAdr>		[0..1]		34

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/BranchIdentification) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/BranchIdentification) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/BranchIdentification) is removed.

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/BranchIdentification](#)) is removed.
- This element([camt.058.001.08/GroupHeader/MessageSender/Agent/BranchIdentification](#)) is removed.

5.8 BranchAndFinancialInstitutionIdentification6__2

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		28
	BranchIdentification	<BrnchId>		[0..1]		31

Used in element(s)

"AccountServicer" on page 125, "Agent" on page 138, "IntermediaryAgent" on page 127

5.8.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18__2](#)" on page 75 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		76
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		76
	LEI	<LEI>		[0..1]		76
	Name	<Nm>		[0..1]		77
	PostalAddress	<PstlAdr>		[0..1]		77
	Other	<Othr>		[0..1]		80

Usage Guideline details

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification**
 - **CBPR_Co-existence_PostalAddress_TextualRule:**

Address Line (Unstructured Address) remains available only for cases when the payment is initiated in FIN, or by an MI, during coexistence only. The Structured PostalAddress remains the preferred option.

Therefore:

 - If a payment is initiated on FIN, or by an MI, and the postal address is unstructured, the outgoing ISO 20022 message will transport unstructured postal address, up to the Creditor Agent.
 - If a payment is initiated in ISO 20022, postal address must be structured.
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification**
 - **CBPR_Agent_Option2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND (Unstructured postal address OR [Structured postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification**
 - **CBPR_Agent_Option3_TextualRule:**

Name AND (Unstructured OR [Structured postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification**
 - **CBPR_Agent_Option1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification**
 - **CBPR_Agent_Option2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND (Unstructured postal address OR [Structured postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification**
 - **CBPR_Agent_Option1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification**

– **CBPR_Co-existence_PostalAddress_TextualRule:**

Address Line (Unstructured Address) remains available only for cases when the payment is initiated in FIN, or by an MI, during coexistence only. The Structured PostalAddress remains the preferred option.

Therefore:

- If a payment is initiated on FIN, or by an MI, and the postal address is unstructured, the outgoing ISO 20022 message will transport unstructured postal address, up to the Creditor Agent.
- If a payment is initiated in ISO 20022, postal address must be structured.

• **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification**

– **CBPR_Agent_Option3_TextualRule:**

Name AND (Unstructured OR [Structured postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

• **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

• **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present

```

    then
      at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
      and for each [FinancialInstitutionIdentification], if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
        then
          at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaIRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/Orig-
inalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialIn-
stitutionIdentification],
  for each [FinancialInstitutionIdentification], if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
    then
      at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
      and for each [FinancialInstitutionIdentification], if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
        then
          at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

5.8.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 33 for details)

 Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		34
	LEI	<LEI>		[0..1]		34
	Name	<Nm>		[0..1]		34

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostalAddress	<PstlAdr>		[0..1]		34

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/BranchIdentification) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/BranchIdentification) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/BranchIdentification) is removed.

5.9 BranchAndFinancialInstitutionIdentification6__3

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]	🚫	33

Used in element(s)

"FinancialInstitutionIdentification" on page 142

5.9.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__3" on page 80 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]	M	81
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		81

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	LEI	<LEI>		[0..1]		82
	Name	<Nm>		[0..1]	🚫	82
	PostalAddress	<PstlAdr>		[0..1]	🚫	82
	Other	<Othr>		[0..1]	🚫	83

5.9.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 33 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		34
	LEI	<LEI>		[0..1]		34
	Name	<Nm>		[0..1]		34
	PostalAddress	<PstlAdr>		[0..1]		34

Usage Guideline details

- This element(camt.058.001.08/.header/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(camt.058.001.08/.header/From/FinancialInstitutionIdentification/BranchIdentification) is removed.

5.10 BranchData3

Definition: Information that locates and identifies a specific branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		34
	LEI	<LEI>		[0..1]		34
	Name	<Nm>		[0..1]		34
	PostalAddress	<PstlAdr>		[0..1]		34

Used in element(s)

"BranchIdentification" on page 33, "BranchIdentification" on page 27, "BranchIdentification" on page 31, "BranchIdentification" on page 24

5.10.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: "Max35Text" on page 246

5.10.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: "LEIIdentifier" on page 244

5.10.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 245

5.10.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 157 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		157
	Department	<Dept>		[0..1]		158
	SubDepartment	<SubDept>		[0..1]		158
	StreetName	<StrtNm>		[0..1]		158
	BuildingNumber	<BldgNb>		[0..1]		158
	BuildingName	<BldgNm>		[0..1]		158
	Floor	<Flr>		[0..1]		158
	PostBox	<PstBx>		[0..1]		159
	Room	<Room>		[0..1]		159
	PostCode	<PstCd>		[0..1]		159
	TownName	<TwnNm>		[0..1]		159
	TownLocationName	<TwnLctnNm>		[0..1]		159
	DistrictName	<DstrctNm>		[0..1]		159
	CountrySubDivision	<CtrySubDvsn>		[0..1]		160
	Country	<Ctry>		[0..1]		160
	AddressLine	<AdrLine>		[0..7]		160

5.11 BusinessApplicationHeader5__1

Definition: Specifies the Business Application Header of the Business Message.

Can be used when replying to a query; can also be used when canceling or amending.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		36
	From	<Fr>		[1..1]		36
	To	<To>		[1..1]		36
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		37
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		37
	BusinessService	<BizSvc>		[0..1]		38
	CreationDate	<CreDt>		[1..1]		38
	CopyDuplicate	<CpyDplct>		[0..1]		39

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PossibleDuplicate	<PssbIDplct>		[0..1]		39
	Priority	<Prty>		[0..1]		39
	Signature	<Sgntr>		[0..1]		40

Used in element(s)

"Related" on page 14

5.11.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 255

5.11.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "Party44Choice" on page 139 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		140
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		140

5.11.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice](#)" on page 139 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		140
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		140

5.11.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 226

Usage Guideline details

- on [camt.058.001.08/header/Related/BusinessMessageIdentifier](#)

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226

- on [camt.058.001.08/header/Related/BusinessMessageIdentifier](#)

– CBPR_BusinessMessageIdentifier_TextualRule:

The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.

Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.

5.11.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example [camt.001.001.03](#).

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 226

Usage Guideline details

- on **camt.058.001.08/.header/Related/MessageDefinitionIdentifier**

Type changed to: CBPR_RestrictedFINXMax35Text on page 226

- on **camt.058.001.08/.header/Related/MessageDefinitionIdentifier**

– **CBPR_MessageDefinitionIdentifier_TextualRule:**

The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.

5.11.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- on **camt.058.001.08/.header/Related/BusinessService**

Type changed to: CBPR_RestrictedFINXMax35Text on page 226

- on **camt.058.001.08/.header/Related/BusinessService**

– **CBPR_RelatedBAHBusinessService_TextualRule:**

If related BAH is present, then it is recommended to transport the element Business Service.

5.11.7 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Note Times must be normalized, using the "Z" annotation.

Datatype: "CBPR_DateTime" on page 223

Usage Guideline details

- on **camt.058.001.08/.header/Related/CreationDate**

Type changed to: [CBPR_DateTime on page 223](#)

5.11.8 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: ["CopyDuplicate1Code" on page 228](#)

5.11.9 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: ["YesNoIndicator" on page 255](#)

Usage Guideline details

- This element([camt.058.001.08/.header/Related/PossibleDuplicate](#)) is removed.

5.11.10 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: ["Priority2Code" on page 250](#)

Usage Guideline details

- on [camt.058.001.08/.header/Related/Priority](#)

Type changed to: [Priority2Code on page 250](#)

5.11.11 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element([camt.058.001.08/header/Related/Signature](#)) is removed.

5.12 CashAccount40

Definition: Provides the details to identify an account.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		41
	Type	<Tp>		[0..1]		41
	Currency	<Ccy>		[0..1]		41
	Name	<Nm>		[0..1]		42
	Proxy	<Prxy>		[0..1]		42

Rules

R24 IdentificationOrProxyPresenceRule ✓

Identification must be present or Proxy must be present. Both may be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00498
- *Error Text:* Missing account identification or account proxy.

Guidelines

1. IdentificationAndProxyGuideline

If the account identification is not defined through a conventional identification such as an email address or a mobile number, then the proxy element should be used for the identification of the account.

Used in element(s)

["Account" on page 113](#)

5.12.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype ["AccountIdentification4Choice"](#) on page 19 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		19
	Other	<Othr>	Or}	[1..1]		19

5.12.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype ["CashAccountType2Choice"](#) on page 45 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		45
	Proprietary	<Prtry>	Or}	[1..1]		45

5.12.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: ["ActiveOrHistoricCurrencyCode"](#) on page 219

5.12.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: "Max70Text" on page 247

5.12.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "ProxyAccountIdentification1" on page 186 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		186
	Identification	<Id>		[1..1]		186

5.13 CashAccount40__1

Definition: Provides the details to identify an account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		43
	Type	<Tp>		[0..1]		43
	Currency	<Ccy>		[0..1]		44
	Name	<Nm>		[0..1]		44
	Proxy	<Prxy>		[0..1]		44

Rules

R22 IdentificationOrProxyPresenceRule ✓

Identification must be present or Proxy must be present. Both may be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00498
- *Error Text:* Missing account identification or account proxy.

Guidelines

1. IdentificationAndProxyGuideline

If the account identification is not defined through a conventional identification such as an email address or a mobile number, then the proxy element should be used for the identification of the account.

Used in element(s)

"Account" on page 124, "RelatedAccount" on page 125, "RelatedAccount" on page 114

5.13.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "AccountIdentification4Choice__1" on page 20 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		20
	Other	<Othr>	Or}	[1..1]		20

5.13.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "CashAccountType2Choice__1" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		46

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		46

5.13.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "ActiveOrHistoricCurrencyCode" on page 219

5.13.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: "CBPR_RestrictedFINXMax70Text" on page 227

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Account/Name
Type changed to: CBPR_RestrictedFINXMax70Text on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedAccount/Name
Type changed to: CBPR_RestrictedFINXMax70Text on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/RelatedAccount/Name
Type changed to: CBPR_RestrictedFINXMax70Text on page 227

5.13.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "[ProxyAccountIdentification1__1](#)" on [page 187](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		187
	Identification	<Id>		[1..1]		187

5.14 CashAccountType2Choice

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		45
	Proprietary	<Prtry>	Or}	[1..1]		45

Used in element(s)

["Type" on page 41](#)

5.14.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: "[ExternalCashAccountType1Code](#)" on [page 234](#)

5.14.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: "[Max35Text](#)" on [page 246](#)

5.15 CashAccountType2Choice__1

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		46
	Proprietary	<Prtry>	Or}	[1..1]		46

Used in element(s)

"Type" on page 43

5.15.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: "ExternalCashAccountType1Code" on page 234

5.15.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/RelatedAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.16 ClearingSystemIdentification2Choice

Definition: Choice of a clearing system identifier.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		47

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		47

Used in element(s)

["ClearingSystemIdentification" on page 49](#), ["ClearingSystemIdentification" on page 48](#)

5.16.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Identification of a clearing system, in a coded form as published in an external list.

Datatype: ["ExternalClearingSystemIdentification1Code" on page 235](#)

5.16.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Identification code for a clearing system, that has not yet been identified in the list of clearing systems.

Datatype: ["Max35Text" on page 246](#)

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.058.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.

- This element(**camt.058.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary**) is removed.
- This element(**camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary**) is removed.
- This element(**camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary**) is removed.

5.17 ClearingSystemMemberIdentification2

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		48
	MemberIdentification	<Mmbld>		[1..1]		48

Used in element(s)

"ClearingSystemMemberIdentification" on page 69

5.17.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 46 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		47
	Proprietary	<Prtry>	Or}	[1..1]		47

5.17.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "Max35Text" on page 246

5.18 ClearingSystemMemberIdentification2__1

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	49
	MemberIdentification	<Mmbld>		[1..1]	⚠	50

Used in element(s)

"ClearingSystemMemberIdentification" on page 81, "ClearingSystemMemberIdentification" on page 72, "ClearingSystemMemberIdentification" on page 76

5.18.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 46 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		47
	Proprietary	<Prtry>	Or}	[1..1]	🚫	47

Usage Guideline details

- on camt.058.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1

5.18.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "CBPR_RestrictedFINXMax28Text" on page 225

Usage Guideline details

- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 225

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)
- on camt.058.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)
- on camt.058.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 225](#)

5.19 Contact4

Definition: Specifies the details of the contact person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		52
	Name	<Nm>		[0..1]		52
	PhoneNumber	<PhneNb>		[0..1]		52

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MobileNumber	<MobNb>		[0..1]		52
	FaxNumber	<FaxNb>		[0..1]		53
	EmailAddress	<EmailAdr>		[0..1]		53
	EmailPurpose	<EmailPurp>		[0..1]		53
	JobTitle	<JobTitl>		[0..1]		53
	Responsibility	<Rspnsblty>		[0..1]		53
	Department	<Dept>		[0..1]		53
	Other	<Othr>		[0..*]		54
	PreferredMethod	<PrefrdMtd>		[0..1]		54

Used in element(s)

"ContactDetails" on page 147, "ContactDetails" on page 150, "ContactDetails" on page 144

5.19.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Specifies the terms used to formally address a person.

Datatype: "NamePrefix2Code" on page 247

5.19.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 245

5.19.3 PhoneNumber

XML Tag: PhneNb

Presence: [0..1]

Definition: Collection of information that identifies a phone number, as defined by telecom services.

Datatype: "PhoneNumber" on page 249

5.19.4 MobileNumber

XML Tag: MobNb

Presence: [0..1]

Definition: Collection of information that identifies a mobile phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 249](#)

5.19.5 FaxNumber

XML Tag: FaxNb

Presence: [0..1]

Definition: Collection of information that identifies a FAX number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 249](#)

5.19.6 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: ["Max2048Text" on page 245](#)

5.19.7 EmailPurpose

XML Tag: EmailPurp

Presence: [0..1]

Definition: Purpose for which an email address may be used.

Datatype: ["Max35Text" on page 246](#)

5.19.8 JobTitle

XML Tag: JobTitl

Presence: [0..1]

Definition: Title of the function.

Datatype: ["Max35Text" on page 246](#)

5.19.9 Responsibility

XML Tag: Rspnsblty

Presence: [0..1]

Definition: Role of a person in an organisation.

Datatype: ["Max35Text" on page 246](#)

5.19.10 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["Max70Text" on page 247](#)

5.19.11 Other

XML Tag: Othr

Presence: [0..*]

Definition: Contact details in another form.

The **Othr** block contains the following elements (see datatype "[OtherContact1](#)" on page 128 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		129
	Identification	<Id>		[0..1]		129

5.19.12 PreferredMethod

XML Tag: PrefrdMtd

Presence: [0..1]

Definition: Preferred method used to reach the contact.

Datatype: "[PreferredContactMethod1Code](#)" on page 249

5.20 CreditorReferenceInformation2

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		54
	Reference	<Ref>		[0..1]		55

Used in element(s)

"[CreditorReferenceInformation](#)" on page 201

5.20.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of creditor reference.

The **Tp** block contains the following elements (see datatype "[CreditorReferenceType2](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		56
	Issuer	<Issr>		[0..1]		56

5.20.2 Reference

XML Tag: Ref

Presence: [0..1]

Definition: Unique reference, as assigned by the creditor, to unambiguously refer to the payment transaction.

Usage: If available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the amount of money.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Datatype: "Max35Text" on page 246

5.21 CreditorReferenceType1Choice

Definition: Specifies the type of document referred by the creditor.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		55
	Proprietary	<Prtry>	Or}	[1..1]		55

Used in element(s)

"CodeOrProprietary" on page 56

5.21.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of creditor reference, in a coded form.

Datatype: "DocumentType3Code" on page 230

5.21.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Creditor reference type, in a proprietary form.

Datatype: "Max35Text" on page 246

5.22 CreditorReferenceType2

Definition: Specifies the type of creditor reference.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		56
	Issuer	<Issr>		[0..1]		56

Used in element(s)

"Type" on page 54

5.22.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Coded or proprietary format creditor reference type.

The **CdOrPrtry** block contains the following elements (see datatype "[CreditorReferenceType1Choice](#)" on page 55 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		55
	Proprietary	<Prtry>	Or}	[1..1]		55

5.22.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the credit reference type.

Datatype: "Max35Text" on page 246

5.23 DateAndPlaceOfBirth1

Definition: Date and place of birth of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		57
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		57
	CityOfBirth	<CityOfBirth>		[1..1]		57
	CountryOfBirth	<CtryOfBirth>		[1..1]		57

Used in element(s)

["DateAndPlaceOfBirth" on page 151](#)

5.23.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["ISODate" on page 243](#)

5.23.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["Max35Text" on page 246](#)

5.23.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 246](#)

5.23.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 229](#)

5.24 DateAndPlaceOfBirth1__1

Definition: Date and place of birth of a person.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		58
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		58
	CityOfBirth	<CityOfBirth>		[1..1]		59
	CountryOfBirth	<CtryOfBirth>		[1..1]		59

Used in element(s)

["DateAndPlaceOfBirth" on page 152](#)

5.24.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["CBPR_Date" on page 222](#)

Usage Guideline details

- on camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
 Type changed to: [CBPR_Date on page 222](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
 Type changed to: [CBPR_Date on page 222](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
 Type changed to: [CBPR_Date on page 222](#)
- on camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
 Type changed to: [CBPR_Date on page 222](#)

5.24.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227

5.24.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 227

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227

5.24.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 229](#)

5.25 DateAndPlaceOfBirth1__2

Definition: Date and place of birth of a person.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		60
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]	⚠	60
	CityOfBirth	<CityOfBirth>		[1..1]	⚠	60
	CountryOfBirth	<CtryOfBirth>		[1..1]		61

Used in element(s)

["DateAndPlaceOfBirth" on page 154](#)

5.25.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["ISODate" on page 243](#)

5.25.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.25.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.25.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 229](#)

5.26 DatePeriod2

Definition: Range of time defined by a start date and an end date.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		61
	ToDate	<ToDt>		[1..1]		61

Used in element(s)

["FromToDate" on page 214](#)

5.26.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: ["ISODate" on page 243](#)

5.26.2 ToDate

XML Tag: ToDt

Presence: [1..1]

Definition: End date of the range.

Datatype: ["ISODate" on page 243](#)

5.27 DiscountAmountAndType1

Definition: Specifies the amount with a specific type.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		62
	Amount	<Amt>		[1..1]		62

Used in element(s)

"DiscountAppliedAmount" on page 194, "DiscountAppliedAmount" on page 196

5.27.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "DiscountAmountType1Choice" on page 62 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		63
	Proprietary	<Prtry>	Or}	[1..1]		63

5.27.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.28 DiscountAmountType1Choice

Definition: Specifies the amount type.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		63

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		63

Used in element(s)

"Type" on page 62

5.28.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: "ExternalDiscountAmountType1Code" on page 235

5.28.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "Max35Text" on page 246

5.29 DocumentAdjustment1

Definition: Set of elements used to provide information on the amount and reason of the document adjustment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		63
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		64
	Reason	<Rsn>		[0..1]		64
	AdditionalInformation	<AddtlInf>		[0..1]		64

Used in element(s)

"AdjustmentAmountAndReason" on page 194, "AdjustmentAmountAndReason" on page 196

5.29.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the document adjustment.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.29.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Specifies whether the adjustment must be subtracted or added to the total amount.

Datatype: "CreditDebitCode" on page 230

5.29.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the adjustment.

Datatype: "Max4Text" on page 247

5.29.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Provides further details on the document adjustment.

Datatype: "Max140Text" on page 245

5.30 DocumentLineIdentification1

Definition: Identifies the documents referred to in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		64
	Number	<Nb>		[0..1]		65
	RelatedDate	<RltdDt>		[0..1]		65

Used in element(s)

"Identification" on page 65

5.30.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document line identification.

The **Tp** block contains the following elements (see datatype "DocumentLineType1" on page 66 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		67
	Issuer	<Issr>		[0..1]		67

5.30.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Identification of the type specified for the referred document line.

Datatype: ["Max35Text" on page 246](#)

5.30.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document line.

Datatype: ["ISODate" on page 243](#)

5.31 DocumentLineInformation1

Definition: Provides document line information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		65
	Description	<Desc>		[0..1]		66
	Amount	<Amt>		[0..1]		66

Used in element(s)

["LineDetails" on page 191](#)

5.31.1 Identification

XML Tag: Id

Presence: [1..*]

Definition: Provides identification of the document line.

The **Id** block contains the following elements (see datatype ["DocumentLineIdentification1" on page 64](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		64
	Number	<Nb>		[0..1]		65
	RelatedDate	<RltdDt>		[0..1]		65

5.31.2 Description

XML Tag: Desc

Presence: [0..1]

Definition: Description associated with the document line.

Datatype: "Max2048Text" on page 245

5.31.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Provides details on the amounts of the document line.

The **Amt** block contains the following elements (see datatype "RemittanceAmount3" on page 195 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		195
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		196
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		196
	TaxAmount	<TaxAmt>		[0..*]		196
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		196
	RemittedAmount	<RmtdAmt>		[0..1]		197

5.32 DocumentLineType1

Definition: Specifies the type of the document line identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		67
	Issuer	<Issr>		[0..1]		67

Used in element(s)

"Type" on page 64

5.32.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document line identification.

The **CdOrPrtry** block contains the following elements (see datatype "[DocumentLineType1Choice](#)" on page 67 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		68
	Proprietary	<Prtry>	Or}	[1..1]		68

5.32.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document line identificationtype.

Datatype: "[Max35Text](#)" on page 246

5.33 DocumentLineType1Choice

Definition: Specifies the type of the document line identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		68
	Proprietary	<Prtry>	Or}	[1..1]		68

Used in element(s)

"CodeOrProprietary" on page 67

5.33.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Line identification type in a coded form.

Datatype: "ExternalDocumentLineType1Code" on page 236

5.33.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "Max35Text" on page 246

5.34 FinancialIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		68
	Proprietary	<Prtry>	Or}	[1..1]		68

Used in element(s)

"SchemeName" on page 91

5.34.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalFinancialInstitutionIdentification1Code" on page 237

5.34.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 246

5.35 FinancialInstitutionIdentification18

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		69
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		69
	LEI	<LEI>		[0..1]		69
	Name	<Nm>		[0..1]		70
	PostalAddress	<PstlAdr>		[0..1]		70
	Other	<Othr>		[0..1]		71

Used in element(s)

"FinancialInstitutionIdentification" on page 23

5.35.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 222

5.35.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "[ClearingSystemMemberIdentification2](#)" on page 48 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		48
	MemberIdentification	<Mmbld>		[1..1]		48

5.35.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 244

5.35.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 245

Usage Guideline details

- This element(camt.058.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(camt.058.001.08/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.

5.35.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 157 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		157
	Department	<Dept>		[0..1]		158
	SubDepartment	<SubDept>		[0..1]		158
	StreetName	<StrtNm>		[0..1]		158
	BuildingNumber	<BldgNb>		[0..1]		158
	BuildingName	<BldgNm>		[0..1]		158
	Floor	<Flr>		[0..1]		158
	PostBox	<PstBx>		[0..1]		159
	Room	<Room>		[0..1]		159
	PostCode	<PstCd>		[0..1]		159
	TownName	<TwnNm>		[0..1]		159
	TownLocationName	<TwnLctnNm>		[0..1]		159

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DistrictName	<DstrctNm>		[0..1]		159
	CountrySubDivision	<CtrySubDvsn>		[0..1]		160
	Country	<Ctry>		[0..1]		160
	AddressLine	<AdrLine>		[0..7]		160

Usage Guideline details

- This element(camt.058.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(camt.058.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.

5.35.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1" on page 90 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		91
	SchemeName	<SchmeNm>		[0..1]		91
	Issuer	<Issr>		[0..1]		91

Usage Guideline details

- This element(camt.058.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(camt.058.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.

5.36 FinancialInstitutionIdentification18__1

Definition: Specifies the details to identify a financial institution.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		72
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		72
	LEI	<LEI>		[0..1]		72
	Name	<Nm>		[0..1]		73
	PostalAddress	<PstlAdr>		[0..1]		73
	Other	<Othr>		[0..1]		75

Used in element(s)

"FinancialInstitutionIdentification" on page 25

5.36.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 222

5.36.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 49 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		49
	MemberIdentification	<Mmbld>		[1..1]		50

5.36.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 244

5.36.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 224

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 224](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 224](#)
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 224](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 224](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 224](#)

5.36.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 160 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		161
	Department	<Dept>		[0..1]		162
	SubDepartment	<SubDept>		[0..1]		163

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	StreetName	<StrtNm>		[0..1]		164
	BuildingNumber	<BldgNb>		[0..1]		164
	BuildingName	<BldgNm>		[0..1]		165
	Floor	<Flr>		[0..1]		166
	PostBox	<PstBx>		[0..1]		167
	Room	<Room>		[0..1]		168
	PostCode	<PstCd>		[0..1]		169
	TownName	<TwnNm>		[0..1]	 	170
	TownLocationName	<TwnLctnNm>		[0..1]		171
	DistrictName	<DstrctNm>		[0..1]		172
	CountrySubDivision	<CtrySubDvsn>		[0..1]		173
	Country	<Ctry>		[0..1]		174
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2]	175

Usage Guideline details

- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.36.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1" on page 90 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		91
	SchemeName	<SchmeNm>		[0..1]		91
	Issuer	<Issr>		[0..1]		91

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/Other) is removed.
- This element(camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/Other) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/Other) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/Other) is removed.

5.37 FinancialInstitutionIdentification18__2

Definition: Specifies the details to identify a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		76
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		76
	LEI	<LEI>		[0..1]		76
	Name	<Nm>		[0..1]	⚠	77
	PostalAddress	<PstlAdr>		[0..1]	⚠	77
	Other	<Othr>		[0..1]	🚫	80

Used in element(s)

"FinancialInstitutionIdentification" on page 28

5.37.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 222

5.37.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2_1" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	49
	MemberIdentification	<Mmbld>		[1..1]	⚠	50

5.37.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 244

5.37.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 224

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 224
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 224
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 224

5.37.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__2" on page 176 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		177
	Department	<Dept>		[0..1]		178
	SubDepartment	<SubDept>		[0..1]		178
	StreetName	<StrtNm>		[0..1]		179
	BuildingNumber	<BldgNb>		[0..1]		179
	BuildingName	<BldgNm>		[0..1]		180
	Floor	<Flr>		[0..1]		180
	PostBox	<PstBx>		[0..1]		181
	Room	<Room>		[0..1]		182

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostCode	<PstCd>		[0..1]		182
	TownName	<TwnNm>		[0..1]		183
	TownLocationName	<TwnLctnNm>		[0..1]		183
	DistrictName	<DstrctNm>		[0..1]		184
	CountrySubDivision	<CtrySubDvsn>		[0..1]		184
	Country	<Ctry>		[0..1]		185
	AddressLine	<AdrLine>		[0..7]	 R[0..3] R[0..3] R[0..3]	185

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress

- CBPR_Town_Name_And_Country_FormalRule:

If Postal Address is used, and if Address Line is absent, then Town Name and Country must be present.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress], if the following element(s) [PostalAddress/AddressLine] is (are) absent, then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress

- CBPR_Structured_vs_Unstructured_FormalRule:

If PostalAddress is used and if AddressLine is present, then all other optional elements in PostalAddress must be absent.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then the following element(s) [PostalAddress/Department] and [PostalAddress/Sub-Department] and [PostalAddress/StreetName] and [PostalAddress/BuildingNumber] and [PostalAddress/BuildingName] and [PostalAddress/Floor] and [PostalAddress/PostBox] and [PostalAddress/Room] and [PostalAddress/PostCode] and [PostalAddress/TownName] and [PostalAddress/TownLocationName] and [PostalAddress/DistrictName] and [PostalAddress/CountrySubDivision] and [PostalAddress/Country] must be absent

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Town_Name_And_Country_FormalRule:**

If Postal Address is used, and if Address Line is absent, then Town Name and Country must be present.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress], if
the following element(s) [PostalAddress/AddressLine] is (are) absent
, then
at least one occurrence of the following element(s) [PostalAddress/TownName]
and [PostalAddress/Country] must be present
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Structured_vs_Unstructured_FormalRule:**

If PostalAddress is used and if AddressLine is present, then all other optional elements in PostalAddress must be absent.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress], if
at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present
, then
the following element(s) [PostalAddress/Department] and [PostalAddress/Sub-Department] and [PostalAddress/StreetName] and [PostalAddress/BuildingNumber] and [PostalAddress/BuildingName] and [PostalAddress/Floor] and [PostalAddress/PostBox] and [PostalAddress/Room] and [PostalAddress/PostCode] and [PostalAddress/TownName] and [PostalAddress/TownLocationName] and [PostalAddress/DistrictName] and [PostalAddress/CountrySubDivision] and [PostalAddress/Country] must be absent
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Town_Name_And_Country_FormalRule:**

If Postal Address is used, and if Address Line is absent, then Town Name and Country must be present.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress], if
the following element(s) [PostalAddress/AddressLine] is (are) absent
, then
at least one occurrence of the following element(s) [PostalAddress/TownName]
and [PostalAddress/Country] must be present
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress**

– CBPR_Structured_vs_Unstructured_FormalRule:

If PostalAddress is used and if AddressLine is present, then all other optional elements in PostalAddress must be absent.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress], if
 at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present
 , then
 the following element(s) [PostalAddress/Department] and [PostalAddress/Sub-Department] and [PostalAddress/StreetName] and [PostalAddress/BuildingNumber] and [PostalAddress/BuildingName] and [PostalAddress/Floor] and [PostalAddress/PostBox] and [PostalAddress/Room] and [PostalAddress/PostCode] and [PostalAddress/TownName] and [PostalAddress/TownLocationName] and [PostalAddress/DistrictName] and [PostalAddress/CountrySubDivision] and [PostalAddress/Country] must be absent

5.37.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 90 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		91
	SchemeName	<SchmeNm>		[0..1]		91
	Issuer	<Issr>		[0..1]		91

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/Other) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/Other) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/Other) is removed.

5.38 FinancialInstitutionIdentification18__3

Definition: Specifies the details to identify a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]	M	81
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		81
	LEI	<LEI>		[0..1]		82
	Name	<Nm>		[0..1]	🚫	82
	PostalAddress	<PstlAdr>		[0..1]	🚫	82
	Other	<Othr>		[0..1]	🚫	83

Used in element(s)

"FinancialInstitutionIdentification" on page 32

5.38.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 222

Usage Guideline details

- on **camt.058.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.38.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	49
	MemberIdentification	<MmbId>		[1..1]	⚠	50

5.38.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 244

5.38.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 245

Usage Guideline details

- This element(camt.058.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(camt.058.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.

5.38.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 157 for details)

ⓧ Removed - ⓧ Partial Removed - ◇ Ignored - ⓧ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		157
	Department	<Dept>		[0..1]		158
	SubDepartment	<SubDept>		[0..1]		158
	StreetName	<StrtNm>		[0..1]		158

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BuildingNumber	<BldgNb>		[0..1]		158
	BuildingName	<BldgNm>		[0..1]		158
	Floor	<Flr>		[0..1]		158
	PostBox	<PstBx>		[0..1]		159
	Room	<Room>		[0..1]		159
	PostCode	<PstCd>		[0..1]		159
	TownName	<TwnNm>		[0..1]		159
	TownLocationName	<TwnLctnNm>		[0..1]		159
	DistrictName	<DstrctNm>		[0..1]		159
	CountrySubDivision	<CtrySubDvsn>		[0..1]		160
	Country	<Ctry>		[0..1]		160
	AddressLine	<AdrLine>		[0..7]		160

Usage Guideline details

- This element([camt.058.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress](#)) is removed.
- This element([camt.058.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress](#)) is removed.

5.38.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 90 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		91
	SchemeName	<SchmeNm>		[0..1]		91
	Issuer	<Issr>		[0..1]		91

Usage Guideline details

- This element([camt.058.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other](#)) is removed.
- This element([camt.058.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other](#)) is removed.

5.39 Garnishment3

Definition: Provides remittance information about a payment for garnishment-related purposes.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		84
	Garnishee	<Grnshee>		[0..1]		85
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		85
	ReferenceNumber	<RefNb>		[0..1]		85
	Date	<Dt>		[0..1]		86
	RemittedAmount	<RmtdAmt>		[0..1]		86
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrncInd>		[0..1]		86
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		86

Used in element(s)

["GarnishmentRemittance" on page 203](#)

5.39.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of garnishment.

The **Tp** block contains the following elements (see datatype ["GarnishmentType1" on page 86](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		87
	Issuer	<Issr>		[0..1]		87

5.39.2 Garnishee

XML Tag: Grnshee

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the garnisher.

The **Grnshee** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 142 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		142
	PostalAddress	<PstlAdr>		[0..1]		142
	Identification	<Id>		[0..1]		143
	CountryOfResidence	<CtryOfRes>		[0..1]		144
	ContactDetails	<CtctDtls>		[0..1]		144

5.39.3 GarnishmentAdministrator

XML Tag: GrnshmtAdmstr

Presence: [0..1]

Definition: Party on the credit side of the transaction who administers the garnishment on behalf of the ultimate beneficiary.

The **GrnshmtAdmstr** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 142 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		142
	PostalAddress	<PstlAdr>		[0..1]		142
	Identification	<Id>		[0..1]		143
	CountryOfResidence	<CtryOfRes>		[0..1]		144
	ContactDetails	<CtctDtls>		[0..1]		144

5.39.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Reference information that is specific to the agency receiving the garnishment.

Datatype: ["Max140Text" on page 245](#)

5.39.5 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of payment which garnishment was taken from.

Datatype: ["ISODate" on page 243](#)

5.39.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 219](#)

5.39.7 FamilyMedicalInsuranceIndicator

XML Tag: FmlyMdclInsrncInd

Presence: [0..1]

Definition: Indicates if the person to whom the garnishment applies (that is, the ultimate debtor) has family medical insurance coverage available.

Datatype: ["TrueFalseIndicator" on page 254](#)

5.39.8 EmployeeTerminationIndicator

XML Tag: MplyeeTermntnInd

Presence: [0..1]

Definition: Indicates if the employment of the person to whom the garnishment applies (that is, the ultimate debtor) has been terminated.

Datatype: ["TrueFalseIndicator" on page 254](#)

5.40 GarnishmentType1

Definition: Specifies the type of garnishment.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		87
	Issuer	<Issr>		[0..1]		87

Used in element(s)

["Type" on page 84](#)

5.40.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the garnishment.

The **CdOrPrtry** block contains the following elements (see datatype "[GarnishmentType1Choice](#)" on page 87 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		87
	Proprietary	<Prtry>	Or}	[1..1]		88

5.40.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the garnishment type.

Datatype: "[Max35Text](#)" on page 246

5.41 GarnishmentType1Choice

Definition: Specifies the type of garnishment.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		87
	Proprietary	<Prtry>	Or}	[1..1]		88

Used in element(s)

"[CodeOrProprietary](#)" on page 87

5.41.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Garnishment type in a coded form.

Would suggest this to be an External Code List to contain:

GNCS Garnishment from a third party payer for Child Support

GNDP Garnishment from a Direct Payer for Child Support

GTPP Garnishment from a third party payer to taxing agency.

Datatype: "ExternalGarnishmentType1Code" on page 238

5.41.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of garnishment.

Datatype: "Max35Text" on page 246

5.42 GenericAccountIdentification1

Definition: Information related to a generic account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		88
	SchemeName	<SchmeNm>		[0..1]		88
	Issuer	<Issr>		[0..1]		89

Used in element(s)

"Other" on page 19

5.42.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max34Text" on page 246

5.42.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "AccountSchemeName1Choice" on page 20 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		21
	Proprietary	<Prtry>	Or}	[1..1]		21

5.42.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 246

5.43 GenericAccountIdentification1__1

Definition: Information related to a generic account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		89
	SchemeName	<SchmeNm>		[0..1]		90
	Issuer	<Issr>		[0..1]		90

Used in element(s)

"Other" on page 20

5.43.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax34Text" on page 226

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/RelatedAccount/Identification/Other/Identification**
 Type changed to: CBPR_RestrictedFINXMax34Text on page 226
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Account/Identification/Other/Identification**
 Type changed to: CBPR_RestrictedFINXMax34Text on page 226

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedAccount/Identification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax34Text](#) on page 226

5.43.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[AccountScheme-Name1Choice_1](#)" on page 21 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		21
	Proprietary	<Prtry>	Or}	[1..1]		22

5.43.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 226

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Account/Identification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedAccount/Identification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/RelatedAccount/Identification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226

5.44 GenericFinancialIdentification1

Definition: Information related to an identification of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		91
	SchemeName	<SchmeNm>		[0..1]		91
	Issuer	<Issr>		[0..1]		91

Used in element(s)

"Other" on page 83, "Other" on page 75, "Other" on page 80, "Other" on page 71

5.44.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 246

5.44.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "FinancialIdentificationScheme-Name1Choice" on page 68 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		68
	Proprietary	<Prtry>	Or}	[1..1]		68

5.44.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 246

5.45 GenericIdentification30

Definition: Information related to an identification, for example, party identification or account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	Issuer	<Issr>		[1..1]		92
	SchemeName	<SchmeNm>		[0..1]		92

Used in element(s)

"Proprietary" on page 22

5.45.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: "Exact4AlphaNumericText" on page 233

5.45.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 246

5.45.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: "Max35Text" on page 246

5.46 GenericOrganisationIdentification1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		93
	SchemeName	<SchmeNm>		[0..1]		93
	Issuer	<Issr>		[0..1]		93

Used in element(s)

"Other" on page 106

5.46.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max35Text" on page 246

5.46.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice](#)" on page 108 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		108
	Proprietary	<Prtry>	Or}	[1..1]		108

5.46.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 246

5.47 GenericOrganisationIdentification1__1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		94
	SchemeName	<SchmeNm>		[0..1]		94
	Issuer	<Issr>		[0..1]		95

Used in element(s)

"Other" on page 107

5.47.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/CancellationReason/Originator/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.47.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice_1](#)" on page 109 for details)

🚫 Removed - 🚫 Partial Removed - 💡 Ignored - 💡 Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		109
	Proprietary	<Prtry>	Or}	[1..1]	🚫 ⚠️	109

Usage Guideline details

- on **camt.058.001.08/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/CancellationReason/Originator/Identification/OrganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.47.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: CBPR_RestrictedFINXMax35Text on page 226
- on **camt.058.001.08/CancellationReason/Originator/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: CBPR_RestrictedFINXMax35Text on page 226
- on **camt.058.001.08/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: CBPR_RestrictedFINXMax35Text on page 226
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: CBPR_RestrictedFINXMax35Text on page 226
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: CBPR_RestrictedFINXMax35Text on page 226

5.48 GenericPersonIdentification1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		96
	SchemeName	<SchmeNm>		[0..1]		96
	Issuer	<Issr>		[0..1]		96

Used in element(s)

"Other" on page 152

5.48.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 246

5.48.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationScheme-Name1Choice" on page 155 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		155
	Proprietary	<Prtry>	Or}	[1..1]		155

5.48.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 246

5.49 GenericPersonIdentification1__1

Definition: Information related to an identification of a person.

⊘ Removed - ⊘ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	97
	SchemeName	<SchmeNm>		[0..1]	M	97
	Issuer	<Issr>		[0..1]	⚠	98

Used in element(s)

"Other" on page 153, "Other" on page 154

5.49.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/PrivateIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.49.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[PersonIdentificationScheme-Name1Choice__1](#)" on page 155 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		156
	Proprietary	<Prtry>	Or}	[1..1]	🚫 ⚠	156

Usage Guideline details

- on **camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.49.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 226

Usage Guideline details

- on **camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/PrivateIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.50 GroupHeader77__1

Definition: Provides further details on the message.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		99
	CreationDateTime	<CreDtTm>		[1..1]		99
	MessageSender	<MsgSndr>		[0..1]		100

Used in element(s)

"GroupHeader" on page 16

5.50.1 MessageIdentification

XML Tag: MsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the account owner or the party authorised to send the message, and sent to the account servicing institution, to unambiguously identify the message.

Usage: The sender has to make sure that 'MessageIdentification' is unique per account servicing institution for a pre-agreed period.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 226](#)

Usage Guideline details

- on camt.058.001.08/GroupHeader/MessageIdentification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.50.2 CreationDateTime

XML Tag: CreDtTm

Presence: [1..1]

Definition: Date and time at which the message was created.

Datatype: ["CBPR_DateTime" on page 223](#)

Usage Guideline details

- on [camt.058.001.08/GroupHeader/CreationDateTime](#)
Type changed to: [CBPR_DateTime on page 223](#)

5.50.3 MessageSender

XML Tag: MsgSndr

Presence: [0..1]

Definition: Identification of the party that is sending the message, when different from the account owner.

The **MsgSndr** block contains the following elements (see datatype ["Party40Choice__1" on page 133](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		133
	Agent	<Agt>	Or}	[1..1]		136

5.51 ImplementationSpecification1

Definition: Identifies the implementation specification to which the ISO 20022 message conforms.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		100
	Identification	<Id>		[1..1]		101

Used in element(s)

["MarketPractice" on page 12](#)

5.51.1 Registry

XML Tag: Regy

Presence: [1..1]

Definition: Name of the implementation specification registry in which the implementation specification of the ISO 20022 message is maintained.

For example, "MyStandards".

Datatype: ["Max350Text" on page 246](#)

5.51.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identifier which unambiguously identifies, within the implementation specification registry, the implementation specification to which the ISO 20022 message is compliant. This can be done via a URN. It can also contain a version number or date.

For instance, "2018-01-01 - Version 2" or "urn:uuid:6e8bc430-9c3a-11d9-9669-0800200c9a66".

Datatype: ["Max2048Text" on page 245](#)

5.52 NameAndAddress16

Definition: Information that locates and identifies a party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]		101
	Address	<Adr>		[1..1]		101

Used in element(s)

["PostalAddress" on page 200](#)

5.52.1 Name

XML Tag: Nm

Presence: [1..1]

Definition: Name by which a party is known and is usually used to identify that party.

Datatype: ["Max140Text" on page 245](#)

5.52.2 Address

XML Tag: Adr

Presence: [1..1]

Definition: Postal address of a party.

The **Adr** block contains the following elements (see datatype ["PostalAddress24" on page 157](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		157
	Department	<Dept>		[0..1]		158
	SubDepartment	<SubDept>		[0..1]		158
	StreetName	<StrtNm>		[0..1]		158
	BuildingNumber	<BldgNb>		[0..1]		158
	BuildingName	<BldgNm>		[0..1]		158
	Floor	<Flr>		[0..1]		158
	PostBox	<PstBx>		[0..1]		159
	Room	<Room>		[0..1]		159
	PostCode	<PstCd>		[0..1]		159
	TownName	<TwnNm>		[0..1]		159
	TownLocationName	<TwnLctnNm>		[0..1]		159
	DistrictName	<DstrctNm>		[0..1]		159
	CountrySubDivision	<CtrySubDvsn>		[0..1]		160
	Country	<Ctry>		[0..1]		160
	AddressLine	<AdrLine>		[0..7]		160

5.53 NotificationCancellationReason1Choice__1

Definition: Specifies the reason for the cancellation request of a notification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		102
	Proprietary	<Prtry>	Or}	[1..1]		103

Used in element(s)

"Reason" on page 105

5.53.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Reason for the cancellation request, in a coded form.

Datatype: ["CBPR_NotificationToReceiveCancellationReason1Code" on page 223](#)

Usage Guideline details

- on [camt.058.001.08/CancellationReason/Reason/Code](#)
Type changed to: [CBPR_NotificationToReceiveCancellationReason1Code on page 223](#)

5.53.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Reason for the cancellation request, in a proprietary form.

Datatype: ["Max35Text" on page 246](#)

Usage Guideline details

- This element([camt.058.001.08/CancellationReason/Reason/Proprietary](#)) is removed.

5.54 NotificationCancellationReason1__1

Definition: Provides further details on the reason of the cancellation request.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Originator	<Orgtr>		[0..1]	⚠	103
	Reason	<Rsn>		[0..1]	M	105
	AdditionalInformation	<AddtlInf>		[0..*]	⚠ R[0..2]	105

Used in element(s)

["CancellationReason" on page 17](#)

5.54.1 Originator

XML Tag: Orgtr

Presence: [0..1]

Definition: Party that issues the cancellation request.

The **Orgtr** block contains the following elements (see datatype ["PartyIdentification135__1" on page 144](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		145
	PostalAddress	<PstlAdr>		[0..1]		145
	Identification	<Id>		[0..1]		147
	CountryOfResidence	<CtryOfRes>		[0..1]		147
	ContactDetails	<CtctDtls>		[0..1]		147

Usage Guideline details

- on camt.058.001.08/CancellationReason/Originator

- CBPR_Originator_Identification_TextualRule:

If AnyBIC is present in addition to any other optional elements, in case of conflicting information, it will always take precedence.

- on camt.058.001.08/CancellationReason/Originator

- CBPR_Originator_Presence_TextualRule:

CancellationReasonInformation/Originator will be populated only if different from message sender.

- on camt.058.001.08/CancellationReason/Originator

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/CancellationReason/Originator], if
 at least one occurrence of the following element(s) [Originator/PostalAddress] is (are) present
 , then
 at least one occurrence of the following element(s) [Originator/Name] must be present

- on camt.058.001.08/CancellationReason/Originator

- CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent, then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/CancellationReason/Originator], if
 the following element(s) [Originator/Identification/OrganisationIdentification/AnyBIC] is (are) absent
 , then
 at least one occurrence of the following element(s) [Originator/Name] must be present

5.54.2 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the cancellation.

The **Rsn** block contains the following elements (see datatype "[NotificationCancellationReason1Choice__1](#)" on page 102 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		102
	Proprietary	<Prtry>	Or}	[1..1]		103

Usage Guideline details

- on [camt.058.001.08/CancellationReason/Reason](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

5.54.3 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..*]

Definition: Further details on the cancellation request reason.

Datatype: "[CBPR_RestrictedFINXMax105Text](#)" on page 224

Usage Guideline details

- on [camt.058.001.08/CancellationReason/AdditionalInformation](#)

This element has change repeatability, the maximum occurrence has been changed to : 2

- on [camt.058.001.08/CancellationReason/AdditionalInformation](#)

Type changed to: [CBPR_RestrictedFINXMax105Text](#) on page 224

5.55 OrganisationIdentification29

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		106

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	LEI	<LEI>		[0..1]		106
	Other	<Othr>		[0..*]		106

Used in element(s)

"OrganisationIdentification" on page 129

5.55.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 221

5.55.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 244

5.55.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1" on page 92 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		93
	SchemeName	<SchmeNm>		[0..1]		93
	Issuer	<Issr>		[0..1]		93

5.56 OrganisationIdentification29__1

Definition: Unique and unambiguous way to identify an organisation.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		107
	LEI	<LEI>		[0..1]		107
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	107

Used in element(s)

"OrganisationIdentification" on page 130, "OrganisationIdentification" on page 131

5.56.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 221

5.56.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 244

5.56.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1_1" on page 93 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		94
	SchemeName	<SchmeNm>		[0..1]		94
	Issuer	<Issr>		[0..1]		95

Usage Guideline details

- on camt.058.001.08/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on camt.058.001.08/CancellationReason/Originator/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.57 OrganisationIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		108
	Proprietary	<Prtry>	Or}	[1..1]		108

Used in element(s)

["SchemeName" on page 93](#)

5.57.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalOrganisationIdentification1Code" on page 238](#)

5.57.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 246](#)

5.58 OrganisationIdentificationScheme-Name1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		109
	Proprietary	<Prtry>	Or}	[1..1]	 	109

Used in element(s)

"SchemeName" on page 94

5.58.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 238

5.58.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- This element(camt.058.001.08/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(camt.058.001.08/CancellationReason/Originator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 226

- on camt.058.001.08/CancellationReason/Originator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226
- on camt.058.001.08/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226

5.59 OriginalItem7__1

Definition: Identifies the original notification item, to which the cancellation advice refers.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalItemIdentification	<OrgnlItmId>		[1..1]	⚠	110
	OriginalEndToEndIdentification	<OrgnlEndToEndId>		[0..1]	⚠	111
	UETR	<UETR>		[0..1]	⚠	111
	Amount	<Amt>		[1..1]		111
	ExpectedValueDate	<XpctdValDt>		[0..1]	⚠	111
	OriginalItemReference	<OrgnlItmRef>		[0..1]		112

Used in element(s)

["OriginalItem" on page 128](#)

5.59.1 OriginalItemIdentification

XML Tag: OrgnlItmId

Presence: [1..1]

Definition: Identification of the original notification item.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 226](#)

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemIdentification

Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.59.2 OriginalEndToEndIdentification

XML Tag: OrgnlEndToEndId

Presence: [0..1]

Definition: Unique identification as assigned by the debtor to unambiguously identify the original underlying transaction to the creditor.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 226](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/Original-EndToEndIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.59.3 UETR

XML Tag: UETR

Presence: [0..1]

Definition: Universally unique identifier to provide an end-to-end reference of a payment transaction.

Datatype: ["UUIDv4Identifier" on page 255](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/UETR](#)
 - **CBPR_UETR_TextualRule:**

Must be populated with the original UETR, if present from the camt.057 that is cancelled.

5.59.4 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money expected to be credited to the account, as per the original notification to receive.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 219](#)

5.59.5 ExpectedValueDate

XML Tag: XpctdValDt

Presence: [0..1]

Definition: Value date on which the account was expected to be credited.

Datatype: "CBPR_Date" on page 222

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/Expected-ValueDate

Type changed to: CBPR_Date on page 222

5.59.6 OriginalItemReference

XML Tag: OrgnlItmRef

Presence: [0..1]

Definition: Provides further information in order to identify a previous payment notification.

The **OrgnlItmRef** block contains the following elements (see datatype "OriginalItemReference6__1" on page 112 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Account	<Acct>		[0..1]		113
	AccountOwner	<AcctOwnr>		[0..1]		113
	AccountServicer	<AcctSvcr>		[0..1]		114
	RelatedAccount	<RltdAcct>		[0..1]		114
	Debtor	<Dbtr>		[0..1]		115
	DebtorAgent	<DbtrAgt>		[0..1]		115
	IntermediaryAgent	<IntrmyAgt>		[0..1]		117
	Purpose	<Purp>		[0..1]		117
	RelatedRemittanceInformation	<RltdRmtInf>		[0..1]		117
	RemittanceInformation	<RmtInf>		[0..1]		118

5.60 OriginalItemReference6__1

Definition: Provides further means of referencing a payment transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Account	<Acct>		[0..1]		113
	AccountOwner	<AcctOwnr>		[0..1]		113

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AccountServicer	<AcctSvcr>		[0..1]	🚫	114
	RelatedAccount	<RltdAcct>		[0..1]	🚫	114
	Debtor	<Dbtr>		[0..1]		115
	DebtorAgent	<DbtrAgt>		[0..1]	⚠️	115
	IntermediaryAgent	<IntrmyAgt>		[0..1]	🚫	117
	Purpose	<Purp>		[0..1]	🚫	117
	RelatedRemittanceInformation	<RltdRmtInf>		[0..1]	🚫	117
	RemittanceInformation	<RmtInf>		[0..1]	🚫	118

Used in element(s)

"OriginalItemReference" on page 112

5.60.1 Account

XML Tag: Acct

Presence: [0..1]

Definition: Identifies the account to be credited with the incoming amount of money.

The **Acct** block contains the following elements (see datatype "CashAccount40" on page 40 for details)

🚫 Removed - 🚫 Partial Removed - ⬢ Ignored - ⬢ Partial Ignored - ⚠️ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		41
	Type	<Tp>		[0..1]		41
	Currency	<Ccy>		[0..1]		41
	Name	<Nm>		[0..1]		42
	Proxy	<Prxy>		[0..1]		42

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Account) is removed.

5.60.2 AccountOwner

XML Tag: AcctOwnr

Presence: [0..1]

Definition: Party that legally owns the account.

The **AcctOwnr** block contains the following elements (see datatype "[Party40Choice](#)" on page 132 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		132
	Agent	<Agt>	Or}	[1..1]		133

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/AccountOwner](#)) is removed.

5.60.3 AccountServicer

XML Tag: AcctSvcr

Presence: [0..1]

Definition: Party that manages the account on behalf of the account owner, that is manages the registration and booking of entries on the account, calculates balances on the account and provides information about the account.

The **AcctSvcr** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 23 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		23
	BranchIdentification	<BrnchId>		[0..1]		24

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/AccountServicer](#)) is removed.

5.60.4 RelatedAccount

XML Tag: RltdAcct

Presence: [0..1]

Definition: Identifies the parent account of the account to be credited with the incoming amount of money.

The **RltdAcct** block contains the following elements (see datatype "CashAccount40__1" on page 42 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		43
	Type	<Tp>		[0..1]		43
	Currency	<Ccy>		[0..1]		44
	Name	<Nm>		[0..1]	⚠	44
	Proxy	<Prxy>		[0..1]		44

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedAccount) is removed.

5.60.5 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "Party40Choice__1" on page 133 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]	⚠	133
	Agent	<Agt>	Or}	[1..1]	⚠	136

5.60.6 DebtorAgent

XML Tag: DbtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 24 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		25
	BranchIdentification	<BrnchId>		[0..1]		27

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent

- CBPR_Agent_Name_Postal_Address_FormalRule:

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent],
 for each [DebtorAgent/FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [DebtorAgent/FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

5.60.7 IntermediaryAgent

XML Tag: IntrmyAgt

Presence: [0..1]

Definition: Payment processes required to transfer cash from the debtor to the creditor.

The **IntrmyAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6" on page 23 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		23
	BranchIdentification	<BrnchId>		[0..1]	🚫	24

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/IntermediaryAgent) is removed.

5.60.8 Purpose

XML Tag: Purp

Presence: [0..1]

Definition: Underlying reason for the payment transaction.

The **Purp** block contains the following elements (see datatype "Purpose2Choice__1" on page 189 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		190
	Proprietary	<Prtry>	Or}	[1..1]	⚠	190

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Purpose) is removed.

5.60.9 RelatedRemittanceInformation

XML Tag: RltdRmtInf

Presence: [0..1]

Definition: Provides information related to the handling of the remittance information by any of the agents in the transaction processing chain.

The **RltdRmtInf** block contains the following elements (see datatype "[RemittanceLocation7](#)" on [page 198](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		198
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]		199

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedRemittanceInformation](#)) is removed.

5.60.10 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Structured information that enables the matching, that is reconciliation, of a payment with the items that the payment is intended to settle, such as commercial invoices in an account receivable system.

The **RmtInf** block contains the following elements (see datatype "[RemittanceInformation21](#)" on [page 197](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]		197
	Structured	<Strd>		[0..*]		197

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RemittanceInformation](#)) is removed.

5.61 OriginalNotification14__1

Definition: Identifies the original notification, to which the cancellation advice refers.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalMessageIdentification	<OrgnlMsgId>		[1..1]		119
	OriginalCreationDateTime	<OrgnlCreDtTm>		[0..1]		119
	OriginalNotificationIdentification	<OrgnlNtfctnId>		[1..1]		119
	NotificationCancellation	<NtfctnCxl>		[0..1]		120
	OriginalNotificationReference	<OrgnlNtfctnRef>		[0..*]	 R[1..1]	120

Used in element(s)

"OriginalNotification" on page 16

5.61.1 OriginalMessageIdentification

XML Tag: OrgnlMsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the original sender, to unambiguously identify the original notification to receive message.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalMessageIdentification

Type changed to: CBPR_RestrictedFINXMax35Text on page 226

5.61.2 OriginalCreationDateTime

XML Tag: OrgnlCreDtTm

Presence: [0..1]

Definition: Date and time at which the original message was created.

Datatype: "CBPR_DateTime" on page 223

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalCreationDateTime

Type changed to: CBPR_DateTime on page 223

5.61.3 OriginalNotificationIdentification

XML Tag: OrgnlNtfctnId

Presence: [1..1]

Definition: Identification of the original notification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- on **camt.058.001.08/OriginalNotification/OriginalNotificationIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 226

5.61.4 NotificationCancellation

XML Tag: NtfctnCxl

Presence: [0..1]

Definition: Indicates whether the cancellation applies to the complete original notification or to individual items within the original notification.

Datatype: "GroupCancellationIndicator" on page 242

Usage Guideline details

- This element(**camt.058.001.08/OriginalNotification/NotificationCancellation**) is removed.

5.61.5 OriginalNotificationReference

XML Tag: OrgnlNtfctnRef

Presence: [0..*]

Definition: Identifies the original notification item, to which the cancellation advice refers.

The **OrgnlNtfctnRef** block contains the following elements (see datatype "OriginalNotificationReference12__1" on page 121 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Account	<Acct>		[0..1]		124
	AccountOwner	<AcctOwnr>		[0..1]		124
	AccountServicer	<AcctSvcr>		[0..1]		125
	RelatedAccount	<RltdAcct>		[0..1]		125
	TotalAmount	<TtlAmt>		[0..1]		126
	ExpectedValueDate	<XpctdValDt>		[0..1]		126
	Debtor	<Dbtr>		[0..1]		126
	DebtorAgent	<DbtrAgt>		[0..1]		127
	IntermediaryAgent	<IntrmyAgt>		[0..1]		127
	OriginalItem	<OrgnlItm>		[1..*]		128

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference

This element is now mandatory, the minimum occurrence has been changed to : 1

This element has change repeatability, the maximum occurrence has been changed to : 1

5.62 OriginalNotificationReference12__1

Definition: Provides details on the account notification.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Account	<Acct>		[0..1]	⊘	124
	AccountOwner	<AcctOwnr>		[0..1]	⊘	124
	AccountServicer	<AcctSvcr>		[0..1]	⊘	125
	RelatedAccount	<RltdAcct>		[0..1]	⊘	125
	TotalAmount	<TtlAmt>		[0..1]	⊘	126
	ExpectedValueDate	<XpctdValDt>		[0..1]	⊘	126
	Debtor	<Dbtr>		[0..1]		126
	DebtorAgent	<DbtrAgt>		[0..1]	⚠	127
	IntermediaryAgent	<IntrmyAgt>		[0..1]	⊘	127
	OriginalItem	<OrgnlItm>		[1..*]		128

Rules

R7 DebtorRule ✓

Either Debtor or OriginalItem/Debtor may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00180
- *Error Text:* Invalid message content for debtor.

R8 DebtorAgentRule ✓

Either DebtorAgent or OriginalItem/DebtorAgent may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00181

- *Error Text:* Invalid message content for debtor agent.

R9 IntermediaryAgentRule ✓

Either IntermediaryAgent or OriginalItem/IntermediaryAgent may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00182
- *Error Text:* Invalid message content for intermediary agent.

R10 MandatoryDebtorRule ✓

Either Debtor must be present or OriginalItem/Debtor must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00184
- *Error Text:* Invalid message content for debtor, which must be present at least once.

R11 IntermediaryAgentAndDebtorAgentRule ✓

If IntermediaryAgent is present then DebtorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00183
- *Error Text:* Invalid message content for debtor agent, must be present when intermediary agent is present.

R12 TotalAmountAndAmount1Rule ✓

If TotalAmount is present, then all occurrences of OriginalItem/Amount must have the same currency as the currency of TotalAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00185
- *Error Text:* Invalid message content for currency between total amount and item amounts.

R13 AccountAndCurrencyRule ✓

If Account is present, then all occurrences of OriginalItem/Amount must have the same currency.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00187
- *Error Text:* Invalid message content for amount currencies.

R14 TotalAmountAndAmount2Rule

If TotalAmount is present, then it must equal the sum of all occurrences of OriginalItem/Amount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00186
- *Error Text:* Invalid message content for total amount.

R15 AccountRule ✓

Either Account or OriginalItem/Account may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00188
- *Error Text:* Invalid message content for Account.

R16 AccountOwnerRule ✓

Either AccountOwner or OriginalItem/AccountOwner may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00189
- *Error Text:* Invalid message content for account owner.

R17 AccountServicerRule ✓

Either AccountServicer or OriginalItem/AccountServicer may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00190
- *Error Text:* Invalid message content for account servicer.

R18 ExpectedValueDateRule ✓

Either ExpectedValueDate or OriginalItem/ExpectedValueDate may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00191
- *Error Text:* Invalid message content for expected value date.

R19 RelatedAccountRule ✓

Either RelatedAccount or OriginalItem/RelatedAccount may be present but not both.

Error handling:

- *Error severity:* Fatal

- *Error Code:* X00203
- *Error Text:* Invalid message content for related account.

Used in element(s)

["OriginalNotificationReference" on page 120](#)

5.62.1 Account

XML Tag: Acct

Presence: [0..1]

Definition: Identifies the account to be credited with the incoming amount of money.

The **Acct** block contains the following elements (see datatype ["CashAccount40__1" on page 42](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		43
	Type	<Tp>		[0..1]		43
	Currency	<Ccy>		[0..1]		44
	Name	<Nm>		[0..1]		44
	Proxy	<Prxy>		[0..1]		44

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/Account](#)) is removed.

5.62.2 AccountOwner

XML Tag: AcctOwnr

Presence: [0..1]

Definition: Party that legally owns the account.

The **AcctOwnr** block contains the following elements (see datatype ["Party40Choice__2" on page 137](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		137
	Agent	<Agt>	Or}	[1..1]		138

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner](#)) is removed.

5.62.3 AccountServicer

XML Tag: AcctSvcr

Presence: [0..1]

Definition: Party that manages the account on behalf of the account owner, that is manages the registration and booking of entries on the account, calculates balances on the account and provides information about the account.

The **AcctSvcr** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on [page 28](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		28
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer](#)) is removed.

5.62.4 RelatedAccount

XML Tag: RltdAcct

Presence: [0..1]

Definition: Identifies the parent account of the account to be credited with the incoming amount of money.

The **RltdAcct** block contains the following elements (see datatype "[CashAccount40__1](#)" on [page 42](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		43
	Type	<Tp>		[0..1]		43
	Currency	<Ccy>		[0..1]		44
	Name	<Nm>		[0..1]		44

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proxy	<Prxy>		[0..1]		44

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/RelatedAccount) is removed.

5.62.5 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Sum of the amounts in all the Item entries.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/TotalAmount) is removed.

5.62.6 ExpectedValueDate

XML Tag: XpctdValDt

Presence: [0..1]

Definition: Date on which the first agent expects the cash to be available to the final agent.

Datatype: "ISODate" on page 243

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/ExpectedValueDate) is removed.

5.62.7 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "Party40Choice__1" on page 133 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]	⚠	133
	Agent	<Agt>	Or}	[1..1]		136

5.62.8 DebtorAgent

XML Tag: DbtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 24 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	25
	BranchIdentification	<BrnchId>		[0..1]	🚫	27

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent
 - CBPR_Agent_Option1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.62.9 IntermediaryAgent

XML Tag: IntrmyAgt

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

The **IntrmyAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 28 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	28
	BranchIdentification	<BrnchId>		[0..1]	🚫	31

Usage Guideline details

- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent) is removed.

5.62.10 OriginalItem

XML Tag: OrgnlItm

Presence: [1..*]

Definition: Provides details of the expected amount on the account serviced by the account servicer.

The **OrgnlItm** block contains the following elements (see datatype "OriginalItem7__1" on page 110 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalItemIdentification	<OrgnlItmId>		[1..1]	⚠	110
	OriginalEndToEndIdentification	<OrgnlEndToEndId>		[0..1]	⚠	111
	UETR	<UETR>		[0..1]	⚠	111
	Amount	<Amt>		[1..1]		111
	ExpectedValueDate	<XpctdValDt>		[0..1]	⚠	111
	OriginalItemReference	<OrgnlItmRef>		[0..1]		112

5.63 OtherContact1

Definition: Communication device number or electronic address used for communication.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		129

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		129

Used in element(s)

"Other" on page 54

5.63.1 ChannelType

XML Tag: ChanlTp

Presence: [1..1]

Definition: Method used to contact the financial institution's contact for the specific tax region.

Datatype: "Max4Text" on page 247

5.63.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Communication value such as phone number or email address.

Datatype: "Max128Text" on page 244

5.64 Party38Choice

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		129
	PrivateIdentification	<PrvtId>	Or}	[1..1]		130

Used in element(s)

"Identification" on page 143

5.64.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29" on page 105 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		106
	LEI	<LEI>		[0..1]		106
	Other	<Othr>		[0..*]		106

5.64.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13" on page 151 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		151
	Other	<Othr>		[0..*]		152

5.65 Party38Choice__1

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		130
	PrivateIdentification	<PrvtId>	Or}	[1..1]		131

Used in element(s)

"Identification" on page 147

5.65.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__1" on page 106 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		107
	LEI	<LEI>		[0..1]		107
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	107

5.65.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__1" on page 152 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		152
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	152

5.66 Party38Choice__2

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		131
	PrivateIdentification	<PrvtId>	Or}	[1..1]		132

Used in element(s)

"Identification" on page 149

5.66.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__1" on page 106 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		107
	LEI	<LEI>		[0..1]		107
	Other	<Othr>		[0..*]	R[0..2]	107

5.66.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13_2" on page 153 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		154
	Other	<Othr>		[0..*]	R[0..2]	154

5.67 Party40Choice

Definition: Identification of a person, an organisation or a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		132
	Agent	<Agt>	Or}	[1..1]		133

Used in element(s)

"AccountOwner" on page 113

5.67.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "PartyIdentification135" on page 142 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		142
	PostalAddress	<PstlAdr>		[0..1]		142
	Identification	<Id>		[0..1]		143
	CountryOfResidence	<CtryOfRes>		[0..1]		144
	ContactDetails	<CtctDtls>		[0..1]		144

5.67.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 23 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		23
	BranchIdentification	<BrnchId>		[0..1]		24

5.68 Party40Choice__1

Definition: Identification of a person, an organisation or a financial institution.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		133
	Agent	<Agt>	Or}	[1..1]		136

Used in element(s)

"Debtor" on page 126, "Debtor" on page 115, "MessageSender" on page 100

5.68.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on page 144 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		145
	PostalAddress	<PstlAdr>		[0..1]		145
	Identification	<Id>		[0..1]		147
	CountryOfResidence	<CtryOfRes>		[0..1]		147
	ContactDetails	<CtctDtls>		[0..1]		147

Usage Guideline details

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party**

- **CBPR_Debtor_BIC_Presence_TextualRule:**

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party**

- **CBPR_Debtor_BIC_Presence_TextualRule:**

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on **camt.058.001.08/GroupHeader/MessageSender/Party**

- **CBPR_Party_Name_Postal_Address_FormalRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/GroupHeader/MessageSender/Party], if
 at least one occurrence of the following element(s) [Party/PostalAddress] is
 (are) present
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party**

- **CBPR_Party_Name_Postal_Address_FormalRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/Debtor/Party], if
 at least one occurrence of the following element(s) [Party/PostalAddress] is
 (are) present
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party**

- **CBPR_Party_Name_Any_BIC_FormalRule:**

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/Debtor/Party], if
 the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party**

- **CBPR_Party_Name_Any_BIC_FormalRule:**

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party], if
 the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party**

- **CBPR_Party_Name_Postal_Address_FormalRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party], if
 at least one occurrence of the following element(s) [Party/PostalAddress] is
 (are) present
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

5.68.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 24 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		25
	BranchIdentification	<BrnchId>		[0..1]		27

Usage Guideline details

- on camt.058.001.08/GroupHeader/MessageSender/Agent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on camt.058.001.08/GroupHeader/MessageSender/Agent

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on camt.058.001.08/GroupHeader/MessageSender/Agent

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent],
 for each [Agent/FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [Agent/FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

5.69 Party40Choice__2

Definition: Identification of a person, an organisation or a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]	⚠	137
	Agent	<Agt>	Or}	[1..1]	⚠	138

Used in element(s)

"AccountOwner" on page 124

5.69.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "PartyIdentification135__2" on page 148 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		148
	PostalAddress	<PstlAdr>		[0..1]		149
	Identification	<Id>		[0..1]		149
	CountryOfResidence	<CtryOfRes>		[0..1]		150
	ContactDetails	<CtctDtls>		[0..1]		150

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party**
 - CBPR_Party_Name_Postal_Address_FormalRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party], if at least one occurrence of the following element(s) [Party/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [Party/Name] must be present
 - CBPR_Name_Any_BIC_FormalRule:**

If AnyBIC is Absent Then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveCancellationAdviceV08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party], if the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent, then at least one occurrence of the following element(s) [Party/Name] must be present

5.69.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 28 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		28
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent

- CBPR_Co-existence_PostalAddress_TextualRule:

Address Line (Unstructured Address) remains available only for cases when the payment is initiated in FIN, or by an MI, during coexistence only. The Structured PostalAddress remains the preferred option.

Therefore:

- If a payment is initiated on FIN, or by an MI, and the postal address is unstructured, the outgoing ISO 20022 message will transport unstructured postal address, up to the Creditor Agent.
- If a payment is initiated in ISO 20022, postal address must be structured.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent

- CBPR_Agent_Option3_TextualRule:

Name AND (Unstructured OR [Structured postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent

- CBPR_Agent_Option1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent

- CBPR_Agent_Option2_TextualRule:

(Clearing Code OR LEI) AND (Name AND (Unstructured postal address OR [Structured postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.70 Party44Choice

Definition: Identification of a person, an organisation or a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		140
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		140

Used in element(s)

"From" on page 36, "To" on page 36

5.70.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **OrgId** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 142 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		142
	PostalAddress	<PstAdr>		[0..1]		142
	Identification	<Id>		[0..1]		143
	CountryOfResidence	<CtryOfRes>		[0..1]		144
	ContactDetails	<CtctDtls>		[0..1]		144

Usage Guideline details

- This element([camt.058.001.08/.header/Related/From/OrganisationIdentification](#)) is removed.
- This element([camt.058.001.08/.header/Related/To/OrganisationIdentification](#)) is removed.

5.70.2 FinancialInstitutionIdentification

XML Tag: FIId

Presence: [1..1]

Definition: Identification of a financial institution.

The **FIId** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 23 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		23
	BranchIdentification	<BrnchId>		[0..1]		24

5.71 Party44Choice__1

Definition: Identification of a person, an organisation or a financial institution.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		141
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		142

Used in element(s)

"From" on page 10, "To" on page 11

5.71.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **OrgId** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 142 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		142
	PostalAddress	<PstlAdr>		[0..1]		142
	Identification	<Id>		[0..1]		143
	CountryOfResidence	<CtryOfRes>		[0..1]		144
	ContactDetails	<CtctDtls>		[0..1]		144

Usage Guideline details

- This element([camt.058.001.08/header/To/OrganisationIdentification](#)) is removed.
- This element([camt.058.001.08/header/From/OrganisationIdentification](#)) is removed.

5.71.2 FinancialInstitutionIdentification

XML Tag: FIId

Presence: [1..1]

Definition: Identification of a financial institution.

The **FIId** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__3" on page 32 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		33

5.72 PartyIdentification135

Definition: Specifies the identification of a person or an organisation.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		142
	PostalAddress	<PstlAdr>		[0..1]		142
	Identification	<Id>		[0..1]		143
	CountryOfResidence	<CtryOfRes>		[0..1]		144
	ContactDetails	<CtctDtls>		[0..1]		144

Used in element(s)

"Garnishee" on page 85, "GarnishmentAdministrator" on page 85, "Invoicee" on page 202, "Invoicer" on page 202, "OrganisationIdentification" on page 141, "OrganisationIdentification" on page 140, "Party" on page 132

5.72.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 245

5.72.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "[PostalAddress24](#)" on page 157 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		157
	Department	<Dept>		[0..1]		158
	SubDepartment	<SubDept>		[0..1]		158
	StreetName	<StrtNm>		[0..1]		158
	BuildingNumber	<BldgNb>		[0..1]		158
	BuildingName	<BldgNm>		[0..1]		158
	Floor	<Flr>		[0..1]		158
	PostBox	<PstBx>		[0..1]		159
	Room	<Room>		[0..1]		159
	PostCode	<PstCd>		[0..1]		159
	TownName	<TwnNm>		[0..1]		159
	TownLocationName	<TwnLctnNm>		[0..1]		159
	DistrictName	<DstrctNm>		[0..1]		159
	CountrySubDivision	<CtrySubDvsn>		[0..1]		160
	Country	<Ctry>		[0..1]		160
	AddressLine	<AdrLine>		[0..7]		160

5.72.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice](#)" on page 129 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		129
	PrivateIdentification	<PrvtId>	Or}	[1..1]		130

5.72.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 229

5.72.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 51 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		52
	Name	<Nm>		[0..1]		52
	PhoneNumber	<PhneNb>		[0..1]		52
	MobileNumber	<MobNb>		[0..1]		52
	FaxNumber	<FaxNb>		[0..1]		53
	EmailAddress	<EmailAdr>		[0..1]		53
	EmailPurpose	<EmailPurp>		[0..1]		53
	JobTitle	<JobTitt>		[0..1]		53
	Responsibility	<Rspnsblty>		[0..1]		53
	Department	<Dept>		[0..1]		53
	Other	<Othr>		[0..*]		54
	PreferredMethod	<PrefrdMtd>		[0..1]		54

5.73 PartyIdentification135__1

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		145

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostalAddress	<PstlAdr>		[0..1]		145
	Identification	<Id>		[0..1]		147
	CountryOfResidence	<CtryOfRes>		[0..1]		147
	ContactDetails	<CtctDtls>		[0..1]		147

Used in element(s)

"Originator" on page 103, "Party" on page 133

5.73.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 224

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 224
- on camt.058.001.08/GroupHeader/MessageSender/Party/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 224
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 224
- on camt.058.001.08/CancellationReason/Originator/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 224

5.73.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 160 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		161
	Department	<Dept>		[0..1]		162
	SubDepartment	<SubDept>		[0..1]		163
	StreetName	<StrtNm>		[0..1]		164
	BuildingNumber	<BldgNb>		[0..1]		164
	BuildingName	<BldgNm>		[0..1]		165
	Floor	<Flr>		[0..1]		166
	PostBox	<PstBx>		[0..1]		167
	Room	<Room>		[0..1]		168
	PostCode	<PstCd>		[0..1]		169
	TownName	<TwnNm>		[0..1]		170
	TownLocationName	<TwnLctnNm>		[0..1]		171
	DistrictName	<DstrctNm>		[0..1]		172
	CountrySubDivision	<CtrySubDvsn>		[0..1]		173
	Country	<Ctry>		[0..1]		174
	AddressLine	<AdrLine>		[0..7]	R[0..2] R[0..2] R[0..2] R[0..2]	175

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.058.001.08/CancellationReason/Originator/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.73.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__1](#)" on page 130 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		130
	PrivateIdentification	<PrvtId>	Or}	[1..1]		131

5.73.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 229

5.73.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 51 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		52
	Name	<Nm>		[0..1]		52
	PhoneNumber	<PhneNb>		[0..1]		52
	MobileNumber	<MobNb>		[0..1]		52
	FaxNumber	<FaxNb>		[0..1]		53

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	EmailAddress	<EmailAdr>		[0..1]		53
	EmailPurpose	<EmailPurp>		[0..1]		53
	JobTitle	<JobTitl>		[0..1]		53
	Responsibility	<Rspnsblty>		[0..1]		53
	Department	<Dept>		[0..1]		53
	Other	<Othr>		[0..*]		54
	PreferredMethod	<PrefrdMtd>		[0..1]		54

Usage Guideline details

- This element(camt.058.001.08/CancellationReason/Originator/ContactDetails) is removed.
- This element(camt.058.001.08/GroupHeader/MessageSender/Party/ContactDetails) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/ContactDetails) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/ContactDetails) is removed.

5.74 PartyIdentification135__2

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		148
	PostalAddress	<PstlAdr>		[0..1]		149
	Identification	<Id>		[0..1]		149
	CountryOfResidence	<CtryOfRes>		[0..1]		150
	ContactDetails	<CtctDtls>		[0..1]		150

Used in element(s)

"Party" on page 137

5.74.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 224

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 224

5.74.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__2" on page 176 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		177
	Department	<Dept>		[0..1]		178
	SubDepartment	<SubDept>		[0..1]		178
	StreetName	<StrtNm>		[0..1]		179
	BuildingNumber	<BldgNb>		[0..1]		179
	BuildingName	<BldgNm>		[0..1]		180
	Floor	<Flr>		[0..1]		180
	PostBox	<PstBx>		[0..1]		181
	Room	<Room>		[0..1]		182
	PostCode	<PstCd>		[0..1]		182
	TownName	<TwnNm>		[0..1]		183
	TownLocationName	<TwnLctnNm>		[0..1]		183
	DistrictName	<DstrctNm>		[0..1]		184
	CountrySubDivision	<CtrySubDvsn>		[0..1]		184
	Country	<Ctry>		[0..1]		185
	AddressLine	<AdrLine>		[0..7]	 R[0..3]	185

5.74.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__2](#)" on page 131 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		131
	PrivateIdentification	<PrvtId>	Or}	[1..1]		132

5.74.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 229

5.74.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 51 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		52
	Name	<Nm>		[0..1]		52
	PhoneNumber	<PhneNb>		[0..1]		52
	MobileNumber	<MobNb>		[0..1]		52
	FaxNumber	<FaxNb>		[0..1]		53
	EmailAddress	<EmailAdr>		[0..1]		53
	EmailPurpose	<EmailPurp>		[0..1]		53
	JobTitle	<JobTitl>		[0..1]		53
	Responsibility	<Rspnsblty>		[0..1]		53

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Department	<Dept>		[0..1]		53
	Other	<Othr>		[0..*]		54
	PreferredMethod	<PrefrdMtd>		[0..1]		54

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/ContactDetails](#)) is removed.

5.75 PersonIdentification13

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		151
	Other	<Othr>		[0..*]		152

Used in element(s)

["PrivateIdentification" on page 130](#)

5.75.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype ["DateAndPlaceOfBirth1" on page 56](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		57
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		57
	CityOfBirth	<CityOfBirth>		[1..1]		57
	CountryOfBirth	<CtryOfBirth>		[1..1]		57

5.75.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1](#)" on page 96 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		96
	SchemeName	<SchmeNm>		[0..1]		96
	Issuer	<Issr>		[0..1]		96

5.76 PersonIdentification13__1

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		152
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	152

Used in element(s)

"[PrivateIdentification](#)" on page 131

5.76.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__1](#)" on page 57 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		58

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]	⚠	58
	CityOfBirth	<CityOfBirth>		[1..1]	⚠	59
	CountryOfBirth	<CtryOfBirth>		[1..1]		59

5.76.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__1" on page 97 for details)

⛔ Removed - ⚠ Partial Removed - ⬢ Ignored - ⬢ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	97
	SchemeName	<SchmeNm>		[0..1]	M	97
	Issuer	<Issr>		[0..1]	⚠	98

Usage Guideline details

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on **camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on **camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.77 PersonIdentification13__2

Definition: Unique and unambiguous way to identify a person.

⛔ Removed - ⚠ Partial Removed - ⬢ Ignored - ⬢ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		154
	Other	<Othr>		[0..*]	R[0..2]	154

Used in element(s)

"PrivateIdentification" on page 132

5.77.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__2" on page 60 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		60
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		60
	CityOfBirth	<CityOfBirth>		[1..1]		60
	CountryOfBirth	<CtryOfBirth>		[1..1]		61

5.77.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__1" on page 97 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		97
	SchemeName	<SchmeNm>		[0..1]		97
	Issuer	<Issr>		[0..1]		98

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.78 PersonIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		155
	Proprietary	<Prtry>	Or}	[1..1]		155

Used in element(s)

"SchemeName" on page 96

5.78.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalPersonIdentification1Code" on page 239

5.78.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 246

5.79 PersonIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		156
	Proprietary	<Prtry>	Or}	[1..1]	 	156

Used in element(s)

["SchemeName" on page 97](#)

5.79.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 239](#)

5.79.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 226](#)

Usage Guideline details

- This element([camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on [camt.058.001.08/CancellationReason/Originator/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on [camt.058.001.08/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 226

5.80 PostalAddress24

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		157
	Department	<Dept>		[0..1]		158
	SubDepartment	<SubDept>		[0..1]		158
	StreetName	<StrtNm>		[0..1]		158
	BuildingNumber	<BldgNb>		[0..1]		158
	BuildingName	<BldgNm>		[0..1]		158
	Floor	<Flr>		[0..1]		158
	PostBox	<PstBx>		[0..1]		159
	Room	<Room>		[0..1]		159
	PostCode	<PstCd>		[0..1]		159
	TownName	<TwnNm>		[0..1]		159
	TownLocationName	<TwnLctnNm>		[0..1]		159
	DistrictName	<DstrctNm>		[0..1]		159
	CountrySubDivision	<CtrySubDvsn>		[0..1]		160
	Country	<Ctry>		[0..1]		160
	AddressLine	<AdrLine>		[0..7]		160

Used in element(s)

["Address" on page 101](#),
 ["PostalAddress" on page 82](#),
 ["PostalAddress" on page 34](#),
 ["PostalAddress" on page 70](#),
 ["PostalAddress" on page 142](#)

5.80.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype ["AddressType3Choice" on page 22](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		22
	Proprietary	<Prtry>	Or}	[1..1]		22

5.80.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "Max70Text" on page 247

5.80.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "Max70Text" on page 247

5.80.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: "Max70Text" on page 247

5.80.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "Max16Text" on page 245

5.80.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "Max35Text" on page 246

5.80.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["Max70Text" on page 247](#)

5.80.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["Max16Text" on page 245](#)

5.80.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["Max70Text" on page 247](#)

5.80.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["Max16Text" on page 245](#)

5.80.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["Max35Text" on page 246](#)

5.80.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["Max35Text" on page 246](#)

5.80.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "Max35Text" on page 246

5.80.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: "Max35Text" on page 246

5.80.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 229

5.80.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "Max70Text" on page 247

5.81 PostalAddress24__1

Definition: Information that locates and identifies a specific address, as defined by postal services.

⊘ Removed - ⊘ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]	⊘	161
	Department	<Dept>		[0..1]	⚠	162
	SubDepartment	<SubDept>		[0..1]	⚠	163
	StreetName	<StrtNm>		[0..1]	⚠	164
	BuildingNumber	<BldgNb>		[0..1]	⚠	164
	BuildingName	<BldgNm>		[0..1]	⚠	165
	Floor	<Flr>		[0..1]	⚠	166
	PostBox	<PstBx>		[0..1]	⚠	167

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Room	<Room>		[0..1]		168
	PostCode	<PstCd>		[0..1]		169
	TownName	<TwnNm>		[0..1]	 	170
	TownLocationName	<TwnLctnNm>		[0..1]		171
	DistrictName	<DstrctNm>		[0..1]		172
	CountrySubDivision	<CtrySubDvsn>		[0..1]		173
	Country	<Ctry>		[0..1]		174
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	175

Used in element(s)

"PostalAddress" on page 145, "PostalAddress" on page 73

5.81.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 22 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		22
	Proprietary	<Prtry>	Or}	[1..1]		22

Usage Guideline details

- This element(camt.058.001.08/CancellationReason/Originator/PostalAddress/AddressType) is removed.
- This element(camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/AddressType) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/AddressType) is removed.
- This element(camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor-Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType](#)) is removed.
- This element([camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/AddressType](#)) is removed.

5.81.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 228](#)

Usage Guideline details

- on [camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/CancellationReason/Originator/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/Department](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Department](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

5.81.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 228](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/CancellationReason/Originator/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/SubDepartment](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

5.81.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 228](#)

Usage Guideline details

- **on camt.058.001.08/CancellationReason/Originator/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

5.81.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "CBPR_RestrictedFINXMax16Text_Extended" on page 225

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on camt.058.001.08/CancellationReason/Originator/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225

5.81.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 227

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/CancellationReason/Originator/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 227

5.81.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 228

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on camt.058.001.08/CancellationReason/Originator/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

5.81.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 225](#)

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

- on camt.058.001.08/CancellationReason/Originator/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

5.81.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 228](#)

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

- on **camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/CancellationReason/Originator/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228

5.81.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 225

Usage Guideline details

- on **camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 225
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 225
- on **camt.058.001.08/CancellationReason/Originator/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 225
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 225
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 225
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 225

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/PostCode**
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225
- on **camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 225

5.81.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 227

Usage Guideline details

- on **camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/CancellationReason/Originator/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on camt.058.001.08/CancellationReason/Originator/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

5.81.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 227

Usage Guideline details

- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227
- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227
- on camt.058.001.08/CancellationReason/Originator/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

5.81.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 227

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/CancellationReason/Originator/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.81.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/CountrySubDivision](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/CancellationReason/Originator/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.81.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: ["CountryCode" on page 229](#)

Usage Guideline details

- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.058.001.08/CancellationReason/Originator/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.81.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 228

Usage Guideline details

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.058.001.08/CancellationReason/Originator/PostalAddress/AddressLine
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Party/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Debtor/Party/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228
- on camt.058.001.08/GroupHeader/MessageSender/Party/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228
- on camt.058.001.08/CancellationReason/Originator/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228
- on camt.058.001.08/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 228

5.82 PostalAddress24__2

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		177
	Department	<Dept>		[0..1]		178
	SubDepartment	<SubDept>		[0..1]		178
	StreetName	<StrtNm>		[0..1]		179
	BuildingNumber	<BldgNb>		[0..1]		179
	BuildingName	<BldgNm>		[0..1]		180
	Floor	<Flr>		[0..1]		180
	PostBox	<PstBx>		[0..1]		181
	Room	<Room>		[0..1]		182
	PostCode	<PstCd>		[0..1]		182
	TownName	<TwnNm>		[0..1]		183
	TownLocationName	<TwnLctnNm>		[0..1]		183
	DistrictName	<DstrctNm>		[0..1]		184
	CountrySubDivision	<CtrySubDvsn>		[0..1]		184
	Country	<Ctry>		[0..1]		185
	AddressLine	<AdrLine>		[0..7]	 R[0..3] R[0..3] R[0..3] R	185

Used in element(s)

"PostalAddress" on page 149, "PostalAddress" on page 77

5.82.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 22 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		22
	Proprietary	<Prtry>	Or}	[1..1]		22

Usage Guideline details

- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/AddressType](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/AddressType](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType](#)) is removed.
- This element([camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressType](#)) is removed.

5.82.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 228](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

5.82.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 228](#)

Usage Guideline details

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/SubDepartment**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228

5.82.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 228

Usage Guideline details

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228
- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 228

5.82.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 225](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

5.82.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/BuildingName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/BuildingName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.82.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 228](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Floor](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/Floor](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/Floor](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

5.82.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 225](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/PostBox](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/PostBox](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/PostBox](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

5.82.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 228](#)

Usage Guideline details

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 228](#)

5.82.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 225](#)

Usage Guideline details

- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)
- **on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/PostCode**

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 225](#)

5.82.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/TownName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/TownName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/TownName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/TownName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.82.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/TownLocationName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.82.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.82.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 227](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/CountrySubDivision](#)

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 227

5.82.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 229

5.82.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 227

Usage Guideline details

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 3

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 3

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 3

- on **camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 3

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountServicer/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Party/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)
- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 227](#)

5.83 ProxyAccountIdentification1

Definition: Information related to a proxy identification of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		186
	Identification	<Id>		[1..1]		186

Used in element(s)

"Proxy" on page 42

5.83.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "[ProxyAccountType1Choice](#)" on page 188 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		188
	Proprietary	<Prtry>	Or}	[1..1]		188

5.83.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "Max2048Text" on page 245

5.84 ProxyAccountIdentification1__1

Definition: Information related to a proxy identification of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		187
	Identification	<Id>		[1..1]		187

Used in element(s)

"Proxy" on page 44

5.84.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice__1" on page 188 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		189
	Proprietary	<Prtry>	Or}	[1..1]		189

5.84.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "CBPR_RestrictedFINXMax320Text_Extended" on page 225

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedAccount/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 225](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Account/Proxy/Identification](#)

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 225](#)

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/RelatedAccount/Proxy/Identification](#)

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 225](#)

5.85 ProxyAccountType1Choice

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		188
	Proprietary	<Prtry>	Or}	[1..1]		188

Used in element(s)

["Type" on page 186](#)

5.85.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code" on page 240](#)

5.85.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 246](#)

5.86 ProxyAccountType1Choice__1

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		189
	Proprietary	<Prtry>	Or}	[1..1]		189

Used in element(s)

["Type" on page 187](#)

5.86.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code" on page 240](#)

5.86.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 226](#)

Usage Guideline details

- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/RelatedAccount/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/RelatedAccount/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)
- on [camt.058.001.08/OriginalNotification/OriginalNotificationReference/Account/Proxy/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 226](#)

5.87 Purpose2Choice__1

Definition: Specifies the underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		190
	Proprietary	<Prtry>	Or}	[1..1]		190

Used in element(s)

"Purpose" on page 117

5.87.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Underlying reason for the payment transaction, as published in an external purpose code list.

Datatype: "ExternalPurpose1Code" on page 241

5.87.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 226

Usage Guideline details

- on camt.058.001.08/OriginalNotification/OriginalNotificationReference/OriginalItem/OriginalItemReference/Purpose/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 226

5.88 ReferredDocumentInformation7

Definition: Set of elements used to identify the documents referred to in the remittance information.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		191
	Number	<Nb>		[0..1]		191
	RelatedDate	<RltdDt>		[0..1]		191
	LineDetails	<LineDtls>		[0..*]		191

Used in element(s)

"ReferredDocumentInformation" on page 200

5.88.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document.

The **Tp** block contains the following elements (see datatype "[ReferredDocumentType4](#)" on page 192 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		192
	Issuer	<Issr>		[0..1]		193

5.88.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Unique and unambiguous identification of the referred document.

Datatype: "[Max35Text](#)" on page 246

5.88.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document.

Datatype: "[ISODate](#)" on page 243

5.88.4 LineDetails

XML Tag: LineDtls

Presence: [0..*]

Definition: Set of elements used to provide the content of the referred document line.

The **LineDtls** block contains the following elements (see datatype "[DocumentLineInformation1](#)" on page 65 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		65
	Description	<Desc>		[0..1]		66
	Amount	<Amt>		[0..1]		66

5.89 ReferredDocumentType3Choice

Definition: Specifies the type of the document referred in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		192
	Proprietary	<Prtry>	Or}	[1..1]		192

Used in element(s)

"CodeOrProprietary" on page 192

5.89.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Document type in a coded form.

Datatype: "DocumentType6Code" on page 230

5.89.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "Max35Text" on page 246

5.90 ReferredDocumentType4

Definition: Specifies the type of the document referred in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		192
	Issuer	<Issr>		[0..1]		193

Used in element(s)

"Type" on page 191

5.90.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document.

The **CdOrPrtry** block contains the following elements (see datatype "[ReferredDocumentType3Choice](#)" on page 192 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		192
	Proprietary	<Prtry>	Or}	[1..1]		192

5.90.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Datatype: "[Max35Text](#)" on page 246

5.91 RemittanceAmount2

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		193
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		194
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		194
	TaxAmount	<TaxAmt>		[0..*]		194
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		194
	RemittedAmount	<RmtdAmt>		[0..1]		195

Used in element(s)

"[ReferredDocumentAmount](#)" on page 201

5.91.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: ["ActiveOrHistoricCurrencyAndAmount"](#) on page 219

5.91.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount specified for the referred document is the amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype ["DiscountAmountAndType1"](#) on page 62 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		62
	Amount	<Amt>		[1..1]		62

5.91.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount specified for the referred document is the amount of a credit note.

Datatype: ["ActiveOrHistoricCurrencyAndAmount"](#) on page 219

5.91.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Quantity of cash resulting from the calculation of the tax.

The **TaxAmt** block contains the following elements (see datatype ["TaxAmountAndType1"](#) on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		206
	Amount	<Amt>		[1..1]		206

5.91.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the document adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1" on page 63 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		63
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		64
	Reason	<Rsn>		[0..1]		64
	AdditionalInformation	<AddtlInf>		[0..1]		64

5.91.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.92 RemittanceAmount3

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		195
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		196
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		196
	TaxAmount	<TaxAmt>		[0..*]		196
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		196
	RemittedAmount	<RmtdAmt>		[0..1]		197

Used in element(s)

"Amount" on page 66

5.92.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.92.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAndType1" on page 62 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		62
	Amount	<Amt>		[1..1]		62

5.92.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.92.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Amount of the tax.

The **TaxAmt** block contains the following elements (see datatype "TaxAmountAndType1" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		206
	Amount	<Amt>		[1..1]		206

5.92.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1" on page 63 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		63
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		64
	Reason	<Rsn>		[0..1]		64
	AdditionalInformation	<AddtlInf>		[0..1]		64

5.92.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.93 RemittanceInformation21

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]		197
	Structured	<Strd>		[0..*]		197

Used in element(s)

"RemittanceInformation" on page 118

5.93.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in an unstructured form.

Datatype: "Max140Text" on page 245

5.93.2 Structured

XML Tag: Strd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

The **Strd** block contains the following elements (see datatype "[StructuredRemittanceInformation17](#)" on page 200 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		200
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		201
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		201
	Invoicer	<Invcr>		[0..1]		202
	Invoicee	<Invcee>		[0..1]		202
	TaxRemittance	<TaxRmt>		[0..1]		203
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		203
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		204

5.94 RemittanceLocation7

Definition: Provides information on the remittance advice.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		198
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]		199

Used in element(s)

"[RelatedRemittanceInformation](#)" on page 117

5.94.1 RemittanceIdentification

XML Tag: RmtId

Presence: [0..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the remittance information sent separately from the payment instruction, such as a remittance advice.

Datatype: "[Max35Text](#)" on page 246

5.94.2 RemittanceLocationDetails

XML Tag: RmtLctnDtls

Presence: [0..*]

Definition: Set of elements used to provide information on the location and/or delivery of the remittance information.

The **RmtLctnDtls** block contains the following elements (see datatype "[RemittanceLocationData1](#)" on page 199 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		199
	ElectronicAddress	<ElctrncAdr>		[0..1]		199
	PostalAddress	<PstlAdr>		[0..1]		200

5.95 RemittanceLocationData1

Definition: Provides additional details on the remittance advice.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		199
	ElectronicAddress	<ElctrncAdr>		[0..1]		199
	PostalAddress	<PstlAdr>		[0..1]		200

Used in element(s)

"[RemittanceLocationDetails](#)" on page 199

5.95.1 Method

XML Tag: Mtd

Presence: [1..1]

Definition: Method used to deliver the remittance advice information.

Datatype: "[RemittanceLocationMethod2Code](#)" on page 251

5.95.2 ElectronicAddress

XML Tag: ElctrncAdr

Presence: [0..1]

Definition: Electronic address to which an agent is to send the remittance information.

Datatype: "Max2048Text" on page 245

5.95.3 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Postal address to which an agent is to send the remittance information.

The **PstlAdr** block contains the following elements (see datatype "NameAndAddress16" on page 101 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]		101
	Address	<Adr>		[1..1]		101

5.96 StructuredRemittanceInformation17

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		200
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		201
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		201
	Invoicer	<Invcr>		[0..1]		202
	Invoicee	<Invcee>		[0..1]		202
	TaxRemittance	<TaxRmt>		[0..1]		203
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		203
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		204

Used in element(s)

"Structured" on page 197

5.96.1 ReferredDocumentInformation

XML Tag: RfrdDocInf

Presence: [0..*]

Definition: Provides the identification and the content of the referred document.

The **RfrdDocInf** block contains the following elements (see datatype "[ReferredDocumentInformation7](#)" on page 190 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		191
	Number	<Nb>		[0..1]		191
	RelatedDate	<RltdDt>		[0..1]		191
	LineDetails	<LineDtls>		[0..*]		191

5.96.2 ReferredDocumentAmount

XML Tag: RfrdDocAmt

Presence: [0..1]

Definition: Provides details on the amounts of the referred document.

The **RfrdDocAmt** block contains the following elements (see datatype "[RemittanceAmount2](#)" on page 193 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		193
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		194
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		194
	TaxAmount	<TaxAmt>		[0..*]		194
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		194
	RemittedAmount	<RmtdAmt>		[0..1]		195

5.96.3 CreditorReferenceInformation

XML Tag: CdtrRefInf

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

The **CdtrRefInf** block contains the following elements (see datatype "[CreditorReferenceInformation2](#)" on page 54 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		54
	Reference	<Ref>		[0..1]		55

5.96.4 Invoicer

XML Tag: Invcr

Presence: [0..1]

Definition: Identification of the organisation issuing the invoice, when it is different from the creditor or ultimate creditor.

The **Invcr** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 142 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		142
	PostalAddress	<PstlAdr>		[0..1]		142
	Identification	<Id>		[0..1]		143
	CountryOfResidence	<CtryOfRes>		[0..1]		144
	ContactDetails	<CtctDtls>		[0..1]		144

5.96.5 Invoicee

XML Tag: Invcee

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when it is different from the debtor or ultimate debtor.

The **Invcee** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 142 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		142
	PostalAddress	<PstlAdr>		[0..1]		142
	Identification	<Id>		[0..1]		143
	CountryOfResidence	<CtryOfRes>		[0..1]		144
	ContactDetails	<CtctDtls>		[0..1]		144

5.96.6 TaxRemittance

XML Tag: TaxRmt

Presence: [0..1]

Definition: Provides remittance information about a payment made for tax-related purposes.

The **TaxRmt** block contains the following elements (see datatype "TaxData1" on page 208 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		209
	Debtor	<Dbtr>		[0..1]		209
	UltimateDebtor	<UltmtDbtr>		[0..1]		209
	AdministrationZone	<AdmstnZone>		[0..1]		210
	ReferenceNumber	<RefNb>		[0..1]		210
	Method	<Mtd>		[0..1]		210
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		210
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		210
	Date	<Dt>		[0..1]		210
	SequenceNumber	<SeqNb>		[0..1]		211
	Record	<Rcrd>		[0..*]		211

5.96.7 GarnishmentRemittance

XML Tag: GrnshmtRmt

Presence: [0..1]

Definition: Provides remittance information about a payment for garnishment-related purposes.

The **GrnshmtRmt** block contains the following elements (see datatype "Garnishment3" on page 84 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		84
	Garnishee	<Grnshee>		[0..1]		85
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		85
	ReferenceNumber	<RefNb>		[0..1]		85
	Date	<Dt>		[0..1]		86

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittedAmount	<RmtdAmt>		[0..1]		86
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrncInd>		[0..1]		86
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		86

5.96.8 AdditionalRemittanceInformation

XML Tag: AddtlRmtInf

Presence: [0..3]

Definition: Additional information, in free text form, to complement the structured remittance information.

Datatype: "Max140Text" on page 245

5.97 SupplementaryData1

Definition: Additional information that can not be captured in the structured fields and/or any other specific block.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		204
	Envelope	<Envlp>		[1..1]		205

Rules

R25 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

Used in element(s)

"SupplementaryData" on page 17

5.97.1 PlaceAndName

XML Tag: PlcAndNm

Presence: [0..1]

Definition: Unambiguous reference to the location where the supplementary data must be inserted in the message instance.

In the case of XML, this is expressed by a valid XPath.

Datatype: "Max350Text" on page 246

5.97.2 Envelope

XML Tag: Envp

Presence: [1..1]

Definition: Technical element wrapping the supplementary data.

5.98 TaxAmount3

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		205
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		205
	TotalAmount	<TtlAmt>		[0..1]		205
	Details	<Dtls>		[0..*]		205

Used in element(s)

"TaxAmount" on page 216

5.98.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: "PercentageRate" on page 249

5.98.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.98.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.98.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.

The **Dtls** block contains the following elements (see datatype "[TaxRecordDetails3](#)" on page 217 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		217
	Amount	<Amt>		[1..1]		217

5.99 TaxAmountAndType1

Definition: Specifies the amount with a specific type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		206
	Amount	<Amt>		[1..1]		206

Used in element(s)

"[TaxAmount](#)" on page 194, "[TaxAmount](#)" on page 196

5.99.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[TaxAmountType1Choice](#)" on page 207 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		207
	Proprietary	<Prtry>	Or}	[1..1]		207

5.99.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 219](#)

5.100 TaxAmountType1Choice

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		207
	Proprietary	<Prtry>	Or}	[1..1]		207

Used in element(s)

["Type" on page 206](#)

5.100.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalTaxAmountType1Code" on page 242](#)

5.100.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["Max35Text" on page 246](#)

5.101 TaxAuthorisation1

Definition: Details of the authorised tax paying party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		208
	Name	<Nm>		[0..1]		208

Used in element(s)"Authorisation" on page 213

5.101.1 Title

XML Tag: Titl*Presence:* [0..1]*Definition:* Title or position of debtor or the debtor's authorised representative.*Datatype:* "Max35Text" on page 246

5.101.2 Name

XML Tag: Nm*Presence:* [0..1]*Definition:* Name of the debtor or the debtor's authorised representative.*Datatype:* "Max140Text" on page 245

5.102 TaxData1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		209
	Debtor	<Dbtr>		[0..1]		209
	UltimateDebtor	<UltmtDbtr>		[0..1]		209
	AdministrationZone	<AdmstnZone>		[0..1]		210
	ReferenceNumber	<RefNb>		[0..1]		210
	Method	<Mtd>		[0..1]		210
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		210
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		210
	Date	<Dt>		[0..1]		210
	SequenceNumber	<SeqNb>		[0..1]		211
	Record	<Rcrd>		[0..*]		211

Used in element(s)"TaxRemittance" on page 203

5.102.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "[TaxParty1](#)" on page 211 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		212
	RegistrationIdentification	<RegnId>		[0..1]		212
	TaxType	<TaxTp>		[0..1]		212

5.102.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "[TaxParty2](#)" on page 212 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		213
	RegistrationIdentification	<RegnId>		[0..1]		213
	TaxType	<TaxTp>		[0..1]		213
	Authorisation	<Authstn>		[0..1]		213

5.102.3 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the taxing authority.

The **UltmtDbtr** block contains the following elements (see datatype "[TaxParty2](#)" on page 212 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		213
	RegistrationIdentification	<RegnId>		[0..1]		213
	TaxType	<TaxTp>		[0..1]		213
	Authorisation	<Authstn>		[0..1]		213

5.102.4 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: "Max35Text" on page 246

5.102.5 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: "Max140Text" on page 245

5.102.6 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: "Max35Text" on page 246

5.102.7 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.102.8 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

5.102.9 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: ["ISODate" on page 243](#)

5.102.10 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: ["Number" on page 248](#)

5.102.11 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype ["TaxRecord3" on page 214](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		215
	Category	<Ctgy>		[0..1]		215
	CategoryDetails	<CtgyDtls>		[0..1]		215
	DebtorStatus	<DbtrSts>		[0..1]		215
	CertificateIdentification	<CertId>		[0..1]		216
	FormsCode	<FrmsCd>		[0..1]		216
	Period	<Prd>		[0..1]		216
	TaxAmount	<TaxAmt>		[0..1]		216
	AdditionalInformation	<AddtlInf>		[0..1]		217

5.103 TaxParty1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		212

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RegistrationIdentification	<RegnId>		[0..1]		212
	TaxType	<TaxTp>		[0..1]		212

Used in element(s)

"Creditor" on page 209

5.103.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "Max35Text" on page 246

5.103.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "Max35Text" on page 246

5.103.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "Max35Text" on page 246

5.104 TaxParty2

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		213
	RegistrationIdentification	<RegnId>		[0..1]		213
	TaxType	<TaxTp>		[0..1]		213
	Authorisation	<Authstn>		[0..1]		213

Used in element(s)

"Debtor" on page 209, "UltimateDebtor" on page 209

5.104.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: "Max35Text" on page 246

5.104.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "Max35Text" on page 246

5.104.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "Max35Text" on page 246

5.104.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype "TaxAuthorisation1" on page 207 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		208
	Name	<Nm>		[0..1]		208

5.105 TaxPeriod3

Definition: Period of time details related to the tax payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		214
	Type	<Tp>		[0..1]		214
	FromToDate	<FrToDt>		[0..1]		214

Used in element(s)

"Period" on page 216, "Period" on page 217

5.105.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: "ISOYear" on page 244

5.105.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: "TaxRecordPeriod1Code" on page 252

5.105.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype "DatePeriod2" on page 61 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		61
	ToDate	<ToDt>		[1..1]		61

5.106 TaxRecord3

Definition: Set of elements used to define the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		215
	Category	<Ctgy>		[0..1]		215
	CategoryDetails	<CtgyDtls>		[0..1]		215
	DebtorStatus	<DbtrSts>		[0..1]		215
	CertificateIdentification	<CertId>		[0..1]		216
	FormsCode	<FrmsCd>		[0..1]		216
	Period	<Prd>		[0..1]		216
	TaxAmount	<TaxAmt>		[0..1]		216
	AdditionalInformation	<AddtlInf>		[0..1]		217

Used in element(s)

"Record" on page 211

5.106.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: "Max35Text" on page 246

5.106.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: "Max35Text" on page 246

5.106.3 CategoryDetails

XML Tag: CtgyDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: "Max35Text" on page 246

5.106.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: "Max35Text" on page 246

5.106.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: "Max35Text" on page 246

5.106.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: "Max35Text" on page 246

5.106.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod3" on page 213 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		214
	Type	<Tp>		[0..1]		214
	FromDate	<FrToDt>		[0..1]		214

5.106.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "TaxAmount3" on page 205 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		205

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		205
	TotalAmount	<TtlAmt>		[0..1]		205
	Details	<Dtls>		[0..*]		205

5.106.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "Max140Text" on page 245

5.107 TaxRecordDetails3

Definition: Provides information on the individual tax amount(s) per period of the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		217
	Amount	<Amt>		[1..1]		217

Used in element(s)

"Details" on page 205

5.107.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod3" on page 213 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		214
	Type	<Tp>		[0..1]		214
	FromToDate	<FrToDt>		[0..1]		214

5.107.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 219

6 Message Datatypes

Note The following chapter identifies the datatypes that are used in the message.

6.1 ActiveOrHistoricCurrencyAndAmount

Definition: A number of monetary units specified in an active or a historic currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveOrHistoricCurrencyCode" on page 219

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules

R20 CurrencyAmount ✓

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

"Amount" on page 111, "Amount" on page 62, "Amount" on page 63, "Amount" on page 206, "Amount" on page 217, "CreditNoteAmount" on page 194, "CreditNoteAmount" on page 196, "Due-PayableAmount" on page 193, "DuePayableAmount" on page 195, "RemittedAmount" on page 86, "RemittedAmount" on page 195, "RemittedAmount" on page 197, "TaxableBaseAmount" on page 205, "TotalAmount" on page 126, "TotalAmount" on page 205, "TotalTaxAmount" on page 210, "TotalTaxable-BaseAmount" on page 210

6.2 ActiveOrHistoricCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme, as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern [A-Z]{3,3}

Rules**R21 ActiveOrHistoricCurrency ✓**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00006
- *Error Text:* Invalid currency code.

Used in element(s)

["Currency" on page 44](#), ["Currency" on page 41](#)

Used in attribute(s)

["ActiveOrHistoricCurrencyAndAmount" on page 219](#)

Restricts

["ParentCurrencyCode" on page 248](#)

6.3 AddressType2Code

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Used in element(s)

["Code" on page 22](#)

Restricts

["AddressTypeCode" on page 221](#)

6.4 AddressTypeCode

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Is restricted by

"AddressType2Code" on page 220

6.5 AmountDirectionCode

Definition: Specifies if an operation is an increase or a decrease or the result of a reversal operation.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.
RVCD	ReversalCredit	Debit entry used to reverse a previously booked credit entry.
RVDB	ReversalDebit	Credit entry used to reverse a previously booked debit entry.

Is restricted by

"CreditDebitCode" on page 230

6.6 AnyBICDec2014Identifier

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules**R6 AnyBIC ✓**

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00008
- *Error Text:* Invalid BIC.

Used in element(s)

"AnyBIC" on page 107, "AnyBIC" on page 106

6.7 BICFIDec2014Identifier

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules**R4 BICFI ✓**

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00001
- *Error Text:* Invalid FI BIC.

Used in element(s)

"BICFI" on page 81, "BICFI" on page 72, "BICFI" on page 76, "BICFI" on page 69

6.8 CBPR_Date

Definition: This Type restricts the base ISODate to YYYY (exactly 4 digits for the Year) and does not allow use of UTC offset or Zulu indicator with a date.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Date

Format

pattern [0-9]{4}-[0-9]{2}-[0-9]{2}

Used in element(s)

"BirthDate" on page 58, "ExpectedValueDate" on page 111

6.9 CBPR_DateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm).

This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 2020-07-16T19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: DateTime

Format

pattern .*(\+|-)((0[0-9])|(1[0-4])):[0-5][0-9]

Used in element(s)

"CreationDate" on page 38, "CreationDateTime" on page 99, "OriginalCreationDateTime" on page 119

6.10 CBPR_NotificationToReceiveCancellation-Reason1Code

Definition: Reason for the cancellation request, in a coded form.

This datatype has been created by the Publisher of this Usage Guideline.

Type: CodeSet

Code	Name	Definition
DUPL	DuplicatePayment	Payment is a duplicate of another payment.
NARR	Narrative	Reason is provided as narrative information in the additional reason information.
NOLE	EntryNoLongerExpected	The payment is cancelled since the entry is no longer expected.

Used in element(s)

"Code" on page 102

6.11 CBPR_RestrictedFINXMax105Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 105 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	105
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+]+

Used in element(s)

"AdditionalInformation" on page 105

6.12 CBPR_RestrictedFINXMax140Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1

pattern [0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&!*^_`{\|}~";<>@[\\]]+

Used in element(s)

["Name" on page 145](#), ["Name" on page 73](#), ["Name" on page 148](#), ["Name" on page 77](#)

6.13 CBPR_RestrictedFINXMax16Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&!*^_`{\|}~";<>@[\\]]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&!*^_`{\ }~";<>@[\\]]+

Used in element(s)

["BuildingNumber" on page 164](#), ["BuildingNumber" on page 179](#), ["PostBox" on page 167](#), ["PostBox" on page 181](#), ["PostCode" on page 169](#), ["PostCode" on page 182](#)

6.14 CBPR_RestrictedFINXMax28Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 28 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	28
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+]+

Used in element(s)

["MemberIdentification" on page 50](#)

6.15 CBPR_RestrictedFINXMax320Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 320 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	320
minLength	1
pattern	[0-9a-zA-Z\\-\\?:\\(\\)\\.\\'\\+ !#\$%&*^_`\\{\\ \\}~\\\";\\<\\>@\\[\\]\\\\]+

Used in element(s)

["Identification" on page 187](#)

6.16 CBPR_RestrictedFINXMax34Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 34 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	34
minLength	1
pattern	(([0-9a-zA-Z\\-\\?:\\(\\)\\.\\'\\+]([0-9a-zA-Z\\-\\?:\\(\\)\\.\\'\\+]*([0-9a-zA-Z\\-\\?:\\(\\)\\.\\'\\+])?)*

Used in element(s)

["Identification" on page 89](#)

6.17 CBPR_RestrictedFINXMax35Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
-----------	----

minLength	1
pattern	[0-9a-zA-Z/\-?:(\)\.,'+]+

Used in element(s)

["BusinessMessageIdentifier" on page 37](#), ["BusinessService" on page 38](#), ["Identification" on page 94](#), ["Identification" on page 97](#), ["Issuer" on page 95](#), ["Issuer" on page 98](#), ["Issuer" on page 90](#), ["MessageDefinitionIdentifier" on page 37](#), ["MessageIdentification" on page 99](#), ["OriginalEndToEndIdentification" on page 111](#), ["OriginalItemIdentification" on page 110](#), ["OriginalMessageIdentification" on page 119](#), ["OriginalNotificationIdentification" on page 119](#), ["Proprietary" on page 109](#), ["Proprietary" on page 156](#), ["Proprietary" on page 22](#), ["Proprietary" on page 46](#), ["Proprietary" on page 189](#), ["Proprietary" on page 190](#)

6.18 CBPR_RestrictedFINXMax35Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-?:(\)\.,'+ !#\$%&*='^_`{ }~";<>@[]+]

Used in element(s)

["AddressLine" on page 185](#), ["BuildingName" on page 165](#), ["BuildingName" on page 180](#), ["CityOfBirth" on page 59](#), ["CityOfBirth" on page 60](#), ["CountrySubDivision" on page 173](#), ["CountrySubDivision" on page 184](#), ["DistrictName" on page 172](#), ["DistrictName" on page 184](#), ["ProvinceOfBirth" on page 58](#), ["ProvinceOfBirth" on page 60](#), ["TownLocationName" on page 171](#), ["TownLocationName" on page 183](#), ["TownName" on page 170](#), ["TownName" on page 183](#)

6.19 CBPR_RestrictedFINXMax70Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1

pattern [0-9a-zA-Z/\-!\?:\(\)\.,'\+]+

Used in element(s)

["Name" on page 44](#)

6.20 CBPR_RestrictedFINXMax70Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'\+ !#\$%&*^_`{ }~";<>@[\\]]+

Used in element(s)

["AddressLine" on page 175](#), ["Department" on page 162](#), ["Department" on page 178](#), ["Floor" on page 166](#), ["Floor" on page 180](#), ["Room" on page 168](#), ["Room" on page 182](#), ["StreetName" on page 164](#), ["StreetName" on page 179](#), ["SubDepartment" on page 163](#), ["SubDepartment" on page 178](#)

6.21 CopyDuplicate1Code

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Used in element(s)

["CopyDuplicate" on page 39](#)

Restricts

["CopyDuplicateCode" on page 229](#)

6.22 CopyDuplicateCode

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Is restricted by

["CopyDuplicate1Code" on page 228](#)

6.23 CountryCode

Definition: Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Type: CodeSet

Format

pattern [A-Z]{2,2}

Rules**R5 Country ✓**

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00004
- *Error Text:* Invalid Country Code.

Used in element(s)

["Country" on page 174](#), ["Country" on page 185](#), ["Country" on page 160](#), ["CountryOfBirth" on page 59](#), ["CountryOfBirth" on page 61](#), ["CountryOfBirth" on page 57](#), ["CountryOfResidence" on page 147](#), ["CountryOfResidence" on page 150](#), ["CountryOfResidence" on page 144](#)

6.24 CreditDebitCode

Definition: Specifies if an operation is an increase or a decrease.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Used in element(s)

"CreditDebitIndicator" on page 64

Restricts

"AmountDirectionCode" on page 221

6.25 DocumentType3Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Used in element(s)

"Code" on page 55

Restricts

"DocumentTypeCode" on page 231

6.26 DocumentType6Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Used in element(s)

"Code" on page 192

Restricts

"DocumentTypeCode" on page 231

6.27 DocumentTypeCode

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CRCP	CustomerReceipt	When the Sale System requires the POI system to print the Customer receipt.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
HRCP	CashierReceipt	When the Sale system print the Cashier copy of the Payment receipt.
JNRL	Journal	When the POI or the Sale System wants to store a message on the journal printer or electronic journal of the Sale Terminal (it is sometimes a Sale Logging/Journal Printer).
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Code	Name	Definition
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
SRCP	SaleReceipt	When the Sale System requires the POI system to print the Sale receipt.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Is restricted by

"DocumentType3Code" on page 230, "DocumentType6Code" on page 230

6.28 Exact4AlphaNumericText

Definition: Specifies an alphanumeric string with a length of 4 characters.

Type: Text

Format

pattern [a-zA-Z0-9]{4}

Used in element(s)

"Identification" on page 92

6.29 ExternalAccountIdentification1Code

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4
minLength 1

Used in element(s)

"Code" on page 21, "Code" on page 21

Restricts

"ExternalAccountIdentificationCode" on page 234

6.30 ExternalAccountIdentificationCode

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalAccountIdentification1Code" on page 233

6.31 ExternalCashAccountType1Code

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 46, "Code" on page 45

Restricts

"ExternalCashAccountTypeCode" on page 234

6.32 ExternalCashAccountTypeCode

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCashAccountType1Code" on page 234

6.33 ExternalClearingSystemIdentification1Code

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Used in element(s)

"Code" on page 47

Restricts

"ExternalClearingSystemIdentificationCode" on page 235

6.34 ExternalClearingSystemIdentificationCode

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Is restricted by

"ExternalClearingSystemIdentification1Code" on page 235

6.35 ExternalDiscountAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 63

Restricts

"ExternalDiscountAmountTypeCode" on page 236

6.36 ExternalDiscountAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDiscountAmountType1Code" on page 235

6.37 ExternalDocumentLineType1Code

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 68

Restricts

"ExternalDocumentLineTypeCode" on page 237

6.38 ExternalDocumentLineTypeCode

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDocumentLineType1Code" on page 236

6.39 ExternalFinancialInstitutionIdentification1Code

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 68

Restricts

"ExternalFinancialInstitutionIdentificationCode" on page 237

6.40 ExternalFinancialInstitutionIdentificationCode

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalFinancialInstitutionIdentification1Code" on page 237

6.41 ExternalGarnishmentType1Code

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 87

Restricts

"ExternalGarnishmentTypeCode" on page 238

6.42 ExternalGarnishmentTypeCode

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalGarnishmentType1Code" on page 238

6.43 ExternalOrganisationIdentification1Code

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 109](#), ["Code" on page 108](#)

Restricts

["ExternalOrganisationIdentificationCode" on page 239](#)

6.44 ExternalOrganisationIdentificationCode

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalOrganisationIdentification1Code" on page 238](#)

6.45 ExternalPersonIdentification1Code

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 156](#), ["Code" on page 155](#)

Restricts

["ExternalPersonIdentificationCode" on page 240](#)

6.46 ExternalPersonIdentificationCode

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalPersonIdentification1Code" on page 239](#)

6.47 ExternalProxyAccountType1Code

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 189](#), ["Code" on page 188](#)

Restricts

["ExternalProxyAccountTypeCode" on page 240](#)

6.48 ExternalProxyAccountTypeCode

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalProxyAccountType1Code" on page 240

6.49 ExternalPurpose1Code

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 190

Restricts

"ExternalPurposeCode" on page 241

6.50 ExternalPurposeCode

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalPurpose1Code" on page 241

6.51 ExternalTaxAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 207

Restricts

"ExternalTaxAmountTypeCode" on page 242

6.52 ExternalTaxAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalTaxAmountType1Code" on page 242

6.53 GroupCancellationIndicator

Definition: Indicates whether or not it is a group cancellation.

Type: Indicator

Meaning When True: Indicates that the cancellation applies to the complete group.

Meaning When False: Indicates that the cancellation applies to individual items within the group.

Used in element(s)

["NotificationCancellation" on page 120](#)

6.54 IBAN2007Identifier

Definition: The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

Type: IdentifierSet

Format

pattern [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rules
R23 IBAN ✓

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00003
- *Error Text:* Invalid IBAN format or invalid check digits.

Used in element(s)

["IBAN" on page 20](#), ["IBAN" on page 19](#)

6.55 ISODate

Definition: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Type: Date

Used in element(s)

["BirthDate" on page 60](#), ["BirthDate" on page 57](#), ["Date" on page 86](#), ["Date" on page 210](#), ["ExpectedValueDate" on page 126](#), ["FromDate" on page 61](#), ["RelatedDate" on page 65](#), ["RelatedDate" on page 191](#), ["ToDate" on page 61](#)

6.56 ISODateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:mm:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Type: DateTime

6.57 ISOYear

Definition: Year represented by YYYY (ISO 8601).

Type: Year

Used in element(s)

"Year" on page 214

6.58 LEIIdentifier

Definition: Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

Type: IdentifierSet

Format

pattern	[A-Z0-9]{18,18}[0-9]{2,2}
---------	---------------------------

Used in element(s)

"LEI" on page 82, "LEI" on page 107, "LEI" on page 72, "LEI" on page 76, "LEI" on page 34, "LEI" on page 69, "LEI" on page 106

6.59 Max128Text

Definition: Specifies a character string with a maximum length of 128 characters.

Type: Text

Format

maxLength	128
minLength	1

Used in element(s)

"Identification" on page 129

6.60 Max140Text

Definition: Specifies a character string with a maximum length of 140 characters.

Type: Text

Format

maxLength	140
minLength	1

Used in element(s)

"AdditionalInformation" on page 64, "AdditionalInformation" on page 217, "AdditionalRemittanceInformation" on page 204, "Name" on page 82, "Name" on page 34, "Name" on page 52, "Name" on page 70, "Name" on page 101, "Name" on page 142, "Name" on page 208, "ReferenceNumber" on page 85, "ReferenceNumber" on page 210, "Unstructured" on page 197

6.61 Max16Text

Definition: Specifies a character string with a maximum length of 16 characters.

Type: Text

Format

maxLength	16
minLength	1

Used in element(s)

"BuildingNumber" on page 158, "PostBox" on page 159, "PostCode" on page 159

6.62 Max2048Text

Definition: Specifies a character string with a maximum length of 2048 characters.

Type: Text

Format

maxLength	2048
minLength	1

Used in element(s)

"Description" on page 66, "ElectronicAddress" on page 199, "EmailAddress" on page 53, "Identification" on page 101, "Identification" on page 186

6.63 Max34Text

Definition: Specifies a character string with a maximum length of 34 characters.

Type: Text

Format

maxLength	34
minLength	1

Used in element(s)

"Identification" on page 88

6.64 Max350Text

Definition: Specifies a character string with a maximum length of 350 characters.

Type: Text

Format

maxLength	350
minLength	1

Used in element(s)

"PlaceAndName" on page 204, "Registry" on page 100

6.65 Max35Text

Definition: Specifies a character string with a maximum length of 35 characters.

Type: Text

Format

maxLength	35
minLength	1

Used in element(s)

"AdministrationZone" on page 210, "BuildingName" on page 158, "Category" on page 215, "Category-Details" on page 215, "CertificateIdentification" on page 216, "CityOfBirth" on page 57, "CountrySub-Division" on page 160, "DebtorStatus" on page 215, "DistrictName" on page 159, "EmailPurpose" on page 53, "FormsCode" on page 216, "Identification" on page 34, "Identification" on page 91, "Identification" on page 93, "Identification" on page 96, "Issuer" on page 56, "Issuer" on page 67, "Issuer" on page 87, "Issuer" on page 89, "Issuer" on page 91, "Issuer" on page 92, "Issuer" on page 93, "Issuer" on page 96, "Issuer" on page 193, "JobTitle" on page 53, "MemberIdentification" on page 48, "Method" on page 210, "Number" on page 65, "Number" on page 191, "Proprietary" on page 103, "Proprietary" on page 21, "Proprietary" on page 45, "Proprietary" on page 47, "Proprietary" on page 55, "Proprietary" on page 63, "Proprietary" on page 68, "Proprietary" on page 68, "Proprietary" on page 88, "Proprietary" on page 108, "Proprietary" on page 155, "Proprietary" on page 188, "Proprietary" on page 192, "Propri-

[etary](#)" on page 207, ["ProvinceOfBirth"](#) on page 57, ["Reference"](#) on page 55, ["RegistrationIdentification"](#) on page 212, ["RegistrationIdentification"](#) on page 213, ["RemittanceIdentification"](#) on page 198, ["Responsibility"](#) on page 53, ["SchemeName"](#) on page 92, ["TaxIdentification"](#) on page 212, ["TaxIdentification"](#) on page 213, ["TaxType"](#) on page 212, ["TaxType"](#) on page 213, ["Title"](#) on page 208, ["TownLocationName"](#) on page 159, ["TownName"](#) on page 159, ["Type"](#) on page 215

6.66 Max4Text

Definition: Specifies a character string with a maximum length of 4 characters.

Type: Text

Format

maxLength	4
minLength	1

Used in element(s)

["ChannelType"](#) on page 129, ["Reason"](#) on page 64

6.67 Max70Text

Definition: Specifies a character string with a maximum length of 70characters.

Type: Text

Format

maxLength	70
minLength	1

Used in element(s)

["AddressLine"](#) on page 160, ["Department"](#) on page 53, ["Department"](#) on page 158, ["Floor"](#) on page 158, ["Name"](#) on page 42, ["Room"](#) on page 159, ["StreetName"](#) on page 158, ["SubDepartment"](#) on page 158

6.68 NamePrefix2Code

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Used in element(s)

["NamePrefix" on page 52](#)

Restricts

["NamePrefixCode" on page 248](#)

6.69 NamePrefixCode

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Is restricted by

["NamePrefix2Code" on page 247](#)

6.70 Number

Definition: Number of objects represented as an integer.

Type: Quantity

Format

fractionDigits	0
totalDigits	18

Used in element(s)

["SequenceNumber" on page 211](#)

6.71 ParentCurrencyCode

Definition: Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.

Type: CodeSet

Format

pattern	[A-Z]{3,3}
---------	------------

Is restricted by

["ActiveOrHistoricCurrencyCode" on page 219](#)

6.72 PercentageRate

Definition: Rate expressed as a percentage, that is, in hundredths, for example, 0.7 is 7/10 of a percent, and 7.0 is 7%.

Type: Rate

Format

fractionDigits	10
totalDigits	11

Used in element(s)

["Rate" on page 205](#)

6.73 PhoneNumber

Definition: The collection of information which identifies a specific phone or FAX number as defined by telecom services.

It consists of a "+" followed by the country code (from 1 to 3 characters) then a "-" and finally, any combination of numbers, "(", ")", "+", and "-" (up to 30 characters).

Type: Text

Format

pattern	\+[0-9]{1,3}-[0-9()+\-\]{1,30}
---------	--------------------------------

Used in element(s)

["FaxNumber" on page 53](#), ["MobileNumber" on page 52](#), ["PhoneNumber" on page 52](#)

6.74 PreferredContactMethod1Code

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.

Code	Name	Definition
PHON	Phone	Preferred method used to reach the contact is per phone.

Used in element(s)

["PreferredMethod" on page 54](#)

Restricts

["PreferredContactMethodCode" on page 250](#)

6.75 PreferredContactMethodCode

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
ONLI	Online	Preferred method used to reach the contact is online.
PHON	Phone	Preferred method used to reach the contact is per phone.

Is restricted by

["PreferredContactMethod1Code" on page 249](#)

6.76 Priority2Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

Used in element(s)

["Priority" on page 39](#)

Restricts

["PriorityCode" on page 251](#)

6.77 PriorityCode

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
LOWW	Low	Priority level is low.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Is restricted by

["Priority2Code" on page 250](#)

6.78 RemittanceLocationMethod2Code

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Used in element(s)

["Method" on page 199](#)

Restricts

["RemittanceLocationMethodCode" on page 252](#)

6.79 RemittanceLocationMethodCode

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Is restricted by

["RemittanceLocationMethod2Code" on page 251](#)

6.80 TaxRecordPeriod1Code

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.

Code	Name	Definition
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Used in element(s)

["Type" on page 214](#)

Restricts

["TaxRecordPeriodCode" on page 253](#)

6.81 TaxRecordPeriodCode

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.

Code	Name	Definition
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Is restricted by

"TaxRecordPeriod1Code" on page 252

6.82 TrueFalseIndicator

Definition: A flag indicating a True or False value.

Type: Indicator

Meaning When True: True

Meaning When False: False

Used in element(s)

"EmployeeTerminationIndicator" on page 86, "FamilyMedicalInsuranceIndicator" on page 86

6.83 UUIDv4Identifier

Definition: Universally Unique Identifier (UUID) version 4, as described in IETF RFC 4122 "Universally Unique Identifier (UUID) URN Namespace".

Type: IdentifierSet

Format

pattern [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}

Used in element(s)

"UETR" on page 111

6.84 UnicodeChartsCode

*Definition:*odelist containing the names of the UNICODE code block name as specified on <http://unicode.org/Public/UNIDATA/Blocks.txt>.

Type: CodeSet

Rules

R2 ValidationByTable

Error handling: Undefined

Used in element(s)

"CharacterSet" on page 36

6.85 YesNoIndicator

Definition: Indicates a "Yes" or "No" type of answer for an element.

Type: Indicator

Meaning When True: Yes

Meaning When False: No

Used in element(s)

"PossibleDuplicate" on page 39

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.