



Usage Guideline

CBPRPlus-camt.057.001.06_NotificationTo-Receive

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message **MX camt.057.001.06**. You can also consult [this information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

20 February 2026

Table of Contents

Message Functionality 3

1 Restriction summary 5

2 Structure 7

3 ISO 20022 Rules 9

4 Message Building Blocks 10

5 Message Components 18

6 Message Datatypes 217

Legal Notices 253

Message Functionality

This Usage Guideline is based on the camt.057.001.06 message definition. In addition, Cross Border Payments and Reporting Plus (CBPR+) has defined usage of BusinessApplicationHeaderV02 as mandatory. The following section will be dealing with the camt.057.001.06 only.

Overview

Principles:

1A. AGENTS IDENTIFICATION - Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) - However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

1B. DEBTOR - PARTY IDENTIFICATION - Textual Rules

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*='^_ '{|}~";<>@[\\]

< is replaced with <

> is replaced with >

3. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Collection Description

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Outline

The CBPRPlus SR2026 (Combined) / CBPRPlus-camt.057.001.06_NotificationToReceive message is composed of 3 building blocks

a. GroupHeader

Set of elements used to provide further details on the message.

b. Notification

Set of elements used to provide further details on the account notification.

c. SupplementaryData

Additional information that cannot be captured in the structured elements and/or any other specific block.

1 Restriction summary

This Usage Guideline restricts the camt.057.001.06 message. This also includes the BusinessApplicationHeaderV02.

Restriction Type	See page
Removed elements	13, 14, 17, 37, 37, 37, 37, 37, 37, 37, 37, 37, 38, 38, 39, 39, 44, 45, 51, 51, 52, 52, 52, 52, 52, 52, 52, 52, 52, 81, 81, 81, 81, 81, 81, 82, 82, 82, 83, 83, 83, 84, 84, 84, 85, 85, 85, 85, 85, 85, 85, 85, 108, 109, 109, 113, 114, 115, 115, 115, 115, 118, 119, 119, 119, 121, 121, 121, 122, 135, 136, 136, 136, 137, 137, 137, 137, 138, 138, 138, 138, 138, 138, 138, 139, 139, 139, 139, 139, 139, 139, 139, 140, 143, 146, 146, 149, 158, 159, 159, 159, 164, 164, 164, 164, 164, 164, 164, 164, 164, 164, 164, 164, 164, 164
Make mandatory	12, 54, 54, 54, 54, 54, 54, 54, 54, 55, 55, 55, 55, 55, 82, 82, 83, 83, 96, 96, 96, 98, 100, 100, 101, 102, 114, 175, 175, 175, 175, 175, 175, 175, 175, 176, 176, 176, 176, 181, 181, 181, 181, 181, 181, 181, 181, 181, 181, 181, 181, 185, 185, 185
Reduce Multiplicity	15, 116, 116, 116, 118, 153, 155, 155, 156, 182, 182, 182, 182, 182, 182, 182, 182, 182, 182, 182, 183, 183
Ignore	n.a.
Text rules	15, 24, 24, 24, 26, 26, 26, 27, 27, 27, 27, 42, 43, 43, 43, 80, 80, 80, 80, 80, 80, 81, 81, 111, 111, 111, 111, 112, 112, 112, 112, 129, 129, 129, 130, 131, 131, 132, 132, 132, 132, 132, 132, 133, 134, 134, 134, 134, 135, 141, 144, 144, 147
Conditional rules	n.a.
Formal rules	10, 16, 25, 33, 33, 34, 34, 34, 35, 35, 35, 36, 110, 128, 128, 130, 130, 130, 131, 133, 133
Fixed values	12, 12
Truncates	n.a.
Comments	n.a.
Annotations	n.a.
Changed datatypes	11, 13, 14, 23, 25, 30, 30, 30, 42, 43, 43, 44, 45, 49, 49, 49, 50, 51,

Restriction Type	See page
	51, 55, 55, 55, 55, 55, 56, 56, 56, 56, 56, 56, 56, 56, 63, 63, 63, 63, 64, 64, 65, 65, 66, 66, 73, 74, 78, 78, 78, 78, 78, 79, 79, 79, 79, 91, 91, 91, 92, 92, 92, 95, 95, 96, 97, 97, 97, 97, 98, 100, 100, 100, 101, 101, 101, 102, 102, 103, 103, 107, 107, 110, 119, 119, 120, 140, 143, 143, 146, 159, 159, 159, 165, 165, 165, 165, 165, 165, 165, 165, 165, 165, 165, 165, 165, 166, 166, 166, 166, 166, 166, 166, 166, 166, 166, 166, 166, 167, 167, 167, 167, 167, 167, 167, 167, 167, 167, 167, 168, 168, 168, 168, 168, 168, 168, 168, 168, 168, 169, 169, 169, 169, 169, 169, 169, 169, 169, 169, 169, 170, 170, 170, 170, 170, 170, 170, 170, 170, 170, 170, 171, 171, 171, 171, 171, 171, 171, 171, 171, 171, 171, 172, 172, 172, 172, 172, 172, 172, 172, 172, 172, 172, 172, 173, 173, 173, 173, 173, 173, 173, 173, 173, 173, 173, 173, 173, 174, 174, 174, 174, 174, 174, 174, 174, 174, 174, 175, 175, 175, 176, 176, 176, 176, 176, 176, 176, 176, 176, 177, 177, 177, 177, 177, 177, 177, 177, 177, 177, 177, 178, 178, 178, 178, 178, 178, 178, 178, 178, 178, 179, 179, 179, 179, 179, 179, 179, 179, 179, 179, 179, 180, 180, 180, 180, 180, 180, 180, 180, 180, 180, 180, 183, 183, 183, 183, 183, 183, 183, 183, 183, 183, 183, 183, 184, 186, 186, 186, 187, 187, 187, 188
Extensions	n.a.
Synonyms	n.a.

2 Structure

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	<i>BusinessApplicationHeaderV02</i>	<AppHdr>		[1..1]		
	CharacterSet	<CharSet>		[0..1]		10
	From	<Fr>		[1..1]		10
	OrganisationIdentification	<OrgId>	{Or	[1..1]		135
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		136
	To	<To>		[1..1]		11
	OrganisationIdentification	<OrgId>	{Or	[1..1]		135
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		136
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		11
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		11
	BusinessService	<BizSvc>		[0..1]	 	12
	MarketPractice	<MktPrctc>		[0..1]		12
	Registry	<Regy>		[1..1]		104
	Identification	<Id>		[1..1]		104
	CreationDate	<CreDt>		[1..1]		13
	BusinessProcessingDate	<BizPrctgDt>		[0..1]		13
	CopyDuplicate	<CpyDplct>		[0..1]		13
	PossibleDuplicate	<PssblDplct>		[0..1]		13
	Priority	<Prty>		[0..1]		14
	Signature	<Sgntr>		[0..1]		14
	Related	<Rltd>		[0..*]	 R[0..1]	14
	CharacterSet	<CharSet>		[0..1]		41
	From	<Fr>		[1..1]		41
	To	<To>		[1..1]		42
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		42
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		42
	BusinessService	<BizSvc>		[0..1]		43
	CreationDate	<CreDt>		[1..1]		44

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CopyDuplicate	<CpyDplct>		[0..1]		44
	PossibleDuplicate	<PssblDplct>		[0..1]		44
	Priority	<Prty>		[0..1]		45
	Signature	<Sgntr>		[0..1]		45
	<i>NotificationToReceiveV06</i>	<NtfctnToRcv>		[1..1]		
	GroupHeader	<GrpHdr>		[1..1]		15
	MessageIdentification	<MsgId>		[1..1]		103
	CreationDateTime	<CreDtTm>		[1..1]		103
	MessageSender	<MsgSndr>		[0..1]		103
	Notification	<Ntfctn>		[1..1]		16
	Identification	<Id>		[1..1]		22
	Account	<Acct>		[0..1]		23
	AccountOwner	<AcctOwnr>		[0..1]		23
	AccountServicer	<AcctSvcr>		[0..1]		23
	RelatedAccount	<RltdAcct>		[0..1]		24
	TotalAmount	<TtlAmt>		[0..1]		25
	ExpectedValueDate	<XpctdValDt>		[0..1]		25
	Debtor	<Dbtr>		[0..1]		25
	DebtorAgent	<DbtrAgt>		[0..1]		26
	IntermediaryAgent	<IntrmyAgt>		[0..1]		27
	Item	<Itm>		[1..*]		28
	SupplementaryData	<SplmtryData>		[0..*]		17
	PlaceAndName	<PlcAndNm>		[0..1]		202
	Envelope	<Envlp>		[1..1]		203

3 ISO 20022 Rules

R1 **RelatedPresentWhenCopyDupl** ✓

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Error handling:

- *Error severity:* Warning
- *Error Code:* H00001
- *Error Text:* Element Related is missing

4 Message Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-camt.057.001.06_NotificationToReceive message definition.

Usage Guideline on Root Node

- on camt.057.001.06/fullmessage

- **CBPR_BusinessMessageIdentifier_FormalRule:**

The Business Message Identifier must match the Message Identification in the Group Header.

For each [Full Message], every occurrence of [Full Message/BusinessApplication-HeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/NotificationToReceiveV06/GroupHeader/MessageIdentification] value

4.1 Header Building Blocks

Note The following chapter identifies the building blocks of the BusinessApplicationHeaderV02 definition.

4.1.1 CharSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: ["UnicodeChartsCode" on page 251](#)

4.1.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype ["Party44Choice__1" on page 135](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		135
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		136

4.1.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 135 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		135
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		136

4.1.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 223

Usage Guideline details

- on [camt.057.001.06/.header/BusinessMessageIdentifier](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 223

4.1.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "Max35Text" on page 243

Usage Guideline details

- on camt.057.001.06/header/MessageDefinitionIdentifier
Single value: camt.057.001.06

4.1.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: "Max35Text" on page 243

Usage Guideline details

- on camt.057.001.06/header/BusinessService
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/header/BusinessService
Single value: swift.cbprplus.04

4.1.7 MarketPractice

XML Tag: MktPrctc

Presence: [0..1]

Definition: Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

The **MktPrctc** block contains the following elements (see datatype "[ImplementationSpecification1](#)" on page 104 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		104
	Identification	<Id>		[1..1]		104

4.1.8 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Datatype: "CBPR_DateTime" on page 221

Usage Guideline details

- on **camt.057.001.06/.header/CreationDate**
Type changed to: CBPR_DateTime on page 221

4.1.9 BusinessProcessingDate

XML Tag: BizPrcgDt

Presence: [0..1]

Definition: Processing date and time indicated by the sender for the receiver of the business message. This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

Datatype: "ISODatetime" on page 240

Usage Guideline details

- This element(**camt.057.001.06/.header/BusinessProcessingDate**) is removed.

4.1.10 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "CopyDuplicate1Code" on page 225

4.1.11 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: "YesNoIndicator" on page 252

4.1.12 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: "Priority2Code" on page 247

Usage Guideline details

- **on camt.057.001.06/.header/Priority**
Type changed to: Priority2Code on page 247

4.1.13 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- **This element(camt.057.001.06/.header/Signature) is removed.**

4.1.14 Related

XML Tag: Rltd

Presence: [0..*]

Definition: Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

The **Rltd** block contains the following elements (see datatype "BusinessApplicationHeader5__1" on page 40 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		41
	From	<Fr>		[1..1]		41
	To	<To>		[1..1]		42
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	42
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	42
	BusinessService	<BizSvc>		[0..1]	⚠	43
	CreationDate	<CreDt>		[1..1]	⚠	44
	CopyDuplicate	<CpyDplct>		[0..1]		44
	PossibleDuplicate	<PssblDplct>		[0..1]	🚫	44
	Priority	<Prty>		[0..1]	⚠	45
	Signature	<Sgntr>		[0..1]	🚫	45

Usage Guideline details

- on **camt.057.001.06/.header/Related**

This element has change repeatability, the maximum occurrence has been changed to : 1

- on **camt.057.001.06/.header/Related**

- **CBPR_Related_Business_Application_Header_TextualRule:**

If used, the Related BAH must transport the exact same information as in the BAH of the related message.

4.2 Payload Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-camt.057.001.06_NotificationToReceive payload definition.

4.2.1 GroupHeader

XML Tag: GrpHdr

Presence: [1..1]

Definition: Set of elements used to provide further details on the message.

The **GrpHdr** block contains the following elements (see datatype "GroupHeader77__1" on page 103 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]	⚠	103
	CreationDateTime	<CreDtTm>		[1..1]	⚠	103
	MessageSender	<MsgSndr>		[0..1]		103

4.2.2 Notification

XML Tag: Ntfctn

Presence: [1..1]

Definition: Set of elements used to provide further details on the account notification.

The **Ntfctn** block contains the following elements (see datatype "AccountNotification16__1" on page 19 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	22
	Account	<Acct>		[0..1]		23
	AccountOwner	<AcctOwnr>		[0..1]		23
	AccountServicer	<AcctSvcr>		[0..1]	⚠	23
	RelatedAccount	<RltdAcct>		[0..1]		24
	TotalAmount	<TtlAmt>		[0..1]	⚠	25
	ExpectedValueDate	<XpctdValDt>		[0..1]	⚠	25
	Debtor	<Dbtr>		[0..1]		25
	DebtorAgent	<DbtrAgt>		[0..1]	⚠	26
	IntermediaryAgent	<IntrmyAgt>		[0..1]	⚠	27
	Item	<Itm>		[1..*]		28

Usage Guideline details

- on camt.057.001.06/Notification
 - CBPR_Expected_Value_Date_FormaRule:

If Notification/ExpectedValueDate is absent, then item/ExpectedValueDate must be present.

For each [Full Message/Document/NotificationToReceiveV06/Notification], if the following element(s) [Notification/ExpectedValueDate] is (are) absent, then at least one occurrence of the following element(s) [Notification/Item/ExpectedValueDate] must be present

4.2.3 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "SupplementaryData1" on page 202 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		202
	Envelope	<Envlp>		[1..1]		203

Usage Guideline details

- This element(camt.057.001.06/SupplementaryData) is removed.

5 Message Components

Note The following chapter identifies the message components.

5.1 AccountIdentification4Choice

Definition: Specifies the unique identification of an account as assigned by the account servicer.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		18
	Other	<Othr>	Or}	[1..1]		18

Used in element(s)

"Identification" on page 45

5.1.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 239

5.1.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1](#)" on page 90 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		90
	SchemeName	<SchmeNm>		[0..1]		90
	Issuer	<Issr>		[0..1]		90

5.2 AccountIdentification4Choice__1

Definition: Specifies the unique identification of an account as assigned by the account servicer.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		19
	Other	<Othr>	Or}	[1..1]		19

Used in element(s)

"Identification" on page 47

5.2.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 239

5.2.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1__1](#)" on page 91 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	91
	SchemeName	<SchmeNm>		[0..1]		91
	Issuer	<Issr>		[0..1]	⚠	92

5.3 AccountNotification16__1

Definition: Provides details on the account notification.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		22
	Account	<Acct>		[0..1]		23
	AccountOwner	<AcctOwnr>		[0..1]		23
	AccountServicer	<AcctSvcr>		[0..1]		23
	RelatedAccount	<RltdAcct>		[0..1]		24
	TotalAmount	<TtlAmt>		[0..1]		25
	ExpectedValueDate	<XpctdValDt>		[0..1]		25
	Debtor	<Dbtr>		[0..1]		25
	DebtorAgent	<DbtrAgt>		[0..1]		26
	IntermediaryAgent	<IntrmyAgt>		[0..1]		27
	Item	<Itm>		[1..*]		28

Rules

R7 DebtorRule ✓

Either Debtor or Item/Debtor may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00180
- *Error Text:* Invalid message content for debtor.

R8 DebtorAgentRule ✓

Either DebtorAgent or Item/DebtorAgent may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00181
- *Error Text:* Invalid message content for debtor agent.

R9 IntermediaryAgentRule ✓

Either IntermediaryAgent or Item/IntermediaryAgent may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00182
- *Error Text:* Invalid message content for intermediary agent.

R10 MandatoryDebtorRule ✓

Either Debtor must be present or Item/Debtor must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00184
- *Error Text:* Invalid message content for debtor, which must be present at least once.

R11 IntermediaryAgentAndDebtorAgentRule ✓

If IntermediaryAgent is present then DebtorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00183
- *Error Text:* Invalid message content for debtor agent, must be present when intermediary agent is present.

R12 TotalAmountAndAmount1Rule ✓

If TotalAmount is present, then all occurrences of Item/Amount must have the same currency as the currency of TotalAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00185
- *Error Text:* Invalid message content for currency between total amount and item amounts.

R13 AccountAndCurrencyRule ✓

If Account is present, then all occurrences of Item/Amount must have the same currency.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00187
- *Error Text:* Invalid message content for amount currencies.

R14 TotalAmountAndAmount2Rule

If TotalAmount is present, then it must equal the sum of all occurrences of Item/Amount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00186
- *Error Text:* Invalid message content for total amount.

R15 AccountRule ✓

Either Account or Item/Account may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00188
- *Error Text:* Invalid message content for account.

R16 AccountOwnerRule ✓

Either AccountOwner or Item/AccountOwner may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00189
- *Error Text:* Invalid message content for account owner.

R17 AccountServicerRule ✓

Either AccountServicer or Item/AccountServicer may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00190
- *Error Text:* Invalid message content for account servicer.

R18 ExpectedValueDateRule ✓

Either ExpectedValueDate or Item/ExpectedValueDate may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00191
- *Error Text:* Invalid message content for expected value date.

R19 RelatedAccountRule ✓

Either RelatedAccount or Item/RelatedAccount may be present but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00203
- *Error Text:* Invalid message content for related account.

Used in element(s)

"Notification" on page 16

5.3.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique identification, as assigned by the account owner, to unambiguously identify the account notification.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 223](#)

Usage Guideline details

- on [camt.057.001.06/Notification/Identification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

5.3.2 Account

XML Tag: Acct

Presence: [0..1]

Definition: Identifies the account to be credited with the incoming amount of money.

The **Acct** block contains the following elements (see datatype ["CashAccount38__1" on page 47](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		47
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		48
	Proxy	<Prxy>		[0..1]		49

5.3.3 AccountOwner

XML Tag: AcctOwnr

Presence: [0..1]

Definition: Party that legally owns the account.

The **AcctOwnr** block contains the following elements (see datatype ["Party40Choice__2" on page 129](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		129
	Agent	<Agt>	Or}	[1..1]		131

5.3.4 AccountServicer

XML Tag: AcctSvcr

Presence: [0..1]

Definition: Party that manages the account on behalf of the account owner, that is manages the registration and booking of entries on the account, calculates balances on the account and provides information about the account.

The **AcctSvcr** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on **camt.057.001.06/Notification/AccountServicer**
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on **camt.057.001.06/Notification/AccountServicer**
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on **camt.057.001.06/Notification/AccountServicer**
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.3.5 RelatedAccount

XML Tag: RltdAcct

Presence: [0..1]

Definition: Identifies the parent account of the account to be credited with the incoming amount of money.

The **RltdAcct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		47
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		48
	Proxy	<Prxy>		[0..1]		49

5.3.6 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Sum of the amounts in all the Item entries.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

Usage Guideline details

- on camt.057.001.06/Notification/TotalAmount

- CBPR_Total_Amount_Currency_FormalRule:

The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.

For each [Full Message/Document/NotificationToReceiveV06/Notification/TotalAmount], every occurrence of [TotalAmount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'

5.3.7 ExpectedValueDate

XML Tag: XpctdValDt

Presence: [0..1]

Definition: Date on which the first agent expects the cash to be available to the final agent.

Datatype: "CBPR_Date" on page 220

Usage Guideline details

- on camt.057.001.06/Notification/ExpectedValueDate

Type changed to: CBPR_Date on page 220

5.3.8 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "[Party40Choice__2](#)" on page 129 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]	⚠	129
	Agent	<Agt>	Or}	[1..1]	⚠	131

5.3.9 DebtorAgent

XML Tag: DbtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on **camt.057.001.06/Notification/DebtorAgent**
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on **camt.057.001.06/Notification/DebtorAgent**
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on **camt.057.001.06/Notification/DebtorAgent**
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on **camt.057.001.06/Notification/DebtorAgent**

- **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

5.3.10 IntermediaryAgent

XML Tag: IntrmyAgt

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

The **IntrmyAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_1](#)" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on **camt.057.001.06/Notification/IntermediaryAgent**

- **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

- on **camt.057.001.06/Notification/IntermediaryAgent**

- **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on **camt.057.001.06/Notification/IntermediaryAgent**

- **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on **camt.057.001.06/Notification/IntermediaryAgent**

- **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.3.11 Item

XML Tag: Itm

Presence: [1..*]

Definition: Provides details of the expected amount on the account serviced by the account servicer.

The **Itm** block contains the following elements (see datatype "NotificationItem7__1" on page 106 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		107
	EndToEndIdentification	<EndToEndId>		[0..1]		107
	UETR	<UETR>		[0..1]		107
	Account	<Acct>		[0..1]		108
	AccountOwner	<AcctOwnr>		[0..1]		108
	AccountServicer	<AcctSvcr>		[0..1]		109
	RelatedAccount	<RltdAcct>		[0..1]		109
	Amount	<Amt>		[1..1]		110
	ExpectedValueDate	<XpctdValDt>		[0..1]		110
	Debtor	<Dbtr>		[0..1]		110
	DebtorAgent	<DbtrAgt>		[0..1]		111
	IntermediaryAgent	<IntrmyAgt>		[0..1]		112
	Purpose	<Purp>		[0..1]		112
	RelatedRemittanceInformation	<RltdRmtInf>		[0..1]		113
	RemittanceInformation	<RmtInf>		[0..1]		113

5.4 AccountSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		29
	Proprietary	<Prtry>	Or}	[1..1]		29

Used in element(s)

["SchemeName" on page 90](#)

5.4.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalAccountIdentification1Code" on page 230](#)

5.4.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 243](#)

5.5 AccountSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		29
	Proprietary	<Prtry>	Or}	[1..1]		29

Used in element(s)

["SchemeName" on page 91](#)

5.5.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalAccountIdentification1Code" on page 230](#)

5.5.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 223](#)

Usage Guideline details

- on camt.057.001.06/Notification/Item/RelatedAccount/Identification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)
- on camt.057.001.06/Notification/Account/Identification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)
- on camt.057.001.06/Notification/RelatedAccount/Identification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

5.6 AddressType3Choice

Definition: Choice of formats for the type of address.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		30
	Proprietary	<Prtry>	Or}	[1..1]		30

Used in element(s)

["AddressType" on page 163](#), ["AddressType" on page 160](#)

5.6.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of address expressed as a code.

Datatype: ["AddressType2Code" on page 218](#)

5.6.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of address expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype ["GenericIdentification30" on page 93](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		93
	Issuer	<Issr>		[1..1]		94
	SchemeName	<SchmeNm>		[0..1]		94

5.7 BranchAndFinancialInstitutionIdentification6

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		31
	BranchIdentification	<BrnchId>		[0..1]		31

Used in element(s)

"AccountServicer" on page 109, "Agent" on page 126

5.7.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18" on page 75 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		75
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		75
	LEI	<LEI>		[0..1]		75
	Name	<Nm>		[0..1]		76
	PostalAddress	<PstlAdr>		[0..1]		76
	Other	<Othr>		[0..1]		77

5.7.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 39 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39
	Name	<Nm>		[0..1]		39
	PostalAddress	<PstlAdr>		[0..1]		40

5.8 BranchAndFinancialInstitutionIdentification6__1

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Used in element(s)

"AccountServicer" on page 23, "Agent" on page 128, "Agent" on page 131, "Agent" on page 134, "DebtorAgent" on page 26, "DebtorAgent" on page 111, "IntermediaryAgent" on page 27, "IntermediaryAgent" on page 112

5.8.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18__1](#)" on page 77 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		77
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		78
	LEI	<LEI>		[0..1]		78
	Name	<Nm>		[0..1]		78
	PostalAddress	<PstlAdr>		[0..1]		79
	Other	<Othr>		[0..1]		81

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveV06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present

```

    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification],

```

    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveV06/Notification/Debtor/Agent/FinancialInstitutionIdentification],

```

    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/NotificationToReceiveV06/Notification/DebtorAgent/FinancialInstitutionIdentification],

```

    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then

```

```

        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/NotificationToReceiveV06/Notification/IntermediaryAgent/FinancialInstitutionIdentification],
    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/NotificationToReceiveV06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification],
    for each [FinancialInstitutionIdentification], if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and for each [FinancialInstitutionIdentification], if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

- **on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/
DebtorAgent/FinancialInstitutionIdentification],
  if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
  and if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/NotificationToReceiveV06/Notification/Account-
tServicer/FinancialInstitutionIdentification],
  if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
  and if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

5.8.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 39 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		39
	PostalAddress	<PstlAdr>		[0..1]		40

Usage Guideline details

- This element(camt.057.001.06/Notification/Item/IntermediaryAgent/BranchIdentification) is removed.
- This element(camt.057.001.06/Notification/IntermediaryAgent/BranchIdentification) is removed.
- This element(camt.057.001.06/Notification/Item/Debtor/Agent/BranchIdentification) is removed.
- This element(camt.057.001.06/Notification/Item/DebtorAgent/BranchIdentification) is removed.
- This element(camt.057.001.06/Notification/AccountServicer/BranchIdentification) is removed.
- This element(camt.057.001.06/Notification/Debtor/Agent/BranchIdentification) is removed.
- This element(camt.057.001.06/Notification/AccountOwner/Agent/BranchIdentification) is removed.
- This element(camt.057.001.06/Notification/DebtorAgent/BranchIdentification) is removed.
- This element(camt.057.001.06/GroupHeader/MessageSender/Agent/BranchIdentification) is removed.

5.9 BranchAndFinancialInstitutionIdentification6__2

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		38

Used in element(s)

"FinancialInstitutionIdentification" on page 136

5.9.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__2" on page 82 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]	M	82
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		83
	LEI	<LEI>		[0..1]		83
	Name	<Nm>		[0..1]	🚫	83
	PostalAddress	<PstlAdr>		[0..1]	🚫	84
	Other	<Othr>		[0..1]	🚫	85

5.9.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3" on page 39 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39
	Name	<Nm>		[0..1]		39
	PostalAddress	<PstlAdr>		[0..1]		40

Usage Guideline details

- This element(**camt.057.001.06/header/Related/To/FinancialInstitutionIdentification/BranchIdentification**) is removed.
- This element(**camt.057.001.06/header/To/FinancialInstitutionIdentification/BranchIdentification**) is removed.

- This element([camt.057.001.06/.header/Related/From/FinancialInstitutionIdentification/BranchIdentification](#)) is removed.
- This element([camt.057.001.06/.header/From/FinancialInstitutionIdentification/BranchIdentification](#)) is removed.

5.10 BranchData3

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		39
	LEI	<LEI>		[0..1]		39
	Name	<Nm>		[0..1]		39
	PostalAddress	<PstAdr>		[0..1]		40

Used in element(s)

["BranchIdentification" on page 38](#),
 ["BranchIdentification" on page 36](#),
 ["BranchIdentification" on page 31](#)

5.10.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: ["Max35Text" on page 243](#)

5.10.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: ["LEIIdentifier" on page 241](#)

5.10.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["Max140Text" on page 241](#)

5.10.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 159 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		160
	Department	<Dept>		[0..1]		160
	SubDepartment	<SubDept>		[0..1]		160
	StreetName	<StrtNm>		[0..1]		160
	BuildingNumber	<BldgNb>		[0..1]		161
	BuildingName	<BldgNm>		[0..1]		161
	Floor	<Flr>		[0..1]		161
	PostBox	<PstBx>		[0..1]		161
	Room	<Room>		[0..1]		161
	PostCode	<PstCd>		[0..1]		161
	TownName	<TwnNm>		[0..1]		162
	TownLocationName	<TwnLctnNm>		[0..1]		162
	DistrictName	<DstrctNm>		[0..1]		162
	CountrySubDivision	<CtrySubDvsn>		[0..1]		162
	Country	<Ctry>		[0..1]		162
	AddressLine	<AdrLine>		[0..7]		162

5.11 BusinessApplicationHeader5__1

Definition: Specifies the Business Application Header of the Business Message.

Can be used when replying to a query; can also be used when canceling or amending.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		41

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	From	<Fr>		[1..1]		41
	To	<To>		[1..1]		42
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	42
	MessageDefinitionIdentifier	<MsgDefldr>		[1..1]	⚠	42
	BusinessService	<BizSvc>		[0..1]	⚠	43
	CreationDate	<CreDt>		[1..1]	⚠	44
	CopyDuplicate	<CpyDplct>		[0..1]		44
	PossibleDuplicate	<PssblDplct>		[0..1]	🚫	44
	Priority	<Prty>		[0..1]	⚠	45
	Signature	<Sgntr>		[0..1]	🚫	45

Used in element(s)

"Related" on page 14

5.11.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 251

5.11.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "Party44Choice__1" on page 135 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	135
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		136

5.11.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 135 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	135
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		136

5.11.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 223

Usage Guideline details

- on [camt.057.001.06/header/Related/BusinessMessageIdentifier](#)

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 223

- on [camt.057.001.06/header/Related/BusinessMessageIdentifier](#)

– CBPR_Business_Message_Identifier_TextualRule:

The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.

Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.

5.11.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- **on camt.057.001.06/.header/Related/MessageDefinitionIdentifier**
Type changed to: CBPR_RestrictedFINXMax35Text on page 223
- **on camt.057.001.06/.header/Related/MessageDefinitionIdentifier**
 - **CBPR_Message_Definition_Identifier_TextualRule:**

The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.

5.11.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- **on camt.057.001.06/.header/Related/BusinessService**
Type changed to: CBPR_RestrictedFINXMax35Text on page 223
- **on camt.057.001.06/.header/Related/BusinessService**
 - **CBPR_Related_BAH_Business_Service_TextualRule:**

If related BAH is present, it should transport the element Business Service.
- **on camt.057.001.06/.header/Related/BusinessService**
 - **CBPR_RelatedBAHBusinessService_TextualRule:**

If related BAH is present, then it is recommended to transport the element Business Service.

5.11.7 **CreationDate**

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Note Times must be normalized, using the "Z" annotation.

Datatype: "CBPR_DateTime" on page 221

Usage Guideline details

- **on camt.057.001.06/.header/Related/CreationDate**
Type changed to: CBPR_DateTime on page 221

5.11.8 **CopyDuplicate**

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "CopyDuplicate1Code" on page 225

5.11.9 **PossibleDuplicate**

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: "YesNoIndicator" on page 252

Usage Guideline details

- **This element(camt.057.001.06/.header/Related/PossibleDuplicate) is removed.**

5.11.10 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: ["Priority2Code" on page 247](#)

Usage Guideline details

- on [camt.057.001.06/header/Related/Priority](#)
Type changed to: [Priority2Code on page 247](#)

5.11.11 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element([camt.057.001.06/header/Related/Signature](#)) is removed.

5.12 CashAccount38

Definition: Provides the details to identify an account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		45
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		46
	Proxy	<Prxy>		[0..1]		47

Used in element(s)

["Account" on page 108](#)

5.12.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "[AccountIdentification4Choice](#)" on page 18 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		18
	Other	<Othr>	Or}	[1..1]		18

5.12.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "[CashAccountType2Choice](#)" on page 49 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		50
	Proprietary	<Prtry>	Or}	[1..1]		50

5.12.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "[ActiveOrHistoricCurrencyCode](#)" on page 217

5.12.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: "Max70Text" on page 243

5.12.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "ProxyAccountIdentification1" on page 184 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		184
	Identification	<Id>		[1..1]		184

5.13 CashAccount38__1

Definition: Provides the details to identify an account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		47
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		48
	Proxy	<Prxy>		[0..1]		49

Used in element(s)

"Account" on page 23, "RelatedAccount" on page 24, "RelatedAccount" on page 109

5.13.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "[AccountIdentification4Choice__1](#)" on [page 19](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		19
	Other	<Othr>	Or}	[1..1]		19

5.13.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "[CashAccountType2Choice__1](#)" on [page 50](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		50
	Proprietary	<Prtry>	Or}	[1..1]	⚠	50

5.13.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "[ActiveOrHistoricCurrencyCode](#)" on [page 217](#)

5.13.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 224](#)

Usage Guideline details

- on **camt.057.001.06/Notification/Account/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 224](#)
- on **camt.057.001.06/Notification/RelatedAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 224](#)
- on **camt.057.001.06/Notification/Item/RelatedAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 224](#)

5.13.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype ["ProxyAccountIdentification1__1" on page 184](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		185
	Identification	<Id>		[1..1]		185

5.14 CashAccountType2Choice

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		50
	Proprietary	<Prtry>	Or}	[1..1]		50

Used in element(s)

["Type" on page 46](#)

5.14.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: "ExternalCashAccountType1Code" on page 231

5.14.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: "Max35Text" on page 243

5.15 CashAccountType2Choice__1

Definition: Nature or use of the account.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		50
	Proprietary	<Prtry>	Or}	[1..1]	⚠	50

Used in element(s)

"Type" on page 48

5.15.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: "ExternalCashAccountType1Code" on page 231

5.15.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/RelatedAccount/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

- on [camt.057.001.06/Notification/Item/RelatedAccount/Type/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

- on [camt.057.001.06/Notification/Account/Type/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

5.16 ClearingSystemIdentification2Choice

Definition: Choice of a clearing system identifier.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		51
	Proprietary	<Prtry>	Or}	[1..1]		51

Used in element(s)

["ClearingSystemIdentification" on page 54](#), ["ClearingSystemIdentification" on page 53](#)

5.16.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Identification of a clearing system, in a coded form as published in an external list.

Datatype: ["ExternalClearingSystemIdentification1Code" on page 232](#)

5.16.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Identification code for a clearing system, that has not yet been identified in the list of clearing systems.

Datatype: ["Max35Text" on page 243](#)

Usage Guideline details

- This element([camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.

- This element(camt.057.001.06/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

5.17 ClearingSystemMemberIdentification2

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		53

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MemberIdentification	<Mmbld>		[1..1]		53

Used in element(s)

"ClearingSystemMemberIdentification" on page 75

5.17.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 51 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		51
	Proprietary	<Prtry>	Or}	[1..1]		51

5.17.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "Max35Text" on page 243

5.18 ClearingSystemMemberIdentification2__1

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		54
	MemberIdentification	<Mmbld>		[1..1]		55

Used in element(s)

"ClearingSystemMemberIdentification" on page 83, "ClearingSystemMemberIdentification" on page 78

5.18.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 51 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		51
	Proprietary	<Prtry>	Or}	[1..1]	🚫	51

Usage Guideline details

- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1

- on **camt.057.001.06/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.18.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "CBPR_RestrictedFINXMax28Text" on page 222

Usage Guideline details

- on **camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**
Type changed to: CBPR_RestrictedFINXMax28Text on page 222
- on **camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**
Type changed to: CBPR_RestrictedFINXMax28Text on page 222
- on **camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**
Type changed to: CBPR_RestrictedFINXMax28Text on page 222
- on **camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**
Type changed to: CBPR_RestrictedFINXMax28Text on page 222
- on **camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**
Type changed to: CBPR_RestrictedFINXMax28Text on page 222

- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 222](#)
- on camt.057.001.06/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 222](#)
- on camt.057.001.06/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 222](#)
- on camt.057.001.06/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 222](#)
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 222](#)
- on camt.057.001.06/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 222](#)
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 222](#)
- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 222](#)

5.19 Contact4

Definition: Specifies the details of the contact person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		57
	Name	<Nm>		[0..1]		57
	PhoneNumber	<PhneNb>		[0..1]		57
	MobileNumber	<MobNb>		[0..1]		57
	FaxNumber	<FaxNb>		[0..1]		57
	EmailAddress	<EmailAdr>		[0..1]		58

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	EmailPurpose	<EmailPurp>		[0..1]		58
	JobTitle	<JobTitl>		[0..1]		58
	Responsibility	<Rspnsblty>		[0..1]		58
	Department	<Dept>		[0..1]		58
	Other	<Othr>		[0..*]		58
	PreferredMethod	<PrefrdMtd>		[0..1]		59

Used in element(s)

["ContactDetails" on page 142](#), ["ContactDetails" on page 145](#), ["ContactDetails" on page 148](#), ["ContactDetails" on page 150](#), ["ContactDetails" on page 139](#)

5.19.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Specifies the terms used to formally address a person.

Datatype: ["NamePrefix2Code" on page 244](#)

5.19.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["Max140Text" on page 241](#)

5.19.3 PhoneNumber

XML Tag: PhneNb

Presence: [0..1]

Definition: Collection of information that identifies a phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 245](#)

5.19.4 MobileNumber

XML Tag: MobNb

Presence: [0..1]

Definition: Collection of information that identifies a mobile phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 245](#)

5.19.5 FaxNumber

XML Tag: FaxNb

Presence: [0..1]

Definition: Collection of information that identifies a FAX number, as defined by telecom services.

Datatype: "PhoneNumber" on page 245

5.19.6 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: "Max2048Text" on page 242

5.19.7 EmailPurpose

XML Tag: EmailPurp

Presence: [0..1]

Definition: Purpose for which an email address may be used.

Datatype: "Max35Text" on page 243

5.19.8 JobTitle

XML Tag: JobTitl

Presence: [0..1]

Definition: Title of the function.

Datatype: "Max35Text" on page 243

5.19.9 Responsibility

XML Tag: Rspnsblty

Presence: [0..1]

Definition: Role of a person in an organisation.

Datatype: "Max35Text" on page 243

5.19.10 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "Max70Text" on page 243

5.19.11 Other

XML Tag: Othr

Presence: [0..*]

Definition: Contact details in another form.

The **Othr** block contains the following elements (see datatype "[OtherContact1](#)" on page 120 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		120
	Identification	<Id>		[0..1]		120

5.19.12 PreferredMethod

XML Tag: PrefrdMtd

Presence: [0..1]

Definition: Preferred method used to reach the contact.

Datatype: "[PreferredContactMethod1Code](#)" on page 246

5.20 CreditorReferenceInformation2

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		59
	Reference	<Ref>		[0..1]		60

Used in element(s)

"[CreditorReferenceInformation](#)" on page 199

5.20.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of creditor reference.

The **Tp** block contains the following elements (see datatype "[CreditorReferenceType2](#)" on page 61 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		61
	Issuer	<Issr>		[0..1]		61

5.20.2 Reference

XML Tag: Ref

Presence: [0..1]

Definition: Unique reference, as assigned by the creditor, to unambiguously refer to the payment transaction.

Usage: If available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the amount of money.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Datatype: "Max35Text" on page 243

5.21 CreditorReferenceType1Choice

Definition: Specifies the type of document referred by the creditor.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		60
	Proprietary	<Prtry>	Or}	[1..1]		60

Used in element(s)

"CodeOrProprietary" on page 61

5.21.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of creditor reference, in a coded form.

Datatype: "DocumentType3Code" on page 227

5.21.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Creditor reference type, in a proprietary form.

Datatype: ["Max35Text" on page 243](#)

5.22 CreditorReferenceType2

Definition: Specifies the type of creditor reference.

❌ Removed -
 ❌ Partial Removed -
 ❖ Ignored -
 ❖ Partial Ignored -
 ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		61
	Issuer	<Issr>		[0..1]		61

Used in element(s)

["Type" on page 59](#)

5.22.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Coded or proprietary format creditor reference type.

The **CdOrPrtry** block contains the following elements (see datatype ["CreditorReferenceType1Choice" on page 60](#) for details)

❌ Removed -
 ❌ Partial Removed -
 ❖ Ignored -
 ❖ Partial Ignored -
 ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		60
	Proprietary	<Prtry>	Or}	[1..1]		60

5.22.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the credit reference type.

Datatype: ["Max35Text" on page 243](#)

5.23 DateAndPlaceOfBirth1

Definition: Date and place of birth of a person.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		62
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		62
	CityOfBirth	<CityOfBirth>		[1..1]		62
	CountryOfBirth	<CtryOfBirth>		[1..1]		62

Used in element(s)

["DateAndPlaceOfBirth" on page 151](#)

5.23.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["ISODate" on page 240](#)

5.23.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["Max35Text" on page 243](#)

5.23.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 243](#)

5.23.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 226](#)

5.24 DateAndPlaceOfBirth1__1

Definition: Date and place of birth of a person.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		63
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		63
	CityOfBirth	<CityOfBirth>		[1..1]		64
	CountryOfBirth	<CtryOfBirth>		[1..1]		64

Used in element(s)

["DateAndPlaceOfBirth" on page 152](#), ["DateAndPlaceOfBirth" on page 155](#)

5.24.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["CBPR_Date" on page 220](#)

Usage Guideline details

- on [camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 220](#)
- on [camt.057.001.06/Notification/Item/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 220](#)

5.24.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 224](#)

Usage Guideline details

- on [camt.057.001.06/Notification/Item/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on [camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

5.24.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 224](#)

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

5.24.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 226](#)

5.25 DateAndPlaceOfBirth1__2

Definition: Date and place of birth of a person.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]	⚠	64
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		65
	CityOfBirth	<CityOfBirth>		[1..1]		65
	CountryOfBirth	<CtryOfBirth>		[1..1]		65

Used in element(s)

["DateAndPlaceOfBirth" on page 154](#)

5.25.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["CBPR_Date" on page 220](#)

Usage Guideline details

- on [camt.057.001.06/Notification/AccountOwner/Party/Identification/PrivateIdentification/Date-AndPlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 220](#)
- on [camt.057.001.06/Notification/Debtor/Party/Identification/PrivateIdentification/DateAnd-PlaceOfBirth/BirthDate](#)
Type changed to: [CBPR_Date on page 220](#)

5.25.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["Max35Text" on page 243](#)

5.25.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 243](#)

5.25.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 226](#)

5.26 DateAndPlaceOfBirth1__3

Definition: Date and place of birth of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		66

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		66
	CityOfBirth	<CityOfBirth>		[1..1]		66
	CountryOfBirth	<CtryOfBirth>		[1..1]		67

Used in element(s)

"DateAndPlaceOfBirth" on page 156

5.26.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: "ISODate" on page 240

5.26.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 224

Usage Guideline details

- on camt.057.001.06/Notification/Item/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224

5.26.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 224

Usage Guideline details

- on camt.057.001.06/Notification/Item/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224

5.26.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 226](#)

5.27 DatePeriod2

Definition: Range of time defined by a start date and an end date.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		67
	ToDate	<ToDt>		[1..1]		67

Used in element(s)

["FromToDate" on page 212](#)

5.27.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: ["ISODate" on page 240](#)

5.27.2 ToDate

XML Tag: ToDt

Presence: [1..1]

Definition: End date of the range.

Datatype: ["ISODate" on page 240](#)

5.28 DiscountAmountAndType1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		68

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		68

Used in element(s)

"DiscountAppliedAmount" on page 192, "DiscountAppliedAmount" on page 194

5.28.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "DiscountAmountType1Choice" on page 68 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		68
	Proprietary	<Prtry>	Or}	[1..1]		69

5.28.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

5.29 DiscountAmountType1Choice

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		68
	Proprietary	<Prtry>	Or}	[1..1]		69

Used in element(s)

"Type" on page 68

5.29.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalDiscountAmountType1Code" on page 232](#)

5.29.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["Max35Text" on page 243](#)

5.30 DocumentAdjustment1

Definition: Set of elements used to provide information on the amount and reason of the document adjustment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		69
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		69
	Reason	<Rsn>		[0..1]		70
	AdditionalInformation	<AddtlInf>		[0..1]		70

Used in element(s)

["AdjustmentAmountAndReason" on page 192](#), ["AdjustmentAmountAndReason" on page 194](#)

5.30.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the document adjustment.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 217](#)

5.30.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Specifies whether the adjustment must be subtracted or added to the total amount.

Datatype: ["CreditDebitCode" on page 227](#)

5.30.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the adjustment.

Datatype: "Max4Text" on page 243

5.30.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Provides further details on the document adjustment.

Datatype: "Max140Text" on page 241

5.31 DocumentLineIdentification1__1

Definition: Identifies the documents referred to in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		70
	Number	<Nb>		[0..1]		71
	RelatedDate	<RltdDt>		[0..1]		71

Used in element(s)

"Identification" on page 71

5.31.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document line identification.

The **Tp** block contains the following elements (see datatype "DocumentLineType1__1" on page 73 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		73
	Issuer	<Issr>		[0..1]		74

5.31.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Identification of the type specified for the referred document line.

Datatype: "Max35Text" on page 243

5.31.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document line.

Datatype: "ISODate" on page 240

5.32 DocumentLineInformation1__1

Definition: Provides document line information.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		71
	Description	<Desc>		[0..1]		72
	Amount	<Amt>		[0..1]		72

Used in element(s)

"LineDetails" on page 189

5.32.1 Identification

XML Tag: Id

Presence: [1..*]

Definition: Provides identification of the document line.

The **Id** block contains the following elements (see datatype "DocumentLineIdentification1__1" on page 70 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		70
	Number	<Nb>		[0..1]		71
	RelatedDate	<RltdDt>		[0..1]		71

5.32.2 Description

XML Tag: Desc

Presence: [0..1]

Definition: Description associated with the document line.

Datatype: "Max2048Text" on page 242

5.32.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Provides details on the amounts of the document line.

The **Amt** block contains the following elements (see datatype "RemittanceAmount3" on page 193 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		193
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		194
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		194
	TaxAmount	<TaxAmt>		[0..*]		194
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		194
	RemittedAmount	<RmtdAmt>		[0..1]		195

5.33 DocumentLineType1Choice__1

Definition: Specifies the type of the document line identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		72
	Proprietary	<Prtry>	Or}	[1..1]		73

Used in element(s)

"CodeOrProprietary" on page 73

5.33.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Line identification type in a coded form.

Datatype: ["ExternalDocumentLineType1Code" on page 233](#)

5.33.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 224](#)

Usage Guideline details

- on [camt.057.001.06/Notification/Item/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/CodeOrProprietary/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

5.34 DocumentLineType1__1

Definition: Specifies the type of the document line identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		73
	Issuer	<Issr>		[0..1]		74

Used in element(s)

["Type" on page 70](#)

5.34.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document line identification.

The **CdOrPrtry** block contains the following elements (see datatype ["DocumentLineType1Choice__1" on page 72](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		72

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		73

5.34.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document line identificationtype.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 224

Usage Guideline details

- on camt.057.001.06/Notification/Item/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224

5.35 FinancialIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		74
	Proprietary	<Prtry>	Or}	[1..1]		74

Used in element(s)

"SchemeName" on page 93

5.35.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalFinancialInstitutionIdentification1Code" on page 234

5.35.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 243

5.36 FinancialInstitutionIdentification18

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		75
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		75
	LEI	<LEI>		[0..1]		75
	Name	<Nm>		[0..1]		76
	PostalAddress	<PstlAdr>		[0..1]		76
	Other	<Othr>		[0..1]		77

Used in element(s)

"FinancialInstitutionIdentification" on page 31

5.36.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 220

5.36.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2" on page 52 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		53
	MemberIdentification	<Mmbld>		[1..1]		53

5.36.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: ["LEIIdentifier" on page 241](#)

5.36.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["Max140Text" on page 241](#)

5.36.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype ["PostalAddress24" on page 159](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		160
	Department	<Dept>		[0..1]		160
	SubDepartment	<SubDept>		[0..1]		160
	StreetName	<StrtNm>		[0..1]		160
	BuildingNumber	<BldgNb>		[0..1]		161
	BuildingName	<BldgNm>		[0..1]		161
	Floor	<Flr>		[0..1]		161
	PostBox	<PstBx>		[0..1]		161
	Room	<Room>		[0..1]		161
	PostCode	<PstCd>		[0..1]		161
	TownName	<TwnNm>		[0..1]		162
	TownLocationName	<TwnLctnNm>		[0..1]		162
	DistrictName	<DstrctNm>		[0..1]		162
	CountrySubDivision	<CtrySubDvsn>		[0..1]		162
	Country	<Ctry>		[0..1]		162
	AddressLine	<AdrLine>		[0..7]		162

5.36.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 92 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	SchemeName	<SchmeNm>		[0..1]		93
	Issuer	<Issr>		[0..1]		93

5.37 FinancialInstitutionIdentification18__1

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		77
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		78
	LEI	<LEI>		[0..1]		78
	Name	<Nm>		[0..1]		78
	PostalAddress	<PstlAdr>		[0..1]		79
	Other	<Othr>		[0..1]		81

Used in element(s)

"[FinancialInstitutionIdentification](#)" on page 32

5.37.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "[BICFIDec2014Identifier](#)" on page 220

5.37.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "[ClearingSystemMemberIdentification2__1](#)" on page 53 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		54
	MemberIdentification	<Mmbld>		[1..1]		55

5.37.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "[LEIIdentifier](#)" on page 241

5.37.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 221

Usage Guideline details

- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 221
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 221
- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 221
- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 221
- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 221

- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 221
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 221
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 221
- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 221

5.37.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 162 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		163
	Department	<Dept>		[0..1]		164
	SubDepartment	<SubDept>		[0..1]		166
	StreetName	<StrtNm>		[0..1]		167
	BuildingNumber	<BldgNb>		[0..1]		168
	BuildingName	<BldgNm>		[0..1]		169
	Floor	<Flr>		[0..1]		170
	PostBox	<PstBx>		[0..1]		171
	Room	<Room>		[0..1]		172
	PostCode	<PstCd>		[0..1]		174
	TownName	<TwnNm>		[0..1]	 	175
	TownLocationName	<TwnLctnNm>		[0..1]		177
	DistrictName	<DstrctNm>		[0..1]		178
	CountrySubDivision	<CtrySubDvsn>		[0..1]		179
	Country	<Ctry>		[0..1]		180

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2]	R[0..2]

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on **camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**
Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on **camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**
Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.37.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 92 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	SchemeName	<SchmeNm>		[0..1]		93
	Issuer	<Issr>		[0..1]		93

Usage Guideline details

- This element(**camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/Other**) is removed.
- This element(**camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/Other**) is removed.
- This element(**camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/Other**) is removed.
- This element(**camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/Other**) is removed.
- This element(**camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/Other**) is removed.
- This element(**camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/Other**) is removed.

- This element([camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/Other](#)) is removed.
- This element([camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/Other](#)) is removed.
- This element([camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/Other](#)) is removed.

5.38 FinancialInstitutionIdentification18__2

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		82
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		83
	LEI	<LEI>		[0..1]		83
	Name	<Nm>		[0..1]		83
	PostalAddress	<PstlAdr>		[0..1]		84
	Other	<Othr>		[0..1]		85

Used in element(s)

["FinancialInstitutionIdentification" on page 37](#)

5.38.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: ["BICFIDec2014Identifier" on page 220](#)

Usage Guideline details

- on [camt.057.001.06/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI](#)
This element is now mandatory, the minimum occurrence has been changed to : 1
- on [camt.057.001.06/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI](#)
This element is now mandatory, the minimum occurrence has been changed to : 1

- on **camt.057.001.06/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.057.001.06/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.38.2 ClearingSystemMemberIdentification

XML Tag: **ClrSysMmbld**

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 53 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	54
	MemberIdentification	<Mmbld>		[1..1]	⚠	55

5.38.3 LEI

XML Tag: **LEI**

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 241

5.38.4 Name

XML Tag: **Nm**

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 241

Usage Guideline details

- This element(**camt.057.001.06/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name**) is removed.
- This element(**camt.057.001.06/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name**) is removed.
- This element(**camt.057.001.06/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name**) is removed.

- This element([camt.057.001.06/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name](#)) is removed.

5.38.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "[PostalAddress24](#)" on [page 159](#) for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		160
	Department	<Dept>		[0..1]		160
	SubDepartment	<SubDept>		[0..1]		160
	StreetName	<StrtNm>		[0..1]		160
	BuildingNumber	<BldgNb>		[0..1]		161
	BuildingName	<BldgNm>		[0..1]		161
	Floor	<Flr>		[0..1]		161
	PostBox	<PstBx>		[0..1]		161
	Room	<Room>		[0..1]		161
	PostCode	<PstCd>		[0..1]		161
	TownName	<TwnNm>		[0..1]		162
	TownLocationName	<TwnLctnNm>		[0..1]		162
	DistrictName	<DstrctNm>		[0..1]		162
	CountrySubDivision	<CtrySubDvsn>		[0..1]		162
	Country	<Ctry>		[0..1]		162
	AddressLine	<AdrLine>		[0..7]		162

Usage Guideline details

- This element([camt.057.001.06/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress](#)) is removed.
- This element([camt.057.001.06/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress](#)) is removed.

- This element(`camt.057.001.06/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress`) is removed.
- This element(`camt.057.001.06/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress`) is removed.

5.38.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "`GenericFinancialIdentification1`" on page 92 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	SchemeName	<SchmeNm>		[0..1]		93
	Issuer	<Issr>		[0..1]		93

Usage Guideline details

- This element(`camt.057.001.06/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.
- This element(`camt.057.001.06/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.
- This element(`camt.057.001.06/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.
- This element(`camt.057.001.06/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.

5.39 Garnishment3

Definition: Provides remittance information about a payment for garnishment-related purposes.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		86
	Garnishee	<Grnshee>		[0..1]		86

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		87
	ReferenceNumber	<RefNb>		[0..1]		87
	Date	<Dt>		[0..1]		87
	RemittedAmount	<RmtdAmt>		[0..1]		87
	FamilyMedicalInsuranceIndicator	<FmlyMdcInsrncInd>		[0..1]		88
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		88

Used in element(s)

"GarnishmentRemittance" on page 201

5.39.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of garnishment.

The **Tp** block contains the following elements (see datatype "GarnishmentType1" on page 88 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		88
	Issuer	<Issr>		[0..1]		89

5.39.2 Garnishee

XML Tag: Grnshee

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the garnisher.

The **Grnshee** block contains the following elements (see datatype "PartyIdentification135" on page 136 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		136
	PostalAddress	<PstlAdr>		[0..1]		137

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		138
	CountryOfResidence	<CtryOfRes>		[0..1]		138
	ContactDetails	<CtctDtls>		[0..1]		139

5.39.3 GarnishmentAdministrator

XML Tag: GrnshmtAdmstr

Presence: [0..1]

Definition: Party on the credit side of the transaction who administers the garnishment on behalf of the ultimate beneficiary.

The **GrnshmtAdmstr** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 136 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		136
	PostalAddress	<PstlAdr>		[0..1]		137
	Identification	<Id>		[0..1]		138
	CountryOfResidence	<CtryOfRes>		[0..1]		138
	ContactDetails	<CtctDtls>		[0..1]		139

5.39.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Reference information that is specific to the agency receiving the garnishment.

Datatype: "[Max140Text](#)" on page 241

5.39.5 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of payment which garnishment was taken from.

Datatype: "[ISODate](#)" on page 240

5.39.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 217](#)

5.39.7 FamilyMedicalInsuranceIndicator

XML Tag: FmlyMdclInsrncInd

Presence: [0..1]

Definition: Indicates if the person to whom the garnishment applies (that is, the ultimate debtor) has family medical insurance coverage available.

Datatype: ["TrueFalseIndicator" on page 251](#)

5.39.8 EmployeeTerminationIndicator

XML Tag: MplyeeTermntnInd

Presence: [0..1]

Definition: Indicates if the employment of the person to whom the garnishment applies (that is, the ultimate debtor) has been terminated.

Datatype: ["TrueFalseIndicator" on page 251](#)

5.40 GarnishmentType1

Definition: Specifies the type of garnishment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		88
	Issuer	<Issr>		[0..1]		89

Used in element(s)

["Type" on page 86](#)

5.40.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the garnishment.

The **CdOrPrtry** block contains the following elements (see datatype ["GarnishmentType1Choice" on page 89](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		89
	Proprietary	<Prtry>	Or}	[1..1]		89

5.40.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the garnishment type.

Datatype: "Max35Text" on page 243

5.41 GarnishmentType1Choice

Definition: Specifies the type of garnishment.

🚫 Removed - 🚫 Partial Removed - 💡 Ignored - 💡 Partial Ignored - ⚠️ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		89
	Proprietary	<Prtry>	Or}	[1..1]		89

Used in element(s)

"CodeOrProprietary" on page 88

5.41.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Garnishment type in a coded form.

Would suggest this to be an External Code List to contain:

GNCS Garnishment from a third party payer for Child Support

GNDP Garnishment from a Direct Payer for Child Support

GTPP Garnishment from a third party payer to taxing agency.

Datatype: "ExternalGarnishmentType1Code" on page 235

5.41.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of garnishment.

Datatype: "Max35Text" on page 243

5.42 GenericAccountIdentification1

Definition: Information related to a generic account identification.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		90
	SchemeName	<SchmeNm>		[0..1]		90
	Issuer	<Issr>		[0..1]		90

Used in element(s)

"Other" on page 18

5.42.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max34Text" on page 242

5.42.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "AccountSchemeName1Choice" on page 28 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		29
	Proprietary	<Prtry>	Or}	[1..1]		29

5.42.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 243

5.43 GenericAccountIdentification1__1

Definition: Information related to a generic account identification.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	91
	SchemeName	<SchmeNm>		[0..1]		91
	Issuer	<Issr>		[0..1]	⚠	92

Used in element(s)

"Other" on page 19

5.43.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax34Text" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/Item/RelatedAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 223](#)
- on camt.057.001.06/Notification/RelatedAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 223](#)
- on camt.057.001.06/Notification/Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 223](#)

5.43.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "AccountScheme-Name1Choice__1" on page 29 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		29
	Proprietary	<Prtry>	Or}	[1..1]		29

5.43.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/Account/Identification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text on page 223
- on camt.057.001.06/Notification/RelatedAccount/Identification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text on page 223
- on camt.057.001.06/Notification/Item/RelatedAccount/Identification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.44 GenericFinancialIdentification1

Definition: Information related to an identification of a financial institution.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	SchemeName	<SchmeNm>		[0..1]		93
	Issuer	<Issr>		[0..1]		93

Used in element(s)

"Other" on page 85, "Other" on page 81, "Other" on page 77

5.44.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 243

5.44.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[FinancialIdentificationScheme-Name1Choice](#)" on page 74 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		74
	Proprietary	<Prtry>	Or}	[1..1]		74

5.44.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[Max35Text](#)" on page 243

5.45 GenericIdentification30

Definition: Information related to an identification, for example, party identification or account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		93
	Issuer	<Issr>		[1..1]		94
	SchemeName	<SchmeNm>		[0..1]		94

Used in element(s)

["Proprietary"](#) on page 30

5.45.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: "[Exact4AlphaNumericText](#)" on page 230

5.45.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 243](#)

5.45.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: ["Max35Text" on page 243](#)

5.46 GenericOrganisationIdentification1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		94
	SchemeName	<SchmeNm>		[0..1]		94
	Issuer	<Issr>		[0..1]		95

Used in element(s)

["Other" on page 115](#)

5.46.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: ["Max35Text" on page 243](#)

5.46.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["OrganisationIdentificationSchemeName1Choice" on page 118](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		118
	Proprietary	<Prtry>	Or}	[1..1]		118

5.46.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 243

5.47 GenericOrganisationIdentification1__1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		95
	SchemeName	<SchmeNm>		[0..1]		96
	Issuer	<Issr>		[0..1]		96

Used in element(s)

"Other" on page 116

5.47.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax35Text on page 223
- on camt.057.001.06/Notification/Debtor/Party/Identification/OrganisationIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text on page 223

- on camt.057.001.06/Notification/AccountOwner/Party/Identification/OrganisationIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.47.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice__1" on page 119 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		119
	Proprietary	<Prtry>	Or}	[1..1]	 	119

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on camt.057.001.06/Notification/AccountOwner/Party/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on camt.057.001.06/Notification/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.47.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/AccountOwner/Party/Identification/OrganisationIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)
- on camt.057.001.06/Notification/Debtor/Party/Identification/OrganisationIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)
- on camt.057.001.06/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

5.48 GenericOrganisationIdentification1__2

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		97
	SchemeName	<SchmeNm>		[0..1]		97
	Issuer	<Issr>		[0..1]		98

Used in element(s)

["Other" on page 117](#)

5.48.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 223](#)

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

5.48.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice](#)" on page 118 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		118
	Proprietary	<Prtry>	Or}	[1..1]		118

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.48.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 223

5.49 GenericPersonIdentification1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		99
	SchemeName	<SchmeNm>		[0..1]		99
	Issuer	<Issr>		[0..1]		99

Used in element(s)

["Other" on page 157](#), ["Other" on page 152](#)

5.49.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["Max35Text" on page 243](#)

5.49.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["PersonIdentificationScheme-Name1Choice" on page 157](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		157
	Proprietary	<Prtry>	Or}	[1..1]		158

5.49.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 243](#)

5.50 GenericPersonIdentification1__1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		100
	SchemeName	<SchmeNm>		[0..1]		100
	Issuer	<Issr>		[0..1]		101

Used in element(s)

["Other" on page 153](#), ["Other" on page 154](#)

5.50.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 223](#)

Usage Guideline details

- on [camt.057.001.06/Notification/Debtor/Party/Identification/PrivateIdentification/Other/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)
- on [camt.057.001.06/Notification/AccountOwner/Party/Identification/PrivateIdentification/Other/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)
- on [camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

5.50.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["PersonIdentificationScheme-Name1Choice_1" on page 158](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		158
	Proprietary	<Prtry>	Or}	[1..1]	 	158

Usage Guideline details

- on [camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/SchemeName](#)
This element is now mandatory, the minimum occurrence has been changed to : 1
- on [camt.057.001.06/Notification/AccountOwner/Party/Identification/PrivateIdentification/Other/SchemeName](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- on camt.057.001.06/Notification/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.50.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

- on camt.057.001.06/Notification/Debtor/Party/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

- on camt.057.001.06/Notification/AccountOwner/Party/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

5.51 GenericPersonIdentification1__2

Definition: Information related to an identification of a person.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		101
	SchemeName	<SchmeNm>		[0..1]		102
	Issuer	<Issr>		[0..1]		102

Used in element(s)

"Other" on page 155

5.51.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Identification/PrivateIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.51.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationSchemeName1Choice" on page 157 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		157
	Proprietary	<Prtry>	Or}	[1..1]		158

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.51.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.52 GroupHeader77__1

Definition: Provides further details on the message.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		103
	CreationDateTime	<CreDtTm>		[1..1]		103
	MessageSender	<MsgSndr>		[0..1]		103

Used in element(s)

"GroupHeader" on page 15

5.52.1 MessageIdentification

XML Tag: MsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the account owner or the party authorised to send the message, and sent to the account servicing institution, to unambiguously identify the message.

Usage: The sender has to make sure that 'MessageIdentification' is unique per account servicing institution for a pre-agreed period.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageIdentification
Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.52.2 CreationDateTime

XML Tag: CreDtTm

Presence: [1..1]

Definition: Date and time at which the message was created.

Datatype: "CBPR_DateTime" on page 221

Usage Guideline details

- on camt.057.001.06/GroupHeader/CreationDateTime
Type changed to: CBPR_DateTime on page 221

5.52.3 MessageSender

XML Tag: MsgSndr

Presence: [0..1]

Definition: Identification of the party that is sending the message, when different from the account owner.

The **MsgSndr** block contains the following elements (see datatype "[Party40Choice__1](#)" on page 127 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		127
	Agent	<Agt>	Or}	[1..1]		128

5.53 ImplementationSpecification1

Definition: Identifies the implementation specification to which the ISO 20022 message conforms.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		104
	Identification	<Id>		[1..1]		104

Used in element(s)

["MarketPractice"](#) on page 12

5.53.1 Registry

XML Tag: Regy

Presence: [1..1]

Definition: Name of the implementation specification registry in which the implementation specification of the ISO 20022 message is maintained.

For example, "MyStandards".

Datatype: ["Max350Text"](#) on page 242

5.53.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identifier which unambiguously identifies, within the implementation specification registry, the implementation specification to which the ISO 20022 message is compliant. This can be done via a URN. It can also contain a version number or date.

For instance, "2018-01-01 - Version 2" or "urn:uuid:6e8bc430-9c3a-11d9-9669-0800200c9a66".

Datatype: "Max2048Text" on page 242

5.54 NameAndAddress16

Definition: Information that locates and identifies a party.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]		105
	Address	<Adr>		[1..1]		105

Used in element(s)

"PostalAddress" on page 198

5.54.1 Name

XML Tag: Nm

Presence: [1..1]

Definition: Name by which a party is known and is usually used to identify that party.

Datatype: "Max140Text" on page 241

5.54.2 Address

XML Tag: Adr

Presence: [1..1]

Definition: Postal address of a party.

The **Adr** block contains the following elements (see datatype "PostalAddress24" on page 159 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		160
	Department	<Dept>		[0..1]		160
	SubDepartment	<SubDept>		[0..1]		160
	StreetName	<StrtNm>		[0..1]		160
	BuildingNumber	<BldgNb>		[0..1]		161
	BuildingName	<BldgNm>		[0..1]		161
	Floor	<Flr>		[0..1]		161

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostBox	<PstBx>		[0..1]		161
	Room	<Room>		[0..1]		161
	PostCode	<PstCd>		[0..1]		161
	TownName	<TwnNm>		[0..1]		162
	TownLocationName	<TwnLctnNm>		[0..1]		162
	DistrictName	<DstrctNm>		[0..1]		162
	CountrySubDivision	<CtrySubDvsn>		[0..1]		162
	Country	<Ctry>		[0..1]		162
	AddressLine	<AdrLine>		[0..7]		162

5.55 NotificationItem7__1

Definition: Provides further means of referencing a payment transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		107
	EndToEndIdentification	<EndToEndId>		[0..1]		107
	UETR	<UETR>		[0..1]		107
	Account	<Acct>		[0..1]		108
	AccountOwner	<AcctOwnr>		[0..1]		108
	AccountServicer	<AcctSvcr>		[0..1]		109
	RelatedAccount	<RltdAcct>		[0..1]		109
	Amount	<Amt>		[1..1]		110
	ExpectedValueDate	<XpctdValDt>		[0..1]		110
	Debtor	<Dbtr>		[0..1]		110
	DebtorAgent	<DbtrAgt>		[0..1]		111
	IntermediaryAgent	<IntrmyAgt>		[0..1]		112
	Purpose	<Purp>		[0..1]		112
	RelatedRemittanceInformation	<RltdRmtInf>		[0..1]		113
	RemittanceInformation	<RmtInf>		[0..1]		113

Rules**R23 IntermediaryAgentAndDebtorAgentRule ✓**

If IntermediaryAgent is present then DebtorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00183
- *Error Text:* Invalid message content for debtor agent, must be present when intermediary agent is present.

Used in element(s)

"Item" on page 28

5.55.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique identification, as assigned by the account owner, to unambiguously identify the expected credit entry.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- **on camt.057.001.06/Notification/Item/Identification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.55.2 EndToEndIdentification

XML Tag: EndToEndId

Presence: [0..1]

Definition: Unique identification, as assigned by the debtor, to unambiguously identify the underlying transaction to the creditor.

Usage: The end-to-end identification can be used for reconciliation or to link tasks relating to the transaction.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- **on camt.057.001.06/Notification/Item/EndToEndIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.55.3 UETR

XML Tag: UETR

Presence: [0..1]

Definition: Universally unique identifier to provide an end-to-end reference of a payment transaction.

Datatype: "UUIDv4Identifier" on page 251

5.55.4 Account

XML Tag: Acct

Presence: [0..1]

Definition: Identifies the account to be credited with the incoming amount of money.

The **Acct** block contains the following elements (see datatype "CashAccount38" on page 45 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		45
	Type	<Tp>		[0..1]		46
	Currency	<Ccy>		[0..1]		46
	Name	<Nm>		[0..1]		46
	Proxy	<Prxy>		[0..1]		47

Usage Guideline details

- This element(camt.057.001.06/Notification/Item/Account) is removed.

5.55.5 AccountOwner

XML Tag: AcctOwnr

Presence: [0..1]

Definition: Party that legally owns the account.

The **AcctOwnr** block contains the following elements (see datatype "Party40Choice" on page 126 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		126
	Agent	<Agt>	Or}	[1..1]		126

Usage Guideline details

- This element([camt.057.001.06/Notification/Item/AccountOwner](#)) is removed.

5.55.6 AccountServicer

XML Tag: AcctSvcr

Presence: [0..1]

Definition: Party that manages the account on behalf of the account owner, that is manages the registration and booking of entries on the account, calculates balances on the account and provides information about the account.

The **AcctSvcr** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 31 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		31
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- This element([camt.057.001.06/Notification/Item/AccountServicer](#)) is removed.

5.55.7 RelatedAccount

XML Tag: RltdAcct

Presence: [0..1]

Definition: Business relationship between two entities; one entity is the account owner, the other entity is the account servicer.

The **RltdAcct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 47 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		47
	Type	<Tp>		[0..1]		48
	Currency	<Ccy>		[0..1]		48
	Name	<Nm>		[0..1]		48
	Proxy	<Prxy>		[0..1]		49

5.55.8 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money expected to be credited to the account.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

Usage Guideline details

- on camt.057.001.06/Notification/Item/Amount

- CBPR_Amount_Currency_FormalRule:

The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.

For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/Amount],
every occurrence of [Amount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'

5.55.9 ExpectedValueDate

XML Tag: XpctdValDt

Presence: [0..1]

Definition: Value date on which the account is expected to be credited.

Datatype: "CBPR_Date" on page 220

Usage Guideline details

- on camt.057.001.06/Notification/Item/ExpectedValueDate

Type changed to: CBPR_Date on page 220

5.55.10 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "Party40Choice__3" on page 132 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]	⚠	133
	Agent	<Agt>	Or}	[1..1]	⚠	134

5.55.11 DebtorAgent

XML Tag: DbtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on camt.057.001.06/Notification/Item/DebtorAgent
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on camt.057.001.06/Notification/Item/DebtorAgent
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on camt.057.001.06/Notification/Item/DebtorAgent
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on camt.057.001.06/Notification/Item/DebtorAgent
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.55.12 IntermediaryAgent

XML Tag: IntrmyAgt

Presence: [0..1]

Definition: Agent between the debtor agent and the account servicer.

Usage: This is the agent from which the account servicer will get the amount of money. If there is more than one intermediary agent, then IntermediaryAgent identifies the agent closest to the account servicer.

IntermediaryAgent must only be included when different from the debtor agent.

The **IntrmyAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on camt.057.001.06/Notification/Item/IntermediaryAgent
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on camt.057.001.06/Notification/Item/IntermediaryAgent
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on camt.057.001.06/Notification/Item/IntermediaryAgent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on camt.057.001.06/Notification/Item/IntermediaryAgent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

5.55.13 Purpose

XML Tag: Purp

Presence: [0..1]

Definition: Underlying reason for the payment transaction.

The **Purp** block contains the following elements (see datatype "[Purpose2Choice__1](#)" on page 187 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		188
	Proprietary	<Prtry>	Or}	[1..1]		188

5.55.14 RelatedRemittanceInformation

XML Tag: RltdRmtInf

Presence: [0..1]

Definition: Provides information related to the handling of the remittance information by any of the agents in the transaction processing chain.

The **RltdRmtInf** block contains the following elements (see datatype "[RemittanceLocation7](#)" on page 196 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		196
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]		197

Usage Guideline details

- This element([camt.057.001.06/Notification/Item/RelatedRemittanceInformation](#)) is removed.

5.55.15 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Structured information that enables the reconciliation of a payment with the items that the payment is intended to settle, such as commercial invoices in an account receivable system.

The **RmtInf** block contains the following elements (see datatype "[RemittanceInformation16__1](#)" on page 195 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]		195
	Structured	<Strd>		[0..*]		195

Usage Guideline details

- This element([camt.057.001.06/Notification/Item/RemittanceInformation](#)) is removed.

5.56 OrganisationIdentification29

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		114
	LEI	<LEI>		[0..1]		114
	Other	<Othr>		[0..*]		115

Used in element(s)

["OrganisationIdentification" on page 125](#), ["OrganisationIdentification" on page 121](#)

5.56.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: ["AnyBICDec2014Identifier" on page 219](#)

Usage Guideline details

- on [camt.057.001.06/header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

5.56.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: ["LEIIdentifier" on page 241](#)

5.56.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericOrganisationIdentification1](#)" on page 94 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		94
	SchemeName	<SchmeNm>		[0..1]		94
	Issuer	<Issr>		[0..1]		95

Usage Guideline details

- This element([camt.057.001.06/.header/To/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.
- This element([camt.057.001.06/.header/From/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.
- This element([camt.057.001.06/.header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.
- This element([camt.057.001.06/.header/Related/From/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.

5.57 OrganisationIdentification29__1

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		116
	LEI	<LEI>		[0..1]		116
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2]	123

Used in element(s)

"[OrganisationIdentification](#)" on page 122, "[OrganisationIdentification](#)" on page 123

5.57.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 219

5.57.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 241

5.57.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1__1" on page 95 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		95
	SchemeName	<SchmeNm>		[0..1]		96
	Issuer	<Issr>		[0..1]		96

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.057.001.06/Notification/AccountOwner/Party/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.057.001.06/Notification/Debtor/Party/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.58 OrganisationIdentification29__2

Definition: Unique and unambiguous way to identify an organisation.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		117
	LEI	<LEI>		[0..1]		117
	Other	<Othr>		[0..*]	R[0..2]	117

Used in element(s)

"OrganisationIdentification" on page 124

5.58.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 219

5.58.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 241

5.58.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1__2" on page 97 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	97
	SchemeName	<SchmeNm>		[0..1]	M	97

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Issuer	</ssr>		[0..1]		98

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.59 OrganisationIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		118
	Proprietary	<Prtry>	Or}	[1..1]		118

Used in element(s)

"SchemeName" on page 97, "SchemeName" on page 94

5.59.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 235

5.59.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 243

Usage Guideline details

- This element(camt.057.001.06/Notification/Item/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.

5.60 OrganisationIdentificationScheme-Name1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		119
	Proprietary	<Prtry>	Or}	[1..1]	 	119

Used in element(s)

"SchemeName" on page 96

5.60.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 235

5.60.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- This element(camt.057.001.06/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(camt.057.001.06/Notification/AccountOwner/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(camt.057.001.06/Notification/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- on camt.057.001.06/Notification/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 223
- on camt.057.001.06/GroupHeader/MessageSender/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 223

- on camt.057.001.06/Notification/AccountOwner/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.61 OtherContact1

Definition: Communication device number or electronic address used for communication.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanTp>		[1..1]		120
	Identification	<Id>		[0..1]		120

Used in element(s)

"Other" on page 58

5.61.1 ChannelType

XML Tag: ChanTp

Presence: [1..1]

Definition: Method used to contact the financial institution's contact for the specific tax region.

Datatype: "Max4Text" on page 243

5.61.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Communication value such as phone number or email address.

Datatype: "Max128Text" on page 241

5.62 Party38Choice

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		121
	PrivateIdentification	<PrvtId>	Or}	[1..1]		121

Used in element(s)

"Identification" on page 138

5.62.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29" on page 114 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		114
	LEI	<LEI>		[0..1]		114
	Other	<Othr>		[0..*]		115

5.62.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13" on page 151 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		151
	Other	<Othr>		[0..*]		152

Usage Guideline details

- This element(camt.057.001.06/.header/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(camt.057.001.06/.header/Related/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(camt.057.001.06/.header/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.

- This element(camt.057.001.06/.header/Related/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.

5.63 Party38Choice__1

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		122
	PrivateIdentification	<PrvtId>	Or}	[1..1]		122

Used in element(s)

"Identification" on page 141

5.63.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__1" on page 115 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		116
	LEI	<LEI>		[0..1]		116
	Other	<Othr>		[0..*]	R[0..2]	116

5.63.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__1" on page 152 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		152
	Other	<Othr>		[0..*]	R[0..2]	153

5.64 Party38Choice__2

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		123
	PrivateIdentification	<PrvtId>	Or}	[1..1]		123

Used in element(s)

"Identification" on page 144

5.64.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "[OrganisationIdentification29__1](#)" on page 115 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		116
	LEI	<LEI>		[0..1]		116
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	116

5.64.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "[PersonIdentification13__2](#)" on page 153 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		154
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	154

5.65 Party38Choice__3

Definition: Nature or use of the account.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		124
	PrivateIdentification	<PrvtId>	Or}	[1..1]		124

Used in element(s)

"Identification" on page 147

5.65.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "[OrganisationIdentification29__2](#)" on page 117 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		117
	LEI	<LEI>		[0..1]		117
	Other	<Othr>		[0..*]	R[0..2]	117

5.65.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "[PersonIdentification13__3](#)" on page 155 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		155
	Other	<Othr>		[0..*]	R[0..2]	155

5.66 Party38Choice__4

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		125
	PrivateIdentification	<PrvtId>	Or}	[1..1]		125

Used in element(s)

"Identification" on page 150

5.66.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "[OrganisationIdentification29](#)" on page 114 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		114
	LEI	<LEI>		[0..1]		114
	Other	<Othr>		[0..*]		115

5.66.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "[PersonIdentification13__4](#)" on page 156 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		156
	Other	<Othr>		[0..*]		157

5.67 Party40Choice

Definition: Identification of a person, an organisation or a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		126
	Agent	<Agt>	Or}	[1..1]		126

Used in element(s)

"AccountOwner" on page 108

5.67.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 136 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		136
	PostalAddress	<PstlAdr>		[0..1]		137
	Identification	<Id>		[0..1]		138
	CountryOfResidence	<CtryOfRes>		[0..1]		138
	ContactDetails	<CtctDtls>		[0..1]		139

5.67.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 31 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		31
	BranchIdentification	<BrnchId>		[0..1]		31

5.68 Party40Choice__1

Definition: Identification of a person, an organisation or a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]	⚠	127
	Agent	<Agt>	Or}	[1..1]	⚠	128

Used in element(s)

"MessageSender" on page 103

5.68.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on page 140 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	140
	PostalAddress	<PstlAdr>		[0..1]	⚠	140
	Identification	<Id>		[0..1]		141
	CountryOfResidence	<CtryOfRes>		[0..1]		142
	ContactDetails	<CtctDtls>		[0..1]	🚫	142

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Party

- CBPR_Party_Name_Postal_Address_FormaRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveV06/GroupHeader/MessageSender/Party], if
 at least one occurrence of the following element(s) [Party/PostalAddress] is
 (are) present
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

- on camt.057.001.06/GroupHeader/MessageSender/Party

- CBPR_Party_Name_Any_BIC_FormaRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide
 the Postal Address.

For each [Full Message/Document/NotificationToReceiveV06/GroupHeader/MessageSender/Party], if
 the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

5.68.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Agent

– **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

• **on camt.057.001.06/GroupHeader/MessageSender/Agent**

– **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

• **on camt.057.001.06/GroupHeader/MessageSender/Agent**

– **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.69 Party40Choice__2

Definition: Identification of a person, an organisation or a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]	⚠	129
	Agent	<Agt>	Or}	[1..1]	⚠	131

Used in element(s)

"AccountOwner" on page 23, "Debtor" on page 25

5.69.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "PartyIdentification135__2" on page 143 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	143
	PostalAddress	<PstlAdr>		[0..1]	⚠	143

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		144
	CountryOfResidence	<CtryOfRes>		[0..1]		145
	ContactDetails	<CtctDtls>		[0..1]		145

Usage Guideline details

- on camt.057.001.06/Notification/Debtor/Party

- CBPR_Debtor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on camt.057.001.06/Notification/AccountOwner/Party

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveV06/Notification/AccountOwner/Party], if
 at least one occurrence of the following element(s) [Party/PostalAddress] is
 (are) present
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

- on camt.057.001.06/Notification/AccountOwner/Party

- CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent, then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveV06/Notification/AccountOwner/Party], if
 the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

- on camt.057.001.06/Notification/Debtor/Party

- CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/NotificationToReceiveV06/Notification/Debtor/Party], if
 the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent
 , then
 at least one occurrence of the following element(s) [Party/Name] must be present

- on camt.057.001.06/Notification/Debtor/Party

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveV06/Notification/Debtor/Party], if
 at least one occurrence of the following element(s) [Party/PostalAddress] is (are) present
 , then
 at least one occurrence of the following element(s) [Party/Name] must be present

5.69.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- on camt.057.001.06/Notification/AccountOwner/Agent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on camt.057.001.06/Notification/AccountOwner/Agent

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- **on camt.057.001.06/Notification/AccountOwner/Agent**
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- **on camt.057.001.06/Notification/Debtor/Agent**
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- **on camt.057.001.06/Notification/Debtor/Agent**
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- **on camt.057.001.06/Notification/Debtor/Agent**
 - **CBPR_Agent_Point_To_Point_On_SWIFT_TextualRule:**

If the transaction is exchanged on the SWIFT network (i.e. if the sender and receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, eg LEI
- **on camt.057.001.06/Notification/Debtor/Agent**
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- **on camt.057.001.06/Notification/Debtor/Agent**
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.70 Party40Choice__3

Definition: Identification of a person, an organisation or a financial institution.

🚫 Removed - 🚫 Partial Removed - 💡 Ignored - 💡 Partial Ignored - ⚠️ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]	⚠️	133
	Agent	<Agt>	Or}	[1..1]	⚠️	134

Used in element(s)

"Debtor" on page 110

5.70.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "[PartyIdentification135__3](#)" on page 146 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		146
	PostalAddress	<PstlAdr>		[0..1]		146
	Identification	<Id>		[0..1]		147
	CountryOfResidence	<CtryOfRes>		[0..1]		148
	ContactDetails	<CtctDtls>		[0..1]		148

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party

- CBPR_Debtor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on camt.057.001.06/Notification/Item/Debtor/Party

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/Debtor/Party], if
 at least one occurrence of the following element(s) [Party/PostalAddress] is
 (are) present
 , then
 at least one occurrence of the following element(s) [Party/Name] must be
 present

- on camt.057.001.06/Notification/Item/Debtor/Party

- CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/NotificationToReceiveV06/Notification/Item/Debtor/Party], if
 the following element(s) [Party/Identification/OrganisationIdentification/AnyBIC] is (are) absent
 , then
 at least one occurrence of the following element(s) [Party/Name] must be present

5.70.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	32
	BranchIdentification	<BrnchId>		[0..1]	🚫	36

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Agent
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on camt.057.001.06/Notification/Item/Debtor/Agent
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on camt.057.001.06/Notification/Item/Debtor/Agent
 - CBPR_Agent_Point_To_Point_On_SWIFT_TextualRule:

If the transaction is exchanged on the SWIFT network (i.e. if the sender and receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, eg LEI
- on camt.057.001.06/Notification/Item/Debtor/Agent
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on camt.057.001.06/Notification/Item/Debtor/Agent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.71 Party44Choice__1

Definition: Identification of a person, an organisation or a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	135
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		136

Used in element(s)

"From" on page 10, "From" on page 41, "To" on page 11, "To" on page 42

5.71.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **OrgId** block contains the following elements (see datatype "PartyIdentification135" on page 136 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	🚫	136
	PostalAddress	<PstlAdr>		[0..1]	🚫	137
	Identification	<Id>		[0..1]	🚫	138
	CountryOfResidence	<CtryOfRes>		[0..1]	🚫	138
	ContactDetails	<CtctDtls>		[0..1]	🚫	139

Usage Guideline details

- This element(camt.057.001.06/.header/Related/From/OrganisationIdentification) is removed.

- This element([camt.057.001.06/.header/To/OrganisationIdentification](#)) is removed.
- This element([camt.057.001.06/.header/Related/To/OrganisationIdentification](#)) is removed.
- This element([camt.057.001.06/.header/From/OrganisationIdentification](#)) is removed.

5.71.2 FinancialInstitutionIdentification

XML Tag: FIId

Presence: [1..1]

Definition: Identification of a financial institution.

The **FIId** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 37 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		38

5.72 PartyIdentification135

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		136
	PostalAddress	<PstlAdr>		[0..1]		137
	Identification	<Id>		[0..1]		138
	CountryOfResidence	<CtryOfRes>		[0..1]		138
	ContactDetails	<CtctDtls>		[0..1]		139

Used in element(s)

"Garnishee" on page 86, "GarnishmentAdministrator" on page 87, "Invoicer" on page 200, "OrganisationIdentification" on page 135, "Party" on page 126

5.72.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 241

Usage Guideline details

- This element(`camt.057.001.06/.header/Related/To/OrganisationIdentification/Name`) is removed.
- This element(`camt.057.001.06/.header/From/OrganisationIdentification/Name`) is removed.
- This element(`camt.057.001.06/.header/To/OrganisationIdentification/Name`) is removed.
- This element(`camt.057.001.06/.header/Related/From/OrganisationIdentification/Name`) is removed.

5.72.2 PostalAddress

XML Tag: `PstlAdr`

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 159 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		160
	Department	<Dept>		[0..1]		160
	SubDepartment	<SubDept>		[0..1]		160
	StreetName	<StrtNm>		[0..1]		160
	BuildingNumber	<BldgNb>		[0..1]		161
	BuildingName	<BldgNm>		[0..1]		161
	Floor	<Flr>		[0..1]		161
	PostBox	<PstBx>		[0..1]		161
	Room	<Room>		[0..1]		161
	PostCode	<PstCd>		[0..1]		161
	TownName	<TwnNm>		[0..1]		162
	TownLocationName	<TwnLctnNm>		[0..1]		162
	DistrictName	<DstrctNm>		[0..1]		162
	CountrySubDivision	<CtrySubDvsn>		[0..1]		162
	Country	<Ctry>		[0..1]		162
	AddressLine	<AdrLine>		[0..7]		162

Usage Guideline details

- This element(`camt.057.001.06/.header/Related/To/OrganisationIdentification/PostalAddress`) is removed.
- This element(`camt.057.001.06/.header/To/OrganisationIdentification/PostalAddress`) is removed.
- This element(`camt.057.001.06/.header/From/OrganisationIdentification/PostalAddress`) is removed.
- This element(`camt.057.001.06/.header/Related/From/OrganisationIdentification/PostalAddress`) is removed.

5.72.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice](#)" on page 120 for details)

❌ Removed - ⚡ Partial Removed - ❖ Ignored - ⚡❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		121
	PrivateIdentification	<PrvtId>	Or}	[1..1]	❌	121

Usage Guideline details

- This element(`camt.057.001.06/.header/To/OrganisationIdentification/Identification`) is removed.
- This element(`camt.057.001.06/.header/Related/To/OrganisationIdentification/Identification`) is removed.

5.72.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 226

Usage Guideline details

- This element(`camt.057.001.06/.header/Related/To/OrganisationIdentification/CountryOfResidence`) is removed.

- This element(`camt.057.001.06/.header/To/OrganisationIdentification/CountryOfResidence`) is removed.
- This element(`camt.057.001.06/.header/From/OrganisationIdentification/CountryOfResidence`) is removed.
- This element(`camt.057.001.06/.header/Related/From/OrganisationIdentification/CountryOfResidence`) is removed.

5.72.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 56 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		57
	Name	<Nm>		[0..1]		57
	PhoneNumber	<PhneNb>		[0..1]		57
	MobileNumber	<MobNb>		[0..1]		57
	FaxNumber	<FaxNb>		[0..1]		57
	EmailAddress	<EmailAdr>		[0..1]		58
	EmailPurpose	<EmailPurp>		[0..1]		58
	JobTitle	<JobTitt>		[0..1]		58
	Responsibility	<Rspnsblty>		[0..1]		58
	Department	<Dept>		[0..1]		58
	Other	<Othr>		[0..*]		58
	PreferredMethod	<PrefrdMtd>		[0..1]		59

Usage Guideline details

- This element(`camt.057.001.06/.header/Related/From/OrganisationIdentification/ContactDetails`) is removed.
- This element(`camt.057.001.06/.header/Related/To/OrganisationIdentification/ContactDetails`) is removed.
- This element(`camt.057.001.06/.header/To/OrganisationIdentification/ContactDetails`) is removed.

- This element([camt.057.001.06/.header/From/OrganisationIdentification/ContactDetails](#)) is removed.

5.73 PartyIdentification135__1

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		140
	PostalAddress	<PstlAdr>		[0..1]		140
	Identification	<Id>		[0..1]		141
	CountryOfResidence	<CtryOfRes>		[0..1]		142
	ContactDetails	<CtctDtls>		[0..1]		142

Used in element(s)

"Party" on [page 127](#)

5.73.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on [page 221](#)

Usage Guideline details

- on [camt.057.001.06/GroupHeader/MessageSender/Party/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on [page 221](#)

5.73.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "[PostalAddress24__1](#)" on [page 162](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		163
	Department	<Dept>		[0..1]		164
	SubDepartment	<SubDept>		[0..1]		166
	StreetName	<StrtNm>		[0..1]		167
	BuildingNumber	<BldgNb>		[0..1]		168
	BuildingName	<BldgNm>		[0..1]		169
	Floor	<Flr>		[0..1]		170
	PostBox	<PstBx>		[0..1]		171
	Room	<Room>		[0..1]		172
	PostCode	<PstCd>		[0..1]		174
	TownName	<TwnNm>		[0..1]	 	175
	TownLocationName	<TwnLctnNm>		[0..1]		177
	DistrictName	<DstrctNm>		[0..1]		178
	CountrySubDivision	<CtrySubDvsn>		[0..1]		179
	Country	<Ctry>		[0..1]		180
	AddressLine	<AdrLine>		[0..7]	 R[0..2]	182

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.73.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice__1" on page 122 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		122
	PrivateIdentification	<PrvtId>	Or}	[1..1]		122

5.73.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 226

5.73.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		57
	Name	<Nm>		[0..1]		57
	PhoneNumber	<PhneNb>		[0..1]		57
	MobileNumber	<MobNb>		[0..1]		57
	FaxNumber	<FaxNb>		[0..1]		57
	EmailAddress	<EmailAdr>		[0..1]		58
	EmailPurpose	<EmailPurp>		[0..1]		58
	JobTitle	<JobTitt>		[0..1]		58
	Responsibility	<Rspnsblty>		[0..1]		58
	Department	<Dept>		[0..1]		58
	Other	<Othr>		[0..*]		58
	PreferredMethod	<PrefrdMtd>		[0..1]		59

Usage Guideline details

- This element([camt.057.001.06/GroupHeader/MessageSender/Party/ContactDetails](#)) is removed.

5.74 PartyIdentification135__2

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		143
	PostalAddress	<PstlAdr>		[0..1]		143
	Identification	<Id>		[0..1]		144
	CountryOfResidence	<CtryOfRes>		[0..1]		145
	ContactDetails	<CtctDtls>		[0..1]		145

Used in element(s)

"Party" on page 129

5.74.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended"](#) on page 221

Usage Guideline details

- on [camt.057.001.06/Notification/Debtor/Party/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 221
- on [camt.057.001.06/Notification/AccountOwner/Party/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 221

5.74.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 162 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		163
	Department	<Dept>		[0..1]		164
	SubDepartment	<SubDept>		[0..1]		166
	StreetName	<StrtNm>		[0..1]		167
	BuildingNumber	<BldgNb>		[0..1]		168
	BuildingName	<BldgNm>		[0..1]		169
	Floor	<Flr>		[0..1]		170
	PostBox	<PstBx>		[0..1]		171
	Room	<Room>		[0..1]		172
	PostCode	<PstCd>		[0..1]		174
	TownName	<TwnNm>		[0..1]	M	175
	TownLocationName	<TwnLctnNm>		[0..1]		177
	DistrictName	<DstrctNm>		[0..1]		178
	CountrySubDivision	<CtrySubDvsn>		[0..1]		179
	Country	<Ctry>		[0..1]	M	180
	AddressLine	<AdrLine>		[0..7]	R[0..2] R[0..2]	182

Usage Guideline details

- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on camt.057.001.06/Notification/Debtor/Party/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.74.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__2](#)" on page 123 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		123
	PrivateIdentification	<PrvtId>	Or}	[1..1]		123

5.74.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 226

5.74.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		57
	Name	<Nm>		[0..1]		57
	PhoneNumber	<PhneNb>		[0..1]		57
	MobileNumber	<MobNb>		[0..1]		57
	FaxNumber	<FaxNb>		[0..1]		57
	EmailAddress	<EmailAdr>		[0..1]		58
	EmailPurpose	<EmailPurp>		[0..1]		58
	JobTitle	<JobTitl>		[0..1]		58
	Responsibility	<Rspnsblty>		[0..1]		58
	Department	<Dept>		[0..1]		58

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Other	<Othr>		[0..*]		58
	PreferredMethod	<PrefrdMtd>		[0..1]		59

Usage Guideline details

- This element(camt.057.001.06/Notification/Debtor/Party/ContactDetails) is removed.
- This element(camt.057.001.06/Notification/AccountOwner/Party/ContactDetails) is removed.

5.75 PartyIdentification135__3

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		146
	PostalAddress	<PstlAdr>		[0..1]		146
	Identification	<Id>		[0..1]		147
	CountryOfResidence	<CtryOfRes>		[0..1]		148
	ContactDetails	<CtctDtls>		[0..1]		148

Used in element(s)

"Party" on page 133

5.75.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 221

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 221

5.75.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 162 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		163
	Department	<Dept>		[0..1]		164
	SubDepartment	<SubDept>		[0..1]		166
	StreetName	<StrtNm>		[0..1]		167
	BuildingNumber	<BldgNb>		[0..1]		168
	BuildingName	<BldgNm>		[0..1]		169
	Floor	<Flr>		[0..1]		170
	PostBox	<PstBx>		[0..1]		171
	Room	<Room>		[0..1]		172
	PostCode	<PstCd>		[0..1]		174
	TownName	<TwnNm>		[0..1]	 	175
	TownLocationName	<TwnLctnNm>		[0..1]		177
	DistrictName	<DstrctNm>		[0..1]		178
	CountrySubDivision	<CtrySubDvsn>		[0..1]		179
	Country	<Ctry>		[0..1]		180
	AddressLine	<AdrLine>		[0..7]	 R[0..2]	182

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.75.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__3](#)" on page 124 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		124
	PrivateIdentification	<PrvtId>	Or}	[1..1]		124

5.75.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 226

5.75.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		57
	Name	<Nm>		[0..1]		57
	PhoneNumber	<PhneNb>		[0..1]		57
	MobileNumber	<MobNb>		[0..1]		57
	FaxNumber	<FaxNb>		[0..1]		57
	EmailAddress	<EmailAdr>		[0..1]		58
	EmailPurpose	<EmailPurp>		[0..1]		58
	JobTitle	<JobTitl>		[0..1]		58
	Responsibility	<Rspnsblty>		[0..1]		58
	Department	<Dept>		[0..1]		58
	Other	<Othr>		[0..*]		58
	PreferredMethod	<PrefrdMtd>		[0..1]		59

Usage Guideline details

- This element([camt.057.001.06/Notification/Item/Debtor/Party/ContactDetails](#)) is removed.

5.76 PartyIdentification135__4

Definition: Specifies the identification of a person or an organisation.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		149
	PostalAddress	<PstlAdr>		[0..1]		149
	Identification	<Id>		[0..1]		150
	CountryOfResidence	<CtryOfRes>		[0..1]		150
	ContactDetails	<CtctDtls>		[0..1]		150

Used in element(s)

"Invoicee" on page 200

5.76.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["Max140Text"](#) on page 241

5.76.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype ["PostalAddress24"](#) on page 159 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		160
	Department	<Dept>		[0..1]		160
	SubDepartment	<SubDept>		[0..1]		160

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	StreetName	<StrtNm>		[0..1]		160
	BuildingNumber	<BldgNb>		[0..1]		161
	BuildingName	<BldgNm>		[0..1]		161
	Floor	<Flr>		[0..1]		161
	PostBox	<PstBx>		[0..1]		161
	Room	<Room>		[0..1]		161
	PostCode	<PstCd>		[0..1]		161
	TownName	<TwnNm>		[0..1]		162
	TownLocationName	<TwnLctnNm>		[0..1]		162
	DistrictName	<DstrctNm>		[0..1]		162
	CountrySubDivision	<CtrySubDvsn>		[0..1]		162
	Country	<Ctry>		[0..1]		162
	AddressLine	<AdrLine>		[0..7]		162

5.76.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__4](#)" on page 125 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		125
	PrivateIdentification	<PrvtId>	Or}	[1..1]		125

5.76.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 226

5.76.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		57
	Name	<Nm>		[0..1]		57
	PhoneNumber	<PhneNb>		[0..1]		57
	MobileNumber	<MobNb>		[0..1]		57
	FaxNumber	<FaxNb>		[0..1]		57
	EmailAddress	<EmailAdr>		[0..1]		58
	EmailPurpose	<EmailPurp>		[0..1]		58
	JobTitle	<JobTitl>		[0..1]		58
	Responsibility	<Rspnsblty>		[0..1]		58
	Department	<Dept>		[0..1]		58
	Other	<Othr>		[0..*]		58
	PreferredMethod	<PrefrdMtd>		[0..1]		59

5.77 PersonIdentification13

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		151
	Other	<Othr>		[0..*]		152

Used in element(s)

"PrivateIdentification" on page 121

5.77.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1](#)" on [page 61](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		62
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		62
	CityOfBirth	<CityOfBirth>		[1..1]		62
	CountryOfBirth	<CtryOfBirth>		[1..1]		62

5.77.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1](#)" on [page 98](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		99
	SchemeName	<SchmeNm>		[0..1]		99
	Issuer	<Issr>		[0..1]		99

5.78 PersonIdentification13__1

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		152
	Other	<Othr>		[0..*]	R[0..2]	153

Used in element(s)

"[PrivateIdentification](#)" on [page 122](#)

5.78.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 62 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		63
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		63
	CityOfBirth	<CityOfBirth>		[1..1]		64
	CountryOfBirth	<CtrYOfBirth>		[1..1]		64

5.78.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__1" on page 99 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		100
	SchemeName	<SchmeNm>		[0..1]		100
	Issuer	<Issr>		[0..1]		101

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.79 PersonIdentification13__2

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		154
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	154

Used in element(s)

"PrivateIdentification" on page 123

5.79.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__2" on page 64 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		64
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		65
	CityOfBirth	<CityOfBirth>		[1..1]		65
	CountryOfBirth	<CtryOfBirth>		[1..1]		65

5.79.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__1" on page 99 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		100
	SchemeName	<SchmeNm>		[0..1]		100
	Issuer	<Issr>		[0..1]		101

Usage Guideline details

- on **camt.057.001.06/Notification/AccountOwner/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on **camt.057.001.06/Notification/Debtor/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.80 PersonIdentification13__3

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		155
	Other	<Othr>		[0..*]	R[0..2]	155

Used in element(s)

["PrivateIdentification" on page 124](#)

5.80.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__1](#)" on [page 62](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		63
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		63
	CityOfBirth	<CityOfBirth>		[1..1]		64
	CountryOfBirth	<CtryOfBirth>		[1..1]		64

5.80.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1__2](#)" on [page 101](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		101
	SchemeName	<SchmeNm>		[0..1]		102
	Issuer	<Issr>		[0..1]		102

Usage Guideline details

- on [camt.057.001.06/Notification/Item/Debtor/Party/Identification/PrivateIdentification/Other](#)
This element has change repeatability, the maximum occurrence has been changed to : 2

5.81 PersonIdentification13__4

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		156
	Other	<Othr>		[0..*]		157

Used in element(s)

["PrivateIdentification"](#) on [page 125](#)

5.81.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__3](#)" on [page 65](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		66
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]	⚠	66
	CityOfBirth	<CityOfBirth>		[1..1]	⚠	66
	CountryOfBirth	<CtryOfBirth>		[1..1]		67

5.81.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1](#)" on page 98 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		99
	SchemeName	<SchmeNm>		[0..1]		99
	Issuer	<Issr>		[0..1]		99

5.82 PersonIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		157
	Proprietary	<Prtry>	Or}	[1..1]	🚫	158

Used in element(s)

"SchemeName" on page 102, "SchemeName" on page 99

5.82.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 236](#)

5.82.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 243](#)

Usage Guideline details

- This element([camt.057.001.06/Notification/Item/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.

5.83 PersonIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		158
	Proprietary	<Prtry>	Or}	[1..1]	 	158

Used in element(s)

["SchemeName" on page 100](#)

5.83.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 236](#)

5.83.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 223](#)

Usage Guideline details

- This element([camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([camt.057.001.06/Notification/AccountOwner/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([camt.057.001.06/Notification/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- on [camt.057.001.06/Notification/AccountOwner/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 223
- on [camt.057.001.06/GroupHeader/MessageSender/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 223
- on [camt.057.001.06/Notification/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 223

5.84 PostalAddress24

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		160
	Department	<Dept>		[0..1]		160
	SubDepartment	<SubDept>		[0..1]		160
	StreetName	<StrtNm>		[0..1]		160
	BuildingNumber	<BldgNb>		[0..1]		161
	BuildingName	<BldgNm>		[0..1]		161
	Floor	<Flr>		[0..1]		161
	PostBox	<PstBx>		[0..1]		161
	Room	<Room>		[0..1]		161
	PostCode	<PstCd>		[0..1]		161
	TownName	<TwnNm>		[0..1]		162
	TownLocationName	<TwnLctnNm>		[0..1]		162
	DistrictName	<DstrctNm>		[0..1]		162

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CountrySubDivision	<CtrySubDvsn>		[0..1]		162
	Country	<Ctry>		[0..1]		162
	AddressLine	<AdrlLine>		[0..7]		162

Used in element(s)

"Address" on page 105, "PostalAddress" on page 84, "PostalAddress" on page 149, "PostalAddress" on page 40, "PostalAddress" on page 76, "PostalAddress" on page 137

5.84.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		30
	Proprietary	<Prtry>	Or}	[1..1]		30

5.84.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "Max70Text" on page 243

5.84.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "Max70Text" on page 243

5.84.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["Max70Text" on page 243](#)

5.84.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["Max16Text" on page 241](#)

5.84.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: ["Max35Text" on page 243](#)

5.84.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["Max70Text" on page 243](#)

5.84.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["Max16Text" on page 241](#)

5.84.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["Max70Text" on page 243](#)

5.84.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["Max16Text" on page 241](#)

5.84.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "Max35Text" on page 243

5.84.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: "Max35Text" on page 243

5.84.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "Max35Text" on page 243

5.84.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: "Max35Text" on page 243

5.84.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 226

5.84.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "Max70Text" on page 243

5.85 PostalAddress24__1

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		163
	Department	<Dept>		[0..1]		164
	SubDepartment	<SubDept>		[0..1]		166
	StreetName	<StrtNm>		[0..1]		167
	BuildingNumber	<BldgNb>		[0..1]		168
	BuildingName	<BldgNm>		[0..1]		169
	Floor	<Flr>		[0..1]		170
	PostBox	<PstBx>		[0..1]		171
	Room	<Room>		[0..1]		172
	PostCode	<PstCd>		[0..1]		174
	TownName	<TwnNm>		[0..1]	 	175
	TownLocationName	<TwnLctnNm>		[0..1]		177
	DistrictName	<DstrctNm>		[0..1]		178
	CountrySubDivision	<CtrySubDvsn>		[0..1]		179
	Country	<Ctry>		[0..1]		180
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	182

Used in element(s)

["PostalAddress" on page 140](#),
 ["PostalAddress" on page 79](#),
 ["PostalAddress" on page 143](#),
 ["PostalAddress" on page 146](#)

5.85.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype ["AddressType3Choice" on page 30](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		30

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		30

Usage Guideline details

- This element(camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/Debtor/Party/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/AddressType) is removed.
- This element(camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/AddressType) is removed.

5.85.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 225

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

5.85.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 225

Usage Guideline details

- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

- on [camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

5.85.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 225](#)

Usage Guideline details

- on [camt.057.001.06/Notification/Debtor/Party/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on [camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/StreetName](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/StreetName

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

5.85.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 222](#)

Usage Guideline details

- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

5.85.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 224](#)

Usage Guideline details

- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

5.85.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 225](#)

Usage Guideline details

- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)
- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225
- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 225

5.85.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 222

Usage Guideline details

- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

5.85.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 225

Usage Guideline details

- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 225](#)

5.85.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 222](#)

Usage Guideline details

- **on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/Notification/Debtor/Party/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)
- **on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 222](#)

- **on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222
- **on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222
- **on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 222

5.85.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 224

Usage Guideline details

- **on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Debtor/Party/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224
- **on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224
- **on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224
- **on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224
- **on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224
- **on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224
- **on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224
- **on camt.057.001.06/Notification/Debtor/Party/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224
- **on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 224

- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

5.85.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 224](#)

Usage Guideline details

- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

5.85.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 224](#)

Usage Guideline details

- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

5.85.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 224](#)

Usage Guideline details

- on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

- on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Debtor/Party/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)
- on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 224](#)

5.85.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: ["CountryCode" on page 226](#)

Usage Guideline details

- **on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Debtor/Party/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/Country**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.85.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 225

Usage Guideline details

- **on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/Debtor/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.057.001.06/Notification/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/AccountOwner/Party/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/Item/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/Item/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/Debtor/Party/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/Item/Debtor/Party/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/GroupHeader/MessageSender/Party/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/AccountOwner/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/IntermediaryAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/AccountServicer/FinancialInstitutionIdentification/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225
- **on camt.057.001.06/Notification/Item/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
 Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225

- on camt.057.001.06/GroupHeader/MessageSender/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 225

5.86 ProxyAccountIdentification1

Definition: Information related to a proxy identification of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		184
	Identification	<Id>		[1..1]		184

Used in element(s)

"Proxy" on page 47

5.86.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice" on page 186 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		186
	Proprietary	<Prtry>	Or}	[1..1]		186

5.86.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "Max2048Text" on page 242

5.87 ProxyAccountIdentification1__1

Definition: Information related to a proxy identification of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		185
	Identification	<Id>		[1..1]		185

Used in element(s)

"Proxy" on page 49

5.87.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "[ProxyAccountType1Choice_1](#)" on page 186 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		187
	Proprietary	<Prtry>	Or}	[1..1]		187

Usage Guideline details

- on camt.057.001.06/Notification/Account/Proxy/Type**
 This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/Notification/RelatedAccount/Proxy/Type**
 This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.057.001.06/Notification/Item/RelatedAccount/Proxy/Type**
 This element is now mandatory, the minimum occurrence has been changed to : 1

5.87.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "[CBPR_RestrictedFINXMax320Text_Extended](#)" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 223](#)
- on camt.057.001.06/Notification/RelatedAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 223](#)
- on camt.057.001.06/Notification/Item/RelatedAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 223](#)

5.88 ProxyAccountType1Choice

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		186
	Proprietary	<Prtry>	Or}	[1..1]		186

Used in element(s)

"Type" on page 184

5.88.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code" on page 237](#)

5.88.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 243](#)

5.89 ProxyAccountType1Choice__1

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		187
	Proprietary	<Prtry>	Or}	[1..1]		187

Used in element(s)

"Type" on page 185

5.89.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalProxyAccountType1Code" on page 237

5.89.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)
- on camt.057.001.06/Notification/RelatedAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)
- on camt.057.001.06/Notification/Item/RelatedAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 223](#)

5.90 Purpose2Choice__1

Definition: Specifies the underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		188
	Proprietary	<Prtry>	Or}	[1..1]		188

Used in element(s)

"Purpose" on page 112

5.90.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Underlying reason for the payment transaction, as published in an external purpose code list.

Datatype: "ExternalPurpose1Code" on page 238

5.90.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 223

Usage Guideline details

- on camt.057.001.06/Notification/Item/Purpose/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 223

5.91 ReferredDocumentInformation7__1

Definition: Set of elements used to identify the documents referred to in the remittance information.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		189
	Number	<Nb>		[0..1]		189
	RelatedDate	<RltdDt>		[0..1]		189
	LineDetails	<LineDtls>		[0..*]		189

Used in element(s)

"ReferredDocumentInformation" on page 198

5.91.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document.

The **Tp** block contains the following elements (see datatype "ReferredDocumentType4" on page 190 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		190
	Issuer	<Issr>		[0..1]		191

5.91.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Unique and unambiguous identification of the referred document.

Datatype: "Max35Text" on page 243

5.91.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document.

Datatype: "ISODate" on page 240

5.91.4 LineDetails

XML Tag: LineDtls

Presence: [0..*]

Definition: Set of elements used to provide the content of the referred document line.

The **LineDtls** block contains the following elements (see datatype "DocumentLineInformation1__1" on page 71 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		71
	Description	<Desc>		[0..1]		72
	Amount	<Amt>		[0..1]		72

5.92 ReferredDocumentType3Choice

Definition: Specifies the type of the document referred in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		190
	Proprietary	<Prtry>	Or}	[1..1]		190

Used in element(s)

"CodeOrProprietary" on page 190

5.92.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Document type in a coded form.

Datatype: "DocumentType6Code" on page 228

5.92.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "Max35Text" on page 243

5.93 ReferredDocumentType4

Definition: Specifies the type of the document referred in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		190
	Issuer	<Issr>		[0..1]		191

Used in element(s)

"Type" on page 189

5.93.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document.

The **CdOrPrtry** block contains the following elements (see datatype "[ReferredDocumentType3Choice](#)" on page 190 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		190
	Proprietary	<Prtry>	Or}	[1..1]		190

5.93.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Datatype: "[Max35Text](#)" on page 243

5.94 RemittanceAmount2

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		191
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		192
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		192
	TaxAmount	<TaxAmt>		[0..*]		192
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		192
	RemittedAmount	<RmtdAmt>		[0..1]		193

Used in element(s)

"[ReferredDocumentAmount](#)" on page 199

5.94.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

5.94.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount specified for the referred document is the amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAndType1" on page 67 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		68
	Amount	<Amt>		[1..1]		68

5.94.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount specified for the referred document is the amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

5.94.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Quantity of cash resulting from the calculation of the tax.

The **TaxAmt** block contains the following elements (see datatype "TaxAmountAndType1" on page 204 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		204
	Amount	<Amt>		[1..1]		204

5.94.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the document adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1" on page 69 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		69
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		69
	Reason	<Rsn>		[0..1]		70
	AdditionalInformation	<AddtlInf>		[0..1]		70

5.94.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

5.95 RemittanceAmount3

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		193
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		194
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		194
	TaxAmount	<TaxAmt>		[0..*]		194
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		194
	RemittedAmount	<RmtdAmt>		[0..1]		195

Used in element(s)

"Amount" on page 72

5.95.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 217](#)

5.95.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype ["DiscountAmountAndType1"](#) on page 67 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		68
	Amount	<Amt>		[1..1]		68

5.95.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount of a credit note.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 217](#)

5.95.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Amount of the tax.

The **TaxAmt** block contains the following elements (see datatype ["TaxAmountAndType1"](#) on page 204 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		204
	Amount	<Amt>		[1..1]		204

5.95.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1" on page 69 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		69
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		69
	Reason	<Rsn>		[0..1]		70
	AdditionalInformation	<AddtlInf>		[0..1]		70

5.95.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

5.96 RemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]		195
	Structured	<Strd>		[0..*]		195

Used in element(s)

"RemittanceInformation" on page 113

5.96.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in an unstructured form.

Datatype: "Max140Text" on page 241

5.96.2 Structured

XML Tag: Strd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

The **Strd** block contains the following elements (see datatype "[StructuredRemittanceInformation16__1](#)" on page 198 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		198
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		199
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		199
	Invoice	<Invcr>		[0..1]		200
	Invoicee	<Invcee>		[0..1]		200
	TaxRemittance	<TaxRmt>		[0..1]		201
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		201
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		202

5.97 RemittanceLocation7

Definition: Provides information on the remittance advice.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		196
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]		197

Used in element(s)

"[RelatedRemittanceInformation](#)" on page 113

5.97.1 RemittanceIdentification

XML Tag: RmtId

Presence: [0..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the remittance information sent separately from the payment instruction, such as a remittance advice.

Datatype: "[Max35Text](#)" on page 243

5.97.2 RemittanceLocationDetails

XML Tag: RmtLctnDtls

Presence: [0..*]

Definition: Set of elements used to provide information on the location and/or delivery of the remittance information.

The **RmtLctnDtls** block contains the following elements (see datatype "[RemittanceLocationData1](#)" on page 197 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		197
	ElectronicAddress	<ElctrncAdr>		[0..1]		197
	PostalAddress	<PstlAdr>		[0..1]		198

5.98 RemittanceLocationData1

Definition: Provides additional details on the remittance advice.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		197
	ElectronicAddress	<ElctrncAdr>		[0..1]		197
	PostalAddress	<PstlAdr>		[0..1]		198

Used in element(s)

["RemittanceLocationDetails"](#) on page 197

5.98.1 Method

XML Tag: Mtd

Presence: [1..1]

Definition: Method used to deliver the remittance advice information.

Datatype: ["RemittanceLocationMethod2Code"](#) on page 247

5.98.2 ElectronicAddress

XML Tag: ElctrncAdr

Presence: [0..1]

Definition: Electronic address to which an agent is to send the remittance information.

Datatype: "Max2048Text" on page 242

5.98.3 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Postal address to which an agent is to send the remittance information.

The **PstlAdr** block contains the following elements (see datatype "NameAndAddress16" on page 105 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]		105
	Address	<Adr>		[1..1]		105

5.99 StructuredRemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		198
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		199
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		199
	Invoicer	<Invcr>		[0..1]		200
	Invoicee	<Invcee>		[0..1]		200
	TaxRemittance	<TaxRmt>		[0..1]		201
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		201
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		202

Used in element(s)

"Structured" on page 195

5.99.1 ReferredDocumentInformation

XML Tag: RfrdDocInf

Presence: [0..*]

Definition: Provides the identification and the content of the referred document.

The **RfrdDocInf** block contains the following elements (see datatype "[ReferredDocumentInformation7__1](#)" on page 188 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		189
	Number	<Nb>		[0..1]		189
	RelatedDate	<RltdDt>		[0..1]		189
	LineDetails	<LineDtls>		[0..*]		189

5.99.2 ReferredDocumentAmount

XML Tag: RfrdDocAmt

Presence: [0..1]

Definition: Provides details on the amounts of the referred document.

The **RfrdDocAmt** block contains the following elements (see datatype "[RemittanceAmount2](#)" on page 191 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		191
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		192
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		192
	TaxAmount	<TaxAmt>		[0..*]		192
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		192
	RemittedAmount	<RmtdAmt>		[0..1]		193

5.99.3 CreditorReferenceInformation

XML Tag: CdtrRefInf

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

The **CdtrRefInf** block contains the following elements (see datatype "[CreditorReferenceInformation2](#)" on page 59 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		59
	Reference	<Ref>		[0..1]		60

5.99.4 Invoicer

XML Tag: Invcr

Presence: [0..1]

Definition: Identification of the organisation issuing the invoice, when it is different from the creditor or ultimate creditor.

The **Invcr** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 136 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		136
	PostalAddress	<PstlAdr>		[0..1]		137
	Identification	<Id>		[0..1]		138
	CountryOfResidence	<CtryOfRes>		[0..1]		138
	ContactDetails	<CtctDtls>		[0..1]		139

5.99.5 Invoicee

XML Tag: Invcee

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when it is different from the debtor or ultimate debtor.

The **Invcee** block contains the following elements (see datatype "[PartyIdentification135_4](#)" on page 149 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		149
	PostalAddress	<PstlAdr>		[0..1]		149
	Identification	<Id>		[0..1]		150
	CountryOfResidence	<CtryOfRes>		[0..1]		150
	ContactDetails	<CtctDtls>		[0..1]		150

5.99.6 TaxRemittance

XML Tag: TaxRmt

Presence: [0..1]

Definition: Provides remittance information about a payment made for tax-related purposes.

The **TaxRmt** block contains the following elements (see datatype "[TaxInformation7](#)" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		207
	Debtor	<Dbtr>		[0..1]		207
	UltimateDebtor	<UltmtDbtr>		[0..1]		207
	AdministrationZone	<AdmstnZone>		[0..1]		208
	ReferenceNumber	<RefNb>		[0..1]		208
	Method	<Mtd>		[0..1]		208
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		208
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		208
	Date	<Dt>		[0..1]		208
	SequenceNumber	<SeqNb>		[0..1]		209
	Record	<Rcrd>		[0..*]		209

5.99.7 GarnishmentRemittance

XML Tag: GrnshmtRmt

Presence: [0..1]

Definition: Provides remittance information about a payment for garnishment-related purposes.

The **GrnshmtRmt** block contains the following elements (see datatype "[Garnishment3](#)" on page 85 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		86
	Garnishee	<Grnshee>		[0..1]		86
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		87
	ReferenceNumber	<RefNb>		[0..1]		87

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>		[0..1]		87
	RemittedAmount	<RmtdAmt>		[0..1]		87
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrnclnd>		[0..1]		88
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		88

5.99.8 AdditionalRemittanceInformation

XML Tag: AddtlRmtInf

Presence: [0..3]

Definition: Additional information, in free text form, to complement the structured remittance information.

Datatype: "Max140Text" on page 241

5.100 SupplementaryData1

Definition: Additional information that can not be captured in the structured fields and/or any other specific block.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		202
	Envelope	<Envlp>		[1..1]		203

Rules

R24 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

Used in element(s)

"SupplementaryData" on page 17

5.100.1 PlaceAndName

XML Tag: PlcAndNm

Presence: [0..1]

Definition: Unambiguous reference to the location where the supplementary data must be inserted in the message instance.

In the case of XML, this is expressed by a valid XPath.

Datatype: "Max350Text" on page 242

5.100.2 Envelope

XML Tag: Envp

Presence: [1..1]

Definition: Technical element wrapping the supplementary data.

5.101 TaxAmount2

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		203
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		203
	TotalAmount	<TtlAmt>		[0..1]		203
	Details	<Dtls>		[0..*]		203

Used in element(s)

"TaxAmount" on page 214

5.101.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: "PercentageRate" on page 245

5.101.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

5.101.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

5.101.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.

The **Dtls** block contains the following elements (see datatype "[TaxRecordDetails2](#)" on page 215 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		215
	Amount	<Amt>		[1..1]		215

5.102 TaxAmountAndType1

Definition: Specifies the amount with a specific type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		204
	Amount	<Amt>		[1..1]		204

Used in element(s)

["TaxAmount" on page 192](#), ["TaxAmount" on page 194](#)

5.102.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[TaxAmountType1Choice](#)" on page 205 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205
	Proprietary	<Prtry>	Or}	[1..1]		205

5.102.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 217](#)

5.103 TaxAmountType1Choice

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		205
	Proprietary	<Prtry>	Or}	[1..1]		205

Used in element(s)

["Type" on page 204](#)

5.103.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalTaxAmountType1Code" on page 239](#)

5.103.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["Max35Text" on page 243](#)

5.104 TaxAuthorisation1

Definition: Details of the authorised tax paying party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		206
	Name	<Nm>		[0..1]		206

Used in element(s)"Authorisation" on page 211

5.104.1 Title

XML Tag: Titl*Presence:* [0..1]*Definition:* Title or position of debtor or the debtor's authorised representative.*Datatype:* "Max35Text" on page 243

5.104.2 Name

XML Tag: Nm*Presence:* [0..1]*Definition:* Name of the debtor or the debtor's authorised representative.*Datatype:* "Max140Text" on page 241

5.105 TaxInformation7

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		207
	Debtor	<Dbtr>		[0..1]		207
	UltimateDebtor	<UltmtDbtr>		[0..1]		207
	AdministrationZone	<AdmstnZone>		[0..1]		208
	ReferenceNumber	<RefNb>		[0..1]		208
	Method	<Mtd>		[0..1]		208
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		208
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		208
	Date	<Dt>		[0..1]		208
	SequenceNumber	<SeqNb>		[0..1]		209
	Record	<Rcrd>		[0..*]		209

Used in element(s)"TaxRemittance" on page 201

5.105.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "[TaxParty1](#)" on page 209 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		210
	RegistrationIdentification	<RegnId>		[0..1]		210
	TaxType	<TaxTp>		[0..1]		210

5.105.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Identifies the party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "[TaxParty2](#)" on page 210 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		211
	RegistrationIdentification	<RegnId>		[0..1]		211
	TaxType	<TaxTp>		[0..1]		211
	Authorisation	<Authstn>		[0..1]		211

5.105.3 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the taxing authority.

The **UltmtDbtr** block contains the following elements (see datatype "[TaxParty2](#)" on page 210 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		211
	RegistrationIdentification	<RegnId>		[0..1]		211
	TaxType	<TaxTp>		[0..1]		211
	Authorisation	<Authstn>		[0..1]		211

5.105.4 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: ["Max35Text" on page 243](#)

5.105.5 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: ["Max140Text" on page 241](#)

5.105.6 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["Max35Text" on page 243](#)

5.105.7 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 217](#)

5.105.8 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 217](#)

5.105.9 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: "ISODate" on page 240

5.105.10 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: "Number" on page 245

5.105.11 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype "TaxRecord2" on page 212 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		213
	Category	<Ctgy>		[0..1]		213
	CategoryDetails	<CtgyDtls>		[0..1]		213
	DebtorStatus	<DbtrSts>		[0..1]		213
	CertificateIdentification	<CertId>		[0..1]		214
	FormsCode	<FrmsCd>		[0..1]		214
	Period	<Prd>		[0..1]		214
	TaxAmount	<TaxAmt>		[0..1]		214
	AdditionalInformation	<AddtlInf>		[0..1]		215

5.106 TaxParty1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		210

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RegistrationIdentification	<RegnId>		[0..1]		210
	TaxType	<TaxTp>		[0..1]		210

Used in element(s)

"Creditor" on page 207

5.106.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "Max35Text" on page 243

5.106.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "Max35Text" on page 243

5.106.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "Max35Text" on page 243

5.107 TaxParty2

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		211
	RegistrationIdentification	<RegnId>		[0..1]		211
	TaxType	<TaxTp>		[0..1]		211
	Authorisation	<Authstn>		[0..1]		211

Used in element(s)

["Debtor" on page 207](#), ["UltimateDebtor" on page 207](#)

5.107.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: ["Max35Text" on page 243](#)

5.107.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: ["Max35Text" on page 243](#)

5.107.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["Max35Text" on page 243](#)

5.107.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype ["TaxAuthorisation1" on page 205](#) for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		206
	Name	<Nm>		[0..1]		206

5.108 TaxPeriod2

Definition: Period of time details related to the tax payment.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		212
	Type	<Tp>		[0..1]		212
	FromToDate	<FrToDt>		[0..1]		212

Used in element(s)

"Period" on page 214, "Period" on page 215

5.108.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: "ISODate" on page 240

5.108.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: "TaxRecordPeriod1Code" on page 249

5.108.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype "DatePeriod2" on page 67 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		67
	ToDate	<ToDt>		[1..1]		67

5.109 TaxRecord2

Definition: Set of elements used to define the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		213
	Category	<Ctgy>		[0..1]		213
	CategoryDetails	<CtgyDtls>		[0..1]		213
	DebtorStatus	<DbtrSts>		[0..1]		213
	CertificateIdentification	<CertId>		[0..1]		214
	FormsCode	<FrmsCd>		[0..1]		214
	Period	<Prd>		[0..1]		214
	TaxAmount	<TaxAmt>		[0..1]		214
	AdditionalInformation	<AddtlInf>		[0..1]		215

Used in element(s)

"Record" on page 209

5.109.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: "Max35Text" on page 243

5.109.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: "Max35Text" on page 243

5.109.3 CategoryDetails

XML Tag: CtgyDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: "Max35Text" on page 243

5.109.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: ["Max35Text" on page 243](#)

5.109.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: ["Max35Text" on page 243](#)

5.109.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: ["Max35Text" on page 243](#)

5.109.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype ["TaxPeriod2" on page 211](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		212
	Type	<Tp>		[0..1]		212
	FromDate	<FrToDt>		[0..1]		212

5.109.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype ["TaxAmount2" on page 203](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		203

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		203
	TotalAmount	<TtlAmt>		[0..1]		203
	Details	<Dtls>		[0..*]		203

5.109.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "Max140Text" on page 241

5.110 TaxRecordDetails2

Definition: Provides information on the individual tax amount(s) per period of the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		215
	Amount	<Amt>		[1..1]		215

Used in element(s)

"Details" on page 203

5.110.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod2" on page 211 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		212
	Type	<Tp>		[0..1]		212
	FromToDate	<FrToDt>		[0..1]		212

5.110.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 217

6 Message Datatypes

Note The following chapter identifies the datatypes that are used in the message.

6.1 ActiveOrHistoricCurrencyAndAmount

Definition: A number of monetary units specified in an active or a historic currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveOrHistoricCurrencyCode" on page 217

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules

R20 CurrencyAmount ✓

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

"Amount" on page 110, "Amount" on page 68, "Amount" on page 69, "Amount" on page 204, "Amount" on page 215, "CreditNoteAmount" on page 192, "CreditNoteAmount" on page 194, "Due-PayableAmount" on page 191, "DuePayableAmount" on page 193, "RemittedAmount" on page 87, "RemittedAmount" on page 193, "RemittedAmount" on page 195, "TaxableBaseAmount" on page 203, "TotalAmount" on page 25, "TotalAmount" on page 203, "TotalTaxAmount" on page 208, "TotalTaxable-BaseAmount" on page 208

6.2 ActiveOrHistoricCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme, as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern [A-Z]{3,3}

Rules**R21 ActiveOrHistoricCurrency ✓**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00006
- *Error Text:* Invalid currency code.

Used in element(s)

["Currency" on page 48](#), ["Currency" on page 46](#)

Used in attribute(s)

["ActiveOrHistoricCurrencyAndAmount" on page 217](#)

Restricts

["ParentCurrencyCode" on page 245](#)

6.3 AddressType2Code

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Used in element(s)

["Code" on page 30](#)

Restricts

["AddressTypeCode" on page 219](#)

6.4 AddressTypeCode

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Is restricted by

"AddressType2Code" on page 218

6.5 AmountDirectionCode

Definition: Specifies if an operation is an increase or a decrease or the result of a reversal operation.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.
RVCD	ReversalCredit	Debit entry used to reverse a previously booked credit entry.
RVDB	ReversalDebit	Credit entry used to reverse a previously booked debit entry.

Is restricted by

"CreditDebitCode" on page 227

6.6 AnyBICDec2014Identifier

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules**R6 AnyBIC ✓**

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00008
- *Error Text:* Invalid BIC.

Used in element(s)

"AnyBIC" on page 116, "AnyBIC" on page 117, "AnyBIC" on page 114

6.7 BICFIDec2014Identifier

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules**R4 BICFI ✓**

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00001
- *Error Text:* Invalid FI BIC.

Used in element(s)

"BICFI" on page 82, "BICFI" on page 77, "BICFI" on page 75

6.8 CBPR_Date

Definition: This Type restricts the base ISODate to YYYY (exactly 4 digits for the Year) and does not allow use of UTC offset or Zulu indicator with a date.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Date

Format

pattern [0-9]{4}-[0-9]{2}-[0-9]{2}

Used in element(s)

["BirthDate" on page 63](#), ["BirthDate" on page 64](#), ["ExpectedValueDate" on page 25](#), ["ExpectedValueDate" on page 110](#)

6.9 CBPR_DateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm).

This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 2020-07-16T19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: DateTime

Format

pattern .*(\+|-)((0[0-9])|(1[0-4])):[0-5][0-9]

Used in element(s)

["CreationDate" on page 44](#), ["CreationDateTime" on page 103](#)

6.10 CBPR_RestrictedFINXMax140Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{}~";<>@[

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+ !#\$%&!*^_`{ }\~";<>@\[\]]+

Used in element(s)

"Name" on page 140, "Name" on page 78, "Name" on page 143, "Name" on page 146

6.11 CBPR_RestrictedFINXMax16Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&!*^_`{|}\~";<>@[]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+ !#\$%&!*^_`{ }\~";<>@\[\]]+

Used in element(s)

"BuildingNumber" on page 168, "PostBox" on page 171, "PostCode" on page 174

6.12 CBPR_RestrictedFINXMax28Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 28 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	28
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+]+

Used in element(s)

["MemberIdentification" on page 55](#)

6.13 CBPR_RestrictedFINXMax320Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 320 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	320
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&!*^_`{ }\}~";<>@[\\]]+

Used in element(s)

["Identification" on page 185](#)

6.14 CBPR_RestrictedFINXMax34Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 34 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	34
minLength	1
pattern	(([0-9a-zA-Z/\-!\?:\(\)\.,'+]([0-9a-zA-Z/\-!\?:\(\)\.,'+]*([0-9a-zA-Z/\-!\?:\(\)\.,'+])?)*

Used in element(s)

["Identification" on page 91](#)

6.15 CBPR_RestrictedFINXMax35Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+]+

Used in element(s)

["BusinessMessageIdentifier" on page 42](#), ["BusinessService" on page 43](#), ["EndToEndIdentification" on page 107](#), ["Identification" on page 95](#), ["Identification" on page 100](#), ["Identification" on page 22](#), ["Identification" on page 107](#), ["Identification" on page 97](#), ["Identification" on page 101](#), ["Issuer" on page 96](#), ["Issuer" on page 101](#), ["Issuer" on page 92](#), ["Issuer" on page 98](#), ["Issuer" on page 102](#), ["MessageDefinitionIdentifier" on page 42](#), ["MessageIdentification" on page 103](#), ["Proprietary" on page 119](#), ["Proprietary" on page 158](#), ["Proprietary" on page 29](#), ["Proprietary" on page 50](#), ["Proprietary" on page 187](#), ["Proprietary" on page 188](#)

6.16 CBPR_RestrictedFINXMax35Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&!*='^_`{ }\}~";<>@[\\]]+

Used in element(s)

["BuildingName" on page 169](#), ["CityOfBirth" on page 64](#), ["CityOfBirth" on page 66](#), ["CountrySubDivision" on page 179](#), ["DistrictName" on page 178](#), ["Issuer" on page 74](#), ["Proprietary" on page 73](#), ["ProvinceOfBirth" on page 63](#), ["ProvinceOfBirth" on page 66](#), ["TownLocationName" on page 177](#), ["TownName" on page 175](#)

6.17 CBPR_RestrictedFINXMax70Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+]+

Used in element(s)

"Name" on page 48

6.18 CBPR_RestrictedFINXMax70Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*=_`{ } ~ - ; < > @ [\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&!*=_`{\ \}~ - ; < > @ [\ \]]+

Used in element(s)

"AddressLine" on page 182, "Department" on page 164, "Floor" on page 170, "Room" on page 172, "StreetName" on page 167, "SubDepartment" on page 166

6.19 CopyDuplicate1Code

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Used in element(s)

["CopyDuplicate" on page 44](#)

Restricts

["CopyDuplicateCode" on page 226](#)

6.20 CopyDuplicateCode

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Is restricted by

["CopyDuplicate1Code" on page 225](#)

6.21 CountryCode

Definition: Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Type: CodeSet

Format

pattern [A-Z]{2,2}

Rules**R5 Country ✓**

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00004
- *Error Text:* Invalid Country Code.

Used in element(s)

["Country" on page 180](#), ["Country" on page 162](#), ["CountryOfBirth" on page 64](#), ["CountryOfBirth" on page 65](#), ["CountryOfBirth" on page 67](#), ["CountryOfBirth" on page 62](#), ["CountryOfResidence" on page 142](#), ["CountryOfResidence" on page 145](#), ["CountryOfResidence" on page 148](#), ["CountryOfResidence" on page 150](#), ["CountryOfResidence" on page 138](#)

6.22 CreditDebitCode

Definition: Specifies if an operation is an increase or a decrease.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Used in element(s)

["CreditDebitIndicator" on page 69](#)

Restricts

["AmountDirectionCode" on page 219](#)

6.23 DocumentType3Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Used in element(s)

["Code" on page 60](#)

Restricts

["DocumentTypeCode" on page 228](#)

6.24 DocumentType6Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Used in element(s)

"Code" on page 190

Restricts

"DocumentTypeCode" on page 228

6.25 DocumentTypeCode

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CRCP	CustomerReceipt	When the Sale System requires the POI system to print the Customer receipt.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
HRCP	CashierReceipt	When the Sale system print the Cashier copy of the Payment receipt.
JNRL	Journal	When the POI or the Sale System wants to store a message on the journal printer or electronic journal of the Sale Terminal (it is sometimes a Sale Logging/Journal Printer).
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.

Code	Name	Definition
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
SRCP	SaleReceipt	When the Sale System requires the POI system to print the Sale receipt.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Is restricted by

"DocumentType3Code" on page 227, "DocumentType6Code" on page 228

6.26 Exact4AlphaNumericText

Definition: Specifies an alphanumeric string with a length of 4 characters.

Type: Text

Format

pattern [a-zA-Z0-9]{4}

Used in element(s)

"Identification" on page 93

6.27 ExternalAccountIdentification1Code

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4
minLength 1

Used in element(s)

"Code" on page 29, "Code" on page 29

Restricts

["ExternalAccountIdentificationCode" on page 231](#)

6.28 ExternalAccountIdentificationCode

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalAccountIdentification1Code" on page 230](#)

6.29 ExternalCashAccountType1Code

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 50](#), ["Code" on page 50](#)

Restricts

["ExternalCashAccountTypeCode" on page 231](#)

6.30 ExternalCashAccountTypeCode

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCashAccountType1Code" on page 231

6.31 ExternalClearingSystemIdentification1Code

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Used in element(s)

"Code" on page 51

Restricts

"ExternalClearingSystemIdentificationCode" on page 232

6.32 ExternalClearingSystemIdentificationCode

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Is restricted by

"ExternalClearingSystemIdentification1Code" on page 232

6.33 ExternalDiscountAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 68

Restricts

"ExternalDiscountAmountTypeCode" on page 233

6.34 ExternalDiscountAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDiscountAmountType1Code" on page 232

6.35 ExternalDocumentLineType1Code

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 72

Restricts

"ExternalDocumentLineTypeCode" on page 234

6.36 ExternalDocumentLineTypeCode

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDocumentLineType1Code" on page 233

6.37 ExternalFinancialInstitutionIdentification1Code

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 74

Restricts

"ExternalFinancialInstitutionIdentificationCode" on page 234

6.38 ExternalFinancialInstitutionIdentificationCode

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalFinancialInstitutionIdentification1Code" on page 234

6.39 ExternalGarnishmentType1Code

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 89

Restricts

"ExternalGarnishmentTypeCode" on page 235

6.40 ExternalGarnishmentTypeCode

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalGarnishmentType1Code" on page 235

6.41 ExternalOrganisationIdentification1Code

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 119](#), ["Code" on page 118](#)

Restricts

["ExternalOrganisationIdentificationCode" on page 236](#)

6.42 ExternalOrganisationIdentificationCode

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalOrganisationIdentification1Code" on page 235](#)

6.43 ExternalPersonIdentification1Code

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 158](#), ["Code" on page 157](#)

Restricts

["ExternalPersonIdentificationCode" on page 237](#)

6.44 ExternalPersonIdentificationCode

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalPersonIdentification1Code" on page 236](#)

6.45 ExternalProxyAccountType1Code

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 187](#), ["Code" on page 186](#)

Restricts

["ExternalProxyAccountTypeCode" on page 237](#)

6.46 ExternalProxyAccountTypeCode

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalProxyAccountType1Code" on page 237

6.47 ExternalPurpose1Code

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 188

Restricts

"ExternalPurposeCode" on page 238

6.48 ExternalPurposeCode

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalPurpose1Code" on page 238

6.49 ExternalTaxAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 205

Restricts

"ExternalTaxAmountTypeCode" on page 239

6.50 ExternalTaxAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalTaxAmountType1Code" on page 239

6.51 IBAN2007Identifier

Definition: The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

Type: IdentifierSet

Format

pattern [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rules**R22 IBAN ✓**

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00003
- *Error Text:* Invalid IBAN format or invalid check digits.

Used in element(s)

"IBAN" on page 19, "IBAN" on page 18

6.52 ISODate

Definition: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Type: Date

Used in element(s)

"BirthDate" on page 66, "BirthDate" on page 62, "Date" on page 87, "Date" on page 208, "FromDate" on page 67, "RelatedDate" on page 189, "RelatedDate" on page 71, "ToDate" on page 67, "Year" on page 212

6.53 ISODateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:mm:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Type: DateTime

6.54 LEIIdentifier

Definition: Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

Type: IdentifierSet

Format

pattern	[A-Z0-9]{18,18}[0-9]{2,2}
---------	---------------------------

Used in element(s)

"LEI" on page 83, "LEI" on page 116, "LEI" on page 78, "LEI" on page 117, "LEI" on page 39, "LEI" on page 75, "LEI" on page 114

6.55 Max128Text

Definition: Specifies a character string with a maximum length of 128 characters.

Type: Text

Format

maxLength	128
minLength	1

Used in element(s)

"Identification" on page 120

6.56 Max140Text

Definition: Specifies a character string with a maximum length of 140 characters.

Type: Text

Format

maxLength	140
minLength	1

Used in element(s)

"AdditionalInformation" on page 70, "AdditionalInformation" on page 215, "AdditionalRemittanceInformation" on page 202, "Name" on page 83, "Name" on page 149, "Name" on page 39, "Name" on page 57, "Name" on page 76, "Name" on page 105, "Name" on page 136, "Name" on page 206, "ReferenceNumber" on page 87, "ReferenceNumber" on page 208, "Unstructured" on page 195

6.57 Max16Text

Definition: Specifies a character string with a maximum length of 16 characters.

Type: Text

Format

maxLength	16
minLength	1

Used in element(s)

"BuildingNumber" on page 161, "PostBox" on page 161, "PostCode" on page 161

6.58 Max2048Text

Definition: Specifies a character string with a maximum length of 2048 characters.

Type: Text

Format

maxLength	2048
minLength	1

Used in element(s)

"Description" on page 72, "ElectronicAddress" on page 197, "EmailAddress" on page 58, "Identification" on page 104, "Identification" on page 184

6.59 Max34Text

Definition: Specifies a character string with a maximum length of 34 characters.

Type: Text

Format

maxLength	34
minLength	1

Used in element(s)

"Identification" on page 90

6.60 Max350Text

Definition: Specifies a character string with a maximum length of 350 characters.

Type: Text

Format

maxLength	350
minLength	1

Used in element(s)

["PlaceAndName" on page 202](#), ["Registry" on page 104](#)

6.61 Max35Text

Definition: Specifies a character string with a maximum length of 35 characters.

Type: Text

Format

maxLength	35
minLength	1

Used in element(s)

["AdministrationZone" on page 208](#), ["BuildingName" on page 161](#), ["Category" on page 213](#), ["Category-Details" on page 213](#), ["CertificateIdentification" on page 214](#), ["CityOfBirth" on page 65](#), ["CityOfBirth" on page 62](#), ["CountrySubDivision" on page 162](#), ["DebtorStatus" on page 213](#), ["DistrictName" on page 162](#), ["EmailPurpose" on page 58](#), ["FormsCode" on page 214](#), ["Identification" on page 39](#), ["Identification" on page 92](#), ["Identification" on page 94](#), ["Identification" on page 99](#), ["Issuer" on page 61](#), ["Issuer" on page 89](#), ["Issuer" on page 90](#), ["Issuer" on page 93](#), ["Issuer" on page 94](#), ["Issuer" on page 95](#), ["Issuer" on page 99](#), ["Issuer" on page 191](#), ["JobTitle" on page 58](#), ["MemberIdentification" on page 53](#), ["Method" on page 208](#), ["Number" on page 189](#), ["Number" on page 71](#), ["Proprietary" on page 29](#), ["Proprietary" on page 50](#), ["Proprietary" on page 51](#), ["Proprietary" on page 60](#), ["Proprietary" on page 69](#), ["Proprietary" on page 74](#), ["Proprietary" on page 89](#), ["Proprietary" on page 118](#), ["Proprietary" on page 158](#), ["Proprietary" on page 186](#), ["Proprietary" on page 190](#), ["Proprietary" on page 205](#), ["ProvinceOfBirth" on page 65](#), ["ProvinceOfBirth" on page 62](#), ["Reference" on page 60](#), ["RegistrationIdentification" on page 210](#), ["RegistrationIdentification" on page 211](#), ["RemittanceIdentification" on page 196](#), ["Responsibility" on page 58](#), ["SchemeName" on page 94](#), ["TaxIdentification" on page 210](#), ["TaxIdentification" on page 211](#), ["TaxType" on page 210](#), ["TaxType" on page 211](#), ["Title" on page 206](#), ["TownLocationName" on page 162](#), ["TownName" on page 162](#), ["Type" on page 213](#)

6.62 Max4Text

Definition: Specifies a character string with a maximum length of 4 characters.

Type: Text

Format

maxLength	4
minLength	1

Used in element(s)

["ChannelType" on page 120](#), ["Reason" on page 70](#)

6.63 Max70Text

Definition: Specifies a character string with a maximum length of 70characters.

Type: Text

Format

maxLength	70
minLength	1

Used in element(s)

["AddressLine" on page 162](#), ["Department" on page 58](#), ["Department" on page 160](#), ["Floor" on page 161](#), ["Name" on page 46](#), ["Room" on page 161](#), ["StreetName" on page 160](#), ["SubDepartment" on page 160](#)

6.64 NamePrefix2Code

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Used in element(s)

["NamePrefix" on page 57](#)

Restricts

["NamePrefixCode" on page 244](#)

6.65 NamePrefixCode

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Is restricted by

["NamePrefix2Code" on page 244](#)

6.66 Number

Definition: Number of objects represented as an integer.

Type: Quantity

Format

fractionDigits	0
totalDigits	18

Used in element(s)

"SequenceNumber" on page 209

6.67 ParentCurrencyCode

Definition: Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.

Type: CodeSet

Format

pattern	[A-Z]{3,3}
---------	------------

Is restricted by

"ActiveOrHistoricCurrencyCode" on page 217

6.68 PercentageRate

Definition: Rate expressed as a percentage, that is, in hundredths, for example, 0.7 is 7/10 of a percent, and 7.0 is 7%.

Type: Rate

Format

fractionDigits	10
totalDigits	11

Used in element(s)

"Rate" on page 203

6.69 PhoneNumber

Definition: The collection of information which identifies a specific phone or FAX number as defined by telecom services.

It consists of a "+" followed by the country code (from 1 to 3 characters) then a "-" and finally, any combination of numbers, "(", ")", "+ and "-" (up to 30 characters).

Type: Text

Format

pattern \+[0-9]{1,3}-[0-9()+\-]{1,30}

Used in element(s)

["FaxNumber" on page 57](#), ["MobileNumber" on page 57](#), ["PhoneNumber" on page 57](#)

6.70 PreferredContactMethod1Code

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
PHON	Phone	Preferred method used to reach the contact is per phone.

Used in element(s)

["PreferredMethod" on page 59](#)

Restricts

["PreferredContactMethodCode" on page 246](#)

6.71 PreferredContactMethodCode

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.

Code	Name	Definition
MAIL	Email	Preferred method used to reach the contact is per email.
ONLI	Online	Preferred method used to reach the contact is online.
PHON	Phone	Preferred method used to reach the contact is per phone.

Is restricted by

"PreferredContactMethod1Code" on page 246

6.72 Priority2Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

Used in element(s)

"Priority" on page 45

Restricts

"PriorityCode" on page 247

6.73 PriorityCode

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
LOWW	Low	Priority level is low.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Is restricted by

"Priority2Code" on page 247

6.74 RemittanceLocationMethod2Code

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Used in element(s)

"Method" on page 197

Restricts

"RemittanceLocationMethodCode" on page 248

6.75 RemittanceLocationMethodCode

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).

Code	Name	Definition
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Is restricted by

["RemittanceLocationMethod2Code" on page 247](#)

6.76 TaxRecordPeriod1Code

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.

Code	Name	Definition
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Used in element(s)

"Type" on page 212

Restricts

"TaxRecordPeriodCode" on page 250

6.77 TaxRecordPeriodCode

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.

Code	Name	Definition
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Is restricted by

["TaxRecordPeriod1Code" on page 249](#)

6.78 TrueFalseIndicator

Definition: A flag indicating a True or False value.

Type: Indicator

Meaning When True: True

Meaning When False: False

Used in element(s)

["EmployeeTerminationIndicator" on page 88](#), ["FamilyMedicalInsuranceIndicator" on page 88](#)

6.79 UUIDv4Identifier

Definition: Universally Unique Identifier (UUID) version 4, as described in IETF RFC 4122 "Universally Unique Identifier (UUID) URN Namespace".

Type: IdentifierSet

Format

pattern [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}

Used in element(s)

["UETR" on page 107](#)

6.80 UnicodeChartsCode

Definition: codelist containing the names of the UNICODE code block name as specified on <http://unicode.org/Public/UNIDATA/Blocks.txt>.

Type: CodeSet

Rules

R2 ValidationByTable

Error handling: Undefined

Used in element(s)

"CharacterSet" on page 41

6.81 YesNoIndicator

Definition: Indicates a "Yes" or "No" type of answer for an element.

Type: Indicator

Meaning When True: Yes

Meaning When False: No

Used in element(s)

"PossibleDuplicate" on page 44

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.