



Usage Guideline

CBPRPlus- pacs.003.001.08_FIToFICustomerDirectDebit

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message **MX pacs.003.001.08**. You can also consult [this information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

20 February 2026

Table of Contents

Message Functionality 3

1 Restriction summary 5

2 Structure 8

3 ISO 20022 Rules 11

4 Message Building Blocks 13

5 Message Components 23

6 Message Datatypes 329

Legal Notices 383

Message Functionality

This Usage Guideline is based on the pacs.003.001.08 message definition. In addition, Cross Border Payments and Reporting Plus (CBPR+) has defined usage of BusinessApplicationHeaderV02 as mandatory. The following section will be dealing with the pacs.003.001.08 only.

Overview

Principles:

1. AGENTS IDENTIFICATION - RECOMMENDATION

-> If BIC is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) - However, in case of conflicting information, the BIC will always take precedence.

-> If BIC is absent, (Name & Postal Address) or ClearingSystemMemberIdentification must be present and both are allowed together.

Note: "Instructing/ Instructed Agents" must be identified with a BIC - Clearing System Members Identification and LEI are optional.

2. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$%&*^_`{|}~";<>@[\\]

< is replaced with <

> is replaced with >

3. CBPR_Agent_PointToPointOnSWIFT: If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BIC is mandatory and other elements are optional, eg LEI

Collection Description

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Outline

The CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.003.001.08_FIToFICustomerDirectDebit message is composed of 3 building blocks

a. GroupHeader

Set of characteristics shared by all individual transactions included in the message.

b. DirectDebitTransactionInformation

Set of elements providing information specific to the individual direct debit(s).

c. SupplementaryData

Additional information that cannot be captured in the structured elements and/or any other specific block.

1 Restriction summary

This Usage Guideline restricts the pacs.003.001.08 message. This also includes the BusinessApplicationHeaderV02.

Restriction Type	See page
Removed elements	17, 18, 22, 41, 41, 41, 41, 41, 41, 41, 42, 42, 42, 42, 43, 43, 44, 50, 51, 62, 62, 63, 63, 63, 63, 63, 63, 63, 63, 63, 63, 63, 63, 109, 126, 126, 126, 126, 126, 126, 126, 128, 128, 128, 128, 128, 128, 129, 129, 129, 129, 129, 129, 130, 130, 130, 130, 130, 130, 133, 163, 164, 164, 164, 165, 166, 166, 166, 176, 176, 177, 177, 182, 183, 183, 183, 183, 183, 183, 183, 184, 184, 184, 185, 187, 187, 187, 187, 193, 193, 193, 193, 200, 200, 200, 200, 200, 200, 203, 206, 209, 209, 212, 215, 231, 231, 231, 231, 232, 232, 232, 232, 233, 233, 233, 233, 238, 238, 238, 239, 239, 239, 239, 239, 239, 239, 239, 239, 239, 239, 239, 239, 239, 239, 268, 274, 274, 303, 344, 378
Make mandatory	16, 66, 66, 66, 66, 66, 66, 66, 66, 66, 66, 67, 67, 67, 67, 72, 89, 90, 91, 97, 98, 127, 127, 127, 127, 149, 149, 149, 149, 149, 149, 149, 151, 153, 153, 153, 153, 156, 156, 156, 156, 157, 157, 157, 159, 160, 160, 160, 161, 175, 176, 176, 176, 216, 254, 254, 254, 254, 254, 254, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 262, 262, 262, 262, 262, 262, 263, 263, 263, 263, 263, 263, 263, 263, 263, 263, 263, 271, 272, 277, 277, 279, 279, 280, 281, 281, 282, 282, 282, 282, 282, 282, 282, 282
Reduce Multiplicity	19, 22, 178, 178, 178, 178, 178, 178, 178, 179, 181, 181, 181, 181, 221, 224, 224, 224, 224, 225, 225, 226, 227, 228, 228, 229, 230, 264, 264, 264, 264, 264, 264, 264, 264, 264, 264, 264, 264, 265, 265, 265, 265, 265, 265, 272, 279, 279, 296
Ignore	n.a.
Text rules	19, 30, 30, 31, 31, 32, 33, 33, 48, 49, 49, 82, 83, 83, 83, 92, 92, 93, 93, 94, 94, 94, 95, 96, 96, 98, 99, 99, 99, 100, 100, 100, 100, 101, 101, 101, 102, 103, 103, 103, 103, 105, 105, 105, 105, 106, 106, 106, 125, 125, 125, 125, 125, 125, 125, 133, 198, 198, 198, 198, 198, 198, 202, 205, 208, 208, 211, 214, 297
Conditional rules	n.a.

Restriction Type	See page
Formal rules	13, 13, 13, 14, 19, 22, 29, 31, 31, 37, 38, 38, 38, 39, 39, 40, 44, 83, 83, 93, 93, 96, 97, 103, 103, 106
Fixed values	15, 16, 164
Truncates	n.a.
Comments	n.a.
Annotations	n.a.
Changed datatypes	15, 17, 18, 26, 26, 26, 26, 26, 26, 26, 26, 28, 33, 48, 49, 49, 50, 51, 53, 55, 55, 55, 55, 55, 55, 55, 55, 57, 57, 58, 59, 59, 59, 59, 59, 59, 59, 59, 59, 59, 61, 61, 64, 67, 67, 67, 67, 67, 67, 68, 68, 68, 68, 68, 68, 68, 68, 72, 74, 75, 75, 76, 76, 76, 76, 76, 76, 76, 76, 76, 77, 77, 77, 77, 77, 77, 77, 77, 77, 77, 78, 78, 78, 78, 78, 78, 78, 78, 78, 79, 79, 80, 80, 81, 81, 84, 84, 89, 89, 90, 91, 112, 114, 114, 115, 115, 116, 118, 119, 123, 123, 123, 123, 123, 123, 124, 132, 138, 138, 140, 141, 141, 141, 142, 142, 142, 142, 142, 143, 143, 143, 143, 143, 143, 144, 144, 144, 144, 144, 144, 144, 144, 148, 148, 148, 148, 148, 148, 148, 149, 149, 150, 150, 150, 150, 150, 151, 151, 152, 152, 152, 152, 153, 153, 153, 154, 155, 155, 155, 155, 156, 156, 156, 157, 157, 157, 157, 157, 157, 157, 158, 159, 160, 160, 160, 160, 161, 161, 161, 161, 162, 163, 169, 170, 170, 171, 172, 173, 173, 174, 183, 183, 183, 183, 183, 183, 183, 185, 185, 185, 185, 196, 197, 197, 197, 197, 197, 201, 204, 207, 207, 210, 213, 216, 217, 217, 218, 232, 232, 232, 232, 232, 232, 232, 233, 233, 234, 234, 240, 240, 240, 240, 240, 240, 240, 240, 240, 240, 240, 240, 241, 241, 241, 241, 241, 241, 241, 241, 241, 241, 242, 242, 242, 242, 242, 242, 242, 242, 242, 242, 242, 242, 242, 243, 243, 243, 243, 243, 243, 243, 243, 243, 243, 244, 244, 244, 244, 244, 244, 244, 244, 244, 244, 245, 245, 245, 245, 245, 245, 245, 245, 245, 245, 245, 245, 246, 246, 246, 246, 246, 246, 246, 246, 246, 246, 247, 247, 247, 247, 247, 247, 247, 247, 247, 247, 247, 247, 247, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 250, 250, 250, 250, 250, 250, 250, 250, 250, 250, 250, 250, 250, 251, 251, 251, 251, 251, 251, 251, 251, 251, 251, 252, 252, 252, 252, 252, 252, 252, 252, 252, 252, 252, 253, 253, 253, 253,

Restriction Type	See page
	253, 253, 253, 253, 253, 253, 253, 253, 253, 254, 254, 254, 254, 255, 255, 256, 256, 256, 256, 256, 256, 256, 256, 256, 256, 256, 256, 256, 257, 257, 257, 257, 257, 257, 257, 257, 257, 258, 258, 258, 258, 258, 258, 258, 258, 258, 258, 258, 258, 259, 259, 259, 259, 259, 259, 259, 259, 259, 259, 260, 260, 260, 260, 260, 260, 260, 260, 260, 260, 261, 261, 261, 261, 261, 261, 261, 261, 261, 261, 261, 261, 262, 262, 262, 262, 265, 265, 265, 265, 265, 265, 266, 266, 266, 266, 266, 266, 266, 266, 266, 266, 266, 266, 268, 268, 268, 269, 269, 269, 270, 270, 270, 271, 271, 271, 272, 272, 274, 274, 274, 274, 275, 275, 275, 275, 275, 275, 276, 276, 276, 276, 277, 277, 277, 277, 278, 278, 278, 278, 278, 279, 279, 279, 281, 282, 282, 282, 283, 283, 283, 283, 283, 283, 283, 284, 284, 285, 285, 285, 285, 285, 285, 285, 285, 286, 287, 287, 289, 290, 296, 298, 299, 300, 301, 301, 304, 304, 305, 305, 305, 310, 315, 315, 315, 316, 316, 318, 318, 318, 319, 320, 321, 321, 322, 322, 322, 322, 322, 322, 323, 323, 325, 325, 325, 326, 326, 326, 327
Extensions	n.a.
Synonyms	n.a.

2 Structure

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	<i>BusinessApplicationHeaderV02</i>	<AppHdr>		[1..1]		
	CharacterSet	<CharSet>		[0..1]		14
	From	<Fr>		[1..1]		14
	OrganisationIdentification	<OrgId>	{Or	[1..1]		192
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		193
	To	<To>		[1..1]		14
	OrganisationIdentification	<OrgId>	{Or	[1..1]		192
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		193
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		15
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		15
	BusinessService	<BizSvc>		[0..1]	 	16
	MarketPractice	<MktPrctc>		[0..1]		16
	Registry	<Regy>		[1..1]		167
	Identification	<Id>		[1..1]		167
	CreationDate	<CreDt>		[1..1]		16
	BusinessProcessingDate	<BizPrctgDt>		[0..1]		17
	CopyDuplicate	<CpyDplct>		[0..1]		17
	PossibleDuplicate	<PssblDplct>		[0..1]		17
	Priority	<Prty>		[0..1]		18
	Signature	<Sgntr>		[0..1]		18
	Related	<Rltd>		[0..*]	 R[0..1]	18
	CharacterSet	<CharSet>		[0..1]		47
	From	<Fr>		[1..1]		47
	To	<To>		[1..1]		47
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		48
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		48
	BusinessService	<BizSvc>		[0..1]		49
	CreationDate	<CreDt>		[1..1]		49

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CopyDuplicate	<CpyDplct>		[0..1]		50
	PossibleDuplicate	<PssblDplct>		[0..1]		50
	Priority	<Prty>		[0..1]		50
	Signature	<Sgntr>		[0..1]		51
	<i>FIToFICustomerDirectDebitV08</i>	<FIToFICstmrDrctDbt>		[1..1]		19
	GroupHeader	<GrpHdr>		[1..1]		20
	MessageIdentification	<MsgId>		[1..1]		162
	CreationDateTime	<CreDtTm>		[1..1]		162
	Authorisation	<Authstn>		[0..2]		163
	BatchBooking	<BtchBookg>		[0..1]		163
	NumberOfTransactions	<NbOfTx>		[1..1]		164
	ControlSum	<CtrlSum>		[0..1]		164
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		164
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		164
	SettlementInformation	<SttlmInf>		[1..1]		165
	PaymentTypeInformation	<PmtTpInf>		[0..1]		165
	InstructingAgent	<InstgAg>		[0..1]		166
	InstructedAgent	<InstdAg>		[0..1]		166
	DirectDebitTransactionInformation	<DrctDbtTxInf>		[1..*]	R[1..1]	20
	PaymentIdentification	<PmtId>		[1..1]		88
	PaymentTypeInformation	<PmtTpInf>		[0..1]		88
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]		89
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		89
	SettlementPriority	<SttlmPrty>		[0..1]		89
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		89
	InstructedAmount	<InstdAmt>		[0..1]		90
	ExchangeRate	<XchgRate>		[0..1]		90
	ChargeBearer	<ChrgBr>		[1..1]		90
	ChargesInformation	<ChrgsInf>		[0..*]		91
	RequestedCollectionDate	<ReqdColltnDt>		[0..1]		91
	DirectDebitTransaction	<DrctDbtTx>		[0..1]		91

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[1..1]		92
	CreditorAccount	<CdtrAcct>		[0..1]		93
	CreditorAgent	<CdtrAgt>		[1..1]		94
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		95
	UltimateCreditor	<UltmtCdtr>		[0..1]		95
	InitiatingParty	<InitgPty>		[0..1]		96
	InstructingAgent	<InstgAgt>		[0..1]		97
	InstructedAgent	<InstdAgt>		[0..1]		98
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		98
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		99
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		99
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		100
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		101
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		102
	Debtor	<Dbtr>		[1..1]		102
	DebtorAccount	<DbtrAcct>		[1..1]		104
	DebtorAgent	<DbtrAgt>		[1..1]		104
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		105
	UltimateDebtor	<UltmtDbtr>		[0..1]		105
	Purpose	<Purp>		[0..1]		107
	RegulatoryReporting	<RgltryRptg>		[0..10]		107
	RelatedRemittanceInformation	<RltdRmtInf>		[0..10]		108
	RemittanceInformation	<RmtInf>		[0..1]		108
	SupplementaryData	<SplmtryData>		[0..*]		108
	SupplementaryData	<SplmtryData>		[0..*]		22
	PlaceAndName	<PlcAndNm>		[0..1]		310
	Envelope	<Envlp>		[1..1]		310

3 ISO 20022 Rules

R3 **RelatedPresentWhenCopyDupl** ✓

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Error handling:

- *Error severity:* Warning
- *Error Code:* H00001
- *Error Text:* Element Related is missing

R6 **InstructedAgentRule** ✓

If GroupHeader/InstructedAgent is present, then DirectDebitTransactionInformation/InstructedAgent is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00008
- *Error Text:* Invalid message content for instructed agent.

R7 **InstructingAgentRule** ✓

If GroupHeader/InstructingAgent is present, then DirectDebitTransactionInformation/InstructingAgent is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00007
- *Error Text:* Invalid message content for instructing agent.

R8 **TotalInterbankSettlementAmountRule** ✓

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of DirectDebitTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00042
- *Error Text:* Invalid message content for the total interbank settlement amount and individual interbank settlement amount currencies.

R9 **TotalInterbankSettlementAmountAndSumRule**

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of DirectDebitTransactionInformation/InterbankSettlementAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00043
- *Error Text:* Invalid message content for the total interbank settlement amount and sum of individual interbank settlement amounts.

R10 GroupHeaderInterbankSettlementDateRule ✓

If GroupHeader/InterbankSettlementDate is present, then DirectDebitTransactionInformation/InterbankSettlementDate is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00045
- *Error Text:* Invalid message content for interbank settlement date.

R11 TransactionInterbankSettlementDateRule ✓

If GroupHeader/InterbankSettlementDate is not present, then DirectDebitTransactionInformation/InterbankSettlementDate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00290
- *Error Text:* Invalid message content for interbank settlement date.

R12 PaymentTypeInfoInformationRule ✓

If GroupHeader/PaymentTypeInfoInformation is present, then DirectDebitTransactionInformation/PaymentTypeInfoInformation is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00009
- *Error Text:* Invalid message content for payment type information.

R13 SupplementaryDataRule

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

Error handling: Undefined

4 Message Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.003.001.08_FIToFICustomerDirectDebit message definition.

Usage Guideline on Root Node

- on pacs.003.001.08/fullmessage

- CBPR_BusinessMessageIdentifier_FormalRule:

The Business Message Identifier must match the Message Identification in the Group Header.

For each [Full Message], every occurrence of [Full Message/BusinessApplication-HeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/FIToFICustomerDirectDebitV08/GroupHeader/MessageIdentification] value

- on pacs.003.001.08/fullmessage

- CBPR_To_Instructed_Agent_BIC_2_FormalRule:

BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.

For each [Full Message], if
the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent
, then
every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must
have the same value than every occurrence of [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

- on pacs.003.001.08/fullmessage

- CBPR_To_Instructed_Agent_BIC_1_FormalRule:

BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU

For each [Full Message], if
every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU'
, then
every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must
have the same value than every occurrence of [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

- on pacs.003.001.08/fullmessage

– **CBPR_From_Instructing_Agent_BIC_FormalRule:**

BAH "From" BIC must match "Instructing Agent" BIC

For each [Full Message], every occurrence of [Full Message/BusinessApplication-HeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] value must be equal to every occurrence of [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] value

4.1 Header Building Blocks

Note The following chapter identifies the building blocks of the BusinessApplicationHeaderV02 definition.

4.1.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 382

4.1.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "Party44Choice__1" on page 192 for details)

❌ Removed -
 ❌ Partial Removed -
 ◆ Ignored -
 ◆ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	❌	192
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		193

4.1.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 192 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		192
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		193

4.1.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 341

Usage Guideline details

- on [pacs.003.001.08/header/BusinessMessageIdentifier](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 341

4.1.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "[Max35Text](#)" on page 370

Usage Guideline details

- on [pacs.003.001.08/header/MessageDefinitionIdentifier](#)

Single value: pacs.003.001.08

4.1.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: ["Max35Text" on page 370](#)

Usage Guideline details

- **on pacs.003.001.08/.header/BusinessService**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.003.001.08/.header/BusinessService**
Single value: swift.cbprplus.03

4.1.7 MarketPractice

XML Tag: MktPrctc

Presence: [0..1]

Definition: Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

The **MktPrctc** block contains the following elements (see datatype ["ImplementationSpecification1" on page 167](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		167
	Identification	<Id>		[1..1]		167

4.1.8 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Datatype: ["CBPR_DateTime" on page 337](#)

Usage Guideline details

- **on pacs.003.001.08/.header/CreationDate**
Type changed to: [CBPR_DateTime on page 337](#)

4.1.9 BusinessProcessingDate

XML Tag: BizPrcgDt

Presence: [0..1]

Definition: Processing date and time indicated by the sender for the receiver of the business message. This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

Datatype: ["ISODatetime" on page 367](#)

Usage Guideline details

- **This element(pacs.003.001.08/.header/BusinessProcessingDate) is removed.**

4.1.10 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: ["CopyDuplicate1Code" on page 346](#)

4.1.11 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: ["YesNoIndicator" on page 382](#)

4.1.12 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: ["Priority2Code" on page 374](#)

Usage Guideline details

- on [pacs.003.001.08/.header/Priority](#)
Type changed to: [Priority2Code on page 374](#)

4.1.13 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element([pacs.003.001.08/.header/Signature](#)) is removed.

4.1.14 Related

XML Tag: Rltd

Presence: [0..*]

Definition: Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

The **Rltd** block contains the following elements (see datatype ["BusinessApplicationHeader5__1" on page 46](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		47

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	From	<Fr>		[1..1]		47
	To	<To>		[1..1]		47
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	48
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	48
	BusinessService	<BizSvc>		[0..1]	⚠	49
	CreationDate	<CreDt>		[1..1]	⚠	49
	CopyDuplicate	<CpyDplct>		[0..1]		50
	PossibleDuplicate	<PssblDplct>		[0..1]	⊘	50
	Priority	<Prty>		[0..1]	⚠	50
	Signature	<Sgntr>		[0..1]	⊘	51

Usage Guideline details

- on pacs.003.001.08/.header/Related

This element has change repeatability, the maximum occurrence has been changed to : 1

- on pacs.003.001.08/.header/Related

- CBPR_Related_Business_Application_Header_TextualRule:

If used, the Related BAH must transport the exact same information as in the BAH of the related message.

4.2 Payload Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.003.001.08_FIToFICustomerDirectDebit payload definition.

Usage Guideline on Root Node

- on pacs.003.001.08/

- CBPR_Remittance_Mutually_Exclusive_FormalRule:

Either Structured or Unstructured Remittance can be present.

For each [Full Message/Document/FIToFICustomerDirectDebitV08], the following elements are mutually exclusive: [FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/RemittanceInformation/Unstructured] , [FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/RemittanceInformation/Structured] and all may be absent

4.2.1 GroupHeader

XML Tag: GrpHdr

Presence: [1..1]

Definition: Set of characteristics shared by all individual transactions included in the message.

The **GrpHdr** block contains the following elements (see datatype "GroupHeader94__1" on page 161 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		162
	CreationDateTime	<CreDtTm>		[1..1]		162
	Authorisation	<Authstn>		[0..2]		163
	BatchBooking	<BtchBookg>		[0..1]		163
	NumberOfTransactions	<NbOfTxs>		[1..1]		164
	ControlSum	<CtrlSum>		[0..1]		164
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		164
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		164
	SettlementInformation	<SttlmInf>		[1..1]		165
	PaymentTypeInformation	<PmtTpInf>		[0..1]		165
	InstructingAgent	<InstgAgnt>		[0..1]		166
	InstructedAgent	<InstdAgnt>		[0..1]		166

4.2.2 DirectDebitTransactionInformation

XML Tag: DrctDbtTxInf

Presence: [1..*]

Definition: Set of elements providing information specific to the individual direct debit(s).

The **DrctDbtTxInf** block contains the following elements (see datatype "DirectDebitTransactionInformation24__1" on page 84 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentIdentification	<PmtId>		[1..1]		88
	PaymentTypeInformation	<PmtTpInf>		[0..1]		88
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]		89

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	M 	89
	SettlementPriority	<SttlmPrty>		[0..1]		89
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		89
	InstructedAmount	<InstdAmt>		[0..1]	M 	90
	ExchangeRate	<XchgRate>		[0..1]		90
	ChargeBearer	<ChrgBr>		[1..1]		90
	ChargesInformation	<ChrgsInf>		[0..*]		91
	RequestedCollectionDate	<ReqdColltnDt>		[0..1]	M 	91
	DirectDebitTransaction	<DrctDbtTx>		[0..1]		91
	Creditor	<Cdtr>		[1..1]		92
	CreditorAccount	<CdtrAcct>		[0..1]		93
	CreditorAgent	<CdtrAgt>		[1..1]		94
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		95
	UltimateCreditor	<UltmtCdtr>		[0..1]		95
	InitiatingParty	<InitgPty>		[0..1]		96
	InstructingAgent	<InstgAgt>		[0..1]	M	97
	InstructedAgent	<InstdAgt>		[0..1]	M	98
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		98
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		99
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		99
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		100
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		101
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		102
	Debtor	<Dbtr>		[1..1]		102
	DebtorAccount	<DbtrAcct>		[1..1]		104
	DebtorAgent	<DbtrAgt>		[1..1]		104
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		105
	UltimateDebtor	<UltmtDbtr>		[0..1]		105
	Purpose	<Purp>		[0..1]		107
	RegulatoryReporting	<RgltryRptg>		[0..10]		107
	RelatedRemittanceInformation	<RltdRmtInf>		[0..10]		108

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceInformation	<RmtInf>		[0..1]		108
	SupplementaryData	<SplmtryData>		[0..*]		108

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation

This element has change repeatability, the maximum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation

- CBPR_Related_Remit_Info_Remit_Info_Mutually_Exclusive_FormalRule:

In the interbank space, Related Remittance Information and Remittance Information are mutually exclusive and all may be absent.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation], the following elements are mutually exclusive: [DirectDebitTransactionInformation/RelatedRemittanceInformation] , [DirectDebitTransactionInformation/RemittanceInformation] and all may be absent

4.2.3 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "[SupplementaryData1](#)" on [page 310](#) for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		310
	Envelope	<Envlp>		[1..1]		310

Usage Guideline details

- This element(pacs.003.001.08/SupplementaryData) is removed.

5 Message Components

Note The following chapter identifies the message components.

5.1 AccountIdentification4Choice__1

Definition: Specifies the unique identification of an account as assigned by the account servicer.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		23
	Other	<Othr>	Or}	[1..1]		23

Used in element(s)

"Identification" on page 51, "Identification" on page 56

5.1.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 366

5.1.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1__1](#)" on page 140 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		141
	SchemeName	<SchmeNm>		[0..1]		141
	Issuer	<Issr>		[0..1]		141

5.2 AccountIdentification4Choice__2

Definition: Specifies the unique identification of an account as assigned by the account servicer.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		24
	Other	<Othr>	Or}	[1..1]		24

Used in element(s)

"Identification" on page 53

5.2.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 366

5.2.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1__2](#)" on page 142 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	142
	SchemeName	<SchmeNm>		[0..1]		143
	Issuer	<Issr>		[0..1]	⚠	143

5.3 AccountSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		25
	Proprietary	<Prtry>	Or}	[1..1]		25

Used in element(s)

["SchemeName" on page 141](#)

5.3.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalAccountIdentification1Code" on page 351](#)

5.3.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 370](#)

5.4 AccountSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		25
	Proprietary	<Prtry>	Or}	[1..1]		26

Used in element(s)

["SchemeName" on page 143](#)

5.4.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalAccountIdentification1Code" on page 351](#)

5.4.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgentAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgentAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgentAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341

5.5 AddressType3Choice

Definition: Choice of formats for the type of address.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		27

Used in element(s)

"AddressType" on page 238, "AddressType" on page 267, "AddressType" on page 273, "AddressType" on page 234

5.5.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of address expressed as a code.

Datatype: "AddressType2Code" on page 331

5.5.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of address expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype "GenericIdentification30" on page 145 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		146
	Issuer	<Issr>		[1..1]		146
	SchemeName	<SchmeNm>		[0..1]		146

5.6 AmendmentInformationDetails13__1

Definition: Provides further details on the list of direct debit mandate elements that have been modified when the amendment indicator has been set.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalMandateIdentification	<OrgnlMndtId>		[0..1]		28
	OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>		[0..1]		28

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalCreditorAgent	<OrgnlCdtrAgt>		[0..1]		29
	OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>		[0..1]		29
	OriginalDebtor	<OrgnlDbtr>		[0..1]	⚠	30
	OriginalDebtorAccount	<OrgnlDbtrAcct>		[0..1]		32
	OriginalDebtorAgent	<OrgnlDbtrAgt>		[0..1]	⚠	32
	OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>		[0..1]		33
	OriginalFinalCollectionDate	<OrgnlFnIColltnDt>		[0..1]	⚠	33
	OriginalFrequency	<OrgnlFrqcy>		[0..1]		34
	OriginalReason	<OrgnlRsn>		[0..1]		34
	OriginalTrackingDays	<OrgnlTrckgDays>		[0..1]		34

Used in element(s)

"AmendmentInformationDetails" on page 170

5.6.1 OriginalMandateIdentification

XML Tag: OrgnlMndtId

Presence: [0..1]

Definition: Unique identification, as assigned by the creditor, to unambiguously identify the original mandate.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalMandateIdentification

Type changed to: CBPR_RestrictedFINXMax35Text on page 341

5.6.2 OriginalCreditorSchemeIdentification

XML Tag: OrgnlCdtrSchmeld

Presence: [0..1]

Definition: Original creditor scheme identification that has been modified.

The **OrgnlCdtrSchmeld** block contains the following elements (see datatype "PartyIdentification135_1" on page 196 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	196
	PostalAddress	<PstlAdr>		[0..1]	⚠	197
	Identification	<Id>		[0..1]		198
	CountryOfResidence	<CtryOfRes>		[0..1]		199
	ContactDetails	<CtctDtls>		[0..1]	🚫	199

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification

– CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification], if at least one occurrence of the following element(s) [OriginalCreditorSchemeIdentification/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [OriginalCreditorSchemeIdentification/Name] must be present

5.6.3 OriginalCreditorAgent

XML Tag: OrgnlCdtrAgt

Presence: [0..1]

Definition: Original creditor agent that has been modified.

The **OrgnlCdtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 36 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	37
	BranchIdentification	<BrnchId>		[0..1]	🚫	40

5.6.4 OriginalCreditorAgentAccount

XML Tag: OrgnlCdtrAgtAcct

Presence: [0..1]

Definition: Original creditor agent account that has been modified.

The **OrgnlCdtrAgtAcct** block contains the following elements (see datatype "[CashAccount38__2](#)" on [page 53](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]	⚠	54
	Proxy	<Prxy>		[0..1]		55

5.6.5 OriginalDebtor

XML Tag: OrgnlDbtr

Presence: [0..1]

Definition: Original debtor that has been modified.

The **OrgnlDbtr** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on [page 196](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	196
	PostalAddress	<PstlAdr>		[0..1]	⚠	197
	Identification	<Id>		[0..1]		198
	CountryOfResidence	<CtryOfRes>		[0..1]		199
	ContactDetails	<CtctDtls>		[0..1]	🚫	199

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor](#)
 - **CBPR_Debtor_Option_1_TextualRule:**
 Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)
- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor](#)
 - **CBPR_Debtor_Option_2_TextualRule:**

Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Postal code when available)]) AND (Account Number OR Identification: Private or Organisation)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor

– CBPR_Debtor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Debtor/ Name is mandatory with either Debtor Account OR Debtor Identification (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor

– CBPR_Debtor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor

– CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor], at least one occurrence of [OriginalDebtor/Name] must be present when [OriginalDebtor/Identification/OrganisationIdentification/AnyBIC] is absent

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor

– CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor], if at least one occurrence of the following element(s) [OriginalDebtor/Postal-Address] is (are) present, then

at least one occurrence of the following element(s) [OriginalDebtor/Name] must be present

5.6.6 OriginalDebtorAccount

XML Tag: OrgnlDbtrAcct

Presence: [0..1]

Definition: Original debtor account that has been modified.

The **OrgnlDbtrAcct** block contains the following elements (see datatype "CashAccount38__2" on page 53 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]		54
	Proxy	<Prxy>		[0..1]		55

5.6.7 OriginalDebtorAgent

XML Tag: OrgnlDbtrAgt

Presence: [0..1]

Definition: Original debtor agent that has been modified.

The **OrgnlDbtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 36 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		40

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent

– CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.6.8 OriginalDebtorAgentAccount

XML Tag: OrgnlDbtrAgtAcct

Presence: [0..1]

Definition: Original debtor agent account that has been modified.

The **OrgnlDbtrAgtAcct** block contains the following elements (see datatype "[CashAccount38__2](#)" on page 53 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]		54
	Proxy	<Prxy>		[0..1]		55

5.6.9 OriginalFinalCollectionDate

XML Tag: OrgnlFnlColltnDt

Presence: [0..1]

Definition: Original final collection date that has been modified.

Datatype: "[CBPR_Date](#)" on page 336

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalFinalCollectionDate

Type changed to: [CBPR_Date](#) on page 336

5.6.10 OriginalFrequency

XML Tag: OrgnlFrqcy

Presence: [0..1]

Definition: Original frequency that has been modified.

The **OrgnlFrqcy** block contains the following elements (see datatype "[Frequency36Choice](#)" on page 133 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>	{Or	[1..1]		133
	Period	<Prd>	Or	[1..1]		134
	PointInTime	<PtInTm>	Or}	[1..1]		134

5.6.11 OriginalReason

XML Tag: OrgnlRsn

Presence: [0..1]

Definition: Original reason for the mandate to allow the user to distinguish between different mandates for the same creditor.

The **OrgnlRsn** block contains the following elements (see datatype "[MandateSetupReason1Choice__1](#)" on page 173 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		173
	Proprietary	<Prtry>	Or}	[1..1]		173

5.6.12 OriginalTrackingDays

XML Tag: OrgnlTrckgDays

Presence: [0..1]

Definition: Original number of tracking days that has been modified.

Datatype: "[Exact2NumericText](#)" on page 351

5.7 Authorisation1Choice

Definition: Provides the details on the user identification or any user key that allows to check if the initiating party is allowed to issue the transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		35
	Proprietary	<Prtry>	Or}	[1..1]		35

Used in element(s)

"Authorisation" on page 163

5.7.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the authorisation, in a coded form.

Datatype: "Authorisation1Code" on page 333

5.7.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the authorisation, in a free text form.

Datatype: "Max128Text" on page 368

5.8 BranchAndFinancialInstitutionIdentification6

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		35
	BranchIdentification	<BrnchId>		[0..1]		36

Used in element(s)

"InstructedAgent" on page 166, "InstructingAgent" on page 166

5.8.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18](#)" on page 119 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		120
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		120
	LEI	<LEI>		[0..1]		120
	Name	<Nm>		[0..1]		120
	PostalAddress	<PstlAdr>		[0..1]		121
	Other	<Othr>		[0..1]		121

5.8.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		45
	LEI	<LEI>		[0..1]		45
	Name	<Nm>		[0..1]		45
	PostalAddress	<PstlAdr>		[0..1]		45

5.9 BranchAndFinancialInstitutionIdentification6__1

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		40

Used in element(s)

"Agent" on page 61, "CreditorAgent" on page 94, "DebtorAgent" on page 104, "IntermediaryAgent2" on page 99, "IntermediaryAgent3" on page 101, "OriginalCreditorAgent" on page 29, "OriginalDebtorAgent" on page 32

5.9.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18_1" on page 122 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		122
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		122
	LEI	<LEI>		[0..1]		123
	Name	<Nm>		[0..1]		123
	PostalAddress	<PstlAdr>		[0..1]		124
	Other	<Othr>		[0..1]		125

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification

– CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification],
for each [FinancialInstitutionIdentification], if
at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
then

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification

– CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

5.9.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 45 for details)

🚫 Removed - 🚫 Partial Removed - 💡 Ignored - 💡 Partial Ignored - ⚠️ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		45
	LEI	<LEI>		[0..1]		45
	Name	<Nm>		[0..1]		45
	PostalAddress	<PstlAdr>		[0..1]		45

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/BranchIdentification) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/BranchIdentification) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/BranchIdentification) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/BranchIdentification) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/BranchIdentification) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/BranchIdentification) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/BranchIdentification) is removed.

5.10 BranchAndFinancialInstitutionIdentification6__2

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		41
	BranchIdentification	<BrnchId>		[0..1]	🚫	42

Used in element(s)

"FinancialInstitutionIdentification" on page 193, "InstructedAgent" on page 98, "InstructingAgent" on page 97

5.10.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__2" on page 126 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		127
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		127
	LEI	<LEI>		[0..1]		128
	Name	<Nm>		[0..1]		128
	PostalAddress	<PstlAdr>		[0..1]		128
	Other	<Othr>		[0..1]		129

5.10.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3" on page 45 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		45
	LEI	<LEI>		[0..1]		45
	Name	<Nm>		[0..1]		45
	PostalAddress	<PstlAdr>		[0..1]		45

Usage Guideline details

- This element(pacs.003.001.08/.header/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.003.001.08/.header/Related/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructedAgent/BranchIdentification) is removed.
- This element(pacs.003.001.08/.header/Related/From/FinancialInstitutionIdentification/BranchIdentification) is removed.

- This element([pacs.003.001.08/.header/From/FinancialInstitutionIdentification/BranchIdentification](#)) is removed.
- This element([pacs.003.001.08/DirectDebitTransactionInformation/InstructingAgent/BranchIdentification](#)) is removed.

5.11 BranchAndFinancialInstitutionIdentification6__3

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		43
	BranchIdentification	<BrnchId>		[0..1]		44

Used in element(s)

"IntermediaryAgent1" on page 98

5.11.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18__3](#)" on page 130 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		131
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		131
	LEI	<LEI>		[0..1]		131
	Name	<Nm>		[0..1]		131
	PostalAddress	<PstlAdr>		[0..1]		132
	Other	<Othr>		[0..1]		133

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification],
 for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and for each [FinancialInstitutionIdentification], if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

5.11.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3" on page 45 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		45
	LEI	<LEI>		[0..1]		45
	Name	<Nm>		[0..1]		45
	PostalAddress	<PstlAdr>		[0..1]		45

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/BranchIdentification) is removed.

5.12 BranchData3

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		45
	LEI	<LEI>		[0..1]		45
	Name	<Nm>		[0..1]		45
	PostalAddress	<PstlAdr>		[0..1]		45

Used in element(s)

["BranchIdentification" on page 40](#),
 ["BranchIdentification" on page 42](#),
 ["BranchIdentification" on page 44](#),
 ["BranchIdentification" on page 36](#)

5.12.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: ["Max35Text" on page 370](#)

5.12.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: ["LEIIdentifier" on page 367](#)

5.12.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["Max140Text" on page 368](#)

5.12.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 234 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		234
	Department	<Dept>		[0..1]		235
	SubDepartment	<SubDept>		[0..1]		235
	StreetName	<StrtNm>		[0..1]		235
	BuildingNumber	<BldgNb>		[0..1]		235
	BuildingName	<BldgNm>		[0..1]		235
	Floor	<Flr>		[0..1]		236
	PostBox	<PstBx>		[0..1]		236
	Room	<Room>		[0..1]		236
	PostCode	<PstCd>		[0..1]		236
	TownName	<TwnNm>		[0..1]		236
	TownLocationName	<TwnLctnNm>		[0..1]		236
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		237
	Country	<Ctry>		[0..1]		237
	AddressLine	<AdrLine>		[0..7]		237

5.13 BusinessApplicationHeader5__1

Definition: Specifies the Business Application Header of the Business Message.

Can be used when replying to a query; can also be used when canceling or amending.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		47
	From	<Fr>		[1..1]		47
	To	<To>		[1..1]		47
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		48
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		48

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BusinessService	<BizSvc>		[0..1]		49
	CreationDate	<CreDt>		[1..1]		49
	CopyDuplicate	<CpyDplct>		[0..1]		50
	PossibleDuplicate	<PssblDplct>		[0..1]		50
	Priority	<Prty>		[0..1]		50
	Signature	<Sgntr>		[0..1]		51

Used in element(s)

"Related" on page 18

5.13.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 382

5.13.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "Party44Choice__1" on page 192 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		192
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		193

5.13.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 192 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	192
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		193

5.13.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 341

Usage Guideline details

- on [pacs.003.001.08/header/Related/BusinessMessageIdentifier](#)

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 341

- on [pacs.003.001.08/header/Related/BusinessMessageIdentifier](#)

– CBPR_Business_Message_Identifier_TextualRule:

The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.

Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.

5.13.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/header/Related/MessageDefinitionIdentifier](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on [pacs.003.001.08/header/Related/MessageDefinitionIdentifier](#)

– **CBPR_Message_Definition_Identifier_TextualRule:**

The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.

5.13.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/header/Related/BusinessService](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on [pacs.003.001.08/header/Related/BusinessService](#)

– **CBPR_Related_BAH_Business_Service_TextualRule:**

If related BAH is present, it should transport the element Business Service.

5.13.7 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Note Times must be normalized, using the "Z" annotation.

Datatype: ["CBPR_DateTime" on page 337](#)

Usage Guideline details

- on `pac.003.001.08/.header/Related/CreationDate`
Type changed to: `CBPR_DateTime` on page 337

5.13.8 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "`CopyDuplicate1Code`" on page 346

5.13.9 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: "`YesNoIndicator`" on page 382

Usage Guideline details

- This element(`pac.003.001.08/.header/Related/PossibleDuplicate`) is removed.

5.13.10 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: "`Priority2Code`" on page 374

Usage Guideline details

- on pacs.003.001.08/.header/Related/Priority

Type changed to: [Priority2Code](#) on page 374

5.13.11 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element(pacs.003.001.08/.header/Related/Signature) is removed.

5.14 CashAccount38__1

Definition: Provides the details to identify an account.

❌ Removed - ❌ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		51
	Type	<Tp>		[0..1]		52
	Currency	<Ccy>		[0..1]		52
	Name	<Nm>		[0..1]	⚠	52
	Proxy	<Prxy>		[0..1]		53

Used in element(s)

["SettlementAccount"](#) on page 303

5.14.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype ["AccountIdentification4Choice__1"](#) on page 23 for details)

❌ Removed - ❌ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		23
	Other	<Othr>	Or}	[1..1]		23

5.14.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "[CashAccountType2Choice__1](#)" on page 58 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		58
	Proprietary	<Prtry>	Or}	[1..1]		58

5.14.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "[ActiveOrHistoricCurrencyCode](#)" on page 331

5.14.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: "[CBPR_RestrictedFINXMax70Text](#)" on page 343

Usage Guideline details

- on pacs.003.001.08/GroupHeader/SettlementInformation/SettlementAccount/Name

Type changed to: CBPR_RestrictedFINXMax70Text on page 343

5.14.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "ProxyAccountIdentification1__1" on page 280 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		280
	Identification	<Id>		[1..1]		280

5.15 CashAccount38__2

Definition: Provides the details to identify an account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]		54
	Proxy	<Prxy>		[0..1]		55

Used in element(s)

"CreditorAccount" on page 93, "CreditorAgentAccount" on page 95, "DebtorAccount" on page 104, "IntermediaryAgent1Account" on page 99, "IntermediaryAgent2Account" on page 100, "OriginalCreditorAgentAccount" on page 29, "OriginalDebtorAccount" on page 32, "OriginalDebtorAgentAccount" on page 33

5.15.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "[AccountIdentification4Choice__2](#)" on [page 24](#) for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		24
	Other	<Othr>	Or}	[1..1]		24

5.15.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "[CashAccountType2Choice__1](#)" on [page 58](#) for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		58
	Proprietary	<Prtry>	Or}	[1..1]		58

5.15.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "[ActiveOrHistoricCurrencyCode](#)" on [page 331](#)

5.15.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 343](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DebtorAccount/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2Account/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1Account/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgentAccount/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAccount/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgentAccount/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/CreditorAccount/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgentAccount/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)

5.15.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype ["ProxyAccountIdentification1__2" on page 281](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	M	281
	Identification	<Id>		[1..1]	⚠	282

5.16 CashAccount38__3

Definition: Provides the details to identify an account.

ⓧ Removed - **ⓧ** Partial Removed - **◇** Ignored - **◇** Partial Ignored - **⚠** Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		56
	Type	<Tp>		[0..1]		56
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	57
	Proxy	<Prxy>		[0..1]		57

Used in element(s)

"DebtorAgentAccount" on page 105, "IntermediaryAgent3Account" on page 102

5.16.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "AccountIdentification4Choice__1" on page 23 for details)

ⓧ Removed - **ⓧ** Partial Removed - **◇** Ignored - **◇** Partial Ignored - **⚠** Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		23
	Other	<Othr>	Or}	[1..1]		23

5.16.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "[CashAccountType2Choice__1](#)" on [page 58](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		58
	Proprietary	<Prtry>	Or}	[1..1]		58

5.16.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "[ActiveOrHistoricCurrencyCode](#)" on [page 331](#)

5.16.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: "[CBPR_RestrictedFINXMax70Text](#)" on [page 343](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgentAccount/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text](#) on [page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3Account/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text](#) on [page 343](#)

5.16.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "[ProxyAccountIdentification1__2](#)" on page 281 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		281
	Identification	<Id>		[1..1]		282

5.17 CashAccountType2Choice__1

Definition: Nature or use of the account.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		58
	Proprietary	<Prtry>	Or}	[1..1]		58

Used in element(s)

["Type" on page 52](#), ["Type" on page 54](#), ["Type" on page 56](#)

5.17.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: ["ExternalCashAccountType1Code" on page 352](#)

5.17.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3Account/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgentAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/GroupHeader/SettlementInformation/SettlementAccount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.18 CategoryPurpose1Choice

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		60
	Proprietary	<Prtry>	Or}	[1..1]		60

Used in element(s)

["CategoryPurpose" on page 219](#)

5.18.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Category purpose, as published in an external category purpose code list.

Datatype: ["ExternalCategoryPurpose1Code" on page 354](#)

5.18.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Category purpose, in a proprietary form.

Datatype: ["Max35Text" on page 370](#)

5.19 CategoryPurpose1Choice__1

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		60
	Proprietary	<Prtry>	Or}	[1..1]		60

Used in element(s)

["CategoryPurpose" on page 222](#)

5.19.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Category purpose, as published in an external category purpose code list.

Datatype: ["ExternalCategoryPurpose1Code" on page 354](#)

5.19.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Category purpose, in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/PaymentTypeInformation/Category-Purpose/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.20 Charges7__1

Definition: Provides information on the charges related to the payment transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		61
	Agent	<Agt>		[1..1]		61

Used in element(s)

["ChargesInformation" on page 91](#)

5.20.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Transaction charges to be paid by the charge bearer.

Datatype: ["CBPR_Amount" on page 335](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Amount](#)
Type changed to: [CBPR_Amount on page 335](#)

5.20.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Agent that takes the transaction charges or to which the transaction charges are due.

The **Agt** block contains the following elements (see datatype ["BranchAndFinancialInstitutionIdentification6__1" on page 36](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		40

5.21 ClearingSystemIdentification2Choice

Definition: Choice of a clearing system identifier.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		62
	Proprietary	<Prtry>	Or}	[1..1]		62

Used in element(s)

"ClearingSystemIdentification" on page 65, "ClearingSystemIdentification" on page 64

5.21.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Identification of a clearing system, in a coded form as published in an external list.

Datatype: "ExternalClearingSystemIdentification1Code" on page 354

5.21.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Identification code for a clearing system, that has not yet been identified in the list of clearing systems.

Datatype: "Max35Text" on page 370

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.003.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

5.22 ClearingSystemIdentification3Choice__1

Definition: Specifies the clearing system identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		64
	Proprietary	<Prtry>	Or}	[1..1]		64

Used in element(s)

["ClearingSystem" on page 303](#)

5.22.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Infrastructure through which the payment instruction is processed, as published in an external clearing system identification code list.

Datatype: ["ExternalCashClearingSystem1Code" on page 353](#)

5.22.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Clearing system identification in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/GroupHeader/SettlementInformation/ClearingSystem/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.23 ClearingSystemMemberIdentification2

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		64
	MemberIdentification	<MmbId>		[1..1]		65

Used in element(s)

["ClearingSystemMemberIdentification" on page 120](#)

5.23.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "[ClearingSystemIdentification2Choice](#)" on page 62 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		62
	Proprietary	<Prtry>	Or}	[1..1]		62

5.23.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "[Max35Text](#)" on page 370

5.24 ClearingSystemMemberIdentification2__1

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		65
	MemberIdentification	<Mmbld>		[1..1]		67

Used in element(s)

["ClearingSystemMemberIdentification" on page 122](#),
 ["ClearingSystemMemberIdentification" on page 127](#),
 ["ClearingSystemMemberIdentification" on page 131](#)

5.24.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "[ClearingSystemIdentification2Choice](#)" on page 62 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		62
	Proprietary	<Prtry>	Or}	[1..1]		62

Usage Guideline details

- on pacs.003.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1

5.24.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "CBPR_RestrictedFINXMax28Text" on page 340

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 340

5.25 Contact4

Definition: Specifies the details of the contact person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		69
	Name	<Nm>		[0..1]		69
	PhoneNumber	<PhneNb>		[0..1]		69
	MobileNumber	<MobNb>		[0..1]		69
	FaxNumber	<FaxNb>		[0..1]		70

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	EmailAddress	<EmailAdr>		[0..1]		70
	EmailPurpose	<EmailPurp>		[0..1]		70
	JobTitle	<JobTitl>		[0..1]		70
	Responsibility	<Rspnsblty>		[0..1]		70
	Department	<Dept>		[0..1]		70
	Other	<Othr>		[0..*]		70
	PreferredMethod	<PrefrdMtd>		[0..1]		71

Used in element(s)

"ContactDetails" on page 199, "ContactDetails" on page 202, "ContactDetails" on page 205, "ContactDetails" on page 208, "ContactDetails" on page 211, "ContactDetails" on page 214, "ContactDetails" on page 195

5.25.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Specifies the terms used to formally address a person.

Datatype: "NamePrefix2Code" on page 371

5.25.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 368

5.25.3 PhoneNumber

XML Tag: PhneNb

Presence: [0..1]

Definition: Collection of information that identifies a phone number, as defined by telecom services.

Datatype: "PhoneNumber" on page 372

5.25.4 MobileNumber

XML Tag: MobNb

Presence: [0..1]

Definition: Collection of information that identifies a mobile phone number, as defined by telecom services.

Datatype: "PhoneNumber" on page 372

5.25.5 FaxNumber

XML Tag: FaxNb

Presence: [0..1]

Definition: Collection of information that identifies a FAX number, as defined by telecom services.

Datatype: "PhoneNumber" on page 372

5.25.6 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: "Max2048Text" on page 369

5.25.7 EmailPurpose

XML Tag: EmailPurp

Presence: [0..1]

Definition: Purpose for which an email address may be used.

Datatype: "Max35Text" on page 370

5.25.8 JobTitle

XML Tag: JobTitl

Presence: [0..1]

Definition: Title of the function.

Datatype: "Max35Text" on page 370

5.25.9 Responsibility

XML Tag: Rspnsblty

Presence: [0..1]

Definition: Role of a person in an organisation.

Datatype: "Max35Text" on page 370

5.25.10 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "Max70Text" on page 370

5.25.11 Other

XML Tag: Othr

Presence: [0..*]

Definition: Contact details in another form.

The **Othr** block contains the following elements (see datatype "[OtherContact1](#)" on page 185 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		185
	Identification	<Id>		[0..1]		185

5.25.12 PreferredMethod

XML Tag: PrefrdMtd

Presence: [0..1]

Definition: Preferred method used to reach the contact.

Datatype: "[PreferredContactMethod1Code](#)" on page 373

5.26 CreditorReferenceInformation2__1

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		71
	Reference	<Ref>		[0..1]	 	72

Used in element(s)

"[CreditorReferenceInformation](#)" on page 307

5.26.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of creditor reference.

The **Tp** block contains the following elements (see datatype "[CreditorReferenceType2__1](#)" on page 73 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		73
	Issuer	<Issr>		[0..1]		73

5.26.2 Reference

XML Tag: Ref

Presence: [0..1]

Definition: Unique reference, as assigned by the creditor, to unambiguously refer to the payment transaction.

Usage: If available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the amount of money.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on **pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/CreditorReferenceInformation/Reference**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on **pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/CreditorReferenceInformation/Reference**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.27 CreditorReferenceType1Choice

Definition: Specifies the type of document referred by the creditor.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		73
	Proprietary	<Prtry>	Or}	[1..1]		73

Used in element(s)

"CodeOrProprietary" on page 73

5.27.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of creditor reference, in a coded form.

Datatype: ["DocumentType3Code" on page 348](#)

5.27.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Creditor reference type, in a proprietary form.

Datatype: ["Max35Text" on page 370](#)

5.28 CreditorReferenceType2__1

Definition: Specifies the type of creditor reference.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		73
	Issuer	<Issr>		[0..1]		73

Used in element(s)

["Type" on page 71](#)

5.28.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Coded or proprietary format creditor reference type.

The **CdOrPrtry** block contains the following elements (see datatype ["CreditorReferenceType1Choice" on page 72](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		73
	Proprietary	<Prtry>	Or}	[1..1]		73

5.28.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the credit reference type.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/CreditorReferenceInformation/Type/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.29 DateAndPlaceOfBirth1

Definition: Date and place of birth of a person.

❌ Removed - ❌ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		74
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		74
	CityOfBirth	<CityOfBirth>		[1..1]		74
	CountryOfBirth	<CtryOfBirth>		[1..1]		75

Used in element(s)

"DateAndPlaceOfBirth" on page 222

5.29.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: "ISODate" on page 367

5.29.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: "Max35Text" on page 370

5.29.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 370](#)

5.29.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 346](#)

5.30 DateAndPlaceOfBirth1__1

Definition: Date and place of birth of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		75
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		76
	CityOfBirth	<CityOfBirth>		[1..1]		77
	CountryOfBirth	<CtryOfBirth>		[1..1]		78

Used in element(s)

["DateAndPlaceOfBirth" on page 223](#), ["DateAndPlaceOfBirth" on page 226](#), ["DateAndPlaceOfBirth" on page 228](#)

5.30.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["CBPR_Date" on page 336](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)
 Type changed to: [CBPR_Date on page 336](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate](#)

Type changed to: [CBPR_Date on page 336](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate

Type changed to: [CBPR_Date on page 336](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate

Type changed to: [CBPR_Date on page 336](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate

Type changed to: [CBPR_Date on page 336](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate

Type changed to: [CBPR_Date on page 336](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate

Type changed to: [CBPR_Date on page 336](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate

Type changed to: [CBPR_Date on page 336](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate

Type changed to: [CBPR_Date on page 336](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate

Type changed to: [CBPR_Date on page 336](#)

5.30.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.30.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.30.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: "CountryCode" on page 346

5.31 DateAndPlaceOfBirth1__2

Definition: Date and place of birth of a person.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		79
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		79
	CityOfBirth	<CityOfBirth>		[1..1]		79
	CountryOfBirth	<CtryOfBirth>		[1..1]		80

Used in element(s)

"DateAndPlaceOfBirth" on page 225, "DateAndPlaceOfBirth" on page 229

5.31.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: "CBPR_Date" on page 336

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: CBPR_Date on page 336
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: CBPR_Date on page 336

5.31.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: "Max35Text" on page 370

5.31.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 370](#)

5.31.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 346](#)

5.32 DatePeriod2__1

Definition: Range of time defined by a start date and an end date.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		80
	ToDate	<ToDt>		[1..1]		80

Used in element(s)

["FromToDate" on page 324](#)

5.32.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: ["CBPR_Date" on page 336](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Period/FromToDate/FromDate
 Type changed to: [CBPR_Date on page 336](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/FromToDate/FromDate
 Type changed to: [CBPR_Date on page 336](#)

5.32.2 ToDate

XML Tag: ToDt

Presence: [1..1]

Definition: End date of the range.

Datatype: "CBPR_Date" on page 336

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Period/FromToDate/ToDate
Type changed to: [CBPR_Date on page 336](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/FromToDate/ToDate
Type changed to: [CBPR_Date on page 336](#)

5.33 DirectDebitTransaction10__1

Definition: Provides further specific details on the direct debit transaction and the related mandate.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MandateRelatedInformation	<MndtRltdInf>		[0..1]		81
	CreditorSchemeIdentification	<CdtrSchmId>		[0..1]	⚠	82
	PreNotificationIdentification	<PreNtfctnId>		[0..1]	⚠	84
	PreNotificationDate	<PreNtfctnDt>		[0..1]	⚠	84

Used in element(s)

"DirectDebitTransaction" on page 91

5.33.1 MandateRelatedInformation

XML Tag: MndtRltdInf

Presence: [0..1]

Definition: Provides further details of the direct debit mandate signed between the creditor and the debtor.

The **MndtRltdInf** block contains the following elements (see datatype "[MandateRelatedInformation14__1](#)" on page 169 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MandateIdentification	<MndtId>		[0..1]	⚠	170
	DateOfSignature	<DtOfSgntr>		[0..1]	⚠	170
	AmendmentIndicator	<AmdmntInd>		[0..1]		170

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AmendmentInformationDetails	<AmdmntInfDtls>		[0..1]		170
	ElectronicSignature	<ElctrncSgntr>		[0..1]		171
	FirstCollectionDate	<FrstColltnDt>		[0..1]	⚠	171
	FinalCollectionDate	<FnlColltnDt>		[0..1]	⚠	172
	Frequency	<Frqcy>		[0..1]		172
	Reason	<Rsn>		[0..1]		172
	TrackingDays	<TrckgDays>		[0..1]		173

5.33.2 CreditorSchemeldentification

XML Tag: CdtrSchmeld

Presence: [0..1]

Definition: Credit party that signs the mandate.

The **CdtrSchmeld** block contains the following elements (see datatype "[PartyIdentification135__2](#)" on [page 200](#) for details)

🚫 Removed - 🚫 Partial Removed - 🔹 Ignored - 🔹 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	200
	PostalAddress	<PstlAdr>		[0..1]	⚠	201
	Identification	<Id>		[0..1]		202
	CountryOfResidence	<CtryOfRes>		[0..1]		202
	ContactDetails	<CtctDtls>		[0..1]	🚫	202

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeldentification

– CBPR_Creditor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Creditor/Name is mandatory with either Creditor Account OR Creditor Identification (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification**

- **CBPR_Creditor_BIC_Presence_TextualRule:**

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification**

- **CBPR_Creditor_Option_2_TextualRule:**

Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Postal code when available)]) AND (Account Number OR Identification: Private or Organisation)

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification**

- **CBPR_Creditor_Option_1_TextualRule:**

Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification**

- **CBPR_Party_Name_Postal_Address_FormalRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification], if
 at least one occurrence of the following element(s) [CreditorSchemeIdentification/PostalAddress] is (are) present
 , then
 at least one occurrence of the following element(s) [CreditorSchemeIdentification/Name] must be present

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification**

- **CBPR_Party_Name_Any_BIC_FormalRule:**

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification], if
 the following element(s) [CreditorSchemeIdentification/Identification/OrganisationIdentification/AnyBIC] is (are) absent
 , then

at least one occurrence of the following element(s) [CreditorSchemeIdentification/Name] must be present

5.33.3 PreNotificationIdentification

XML Tag: PreNtfctnId

Presence: [0..1]

Definition: Unique and unambiguous identification of the pre-notification which is sent separately from the direct debit instruction.

Usage: The direct debit pre-notification is used to reconcile separately sent collection information with the direct debit transaction information.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/PreNotificationIdentification

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.33.4 PreNotificationDate

XML Tag: PreNtfctnDt

Presence: [0..1]

Definition: Date on which the creditor notifies the debtor about the amount and date on which the direct debit instruction will be presented to the debtor's agent.

Datatype: "CBPR_Date" on page 336

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/PreNotificationDate

Type changed to: [CBPR_Date on page 336](#)

5.34 DirectDebitTransactionInformation24__1

Definition: Provides further details specific to the individual direct debit transaction(s) included in the message.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentIdentification	<PmtId>		[1..1]		88

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentTypeInfo	<PmtTplnf>		[0..1]		88
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]		89
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	 	89
	SettlementPriority	<SttlmPrty>		[0..1]		89
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		89
	InstructedAmount	<InstdAmt>		[0..1]	 	90
	ExchangeRate	<XchgRate>		[0..1]		90
	ChargeBearer	<ChrgBr>		[1..1]		90
	ChargesInformation	<ChrgsInf>		[0..*]		91
	RequestedCollectionDate	<ReqdColltnDt>		[0..1]	 	91
	DirectDebitTransaction	<DrctDbtTx>		[0..1]		91
	Creditor	<Cdtr>		[1..1]		92
	CreditorAccount	<CdtrAcct>		[0..1]		93
	CreditorAgent	<CdtrAgt>		[1..1]		94
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		95
	UltimateCreditor	<UltmtCdtr>		[0..1]		95
	InitiatingParty	<InitgPty>		[0..1]		96
	InstructingAgent	<InstgAgt>		[0..1]		97
	InstructedAgent	<InstdAgt>		[0..1]		98
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		98
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		99
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		99
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		100
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		101
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		102
	Debtor	<Dbtr>		[1..1]		102
	DebtorAccount	<DbtrAcct>		[1..1]		104
	DebtorAgent	<DbtrAgt>		[1..1]		104
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		105
	UltimateDebtor	<UltmtDbtr>		[0..1]		105
	Purpose	<Purp>		[0..1]		107

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RegulatoryReporting	<RgltryRptg>		[0..10]		107
	RelatedRemittanceInformation	<RltdRmtInf>		[0..10]		108
	RemittanceInformation	<RmtInf>		[0..1]		108
	SupplementaryData	<SplmtryData>		[0..*]		108

Rules

R20 ChargesInformationAndInstructedAmountRule ✓

If ChargesInformation is present, then InstructedAmount must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00048
- *Error Text:* Invalid message content for instructed amount when charges information is present.

R21 InstructedAmountAndExchangeRate1Rule ✓

If InstructedAmount is present and the currency is different from the currency in InterbankSettlementAmount, then ExchangeRate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00049
- *Error Text:* Invalid message content for exchange rate when instructed amount is present.

R22 InstructedAmountAndExchangeRate2Rule ✓

If InstructedAmount is present and the currency is the same as the currency in InterbankSettlementAmount, then ExchangeRate is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00050
- *Error Text:* Invalid message content for exchange rate when instructed amount is not present.

R23 IntermediaryAgent1AccountRule ✓

If IntermediaryAgent1Account is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00052
- *Error Text:* Invalid message content for intermediary agent 1 account.

R24 IntermediaryAgent2AccountRule ✓

If IntermediaryAgent2Account is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00053
- *Error Text:* Invalid message content for intermediary agent 2 account.

R25 IntermediaryAgent3AccountRule ✓

If IntermediaryAgent3Account is present, then IntermediaryAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00054
- *Error Text:* Invalid message content for intermediary agent 3 account.

R26 IntermediaryAgent2Rule ✓

If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00056
- *Error Text:* Invalid message content for intermediary agent 2.

R27 IntermediaryAgent3Rule ✓

If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00057
- *Error Text:* Invalid message content for intermediary agent 3.

R28 InstructedAmountAndExchangeRate3Rule ✓

If InstructedAmount is not present, then ExchangeRate is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00061
- *Error Text:* Invalid message content for exchange rate and instructed amount.

Guidelines
1. UltimateDebtorGuideline

UltimateDebtor may only be present if different from Debtor.

2. UltimateCreditorGuideline

UltimateCreditor may only be present if different from Creditor.

3. ChargesAmountGuideline

If ChargesInformation is present, then the currency of ChargesInformation/ChargesAmount is recommended to be the same as the currency of InterbankSettlementAmount.

Used in element(s)

"DirectDebitTransactionInformation" on page 20

5.34.1 PaymentIdentification

XML Tag: PmtId

Presence: [1..1]

Definition: Set of elements used to reference a payment instruction.

The **PmtId** block contains the following elements (see datatype "PaymentIdentification7__1" on page 215 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionIdentification	<InstrId>		[0..1]	M ⚠	216
	EndToEndIdentification	<EndToEndId>		[1..1]	⚠	216
	TransactionIdentification	<TxId>		[0..1]	⚠	217
	UETR	<UETR>		[0..1]		217
	ClearingSystemReference	<ClrSysRef>		[0..1]	⚠	217

5.34.2 PaymentTypeInformation

XML Tag: PmtTpInf

Presence: [0..1]

Definition: Set of elements used to further specify the type of transaction.

The **PmtTpInf** block contains the following elements (see datatype "PaymentTypeInformation27__1" on page 220 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		220
	ClearingChannel	<ClrChanl>		[0..1]		220
	ServiceLevel	<SvcLvl>		[0..*]	R[0..3]	221

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	LocalInstrument	<LclInstrm>		[0..1]		221
	SequenceType	<SeqTp>		[0..1]		221
	CategoryPurpose	<CtgyPurp>		[0..1]		222

5.34.3 InterbankSettlementAmount

XML Tag: IntrBkSttlmAmt

Presence: [1..1]

Definition: Amount of money moved between the instructing agent and the instructed agent.

Datatype: "CBPR_Amount" on page 335

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/InterbankSettlementAmount
Type changed to: [CBPR_Amount on page 335](#)

5.34.4 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: "CBPR_Date" on page 336

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/InterbankSettlementDate
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/InterbankSettlementDate
Type changed to: [CBPR_Date on page 336](#)

5.34.5 SettlementPriority

XML Tag: SttlmPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the settlement instruction.

Datatype: "Priority3Code" on page 374

5.34.6 SettlementTimeIndication

XML Tag: SttlmTmIndctn

Presence: [0..1]

Definition: Provides information on the occurred settlement time(s) of the payment transaction.

The **SttlmTmIndctn** block contains the following elements (see datatype "[SettlementDateTimeIndication1__1](#)" on page 301 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitDateTime	<DbtDtTm>		[0..1]		301
	CreditDateTime	<CdtDtTm>		[0..1]		301

5.34.7 InstructedAmount

XML Tag: InstdAmt

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Usage: This amount has to be transported unchanged through the transaction chain.

Datatype: "[CBPR_Amount](#)" on page 335

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/InstructedAmount**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/InstructedAmount**
Type changed to: [CBPR_Amount](#) on page 335

5.34.8 ExchangeRate

XML Tag: XchgRate

Presence: [0..1]

Definition: Factor used to convert an amount from one currency into another. This reflects the price at which one currency was bought with another currency.

Datatype: "[BaseOneRate](#)" on page 335

5.34.9 ChargeBearer

XML Tag: ChrgBr

Presence: [1..1]

Definition: Specifies which party/parties will bear the charges associated with the processing of the payment transaction.

Datatype: ["ChargeBearerType1Code" on page 343](#)

5.34.10 ChargesInformation

XML Tag: ChrgsInf

Presence: [0..*]

Definition: Provides information on the charges to be paid by the charge bearer(s) related to the payment transaction.

The **ChrgsInf** block contains the following elements (see datatype ["Charges7__1" on page 61](#) for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		61
	Agent	<Agt>		[1..1]		61

5.34.11 RequestedCollectionDate

XML Tag: ReqdColltnDt

Presence: [0..1]

Definition: Date and time at which the creditor requests that the amount of money is to be collected from the debtor.

Datatype: ["CBPR_Date" on page 336](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RequestedCollectionDate**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RequestedCollectionDate**
Type changed to: [CBPR_Date on page 336](#)

5.34.12 DirectDebitTransaction

XML Tag: DrctDbtTx

Presence: [0..1]

Definition: Provides information specific to the direct debit mandate.

The **DrctDbtTx** block contains the following elements (see datatype ["DirectDebitTransaction10__1" on page 81](#) for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MandateRelatedInformation	<MndtRltdInf>		[0..1]		81
	CreditorSchemeIdentification	<CdtrSchmeld>		[0..1]	⚠	82
	PreNotificationIdentification	<PreNtfctnId>		[0..1]	⚠	84
	PreNotificationDate	<PreNtfctnDt>		[0..1]	⚠	84

5.34.13 Creditor

XML Tag: Cdtr

Presence: [1..1]

Definition: Party to which an amount of money is due.

The **Cdtr** block contains the following elements (see datatype "PartyIdentification135_1" on page 196 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	196
	PostalAddress	<PstlAdr>		[0..1]	⚠	197
	Identification	<Id>		[0..1]		198
	CountryOfResidence	<CtryOfRes>		[0..1]		199
	ContactDetails	<CtctDtls>		[0..1]	🚫	199

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor

- CBPR_Creditor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Creditor/Name is mandatory with either Creditor Account OR Creditor Identification (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor

- CBPR_Creditor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor

- CBPR_Creditor_Option_1_TextualRule:

Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor

- CBPR_Creditor_Option_2_TextualRule:

Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)]OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)]) AND (Account Number OR Identification: Private or Organisation)

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor

- CBPR_Party_Name_Any_BIC_FormaRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/Creditor], at least one occurrence of [Creditor/Name] must be present when [Creditor/Identification/OrganisationIdentification/AnyBIC] is absent

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor

- CBPR_Party_Name_Postal_Address_FormaRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/Creditor], if
 at least one occurrence of the following element(s) [Creditor/PostalAddress]
 is (are) present
 , then
 at least one occurrence of the following element(s) [Creditor/Name] must be present

5.34.14 CreditorAccount

XML Tag: CdtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

The **CdtrAcct** block contains the following elements (see datatype "CashAccount38__2" on page 53 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]		54
	Proxy	<Prxy>		[0..1]		55

5.34.15 CreditorAgent

XML Tag: CdtrAgt

Presence: [1..1]

Definition: Financial institution servicing an account for the creditor.

The **CdtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6_1" on page 36 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		40

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent

– **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.34.16 CreditorAgentAccount

XML Tag: CdtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor agent at its servicing agent to which a credit entry will be made as a result of the payment transaction.

The **CdtrAgtAcct** block contains the following elements (see datatype "[CashAccount38__2](#)" on page 53 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]		54
	Proxy	<Prxy>		[0..1]		55

5.34.17 UltimateCreditor

XML Tag: UltmtCdtr

Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

The **UltmtCdtr** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on page 196 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		196
	PostalAddress	<PstlAdr>		[0..1]		197
	Identification	<Id>		[0..1]		198
	CountryOfResidence	<CtryOfRes>		[0..1]		199
	ContactDetails	<CtctDtls>		[0..1]		199

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor

- CBPR_UltimateCreditor_Option_2_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden- Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor

- CBPR_Ultimate_Creditor_Option_1_TextualRule:

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available)]. Other elements are optional, eg Identification: Private or Organisation)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/UltimateCreditor], if
 at least one occurrence of the following element(s) [UltimateCreditor/PostalAddress] is (are) present
 , then
 at least one occurrence of the following element(s) [UltimateCreditor/Name] must be present

5.34.18 InitiatingParty

XML Tag: InitgPty

Presence: [0..1]

Definition: Party that initiates the payment.

Usage: This can be either the creditor or a party that initiates the direct debit on behalf of the creditor.

The **InitgPty** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on [page 196](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		196
	PostalAddress	<PstlAdr>		[0..1]		197
	Identification	<Id>		[0..1]		198
	CountryOfResidence	<CtryOfRes>		[0..1]		199
	ContactDetails	<CtctDtls>		[0..1]		199

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/InitiatingParty], if
 at least one occurrence of the following element(s) [InitiatingParty/Postal-Address] is (are) present
 , then
 at least one occurrence of the following element(s) [InitiatingParty/Name] must be present

5.34.19 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 41 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		41
	BranchIdentification	<BrnchId>		[0..1]		42

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/InstructingAgent

This element is now mandatory, the minimum occurrence has been changed to : 1

5.34.20 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 41 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		41
	BranchIdentification	<BrnchId>		[0..1]	🚫	42

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/InstructedAgent
This element is now mandatory, the minimum occurrence has been changed to : 1

5.34.21 IntermediaryAgent1

XML Tag: IntrmyAgt1

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the DebtorAgent and the IntermediaryAgent2.

The **IntrmyAgt1** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__3" on page 43 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	43
	BranchIdentification	<BrnchId>		[0..1]	🚫	44

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1
 – CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

5.34.22 IntermediaryAgent1Account

XML Tag: IntrmyAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

The **IntrmyAgt1Acct** block contains the following elements (see datatype "[CashAccount38__2](#)" on page 53 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]		54
	Proxy	<Prxy>		[0..1]		55

5.34.23 IntermediaryAgent2

XML Tag: IntrmyAgt2

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the IntermediaryAgent1 and the IntermediaryAgent3.

The **IntrmyAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 36 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	37
	BranchIdentification	<BrnchId>		[0..1]	🚫	40

Usage Guideline details

- on **pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2**
 - **CBPR_Agent_Option_2_TextualRule:**
 (Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on **pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2**
 - **CBPR_Agent_National_only_TextualRule:**
 Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on **pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2**
 - **CBPR_Agent_Option_3_TextualRule:**
 Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- on **pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2**
 - **CBPR_Agent_Option_1_TextualRule:**
 BICFI, complemented optionally with a LEI (preferred option)

5.34.24 IntermediaryAgent2Account

XML Tag: IntrmyAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

The **IntrmyAgt2Acct** block contains the following elements (see datatype "[CashAccount38__2](#)" on page 53 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]		54
	Proxy	<Prxy>		[0..1]		55

5.34.25 IntermediaryAgent3

XML Tag: IntrmyAgt3

Presence: [0..1]

Definition: Agent between the debtor agent and creditor agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the intermediary agent 2 and the debtor agent.

The **IntrmyAgt3** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 36 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		37
	BranchIdentification	<BrnchId>		[0..1]		40

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.34.26 IntermediaryAgent3Account

XML Tag: IntrmyAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.

The **IntrmyAgt3Acct** block contains the following elements (see datatype "CashAccount38__3" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		56
	Type	<Tp>		[0..1]		56
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	57
	Proxy	<Prxy>		[0..1]		57

5.34.27 Debtor

XML Tag: Dbtr

Presence: [1..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "PartyIdentification135__3" on page 203 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	203
	PostalAddress	<PstlAdr>		[0..1]	⚠	204
	Identification	<Id>		[0..1]		205
	CountryOfResidence	<CtryOfRes>		[0..1]		205
	ContactDetails	<CtctDtls>		[0..1]	🚫	205

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor

- CBPR_Debtor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor

- CBPR_Debtor_Option_1_TextualRule:

Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor

- CBPR_Debtor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Debtor/ Name is mandatory with either Debtor Account OR Debtor Identification (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor

- CBPR_Debtor_Option_2_TextualRule:

Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)] OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)] AND (Account Number OR Identification: Private or Organisation

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor

- CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/Debtor], if the following element(s) [Debtor/Identification/OrganisationIdentification/AnyBIC] is (are) absent, then at least one occurrence of the following element(s) [Debtor/Name] must be present

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/Debtor], if
 at least one occurrence of the following element(s) [Debtor/PostalAddress]
 is (are) present
 , then
 at least one occurrence of the following element(s) [Debtor/Name] must be present

5.34.28 DebtorAccount

XML Tag: DbtrAcct

Presence: [1..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

The **DbtrAcct** block contains the following elements (see datatype "[CashAccount38__2](#)" on page 53 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		53
	Type	<Tp>		[0..1]		54
	Currency	<Ccy>		[0..1]		54
	Name	<Nm>		[0..1]	⚠	54
	Proxy	<Prxy>		[0..1]		55

5.34.29 DebtorAgent

XML Tag: DbtrAgt

Presence: [1..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 36 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	37
	BranchIdentification	<BrnchId>		[0..1]	🚫	40

Usage Guideline details

- **on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent**
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- **on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent**
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.
- **on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent**
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- **on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent**
 - **CBPR_Agent_Option1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

5.34.30 DebtorAgentAccount

XML Tag: DbtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

The **DbtrAgtAcct** block contains the following elements (see datatype "CashAccount38__3" on page 56 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		56
	Type	<Tp>		[0..1]		56
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	57
	Proxy	<Prxy>		[0..1]		57

5.34.31 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.

The **UltmtDbtr** block contains the following elements (see datatype "PartyIdentification135__1" on page 196 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	196
	PostalAddress	<PstlAdr>		[0..1]	⚠	197
	Identification	<Id>		[0..1]		198
	CountryOfResidence	<CtryOfRes>		[0..1]		199
	ContactDetails	<CtctDtls>		[0..1]	🚫	199

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor

- CBPR_UltimateDebtor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor

- CBPR_Ultimate_Debtor_Option_2_TextualRule:

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available]]. Other elements are optional, e.g. Identification: Private or Organisation)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor

- CBPR_Ultimate_Debtor_Option_1_TextualRule:

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available]]

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FIToFICustomerDirectDebitV08/DirectDebitTransactionInformation/UltimateDebtor], if
 at least one occurrence of the following element(s) [UltimateDebtor/Postal-Address] is (are) present
 , then
 at least one occurrence of the following element(s) [UltimateDebtor/Name] must be present

5.34.32 Purpose

XML Tag: Purp

Presence: [0..1]

Definition: Underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

The **Purp** block contains the following elements (see datatype "Purpose2Choice__1" on page 285 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		286
	Proprietary	<Prtry>	Or}	[1..1]	⚠	286

5.34.33 RegulatoryReporting

XML Tag: RgltryRptg

Presence: [0..10]

Definition: Information needed due to regulatory and statutory requirements.

The **RgltryRptg** block contains the following elements (see datatype "RegulatoryReporting3__1" on page 290 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitCreditReportingIndicator	<DbtCdtRptgInd>		[0..1]		290
	Authority	<Authrty>		[0..1]		291
	Details	<Dtls>		[0..*]		291

5.34.34 RelatedRemittanceInformation

XML Tag: RltdRmtInf

Presence: [0..10]

Definition: Provides information related to the handling of the remittance information by any of the agents in the transaction processing chain.

The **RltdRmtInf** block contains the following elements (see datatype "[RemittanceLocation7__1](#)" on page 297 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		297
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]		298

5.34.35 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, such as commercial invoices in an accounts' receivable system.

The **RmtInf** block contains the following elements (see datatype "[RemittanceInformation16__1](#)" on page 296 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	 R[0..1]	296
	Structured	<Strd>		[0..*]		296

5.34.36 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "[SupplementaryData1](#)" on page 310 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		310
	Envelope	<Envlp>		[1..1]		310

Usage Guideline details

- This element([pacs.003.001.08/DirectDebitTransactionInformation/SupplementaryData](#)) is removed.

5.35 DiscountAmountAndType1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		109
	Amount	<Amt>		[1..1]		109

Used in element(s)

"DiscountAppliedAmount" on page 292

5.35.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[DiscountAmountType1Choice](#)" on page 110 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		111
	Proprietary	<Prtry>	Or}	[1..1]		111

5.35.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 330

5.36 DiscountAmountAndType1__1

Definition: Specifies the amount with a specific type.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		110
	Amount	<Amt>		[1..1]		110

Used in element(s)

"DiscountAppliedAmount" on page 294

5.36.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "DiscountAmountType1Choice__1" on page 111 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		111
	Proprietary	<Prtry>	Or}	[1..1]	⚠	111

5.36.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 330

5.37 DiscountAmountType1Choice

Definition: Specifies the amount type.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		111
	Proprietary	<Prtry>	Or}	[1..1]		111

Used in element(s)

"Type" on page 109

5.37.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: "ExternalDiscountAmountType1Code" on page 355

5.37.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "Max35Text" on page 370

5.38 DiscountAmountType1Choice__1

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		111
	Proprietary	<Prtry>	Or}	[1..1]		111

Used in element(s)

"Type" on page 110

5.38.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: "ExternalDiscountAmountType1Code" on page 355

5.38.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/DiscountAppliedAmount/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.39 DocumentAdjustment1

Definition: Set of elements used to provide information on the amount and reason of the document adjustment.

❌ Removed - ❌ Partial Removed - ◆ Ignored - ◆ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		112
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		112
	Reason	<Rsn>		[0..1]		112
	AdditionalInformation	<AddtlInf>		[0..1]		113

Used in element(s)

"AdjustmentAmountAndReason" on page 293

5.39.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the document adjustment.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 330

5.39.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Specifies whether the adjustment must be subtracted or added to the total amount.

Datatype: "CreditDebitCode" on page 347

5.39.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the adjustment.

Datatype: ["Max4Text" on page 370](#)

5.39.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Provides further details on the document adjustment.

Datatype: ["Max140Text" on page 368](#)

5.40 DocumentAdjustment1__1

Definition: Set of elements used to provide information on the amount and reason of the document adjustment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		113
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		113
	Reason	<Rsn>		[0..1]		114
	AdditionalInformation	<AddtlInf>		[0..1]		114

Used in element(s)

["AdjustmentAmountAndReason" on page 295](#)

5.40.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the document adjustment.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 330](#)

5.40.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Specifies whether the adjustment must be subtracted or added to the total amount.

Datatype: ["CreditDebitCode" on page 347](#)

5.40.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the adjustment.

Datatype: "CBPR_RestrictedFINXMax4Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/AdjustmentAmountAndReason/Reason

Type changed to: CBPR_RestrictedFINXMax4Text_Extended on page 342

5.40.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Provides further details on the document adjustment.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/AdjustmentAmountAndReason/AdditionalInformation

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.41 DocumentLineIdentification1__1

Definition: Identifies the documents referred to in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		114
	Number	<Nb>		[0..1]		115
	RelatedDate	<RltdDt>		[0..1]		115

Used in element(s)

"Identification" on page 116

5.41.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document line identification.

The **Tp** block contains the following elements (see datatype "[DocumentLineType1__1](#)" on page 118 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		118
	Issuer	<Issr>		[0..1]		118

5.41.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Identification of the type specified for the referred document line.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 342

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Number](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342

5.41.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document line.

Datatype: "[CBPR_Date](#)" on page 336

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/RelatedDate](#)

Type changed to: [CBPR_Date](#) on page 336

5.42 DocumentLineInformation1__1

Definition: Provides document line information.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		116
	Description	<Desc>		[0..1]		116
	Amount	<Amt>		[0..1]		116

Used in element(s)

"LineDetails" on page 287

5.42.1 Identification

XML Tag: Id

Presence: [1..*]

Definition: Provides identification of the document line.

The **Id** block contains the following elements (see datatype "[DocumentLineIdentification1__1](#)" on page 114 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		114
	Number	<Nb>		[0..1]		115
	RelatedDate	<RltdDt>		[0..1]		115

5.42.2 Description

XML Tag: Desc

Presence: [0..1]

Definition: Description associated with the document line.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 342

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Description](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342

5.42.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Provides details on the amounts of the document line.

The **Amt** block contains the following elements (see datatype "RemittanceAmount3__1" on page 294 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		294
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		294
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		294
	TaxAmount	<TaxAmt>		[0..*]		295
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		295
	RemittedAmount	<RmtdAmt>		[0..1]		295

5.43 DocumentLineType1Choice__1

Definition: Specifies the type of the document line identification.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		117
	Proprietary	<Prtry>	Or}	[1..1]	⚠	117

Used in element(s)

"CodeOrProprietary" on page 118

5.43.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Line identification type in a coded form.

Datatype: "ExternalDocumentLineType1Code" on page 356

5.43.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/CodeOrProprietary/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.44 DocumentLineType1__1

Definition: Specifies the type of the document line identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		118
	Issuer	<Issr>		[0..1]		118

Used in element(s)

"Type" on page 114

5.44.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document line identification.

The **CdOrPrtry** block contains the following elements (see datatype "DocumentLineType1Choice__1" on page 117 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		117
	Proprietary	<Prtry>	Or}	[1..1]		117

5.44.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document line identificationtype.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.45 FinancialIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		119
	Proprietary	<Prtry>	Or}	[1..1]		119

Used in element(s)

"SchemeName" on page 145

5.45.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalFinancialInstitutionIdentification1Code" on page 356

5.45.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 370

5.46 FinancialInstitutionIdentification18

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		120
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		120

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	LEI	<LEI>		[0..1]		120
	Name	<Nm>		[0..1]		120
	PostalAddress	<PstlAdr>		[0..1]		121
	Other	<Othr>		[0..1]		121

Used in element(s)

"FinancialInstitutionIdentification" on page 35

5.46.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 334

5.46.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2" on page 64 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		64
	MemberIdentification	<Mmbld>		[1..1]		65

5.46.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 367

5.46.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 368

5.46.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 234 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		234
	Department	<Dept>		[0..1]		235
	SubDepartment	<SubDept>		[0..1]		235
	StreetName	<StrtNm>		[0..1]		235
	BuildingNumber	<BldgNb>		[0..1]		235
	BuildingName	<BldgNm>		[0..1]		235
	Floor	<Flr>		[0..1]		236
	PostBox	<PstBx>		[0..1]		236
	Room	<Room>		[0..1]		236
	PostCode	<PstCd>		[0..1]		236
	TownName	<TwnNm>		[0..1]		236
	TownLocationName	<TwnLctnNm>		[0..1]		236
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		237
	Country	<Ctry>		[0..1]		237
	AddressLine	<AdrLine>		[0..7]		237

5.46.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1" on page 144 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		145
	SchemeName	<SchmeNm>		[0..1]		145
	Issuer	<Issr>		[0..1]		145

5.47 FinancialInstitutionIdentification18__1

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		122
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		122
	LEI	<LEI>		[0..1]		123
	Name	<Nm>		[0..1]		123
	PostalAddress	<PstlAdr>		[0..1]		124
	Other	<Othr>		[0..1]		125

Used in element(s)

"FinancialInstitutionIdentification" on page 37

5.47.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 334

5.47.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 65 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		65
	MemberIdentification	<MmbId>		[1..1]		67

5.47.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 367

5.47.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/Name**
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/Name**
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/Name**
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/Name**
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/Name**
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/Name**

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.47.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 237 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		238
	Department	<Dept>		[0..1]		239
	SubDepartment	<SubDept>		[0..1]		241
	StreetName	<StrtNm>		[0..1]		243
	BuildingNumber	<BldgNb>		[0..1]		244
	BuildingName	<BldgNm>		[0..1]		246
	Floor	<Flr>		[0..1]		248
	PostBox	<PstBx>		[0..1]		249
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		252
	TownName	<TwnNm>		[0..1]	 	254
	TownLocationName	<TwnLctnNm>		[0..1]		257
	DistrictName	<DstrctNm>		[0..1]		259
	CountrySubDivision	<CtrySubDvsn>		[0..1]		260
	Country	<Ctry>		[0..1]		262
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	263

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress**

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.47.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1" on page 144 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		145
	SchemeName	<SchmeNm>		[0..1]		145
	Issuer	<Issr>		[0..1]		145

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/Other) is removed.

5.48 FinancialInstitutionIdentification18__2

Definition: Specifies the details to identify a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]	M	127
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		127

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	LEI	<LEI>		[0..1]		128
	Name	<Nm>		[0..1]	🚫	128
	PostalAddress	<PstlAdr>		[0..1]	🚫	128
	Other	<Othr>		[0..1]	🚫	129

Used in element(s)

"FinancialInstitutionIdentification" on page 41

5.48.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 334

Usage Guideline details

- on **pacs.003.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **pacs.003.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **pacs.003.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **pacs.003.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.48.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 65 for details)

🚫 Removed - 🚫 Partial Removed - ✦ Ignored - ✦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	65
	MemberIdentification	<MmbId>		[1..1]	⚠	67

5.48.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 367

5.48.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 368

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.003.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.003.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.003.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.003.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.

5.48.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 234 for details)

❌ Removed -
 ❌ Partial Removed -
 ❖ Ignored -
 ❖ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		234
	Department	<Dept>		[0..1]		235
	SubDepartment	<SubDept>		[0..1]		235
	StreetName	<StrtNm>		[0..1]		235
	BuildingNumber	<BldgNb>		[0..1]		235
	BuildingName	<BldgNm>		[0..1]		235
	Floor	<Flr>		[0..1]		236
	PostBox	<PstBx>		[0..1]		236
	Room	<Room>		[0..1]		236
	PostCode	<PstCd>		[0..1]		236
	TownName	<TwnNm>		[0..1]		236
	TownLocationName	<TwnLctnNm>		[0..1]		236
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		237
	Country	<Ctry>		[0..1]		237
	AddressLine	<AdrLine>		[0..7]		237

Usage Guideline details

- This element(pacs.003.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.003.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.003.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.003.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/PostalAddress) is removed.

5.48.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1" on page 144 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		145
	SchemeName	<SchmeNm>		[0..1]		145
	Issuer	<Issr>		[0..1]		145

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.003.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.

5.49 FinancialInstitutionIdentification18__3

Definition: Specifies the details to identify a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		131
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		131
	LEI	<LEI>		[0..1]		131
	Name	<Nm>		[0..1]	⚠	131
	PostalAddress	<PstlAdr>		[0..1]	⚠	132

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Other	<Othr>		[0..1]		133

Used in element(s)

"FinancialInstitutionIdentification" on page 43

5.49.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 334

5.49.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 65 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		65
	MemberIdentification	<Mmbld>		[1..1]		67

5.49.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 367

5.49.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.49.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__2" on page 266 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		267
	Department	<Dept>		[0..1]		268
	SubDepartment	<SubDept>		[0..1]		268
	StreetName	<StrtNm>		[0..1]		268
	BuildingNumber	<BldgNb>		[0..1]		269
	BuildingName	<BldgNm>		[0..1]		269
	Floor	<Flr>		[0..1]		269
	PostBox	<PstBx>		[0..1]		269
	Room	<Room>		[0..1]		270
	PostCode	<PstCd>		[0..1]		270
	TownName	<TwnNm>		[0..1]	 	270
	TownLocationName	<TwnLctnNm>		[0..1]		271
	DistrictName	<DstrctNm>		[0..1]		271
	CountrySubDivision	<CtrySubDvsn>		[0..1]		271
	Country	<Ctry>		[0..1]		272
	AddressLine	<AdrLine>		[0..7]	 R[0..2]	272

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.49.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 144 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		145
	SchemeName	<SchmeNm>		[0..1]		145
	Issuer	<Issr>		[0..1]		145

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/Other) is removed.

5.50 Frequency36Choice

Definition: Choice of format for a frequency, for example, the frequency of payment.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>	{Or	[1..1]		133
	Period	<Prd>	Or	[1..1]		134
	PointInTime	<PtInTm>	Or}	[1..1]		134

Used in element(s)

"Frequency" on page 172, "OriginalFrequency" on page 34

5.50.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies a frequency in terms of a specified period type.

Datatype: "Frequency6Code" on page 364

5.50.2 Period

XML Tag: Prd

Presence: [1..1]

Definition: Specifies a frequency in terms of a count per period within a specified period type.

The **Prd** block contains the following elements (see datatype "FrequencyPeriod1" on page 135 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		135
	CountPerPeriod	<CntPerPrd>		[1..1]		135

5.50.3 PointInTime

XML Tag: PtInTm

Presence: [1..1]

Definition: Specifies a frequency in terms of an exact point in time or moment within a specified period type.

The **PtInTm** block contains the following elements (see datatype "FrequencyAndMoment1" on page 134 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		135
	PointInTime	<PtInTm>		[1..1]		135

5.51 FrequencyAndMoment1

Definition: Defines a frequency in terms a specific moment within a specified period type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		135

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PointInTime	<PtInTm>		[1..1]		135

Used in element(s)

"PointInTime" on page 134

5.51.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Period for which the number of instructions are to be created and processed.

Datatype: "Frequency6Code" on page 364

5.51.2 PointInTime

XML Tag: PtInTm

Presence: [1..1]

Definition: Further information on the exact point in time the event should take place.

Datatype: "Exact2NumericText" on page 351

5.52 FrequencyPeriod1

Definition: Defines a frequency in terms on counts per period for a specific period type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		135
	CountPerPeriod	<CntPerPrd>		[1..1]		135

Used in element(s)

"Period" on page 134

5.52.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Period for which the number of instructions are to be created and processed.

Datatype: "Frequency6Code" on page 364

5.52.2 CountPerPeriod

XML Tag: CntPerPrd

Presence: [1..1]

Definition: Number of instructions to be created and processed during the specified period.

Datatype: ["DecimalNumber" on page 347](#)

5.53 Garnishment3__1

Definition: Provides remittance information about a payment for garnishment-related purposes.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		136
	Garnishee	<Grnshee>		[0..1]		136
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		137
	ReferenceNumber	<RefNb>		[0..1]	⚠	137
	Date	<Dt>		[0..1]	⚠	138
	RemittedAmount	<RmtdAmt>		[0..1]		138
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrncInd>		[0..1]		138
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		138

Used in element(s)

["GarnishmentRemittance" on page 309](#)

5.53.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of garnishment.

The **Tp** block contains the following elements (see datatype ["GarnishmentType1__1" on page 139](#) for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		140
	Issuer	<Issr>		[0..1]	⚠	140

5.53.2 Garnishee

XML Tag: Grnshee

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the garnisher.

The **Grnshee** block contains the following elements (see datatype "[PartyIdentification135__5](#)" on [page 209](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	210
	PostalAddress	<PstlAdr>		[0..1]	⚠	210
	Identification	<Id>		[0..1]		211
	CountryOfResidence	<CtryOfRes>		[0..1]		211
	ContactDetails	<CtctDtls>		[0..1]	🚫	211

5.53.3 GarnishmentAdministrator

XML Tag: GrnshmtAdmstr

Presence: [0..1]

Definition: Party on the credit side of the transaction who administers the garnishment on behalf of the ultimate beneficiary.

The **GrnshmtAdmstr** block contains the following elements (see datatype "[PartyIdentification135__6](#)" on [page 212](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	213
	PostalAddress	<PstlAdr>		[0..1]	⚠	213
	Identification	<Id>		[0..1]		214
	CountryOfResidence	<CtryOfRes>		[0..1]		214
	ContactDetails	<CtctDtls>		[0..1]	🚫	214

5.53.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Reference information that is specific to the agency receiving the garnishment.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on [page 338](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/ReferenceNumber

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.53.5 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of payment which garnishment was taken from.

Datatype: "CBPR_Date" on page 336

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Date

Type changed to: CBPR_Date on page 336

5.53.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 330

5.53.7 FamilyMedicalInsuranceIndicator

XML Tag: FmlyMdclInsrncInd

Presence: [0..1]

Definition: Indicates if the person to whom the garnishment applies (that is, the ultimate debtor) has family medical insurance coverage available.

Datatype: "TrueFalseIndicator" on page 381

5.53.8 EmployeeTerminationIndicator

XML Tag: MplyeeTermntnInd

Presence: [0..1]

Definition: Indicates if the employment of the person to whom the garnishment applies (that is, the ultimate debtor) has been terminated.

Datatype: "TrueFalseIndicator" on page 381

5.54 GarnishmentType1Choice

Definition: Specifies the type of garnishment.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		139
	Proprietary	<Prtry>	Or}	[1..1]		139

Used in element(s)

"CodeOrProprietary" on page 140

5.54.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Garnishment type in a coded form.

Would suggest this to be an External Code List to contain:

GNCS Garnishment from a third party payer for Child Support

GNDP Garnishment from a Direct Payer for Child Support

GTPP Garnishment from a third party payer to taxing agency.

Datatype: "ExternalGarnishmentType1Code" on page 357

5.54.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of garnishment.

Datatype: "Max35Text" on page 370

5.55 GarnishmentType1__1

Definition: Specifies the type of garnishment.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		140
	Issuer	<Issr>		[0..1]	⚠	140

Used in element(s)

"Type" on page 136

5.55.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the garnishment.

The **CdOrPrtry** block contains the following elements (see datatype "[GarnishmentType1Choice](#)" on page 138 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		139
	Proprietary	<Prtry>	Or}	[1..1]		139

5.55.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the garnishment type.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Type/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342

5.56 GenericAccountIdentification1__1

Definition: Information related to a generic account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		141
	SchemeName	<SchmeNm>		[0..1]		141
	Issuer	<Issr>		[0..1]		141

Used in element(s)

"Other" on page 23

5.56.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax34Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)
- on pacs.003.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgentAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)

5.56.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[AccountSchemeName1Choice](#)" on page 24 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		25
	Proprietary	<Prtry>	Or}	[1..1]		25

5.56.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.57 GenericAccountIdentification1__2

Definition: Information related to a generic account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		142
	SchemeName	<SchmeNm>		[0..1]		143
	Issuer	<Issr>		[0..1]		143

Used in element(s)

["Other" on page 24](#)

5.57.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: ["CBPR_RestrictedFINXMax34Text" on page 341](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgentAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgentAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgentAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 341](#)

5.57.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[AccountScheme-Name1Choice__1](#)" on page 25 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		25
	Proprietary	<Prtry>	Or}	[1..1]		26

5.57.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.58 GenericFinancialIdentification1

Definition: Information related to an identification of a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		145
	SchemeName	<SchmeNm>		[0..1]		145
	Issuer	<Issr>		[0..1]		145

Used in element(s)

["Other" on page 125](#), ["Other" on page 129](#), ["Other" on page 133](#), ["Other" on page 121](#)

5.58.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["Max35Text" on page 370](#)

5.58.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["FinancialIdentificationScheme-Name1Choice" on page 119](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		119
	Proprietary	<Prtry>	Or}	[1..1]		119

5.58.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 370](#)

5.59 GenericIdentification30

Definition: Information related to an identification, for example, party identification or account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		146
	Issuer	<Issr>		[1..1]		146
	SchemeName	<SchmeNm>		[0..1]		146

Used in element(s)

"Proprietary" on page 27

5.59.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: "Exact4AlphaNumericText" on page 351

5.59.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 370

5.59.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: "Max35Text" on page 370

5.60 GenericOrganisationIdentification1

Definition: Information related to an identification of an organisation.

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		146
	SchemeName	<SchmeNm>		[0..1]		147
	Issuer	<Issr>		[0..1]		147

Used in element(s)

"Other" on page 176

5.60.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max35Text" on page 370

5.60.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice" on page 181 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		181
	Proprietary	<Prtry>	Or}	[1..1]		182

5.60.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 370

5.61 GenericOrganisationIdentification1__1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		147
	SchemeName	<SchmeNm>		[0..1]		148
	Issuer	<Issr>		[0..1]		149

Used in element(s)

"Other" on page 177

5.61.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.61.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice__1](#)" on page 182 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		182
	Proprietary	<Prtry>	Or}	[1..1]	❌ ⚠	182

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.61.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/OrganisationIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text on page 341

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.62 GenericOrganisationIdentification1__2

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		150
	SchemeName	<SchmeNm>		[0..1]		151
	Issuer	<Issr>		[0..1]		151

Used in element(s)

["Other" on page 179](#)

5.62.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/OrganisationIdentification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 341

5.62.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice](#)" on page 181 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		181
	Proprietary	<Prtry>	Or}	[1..1]		182

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.62.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["CBPR_RestrictedFINXMax35Text"](#) on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 341

5.63 GenericOrganisationIdentification1__3

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		152
	SchemeName	<SchmeNm>		[0..1]		152
	Issuer	<Issr>		[0..1]		153

Used in element(s)

"Other" on page 180

5.63.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Identification
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Identification
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Identification
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Identification
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.63.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice_2" on page 184 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		184
	Proprietary	<Prtry>	Or}	[1..1]		184

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.63.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/Issuer**
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Issuer**
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Issuer**
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.64 GenericPersonIdentification1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		154
	SchemeName	<SchmeNm>		[0..1]		154
	Issuer	<Issr>		[0..1]		154

Used in element(s)

"Other" on page 223

5.64.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 370

5.64.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationScheme-Name1Choice" on page 230 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		230
	Proprietary	<Prtry>	Or}	[1..1]		230

5.64.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 370](#)

5.65 GenericPersonIdentification1__1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		155
	SchemeName	<SchmeNm>		[0..1]		156
	Issuer	<Issr>		[0..1]		157

Used in element(s)

["Other" on page 224](#), ["Other" on page 225](#)

5.65.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.65.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[PersonIdentificationSchemeName1Choice_1](#)" on page 231 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		231
	Proprietary	<Prtry>	Or}	[1..1]	 	231

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1

5.65.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.66 GenericPersonIdentification1__2

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		158
	SchemeName	<SchmeNm>		[0..1]		158
	Issuer	<Issr>		[0..1]		159

Used in element(s)

"Other" on page 227

5.66.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/PrivateIdentification/Other/Identification

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.66.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["PersonIdentificationScheme-Name1Choice" on page 230](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		230

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		230

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.66.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text on page 341

5.67 GenericPersonIdentification1__3

Definition: Information related to an identification of a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		159
	SchemeName	<SchmeNm>		[0..1]		160
	Issuer	<Issr>		[0..1]		161

Used in element(s)

"Other" on page 228, "Other" on page 229

5.67.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342

5.67.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[PersonIdentificationSchemeName1Choice__2](#)" on page 232 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		233
	Proprietary	<Prtry>	Or}	[1..1]	 	233

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.67.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.68 GroupHeader94__1

Definition: Set of characteristics shared by all individual transactions included in the message.

ⓧ Removed - ⓧ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -

Ⓜ Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]	⚠	162
	CreationDateTime	<CreDtTm>		[1..1]	⚠	162
	Authorisation	<Authstn>		[0..2]	ⓧ	163
	BatchBooking	<BtchBookg>		[0..1]	ⓧ	163

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfTransactions	<NbOfTx>		[1..1]		164
	ControlSum	<CtrlSum>		[0..1]		164
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		164
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		164
	SettlementInformation	<SttlmInf>		[1..1]		165
	PaymentTypeInformation	<PmtTpInf>		[0..1]		165
	InstructingAgent	<InstgAgt>		[0..1]		166
	InstructedAgent	<InstdAgt>		[0..1]		166

Rules

R14 TotalInterbankSettlementAmountAndDateRule ✓

If TotalInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00044
- *Error Text:* Invalid message content for group header interbank settlement date.

Used in element(s)

"GroupHeader" on page 20

5.68.1 MessageIdentification

XML Tag: MsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the instructing party, and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that MessageIdentification is unique per instructed party for a pre-agreed period.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/GroupHeader/MessageIdentification
Type changed to: CBPR_RestrictedFINXMax35Text on page 341

5.68.2 CreationDateTime

XML Tag: CreDtTm

Presence: [1..1]

Definition: Date and time at which the message was created.

Datatype: ["CBPR_DateTime" on page 337](#)

Usage Guideline details

- on **pacs.003.001.08/GroupHeader/CreationDateTime**
Type changed to: [CBPR_DateTime on page 337](#)

5.68.3 Authorisation

XML Tag: Authstn

Presence: [0..2]

Definition: User identification or any user key to be used to check whether the initiating party is allowed to initiate transactions from the account specified in the message.

Usage: The content is not of a technical nature, but reflects the organisational structure at the initiating side.

The authorisation element can typically be used in relay scenarios, payment initiations, payment returns or payment reversals that are initiated on behalf of a party different from the initiating party.

The **Authstn** block contains the following elements (see datatype ["Authorisation1Choice" on page 34](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		35
	Proprietary	<Prtry>	Or}	[1..1]		35

Usage Guideline details

- This element(**pacs.003.001.08/GroupHeader/Authorisation**) is removed.

5.68.4 BatchBooking

XML Tag: BtchBookg

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions within the group of a message is requested.

Usage: Batch booking is used to request and not order a possible batch booking.

Datatype: ["BatchBookingIndicator" on page 335](#)

Usage Guideline details

- This element([pacs.003.001.08/GroupHeader/BatchBooking](#)) is removed.

5.68.5 NumberOfTransactions

XML Tag: NbOfTxS

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Datatype: ["Max15NumericText" on page 368](#)

Usage Guideline details

- on [pacs.003.001.08/GroupHeader/NumberOfTransactions](#)
Single value: 1

5.68.6 ControlSum

XML Tag: CtrlSum

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Datatype: ["DecimalNumber" on page 347](#)

Usage Guideline details

- This element([pacs.003.001.08/GroupHeader/ControlSum](#)) is removed.

5.68.7 TotalInterbankSettlementAmount

XML Tag: TtlIntrBkSttlmAmt

Presence: [0..1]

Definition: Total amount of money moved between the instructing agent and the instructed agent.

Datatype: ["ActiveCurrencyAndAmount" on page 329](#)

Usage Guideline details

- This element([pacs.003.001.08/GroupHeader/TotalInterbankSettlementAmount](#)) is removed.

5.68.8 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: "ISODate" on page 367

Usage Guideline details

- This element(pacs.003.001.08/GroupHeader/InterbankSettlementDate) is removed.

5.68.9 SettlementInformation

XML Tag: SttlmInf

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

The **SttlmInf** block contains the following elements (see datatype "SettlementInstruction8__1" on page 302 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementMethod	<SttlmMtd>		[1..1]		302
	SettlementAccount	<SttlmAcct>		[0..1]		303
	ClearingSystem	<ClrSys>		[0..1]	🚫	303

5.68.10 PaymentTypeInformation

XML Tag: PmtTpInf

Presence: [0..1]

Definition: Set of elements used to further specify the type of transaction.

The **PmtTpInf** block contains the following elements (see datatype "PaymentTypeInformation27" on page 218 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		218
	ClearingChannel	<ClrChanl>		[0..1]		218
	ServiceLevel	<SvcLvl>		[0..*]		218
	LocalInstrument	<LclInstrm>		[0..1]		219
	SequenceType	<SeqTp>		[0..1]		219
	CategoryPurpose	<CtgyPurp>		[0..1]		219

Usage Guideline details

- This element(pacs.003.001.08/GroupHeader/PaymentTypeInfoInformation) is removed.

5.68.11 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 35 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		35
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- This element(pacs.003.001.08/GroupHeader/InstructingAgent) is removed.

5.68.12 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 35 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		35
	BranchIdentification	<BrnchId>		[0..1]		36

Usage Guideline details

- This element(pacs.003.001.08/GroupHeader/InstructedAgent) is removed.

5.69 ImplementationSpecification1

Definition: Identifies the implementation specification to which the ISO 20022 message conforms.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		167
	Identification	<Id>		[1..1]		167

Used in element(s)

"MarketPractice" on page 16

5.69.1 Registry

XML Tag: Regy

Presence: [1..1]

Definition: Name of the implementation specification registry in which the implementation specification of the ISO 20022 message is maintained.

For example, "MyStandards".

Datatype: "Max350Text" on page 369

5.69.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identifier which unambiguously identifies, within the implementation specification registry, the implementation specification to which the ISO 20022 message is compliant. This can be done via a URN. It can also contain a version number or date.

For instance, "2018-01-01 - Version 2" or "urn:uuid:6e8bc430-9c3a-11d9-9669-0800200c9a66".

Datatype: "Max2048Text" on page 369

5.70 LocalInstrument2Choice

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		168
	Proprietary	<Prtry>	Or}	[1..1]		168

Used in element(s)

"LocalInstrument" on page 219

5.70.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: "ExternalLocalInstrument1Code" on page 358

5.70.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: "Max35Text" on page 370

5.71 LocalInstrument2Choice__1

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		168
	Proprietary	<Prtry>	Or}	[1..1]		168

Used in element(s)

"LocalInstrument" on page 221

5.71.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: "ExternalLocalInstrument1Code" on page 358

5.71.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/PaymentTypeInformation/LocalInstrument/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341

5.72 MandateRelatedInformation14__1

Definition: Provides further details related to a direct debit mandate signed between the creditor and the debtor.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MandateIdentification	<MndtId>		[0..1]		170
	DateOfSignature	<DtOfSgntr>		[0..1]		170
	AmendmentIndicator	<AmdmntInd>		[0..1]		170
	AmendmentInformationDetails	<AmdmntInfDtls>		[0..1]		170
	ElectronicSignature	<ElctrncSgntr>		[0..1]		171
	FirstCollectionDate	<FrstColltnDt>		[0..1]		171
	FinalCollectionDate	<FnIColltnDt>		[0..1]		172
	Frequency	<Frqcy>		[0..1]		172
	Reason	<Rsn>		[0..1]		172
	TrackingDays	<TrckgDays>		[0..1]		173

Rules

R32 AmendmentIndicatorTrueRule ✓

If AmendmentIndicator is true, then AmendmentInformationDetails must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00012
- *Error Text:* Invalid message content for true amendment indicator and details.

R33 AmendmentIndicatorFalseRule ✓

If AmendmentIndicator is false, then AmendmentInformationDetails is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00013

- *Error Text:* Invalid message content for false amendment indicator and details.

Used in element(s)

["MandateRelatedInformation" on page 81](#)

5.72.1 MandateIdentification

XML Tag: MndtId

Presence: [0..1]

Definition: Unique identification, as assigned by the creditor, to unambiguously identify the mandate.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/MandateIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.72.2 DateOfSignature

XML Tag: DtOfSgntr

Presence: [0..1]

Definition: Date on which the direct debit mandate has been signed by the debtor.

Datatype: ["CBPR_Date" on page 336](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/DateOfSignature](#)

Type changed to: [CBPR_Date on page 336](#)

5.72.3 AmendmentIndicator

XML Tag: AmdmntInd

Presence: [0..1]

Definition: Indicator notifying whether the underlying mandate is amended or not.

Datatype: ["TrueFalseIndicator" on page 381](#)

5.72.4 AmendmentInformationDetails

XML Tag: AmdmntInfDtls

Presence: [0..1]

Definition: List of mandate elements that have been modified.

The **AmdmntInfDtls** block contains the following elements (see datatype "AmendmentInformationDetails13__1" on page 27 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalMandateIdentification	<OrgnlMndtId>		[0..1]		28
	OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmId>		[0..1]		28
	OriginalCreditorAgent	<OrgnlCdtrAgt>		[0..1]		29
	OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>		[0..1]		29
	OriginalDebtor	<OrgnlDbtr>		[0..1]		30
	OriginalDebtorAccount	<OrgnlDbtrAcct>		[0..1]		32
	OriginalDebtorAgent	<OrgnlDbtrAgt>		[0..1]		32
	OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>		[0..1]		33
	OriginalFinalCollectionDate	<OrgnlFnIColltnDt>		[0..1]		33
	OriginalFrequency	<OrgnlFrqcy>		[0..1]		34
	OriginalReason	<OrgnlRsn>		[0..1]		34
	OriginalTrackingDays	<OrgnlTrckgDays>		[0..1]		34

5.72.5 ElectronicSignature

XML Tag: ElctrncSgntr

Presence: [0..1]

Definition: Additional security provisions, such as a digital signature, as provided by the debtor.

Datatype: "Max1025Text" on page 368

5.72.6 FirstCollectionDate

XML Tag: FrstColltnDt

Presence: [0..1]

Definition: Date of the first collection of a direct debit as per the mandate.

Datatype: "CBPR_Date" on page 336

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/FirstCollectionDate

Type changed to: CBPR_Date on page 336

5.72.7 FinalCollectionDate

XML Tag: FnlColltnDt

Presence: [0..1]

Definition: Date of the final collection of a direct debit as per the mandate.

Datatype: "CBPR_Date" on page 336

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/FinalCollectionDate

Type changed to: CBPR_Date on page 336

5.72.8 Frequency

XML Tag: Frqcy

Presence: [0..1]

Definition: Regularity with which direct debit instructions are to be created and processed.

The **Frqcy** block contains the following elements (see datatype "Frequency36Choice" on page 133 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>	{Or	[1..1]		133
	Period	<Prd>	Or	[1..1]		134
	PointInTime	<PtInTm>	Or}	[1..1]		134

5.72.9 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Reason for the direct debit mandate to allow the user to distinguish between different mandates for the same creditor.

The **Rsn** block contains the following elements (see datatype "MandateSetupReason1Choice__1" on page 173 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		173
	Proprietary	<Prtry>	Or}	[1..1]		173

5.72.10 TrackingDays

XML Tag: TrckgDays

Presence: [0..1]

Definition: Specifies the number of days the direct debit instruction must be tracked.

Datatype: ["Exact2NumericText" on page 351](#)

5.73 MandateSetupReason1Choice__1

Definition: Specifies the reason for the setup of the mandate.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		173
	Proprietary	<Prtry>	Or}	[1..1]		173

Used in element(s)

["OriginalReason" on page 34](#), ["Reason" on page 172](#)

5.73.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Reason for the mandate setup, as published in an external reason code list.

Datatype: ["ExternalMandateSetupReason1Code" on page 359](#)

5.73.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Reason for the mandate setup, in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 343](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalReason/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/Reason/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax70Text on page 343](#)

5.74 NameAndAddress16__1

Definition: Information that locates and identifies a party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]		174
	Address	<Adr>		[1..1]		174

Used in element(s)

"PostalAddress" on page 299

5.74.1 Name

XML Tag: Nm

Presence: [1..1]

Definition: Name by which a party is known and is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.74.2 Address

XML Tag: Adr

Presence: [1..1]

Definition: Postal address of a party.

The **Adr** block contains the following elements (see datatype "PostalAddress24__1" on page 237 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		238
	Department	<Dept>		[0..1]		239
	SubDepartment	<SubDept>		[0..1]		241
	StreetName	<StrtNm>		[0..1]		243

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BuildingNumber	<BldgNb>		[0..1]	⚠	244
	BuildingName	<BldgNm>		[0..1]	⚠	246
	Floor	<Flr>		[0..1]	⚠	248
	PostBox	<PstBx>		[0..1]	⚠	249
	Room	<Room>		[0..1]	⚠	251
	PostCode	<PstCd>		[0..1]	⚠	252
	TownName	<TwnNm>		[0..1]	⚠	254
	TownLocationName	<TwnLctnNm>		[0..1]	⚠	257
	DistrictName	<DstrctNm>		[0..1]	⚠	259
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠	260
	Country	<Ctry>		[0..1]		262
	AddressLine	<AdrLine>		[0..7]	⚠ R[0..3]	263

5.75 OrganisationIdentification29

Definition: Unique and unambiguous way to identify an organisation.

ⓧ Removed - ⓧ Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]	M	175
	LEI	<LEI>		[0..1]		176
	Other	<Othr>		[0..*]	ⓧ	176

Used in element(s)

"OrganisationIdentification" on page 186

5.75.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 333

Usage Guideline details

- on pacs.003.001.08/.header/From/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC

This element is now mandatory, the minimum occurrence has been changed to : 1

- on **pacs.003.001.08/.header/To/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on **pacs.003.001.08/.header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on **pacs.003.001.08/.header/Related/From/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.75.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 367

5.75.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericOrganisationIdentification1](#)" on page 146 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		146
	SchemeName	<SchmeNm>		[0..1]		147
	Issuer	<Issr>		[0..1]		147

Usage Guideline details

- This element(**pacs.003.001.08/.header/From/OrganisationIdentification/Identification/OrganisationIdentification/Other**) is removed.
- This element(**pacs.003.001.08/.header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/Other**) is removed.

- This element([pacs.003.001.08/.header/To/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.
- This element([pacs.003.001.08/.header/Related/From/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.

5.76 OrganisationIdentification29__1

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		177
	LEI	<LEI>		[0..1]		177
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	177

Used in element(s)

["OrganisationIdentification" on page 187](#), ["OrganisationIdentification" on page 188](#)

5.76.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: ["AnyBICDec2014Identifier" on page 333](#)

5.76.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: ["LEIIdentifier" on page 367](#)

5.76.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype ["GenericOrganisationIdentification1__1" on page 147](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	147
	SchemeName	<SchmeNm>		[0..1]	M	148
	Issuer	<Issr>		[0..1]	⚠	149

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2

5.77 OrganisationIdentification29__2

Definition: Unique and unambiguous way to identify an organisation.

⓪ Removed - ⓪ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		179

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	LEI	<LEI>		[0..1]		179
	Other	<Othr>		[0..*]	R[0..2]	179

Used in element(s)

["OrganisationIdentification" on page 189](#)

5.77.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: ["AnyBICDec2014Identifier" on page 333](#)

5.77.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: ["LEIIdentifier" on page 367](#)

5.77.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype ["GenericOrganisationIdentification1__2" on page 150](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		150
	SchemeName	<SchmeNm>		[0..1]		151
	Issuer	<Issr>		[0..1]		151

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.78 OrganisationIdentification29__3

Definition: Unique and unambiguous way to identify an organisation.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		180
	LEI	<LEI>		[0..1]		180
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	180

Used in element(s)

"OrganisationIdentification" on page 190, "OrganisationIdentification" on page 191

5.78.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 333

5.78.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 367

5.78.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1__3" on page 151 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		152
	SchemeName	<SchmeNm>		[0..1]		152
	Issuer	<Issr>		[0..1]		153

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2

5.79 OrganisationIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		181
	Proprietary	<Prtry>	Or}	[1..1]		182

Used in element(s)

"SchemeName" on page 151, "SchemeName" on page 147

5.79.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 359

5.79.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 370

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.

5.80 OrganisationIdentificationScheme-Name1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		182
	Proprietary	<Prtry>	Or}	[1..1]	 	182

Used in element(s)

"SchemeName" on page 148

5.80.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 359

5.80.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- This element(`pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`) is removed.
- This element(`pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`) is removed.
- This element(`pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`) is removed.
- This element(`pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`) is removed.
- This element(`pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`) is removed.
- This element(`pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`) is removed.
- This element(`pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`) is removed.
- on `pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on `pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on `pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on `pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on `pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on `pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on `pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary`

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 341

5.81 OrganisationIdentificationScheme-Name1Choice__2

Definition: Sets of elements to identify a name of the organisation identification scheme.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		184
	Proprietary	<Prtry>	Or}	[1..1]	🚫 ⚠	184

Used in element(s)

["SchemeName"](#) on page 152

5.81.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalOrganisationIdentification1Code"](#) on page 359

5.81.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 342

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.

- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.82 OtherContact1

Definition: Communication device number or electronic address used for communication.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		185
	Identification	<Id>		[0..1]		185

Used in element(s)

"Other" on [page 70](#)

5.82.1 ChannelType

XML Tag: ChanlTp

Presence: [1..1]

Definition: Method used to contact the financial institution's contact for the specific tax region.

Datatype: "Max4Text" on [page 370](#)

5.82.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Communication value such as phone number or email address.

Datatype: "Max128Text" on page 368

5.83 Party38Choice

Definition: Nature or use of the account.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		186
	PrivateIdentification	<PrvtId>	Or}	[1..1]	🚫	186

Used in element(s)

"Identification" on page 195

5.83.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29" on page 175 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]	M	175
	LEI	<LEI>		[0..1]		176
	Other	<Othr>		[0..*]	🚫	176

5.83.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13" on page 222 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		222
	Other	<Othr>		[0..*]		223

Usage Guideline details

- This element(pacs.003.001.08/.header/Related/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.003.001.08/.header/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.003.001.08/.header/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.003.001.08/.header/Related/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.

5.84 Party38Choice__1

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		187
	PrivateIdentification	<PrvtId>	Or}	[1..1]		188

Used in element(s)

"Identification" on page 198

5.84.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__1" on page 177 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		177

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	LEI	<LEI>		[0..1]		177
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	177

5.84.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__1" on page 223 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		223
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	223

5.85 Party38Choice__2

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		188
	PrivateIdentification	<PrvtId>	Or}	[1..1]		189

Used in element(s)

"Identification" on page 202

5.85.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__1" on page 177 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		177
	LEI	<LEI>		[0..1]		177
	Other	<Othr>		[0..*]	R[0..2]	177

5.85.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__2" on page 225 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		225
	Other	<Othr>		[0..*]	R[0..2]	225

5.86 Party38Choice__3

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		189
	PrivateIdentification	<PrvtId>	Or}	[1..1]		190

Used in element(s)

"Identification" on page 205

5.86.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__2" on page 178 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		179
	LEI	<LEI>		[0..1]		179
	Other	<Othr>		[0..*]	R[0..2]	179

5.86.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__3" on page 226 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		226
	Other	<Othr>		[0..*]	R[0..2]	227

5.87 Party38Choice__4

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		190
	PrivateIdentification	<PrvtId>	Or}	[1..1]		191

Used in element(s)

"Identification" on page 208, "Identification" on page 214

5.87.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__3" on page 180 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		180
	LEI	<LEI>		[0..1]		180
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2]	180

5.87.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__4" on page 227 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		228
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2]	228

5.88 Party38Choice__5

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		191
	PrivateIdentification	<PrvtId>	Or}	[1..1]		192

Used in element(s)

"Identification" on page 211

5.88.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__3" on page 180 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		180
	LEI	<LEI>		[0..1]		180
	Other	<Othr>		[0..*]	R[0..2]	180

5.88.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__5" on page 229 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		229
	Other	<Othr>		[0..*]	R[0..2]	229

5.89 Party44Choice__1

Definition: Identification of a person, an organisation or a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		192
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		193

Used in element(s)

"From" on page 14, "From" on page 47, "To" on page 14, "To" on page 47

5.89.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **OrgId** block contains the following elements (see datatype "PartyIdentification135" on page 193 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		194
	PostalAddress	<PstlAdr>		[0..1]		194
	Identification	<Id>		[0..1]		195
	CountryOfResidence	<CtryOfRes>		[0..1]		195
	ContactDetails	<CtctDtls>		[0..1]		195

Usage Guideline details

- This element(pacs.003.001.08/.header/Related/From/OrganisationIdentification) is removed.
- This element(pacs.003.001.08/.header/To/OrganisationIdentification) is removed.
- This element(pacs.003.001.08/.header/Related/To/OrganisationIdentification) is removed.
- This element(pacs.003.001.08/.header/From/OrganisationIdentification) is removed.

5.89.2 FinancialInstitutionIdentification

XML Tag: FIId

Presence: [1..1]

Definition: Identification of a financial institution.

The **FIId** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6_2" on page 41 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		41
	BranchIdentification	<BrnchId>		[0..1]		42

5.90 PartyIdentification135

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		194
	PostalAddress	<PstlAdr>		[0..1]		194
	Identification	<Id>		[0..1]		195

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CountryOfResidence	<CtryOfRes>		[0..1]		195
	ContactDetails	<CtctDtls>		[0..1]		195

Used in element(s)

"OrganisationIdentification" on page 192

5.90.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 368

5.90.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 234 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		234
	Department	<Dept>		[0..1]		235
	SubDepartment	<SubDept>		[0..1]		235
	StreetName	<StrtNm>		[0..1]		235
	BuildingNumber	<BldgNb>		[0..1]		235
	BuildingName	<BldgNm>		[0..1]		235
	Floor	<Flr>		[0..1]		236
	PostBox	<PstBx>		[0..1]		236
	Room	<Room>		[0..1]		236
	PostCode	<PstCd>		[0..1]		236
	TownName	<TwnNm>		[0..1]		236
	TownLocationName	<TwnLctnNm>		[0..1]		236
	DistrictName	<DstrctNm>		[0..1]		237

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CountrySubDivision	<CtrySubDvsn>		[0..1]		237
	Country	<Ctry>		[0..1]		237
	AddressLine	<AdrLine>		[0..7]		237

5.90.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice](#)" on page 186 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		186
	PrivateIdentification	<PrvtId>	Or}	[1..1]		186

5.90.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 346

5.90.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 68 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		69
	Name	<Nm>		[0..1]		69
	PhoneNumber	<PhneNb>		[0..1]		69
	MobileNumber	<MobNb>		[0..1]		69

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FaxNumber	<FaxNb>		[0..1]		70
	EmailAddress	<EmailAdr>		[0..1]		70
	EmailPurpose	<EmailPurp>		[0..1]		70
	JobTitle	<JobTitt>		[0..1]		70
	Responsibility	<Rspnsblty>		[0..1]		70
	Department	<Dept>		[0..1]		70
	Other	<Othr>		[0..*]		70
	PreferredMethod	<PrefrdMtd>		[0..1]		71

5.91 PartyIdentification135__1

Definition: Specifies the identification of a person or an organisation.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		196
	PostalAddress	<PstlAdr>		[0..1]		197
	Identification	<Id>		[0..1]		198
	CountryOfResidence	<CtryOfRes>		[0..1]		199
	ContactDetails	<CtctDtls>		[0..1]		199

Used in element(s)

"Creditor" on page 92, "InitiatingParty" on page 96, "OriginalCreditorSchemeIdentification" on page 28, "OriginalDebtor" on page 30, "UltimateCreditor" on page 95, "UltimateDebtor" on page 105

5.91.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)

5.91.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 237 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		238
	Department	<Dept>		[0..1]		239
	SubDepartment	<SubDept>		[0..1]		241
	StreetName	<StrtNm>		[0..1]		243
	BuildingNumber	<BldgNb>		[0..1]		244
	BuildingName	<BldgNm>		[0..1]		246
	Floor	<Flr>		[0..1]		248
	PostBox	<PstBx>		[0..1]		249
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		252
	TownName	<TwnNm>		[0..1]		254
	TownLocationName	<TwnLctnNm>		[0..1]		257
	DistrictName	<DstrctNm>		[0..1]		259

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CountrySubDivision	<CtrySubDvsn>		[0..1]		260
	Country	<Ctry>		[0..1]		262
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	263

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.91.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__1](#)" on page 187 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		187
	PrivateIdentification	<PrvtId>	Or}	[1..1]		188

5.91.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 346

5.91.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 68 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		69
	Name	<Nm>		[0..1]		69
	PhoneNumber	<PhneNb>		[0..1]		69
	MobileNumber	<MobNb>		[0..1]		69
	FaxNumber	<FaxNb>		[0..1]		70
	EmailAddress	<EmailAdr>		[0..1]		70
	EmailPurpose	<EmailPurp>		[0..1]		70
	JobTitle	<JobTitl>		[0..1]		70
	Responsibility	<Rspnsblty>		[0..1]		70
	Department	<Dept>		[0..1]		70

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Other	<Othr>		[0..*]		70
	PreferredMethod	<PrefrdMtd>		[0..1]		71

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/Creditor/ContactDetails) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/ContactDetails) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/ContactDetails) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/ContactDetails) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/ContactDetails) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/ContactDetails) is removed.

5.92 PartyIdentification135__2

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		200
	PostalAddress	<PstlAdr>		[0..1]		201
	Identification	<Id>		[0..1]		202
	CountryOfResidence	<CtryOfRes>		[0..1]		202
	ContactDetails	<CtctDtls>		[0..1]		202

Used in element(s)

"CreditorSchemeIdentification" on page 82

5.92.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeldentification/Name

Type changed to: CBPR_RestrictedFINXMax140Text on page 338

5.92.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 237 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		238
	Department	<Dept>		[0..1]		239
	SubDepartment	<SubDept>		[0..1]		241
	StreetName	<StrtNm>		[0..1]		243
	BuildingNumber	<BldgNb>		[0..1]		244
	BuildingName	<BldgNm>		[0..1]		246
	Floor	<Flr>		[0..1]		248
	PostBox	<PstBx>		[0..1]		249
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		252
	TownName	<TwnNm>		[0..1]	 	254
	TownLocationName	<TwnLctnNm>		[0..1]		257
	DistrictName	<DstrctNm>		[0..1]		259
	CountrySubDivision	<CtrySubDvsn>		[0..1]		260
	Country	<Ctry>		[0..1]		262
	AddressLine	<AdrLine>		[0..7]	 R[0..2]	263

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.92.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice_2](#)" on page 188 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		188
	PrivateIdentification	<PrvtId>	Or}	[1..1]		189

5.92.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 346

5.92.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 68 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		69
	Name	<Nm>		[0..1]		69

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PhoneNumber	<PhneNb>		[0..1]		69
	MobileNumber	<MobNb>		[0..1]		69
	FaxNumber	<FaxNb>		[0..1]		70
	EmailAddress	<EmailAdr>		[0..1]		70
	EmailPurpose	<EmailPurp>		[0..1]		70
	JobTitle	<JobTitl>		[0..1]		70
	Responsibility	<Rspnsblty>		[0..1]		70
	Department	<Dept>		[0..1]		70
	Other	<Othr>		[0..*]		70
	PreferredMethod	<PrefrdMtd>		[0..1]		71

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/ContactDetails) is removed.

5.93 PartyIdentification135__3

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		203
	PostalAddress	<PstlAdr>		[0..1]		204
	Identification	<Id>		[0..1]		205
	CountryOfResidence	<CtryOfRes>		[0..1]		205
	ContactDetails	<CtctDtls>		[0..1]		205

Used in element(s)

"Debtor" on page 102

5.93.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.93.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 237 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		238
	Department	<Dept>		[0..1]		239
	SubDepartment	<SubDept>		[0..1]		241
	StreetName	<StrtNm>		[0..1]		243
	BuildingNumber	<BldgNb>		[0..1]		244
	BuildingName	<BldgNm>		[0..1]		246
	Floor	<Flr>		[0..1]		248
	PostBox	<PstBx>		[0..1]		249
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		252
	TownName	<TwnNm>		[0..1]		254
	TownLocationName	<TwnLctnNm>		[0..1]		257
	DistrictName	<DstrctNm>		[0..1]		259
	CountrySubDivision	<CtrySubDvsn>		[0..1]		260
	Country	<Ctry>		[0..1]		262
	AddressLine	<AdrLine>		[0..7]	R[0..2]	263

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress

– **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.93.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__3](#)" on page 189 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		189
	PrivateIdentification	<PrvtId>	Or}	[1..1]		190

5.93.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 346

5.93.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 68 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		69
	Name	<Nm>		[0..1]		69
	PhoneNumber	<PhneNb>		[0..1]		69
	MobileNumber	<MobNb>		[0..1]		69

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FaxNumber	<FaxNb>		[0..1]		70
	EmailAddress	<EmailAdr>		[0..1]		70
	EmailPurpose	<EmailPurp>		[0..1]		70
	JobTitle	<JobTitt>		[0..1]		70
	Responsibility	<Rspnsblty>		[0..1]		70
	Department	<Dept>		[0..1]		70
	Other	<Othr>		[0..*]		70
	PreferredMethod	<PrefrdMtd>		[0..1]		71

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/Debtor/ContactDetails) is removed.

5.94 PartyIdentification135__4

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		206
	PostalAddress	<PstlAdr>		[0..1]		207
	Identification	<Id>		[0..1]		208
	CountryOfResidence	<CtryOfRes>		[0..1]		208
	ContactDetails	<CtctDtls>		[0..1]		208

Used in element(s)

"Invoicee" on page 308, "Invoicer" on page 307

5.94.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.94.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 237 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		238
	Department	<Dept>		[0..1]		239
	SubDepartment	<SubDept>		[0..1]		241
	StreetName	<StrtNm>		[0..1]		243
	BuildingNumber	<BldgNb>		[0..1]		244
	BuildingName	<BldgNm>		[0..1]		246
	Floor	<Flr>		[0..1]		248
	PostBox	<PstBx>		[0..1]		249
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		252
	TownName	<TwnNm>		[0..1]		254
	TownLocationName	<TwnLctnNm>		[0..1]		257
	DistrictName	<DstrctNm>		[0..1]		259
	CountrySubDivision	<CtrySubDvsn>		[0..1]		260
	Country	<Ctry>		[0..1]		262
	AddressLine	<AdrLine>		[0..7]	R[0..2] R[0..2]	263

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:
Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress
 - CBPR_Duplication_Postal_Address_TextualRule:
Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.94.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__4](#)" on page 190 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		190
	PrivateIdentification	<PrvtId>	Or}	[1..1]		191

5.94.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 346

5.94.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 68 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		69
	Name	<Nm>		[0..1]		69
	PhoneNumber	<PhneNb>		[0..1]		69
	MobileNumber	<MobNb>		[0..1]		69
	FaxNumber	<FaxNb>		[0..1]		70
	EmailAddress	<EmailAdr>		[0..1]		70
	EmailPurpose	<EmailPurp>		[0..1]		70
	JobTitle	<JobTitl>		[0..1]		70
	Responsibility	<Rspnsblty>		[0..1]		70
	Department	<Dept>		[0..1]		70
	Other	<Othr>		[0..*]		70
	PreferredMethod	<PrefrdMtd>		[0..1]		71

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/ContactDetails) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/ContactDetails) is removed.

5.95 PartyIdentification135__5

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		210
	PostalAddress	<PstlAdr>		[0..1]		210
	Identification	<Id>		[0..1]		211
	CountryOfResidence	<CtryOfRes>		[0..1]		211
	ContactDetails	<CtctDtls>		[0..1]		211

Used in element(s)

"Garnishee" on page 136

5.95.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.95.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24_3" on page 272 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		273
	Department	<Dept>		[0..1]		274
	SubDepartment	<SubDept>		[0..1]		274
	StreetName	<StrtNm>		[0..1]		274
	BuildingNumber	<BldgNb>		[0..1]		275
	BuildingName	<BldgNm>		[0..1]		275
	Floor	<Flr>		[0..1]		276
	PostBox	<PstBx>		[0..1]		276
	Room	<Room>		[0..1]		276
	PostCode	<PstCd>		[0..1]		277
	TownName	<TwnNm>		[0..1]		277
	TownLocationName	<TwnLctnNm>		[0..1]		278

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DistrictName	<DstrctNm>		[0..1]		278
	CountrySubDivision	<CtrySubDvsn>		[0..1]		278
	Country	<Ctry>		[0..1]		279
	AddressLine	<AdrlLine>		[0..7]	 R[0..2]	279

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.95.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice__5" on page 191 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		191
	PrivateIdentification	<PrvtId>	Or}	[1..1]		192

5.95.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 346

5.95.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 68 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		69
	Name	<Nm>		[0..1]		69
	PhoneNumber	<PhneNb>		[0..1]		69
	MobileNumber	<MobNb>		[0..1]		69
	FaxNumber	<FaxNb>		[0..1]		70
	EmailAddress	<EmailAdr>		[0..1]		70
	EmailPurpose	<EmailPurp>		[0..1]		70
	JobTitle	<JobTitl>		[0..1]		70
	Responsibility	<Rspnsblty>		[0..1]		70
	Department	<Dept>		[0..1]		70
	Other	<Othr>		[0..*]		70
	PreferredMethod	<PrefrdMtd>		[0..1]		71

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails) is removed.

5.96 PartyIdentification135__6

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		213
	PostalAddress	<PstlAdr>		[0..1]		213
	Identification	<Id>		[0..1]		214
	CountryOfResidence	<CtryOfRes>		[0..1]		214
	ContactDetails	<CtctDtls>		[0..1]		214

Used in element(s)

"GarnishmentAdministrator" on page 137

5.96.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.96.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__3" on page 272 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		273
	Department	<Dept>		[0..1]		274
	SubDepartment	<SubDept>		[0..1]		274
	StreetName	<StrtNm>		[0..1]		274
	BuildingNumber	<BldgNb>		[0..1]		275
	BuildingName	<BldgNm>		[0..1]		275
	Floor	<Flr>		[0..1]		276
	PostBox	<PstBx>		[0..1]		276
	Room	<Room>		[0..1]		276
	PostCode	<PstCd>		[0..1]		277
	TownName	<TwnNm>		[0..1]		277
	TownLocationName	<TwnLctnNm>		[0..1]		278
	DistrictName	<DstrctNm>		[0..1]		278
	CountrySubDivision	<CtrySubDvsn>		[0..1]		278

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Country	<Ctry>		[0..1]	M	279
	AddressLine	<AdrLine>		[0..7]	⚠ R[0..2]	279

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.96.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice_4" on page 190 for details)

ⓧ Removed - **ⓧ** Partial Removed - **◇** Ignored - **ⓧ** Partial Ignored - **⚠** Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		190
	PrivateIdentification	<PrvtId>	Or}	[1..1]		191

5.96.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 346

5.96.5 ContactDetails

XML Tag: CtctDtIs

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtIs** block contains the following elements (see datatype "Contact4" on page 68 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		69
	Name	<Nm>		[0..1]		69
	PhoneNumber	<PhneNb>		[0..1]		69
	MobileNumber	<MobNb>		[0..1]		69
	FaxNumber	<FaxNb>		[0..1]		70
	EmailAddress	<EmailAdr>		[0..1]		70
	EmailPurpose	<EmailPurp>		[0..1]		70
	JobTitle	<JobTitl>		[0..1]		70
	Responsibility	<Rspnsblty>		[0..1]		70
	Department	<Dept>		[0..1]		70
	Other	<Othr>		[0..*]		70
	PreferredMethod	<PrefrdMtd>		[0..1]		71

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails) is removed.

5.97 PaymentIdentification7__1

Definition: Provides further means of referencing a payment transaction.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionIdentification	<InstrId>		[0..1]		216
	EndToEndIdentification	<EndToEndId>		[1..1]		216
	TransactionIdentification	<TxId>		[0..1]		217
	UETR	<UETR>		[0..1]		217
	ClearingSystemReference	<ClrSysRef>		[0..1]		217

Rules

R29 TransactionIdentificationPresenceRule

TransactionIdentification or UETR must be present. Both may be present

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00420
- *Error Text:* No transaction identification is present

Used in element(s)

"PaymentIdentification" on page 88

5.97.1 InstructionIdentification

XML Tag: InstrId

Presence: [0..1]

Definition: Unique identification, as assigned by an instructing party for an instructed party, to unambiguously identify the instruction.

Usage: The instruction identification is a point to point reference that can be used between the instructing party and the instructed party to refer to the individual instruction. It can be included in several messages related to the instruction.

Datatype: "CBPR_RestrictedFINXMax16Text" on page 339

Usage Guideline details

- **on pacs.003.001.08/DirectDebitTransactionInformation/PaymentIdentification/InstructionIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/PaymentIdentification/InstructionIdentification**

Type changed to: CBPR_RestrictedFINXMax16Text on page 339

5.97.2 EndToEndIdentification

XML Tag: EndToEndId

Presence: [1..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Usage: The end-to-end identification can be used for reconciliation or to link tasks relating to the transaction. It can be included in several messages related to the transaction.

Usage: In case there are technical limitations to pass on multiple references, the end-to-end identification must be passed on throughout the entire end-to-end chain.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/PaymentIdentification/EndToEndIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.97.3 TransactionIdentification

XML Tag: TxId

Presence: [0..1]

Definition: Unique identification, as assigned by the first instructing agent, to unambiguously identify the transaction that is passed on, unchanged, throughout the entire interbank chain.

Usage: The transaction identification can be used for reconciliation, tracking or to link tasks relating to the transaction on the interbank level.

Usage: The instructing agent has to make sure that the transaction identification is unique for a pre-agreed period.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/PaymentIdentification/TransactionIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.97.4 UETR

XML Tag: UETR

Presence: [0..1]

Definition: Universally unique identifier to provide an end-to-end reference of a payment transaction.

Datatype: ["UUIDv4Identifier" on page 381](#)

5.97.5 ClearingSystemReference

XML Tag: ClrSysRef

Presence: [0..1]

Definition: Unique reference, as assigned by a clearing system, to unambiguously identify the instruction.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/PaymentIdentification/ClearingSystem-Reference

Type changed to: CBPR_RestrictedFINXMax35Text on page 341

5.98 PaymentTypeInformation27

Definition: Provides further details of the type of payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		218
	ClearingChannel	<ClrChanl>		[0..1]		218
	ServiceLevel	<SvcLvl>		[0..*]		218
	LocalInstrument	<LclInstrm>		[0..1]		219
	SequenceType	<SeqTp>		[0..1]		219
	CategoryPurpose	<CtgyPurp>		[0..1]		219

Used in element(s)

"PaymentTypeInformation" on page 165

5.98.1 InstructionPriority

XML Tag: InstrPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Datatype: "Priority2Code" on page 374

5.98.2 ClearingChannel

XML Tag: ClrChanl

Presence: [0..1]

Definition: Specifies the clearing channel to be used to process the payment instruction.

Datatype: "ClearingChannel2Code" on page 345

5.98.3 ServiceLevel

XML Tag: SvcLvl

Presence: [0..*]

Definition: Agreement under which or rules under which the transaction should be processed.

The **SvcLvl** block contains the following elements (see datatype "[ServiceLevel8Choice](#)" on page 299 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		299
	Proprietary	<Prtry>	Or}	[1..1]		300

5.98.4 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype "[LocalInstrument2Choice](#)" on page 167 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		168
	Proprietary	<Prtry>	Or}	[1..1]		168

5.98.5 SequenceType

XML Tag: SeqTp

Presence: [0..1]

Definition: Identifies the direct debit sequence, such as first, recurrent, final or one-off.

Datatype: "[SequenceType3Code](#)" on page 377

5.98.6 CategoryPurpose

XML Tag: Ctgypurp

Presence: [0..1]

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

The **CtgyPurp** block contains the following elements (see datatype "[CategoryPurpose1Choice](#)" on page 59 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		60
	Proprietary	<Prtry>	Or}	[1..1]		60

5.99 PaymentTypeInformation27__1

Definition: Provides further details of the type of payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		220
	ClearingChannel	<ClrChanl>		[0..1]		220
	ServiceLevel	<SvcLvl>		[0..*]	R[0..3]	221
	LocalInstrument	<LclInstrm>		[0..1]		221
	SequenceType	<SeqTp>		[0..1]		221
	CategoryPurpose	<CtgyPurp>		[0..1]		222

Used in element(s)

"[PaymentTypeInformation](#)" on page 88

5.99.1 InstructionPriority

XML Tag: InstrPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Datatype: "[Priority2Code](#)" on page 374

5.99.2 ClearingChannel

XML Tag: ClrChanl

Presence: [0..1]

Definition: Specifies the clearing channel to be used to process the payment instruction.

Datatype: "[ClearingChannel2Code](#)" on page 345

5.99.3 ServiceLevel

XML Tag: SvcLvl

Presence: [0..*]

Definition: Agreement under which or rules under which the transaction should be processed.

The **SvcLvl** block contains the following elements (see datatype "[ServiceLevel8Choice__1](#)" on page 300 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		300
	Proprietary	<Prtry>	Or}	[1..1]		300

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/PaymentTypeInformation/ServiceLevel](#)
This element has change repeatability, the maximum occurrence has been changed to : 3

5.99.4 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype "[LocalInstrument2Choice__1](#)" on page 168 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		168
	Proprietary	<Prtry>	Or}	[1..1]		168

5.99.5 SequenceType

XML Tag: SeqTp

Presence: [0..1]

Definition: Identifies the direct debit sequence, such as first, recurrent, final or one-off.

Datatype: "[SequenceType3Code](#)" on page 377

5.99.6 CategoryPurpose

XML Tag: CtgPurp

Presence: [0..1]

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

The **CtgPurp** block contains the following elements (see datatype "[CategoryPurpose1Choice__1](#)" on page 60 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		60
	Proprietary	<Prtry>	Or}	[1..1]		60

5.100 PersonIdentification13

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		222
	Other	<Othr>		[0..*]		223

Used in element(s)

"[PrivateIdentification](#)" on page 186

5.100.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1](#)" on page 74 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		74

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		74
	CityOfBirth	<CityOfBirth>		[1..1]		74
	CountryOfBirth	<CtrtyOfBirth>		[1..1]		75

5.100.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1](#)" on page 154 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		154
	SchemeName	<SchmeNm>		[0..1]		154
	Issuer	<Issr>		[0..1]		154

5.101 PersonIdentification13__1

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		223
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	223

Used in element(s)

"PrivateIdentification" on page 188

5.101.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__1](#)" on page 75 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		75
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		76
	CityOfBirth	<CityOfBirth>		[1..1]		77
	CountryOfBirth	<CtrvOfBirth>		[1..1]		78

5.101.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__1" on page 155 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		155
	SchemeName	<SchmeNm>		[0..1]		156
	Issuer	<Issr>		[0..1]		157

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.102 PersonIdentification13__2

Definition: Unique and unambiguous way to identify a person.

⊖ Removed - ⊖ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		225
	Other	<Othr>		[0..*]	R[0..2]	225

Used in element(s)

"PrivateIdentification" on page 189

5.102.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__2](#)" on [page 78](#) for details)

⊖ Removed - ⊖ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]	⚠	79
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		79
	CityOfBirth	<CityOfBirth>		[1..1]		79
	CountryOfBirth	<CtryOfBirth>		[1..1]		80

5.102.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1__1](#)" on [page 155](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		155
	SchemeName	<SchmeNm>		[0..1]		156
	Issuer	<Issr>		[0..1]		157

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.103 PersonIdentification13__3

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		226
	Other	<Othr>		[0..*]	R[0..2]	227

Used in element(s)

"[PrivateIdentification](#)" on [page 190](#)

5.103.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__1](#)" on [page 75](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		75
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		76
	CityOfBirth	<CityOfBirth>		[1..1]		77
	CountryOfBirth	<CtryOfBirth>		[1..1]		78

5.103.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1_2](#)" on page 158 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		158
	SchemeName	<SchmeNm>		[0..1]		158
	Issuer	<Issr>		[0..1]		159

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.104 PersonIdentification13_4

Definition: Unique and unambiguous way to identify a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		228
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2]	228

Used in element(s)

"PrivateIdentification" on page 191

5.104.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 75 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		75
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		76
	CityOfBirth	<CityOfBirth>		[1..1]		77
	CountryOfBirth	<CtryOfBirth>		[1..1]		78

5.104.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__3" on page 159 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		159
	SchemeName	<SchmeNm>		[0..1]		160
	Issuer	<Issr>		[0..1]		161

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.105 PersonIdentification13__5

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		229
	Other	<Othr>		[0..*]	R[0..2]	229

Used in element(s)

"PrivateIdentification" on page 192

5.105.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__2](#)" on page 78 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		79
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		79
	CityOfBirth	<CityOfBirth>		[1..1]		79
	CountryOfBirth	<CtryOfBirth>		[1..1]		80

5.105.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1__3](#)" on page 159 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		159
	SchemeName	<SchmeNm>		[0..1]		160
	Issuer	<Issr>		[0..1]		161

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.106 PersonIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		230
	Proprietary	<Prtry>	Or}	[1..1]		230

Used in element(s)

"SchemeName" on page 158, "SchemeName" on page 154

5.106.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalPersonIdentification1Code" on page 360

5.106.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 370

Usage Guideline details

- This element([pacs.003.001.08/DirectDebitTransactionInformation/Debtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.

5.107 PersonIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		231
	Proprietary	<Prtry>	Or}	[1..1]	 	231

Used in element(s)

["SchemeName" on page 156](#)

5.107.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 360](#)

5.107.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- This element([pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.

- This element(pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.108 PersonIdentificationSchemeName1Choice__2

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		233

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]	 	233

Used in element(s)

["SchemeName" on page 160](#)

5.108.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 360](#)

5.108.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- This element([pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- This element([pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.109 PostalAddress24

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		234
	Department	<Dept>		[0..1]		235
	SubDepartment	<SubDept>		[0..1]		235
	StreetName	<StrtNm>		[0..1]		235
	BuildingNumber	<BldgNb>		[0..1]		235
	BuildingName	<BldgNm>		[0..1]		235
	Floor	<Flr>		[0..1]		236
	PostBox	<PstBx>		[0..1]		236
	Room	<Room>		[0..1]		236
	PostCode	<PstCd>		[0..1]		236
	TownName	<TwnNm>		[0..1]		236
	TownLocationName	<TwnLctnNm>		[0..1]		236
	DistrictName	<DstrctNm>		[0..1]		237
	CountrySubDivision	<CtrySubDvsn>		[0..1]		237
	Country	<Ctry>		[0..1]		237
	AddressLine	<AdrLine>		[0..7]		237

Used in element(s)

"PostalAddress" on page 128,
 "PostalAddress" on page 45,
 "PostalAddress" on page 121,
 "PostalAddress" on page 194

5.109.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "[AddressType3Choice](#)" on page 26 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		27

5.109.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "[Max70Text](#)" on page 370

5.109.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "[Max70Text](#)" on page 370

5.109.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: "[Max70Text](#)" on page 370

5.109.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "[Max16Text](#)" on page 369

5.109.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "Max35Text" on page 370

5.109.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: "Max70Text" on page 370

5.109.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: "Max16Text" on page 369

5.109.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: "Max70Text" on page 370

5.109.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: "Max16Text" on page 369

5.109.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "Max35Text" on page 370

5.109.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["Max35Text" on page 370](#)

5.109.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["Max35Text" on page 370](#)

5.109.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["Max35Text" on page 370](#)

5.109.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: ["CountryCode" on page 346](#)

5.109.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: ["Max70Text" on page 370](#)

5.110 PostalAddress24__1

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		238
	Department	<Dept>		[0..1]		239
	SubDepartment	<SubDept>		[0..1]		241
	StreetName	<StrtNm>		[0..1]		243
	BuildingNumber	<BldgNb>		[0..1]		244

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BuildingName	<BldgNm>		[0..1]		246
	Floor	<Flr>		[0..1]		248
	PostBox	<PstBx>		[0..1]		249
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		252
	TownName	<TwnNm>		[0..1]	 	254
	TownLocationName	<TwnLctnNm>		[0..1]		257
	DistrictName	<DstrctNm>		[0..1]		259
	CountrySubDivision	<CtrySubDvsn>		[0..1]		260
	Country	<Ctry>		[0..1]		262
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R	263

Used in element(s)

"Address" on page 174, "PostalAddress" on page 124, "PostalAddress" on page 197, "PostalAddress" on page 201, "PostalAddress" on page 204, "PostalAddress" on page 207

5.110.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 26 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		27

Usage Guideline details

- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/AddressType) is removed.

- This element(pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressType) is removed.

5.110.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 343](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343

5.110.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 343

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/SubDepartment](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

5.110.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 343](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

5.110.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "CBPR_RestrictedFINXMax16Text_Extended" on page 339

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

5.110.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.110.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 343

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343

5.110.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 339

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/Post-Box
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeldentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339

5.110.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 343

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343

5.110.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 339

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on [pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/PostCode](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

5.110.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/TownName](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- on [pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/TownName](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/TownName](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- on [pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/TownName](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- on [pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/TownName](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- on [pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/TownName](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/TownName**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- **on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/TownName**

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.110.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.110.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/DistrictName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.110.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/CountrySubDivision
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/CountrySubDivision
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/CountrySubDivision
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/CountrySubDivision
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.110.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 346

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicee/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country
This element is now mandatory, the minimum occurrence has been changed to : 1

5.110.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 343

Usage Guideline details

- **on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 3

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/Creditor/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtor/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/InitiatingParty/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoice/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateCreditor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/Debtor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorSchemeIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/UltimateDebtor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/CreditorSchemeIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

5.111 PostalAddress24__2

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		267
	Department	<Dept>		[0..1]		268
	SubDepartment	<SubDept>		[0..1]		268
	StreetName	<StrtNm>		[0..1]		268
	BuildingNumber	<BldgNb>		[0..1]		269
	BuildingName	<BldgNm>		[0..1]		269
	Floor	<Flr>		[0..1]		269
	PostBox	<PstBx>		[0..1]		269
	Room	<Room>		[0..1]		270
	PostCode	<PstCd>		[0..1]		270
	TownName	<TwnNm>		[0..1]	 	270
	TownLocationName	<TwnLctnNm>		[0..1]		271
	DistrictName	<DstrctNm>		[0..1]		271
	CountrySubDivision	<CtrySubDvsn>		[0..1]		271
	Country	<Ctry>		[0..1]		272
	AddressLine	<AdrLine>		[0..7]	 R[0..2]	272

Used in element(s)

"PostalAddress" on page 132

5.111.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 26 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		27

Usage Guideline details

- This element([pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType](#)) is removed.

5.111.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 339](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

5.111.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 339](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

5.111.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Room](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 339](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

5.111.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.111.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.111.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 346

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

5.111.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 343

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

5.112 PostalAddress24__3

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		273
	Department	<Dept>		[0..1]		274
	SubDepartment	<SubDept>		[0..1]		274
	StreetName	<StrtNm>		[0..1]		274
	BuildingNumber	<BldgNb>		[0..1]		275
	BuildingName	<BldgNm>		[0..1]		275
	Floor	<Flr>		[0..1]		276
	PostBox	<PstBx>		[0..1]		276
	Room	<Room>		[0..1]		276
	PostCode	<PstCd>		[0..1]		277
	TownName	<TwnNm>		[0..1]		277
	TownLocationName	<TwnLctnNm>		[0..1]		278
	DistrictName	<DstrctNm>		[0..1]		278
	CountrySubDivision	<CtrySubDvsn>		[0..1]		278
	Country	<Ctry>		[0..1]		279
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2]	279

Used in element(s)

"PostalAddress" on page 210, "PostalAddress" on page 213

5.112.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 26 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		27

Usage Guideline details

- This element([pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressType](#)) is removed.
- This element([pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressType](#)) is removed.

5.112.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 343](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

5.112.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 343](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

5.112.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 343](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

5.112.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 339](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 339](#)

5.112.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342

5.112.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 343

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Floor](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Floor](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343

5.112.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 339

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostBox](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostBox](#)

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339

5.112.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 343

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 343

5.112.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 339

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 339

5.112.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["Max35Text"](#) on page 370

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownName
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownName
This element is now mandatory, the minimum occurrence has been changed to : 1

5.112.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownLocationName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownLocationName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.112.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/DistrictName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/DistrictName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.112.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/CountrySubDivision](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/CountrySubDivision](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.112.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: ["CountryCode" on page 346](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Country](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Country](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

5.112.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 343](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine](#)

This element has change repeatability, the maximum occurrence has been changed to : 2

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine](#)

This element has change repeatability, the maximum occurrence has been changed to : 2

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine](#)

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 343](#)

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine](#)

Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 343

5.113 ProxyAccountIdentification1__1

Definition: Information related to a proxy identification of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	 M	280
	Identification	<Id>		[1..1]		280

Used in element(s)

"Proxy" on page 53

5.113.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice" on page 283 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		283
	Proprietary	<Prtry>	Or}	[1..1]		284

Usage Guideline details

- on pacs.003.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1

5.113.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "CBPR_RestrictedFINXMax320Text_Extended" on page 340

Usage Guideline details

- on pacs.003.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Identification
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 340

5.114 ProxyAccountIdentification1__2

Definition: Information related to a proxy identification of the account.

ⓧ Removed - ⓧ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	M	281
	Identification	<Id>		[1..1]	⚠	282

Used in element(s)

"Proxy" on page 55, "Proxy" on page 57

5.114.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice__1" on page 284 for details)

ⓧ Removed - ⓧ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		284
	Proprietary	<Prtry>	Or}	[1..1]	⚠	284

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgentAccount/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAccount/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgentAccount/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAccount/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgentAccount/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1Account/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2Account/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3Account/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAccount/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgentAccount/Proxy/Type
This element is now mandatory, the minimum occurrence has been changed to : 1

5.114.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "CBPR_RestrictedFINXMax320Text_Extended" on page 340

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgentAccount/Proxy/Identification
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgentAccount/Proxy/Identification
Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 340
- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2Account/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 340](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAccount/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 340](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgentAccount/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 340](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAccount/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 340](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1Account/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 340](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3Account/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 340](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAccount/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 340](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgentAccount/Proxy/Identification

Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 340](#)

5.115 ProxyAccountType1Choice

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		283
	Proprietary	<Prtry>	Or}	[1..1]		284

Used in element(s)

"Type" on page 280

5.115.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code" on page 361](#)

5.115.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 370](#)

5.116 ProxyAccountType1Choice__1

Definition: Specifies the scheme used for the identification of an account alias.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		284
	Proprietary	<Prtry>	Or}	[1..1]	⚠	284

Used in element(s)

["Type" on page 281](#)

5.116.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code" on page 361](#)

5.116.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalCreditorAgentAccount/Proxy/Type/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent2Account/Proxy/Type/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAccount/Proxy/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAccount/Proxy/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAgentAccount/Proxy/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent3Account/Proxy/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DebtorAccount/Proxy/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/CreditorAgentAccount/Proxy/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/IntermediaryAgent1Account/Proxy/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

- on pacs.003.001.08/DirectDebitTransactionInformation/DirectDebitTransaction/MandateRelatedInformation/AmendmentInformationDetails/OriginalDebtorAgentAccount/Proxy/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.117 Purpose2Choice__1

Definition: Specifies the underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

❌ Removed - ❌ Partial Removed - ◆ Ignored - ◆ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		286
	Proprietary	<Prtry>	Or}	[1..1]	⚠️	286

Used in element(s)

"Purpose" on page 107

5.117.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Underlying reason for the payment transaction, as published in an external purpose code list.

Datatype: "ExternalPurpose1Code" on page 362

5.117.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 341

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/Purpose/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 341

5.118 ReferredDocumentInformation7__1

Definition: Set of elements used to identify the documents referred to in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		286
	Number	<Nb>		[0..1]	⚠	287
	RelatedDate	<RltdDt>		[0..1]	⚠	287
	LineDetails	<LineDtls>		[0..*]		287

Used in element(s)

"ReferredDocumentInformation" on page 306

5.118.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document.

The **Tp** block contains the following elements (see datatype "[ReferredDocumentType4__1](#)" on [page 288](#) for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		289
	Issuer	<Issr>		[0..1]		289

5.118.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Unique and unambiguous identification of the referred document.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on [page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/Number](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on [page 342](#)

5.118.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document.

Datatype: "[CBPR_Date](#)" on [page 336](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/RelatedDate](#)

Type changed to: [CBPR_Date](#) on [page 336](#)

5.118.4 LineDetails

XML Tag: LineDtls

Presence: [0..*]

Definition: Set of elements used to provide the content of the referred document line.

The **LineDtls** block contains the following elements (see datatype "[DocumentLineInformation1__1](#)" on [page 115](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		116
	Description	<Desc>		[0..1]		116
	Amount	<Amt>		[0..1]		116

5.119 ReferredDocumentType3Choice

Definition: Specifies the type of the document referred in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		288
	Proprietary	<Prtry>	Or}	[1..1]		288

Used in element(s)

"CodeOrProprietary" on page 289

5.119.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Document type in a coded form.

Datatype: "DocumentType6Code" on page 348

5.119.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "Max35Text" on page 370

5.120 ReferredDocumentType4__1

Definition: Specifies the type of the document referred in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		289
	Issuer	<Issr>		[0..1]		289

Used in element(s)

"Type" on page 286

5.120.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document.

The **CdOrPrtry** block contains the following elements (see datatype "[ReferredDocumentType3Choice](#)" on page 288 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or}	[1..1]		288
	Proprietary	<Prtry>	Or}	[1..1]		288

5.120.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 342

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/Type/Issuer](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342

5.121 RegulatoryAuthority2__1

Definition: Entity requiring the regulatory reporting information.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		290
	Country	<Ctry>		[0..1]		290

Used in element(s)

"Authority" on page 291

5.121.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the entity requiring the regulatory reporting information.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RegulatoryReporting/Authority/Name
Type changed to: CBPR_RestrictedFINXMax140Text on page 338

5.121.2 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Country of the entity that requires the regulatory reporting information.

Datatype: "CountryCode" on page 346

5.122 RegulatoryReporting3__1

Definition: Information needed due to regulatory and/or statutory requirements.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitCreditReportingIndicator	<DbtCdtRptgInd>		[0..1]		290
	Authority	<Authrty>		[0..1]		291
	Details	<Dtls>		[0..*]		291

Used in element(s)

"RegulatoryReporting" on page 107

5.122.1 DebitCreditReportingIndicator

XML Tag: DbtCdtRptgInd

Presence: [0..1]

Definition: Identifies whether the regulatory reporting information applies to the debit side, to the credit side or to both debit and credit sides of the transaction.

Datatype: "RegulatoryReportingType1Code" on page 375

5.122.2 Authority

XML Tag: Authrty

Presence: [0..1]

Definition: Entity requiring the regulatory reporting information.

The **Authrty** block contains the following elements (see datatype "RegulatoryAuthority2__1" on page 289 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		290
	Country	<Ctry>		[0..1]		290

5.122.3 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the regulatory reporting information.

The **Dtls** block contains the following elements (see datatype "StructuredRegulatoryReporting3__1" on page 303 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		304
	Date	<Dt>		[0..1]		304
	Country	<Ctry>		[0..1]		304
	Code	<Cd>		[0..1]		305
	Amount	<Amt>		[0..1]		305
	Information	<Inf>		[0..*]		305

5.123 RemittanceAmount2

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		292
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		292
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		292
	TaxAmount	<TaxAmt>		[0..*]		293
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		293
	RemittedAmount	<RmtdAmt>		[0..1]		293

Used in element(s)

"ReferredDocumentAmount" on page 306

5.123.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 330

5.123.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount specified for the referred document is the amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAndType1" on page 109 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		109
	Amount	<Amt>		[1..1]		109

5.123.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount specified for the referred document is the amount of a credit note.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 330](#)

5.123.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Quantity of cash resulting from the calculation of the tax.

The **TaxAmt** block contains the following elements (see datatype ["TaxAmountAndType1" on page 312](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		312
	Amount	<Amt>		[1..1]		312

5.123.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the document adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype ["DocumentAdjustment1" on page 112](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		112
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		112
	Reason	<Rsn>		[0..1]		112
	AdditionalInformation	<AddtlInf>		[0..1]		113

5.123.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 330](#)

5.124 RemittanceAmount3__1

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		294
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		294
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		294
	TaxAmount	<TaxAmt>		[0..*]		295
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		295
	RemittedAmount	<RmtdAmt>		[0..1]		295

Used in element(s)

"Amount" on page 116

5.124.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 330

5.124.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAnd-Type1__1" on page 110 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		110
	Amount	<Amt>		[1..1]		110

5.124.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount of a credit note.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 330](#)

5.124.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Amount of the tax.

The **TaxAmt** block contains the following elements (see datatype ["TaxAmountAndType1__1" on page 312](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		313
	Amount	<Amt>		[1..1]		313

5.124.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype ["DocumentAdjustment1__1" on page 113](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		113
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		113
	Reason	<Rsn>		[0..1]		114
	AdditionalInformation	<AddtlInf>		[0..1]		114

5.124.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 330](#)

5.125 RemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	 R[0..1]	296
	Structured	<Strd>		[0..*]		296

Used in element(s)

"RemittanceInformation" on page 108

5.125.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in an unstructured form.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Unstructured
This element has change repeatability, the maximum occurrence has been changed to : 1
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Unstructured
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.125.2 Structured

XML Tag: Strd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

The **Strd** block contains the following elements (see datatype "StructuredRemittanceInformation16__1" on page 305 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		306
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		306
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		307
	Invoicer	<Invcr>		[0..1]		307
	Invoicee	<Invcee>		[0..1]		308
	TaxRemittance	<TaxRmt>		[0..1]		308
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		309
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		309

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured

– CBPR_Structured_RemittanceInformation_TextualRule:

Structured can be repeated, however the total business data for all occurrences (excluding tags) must not exceed 9,000 characters.

5.126 RemittanceLocation7__1

Definition: Provides information on the remittance advice.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		297
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]		298

Used in element(s)

"RelatedRemittanceInformation" on page 108

5.126.1 RemittanceIdentification

XML Tag: RmtId

Presence: [0..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the remittance information sent separately from the payment instruction, such as a remittance advice.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceIdentification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.126.2 RemittanceLocationDetails

XML Tag: RmtLctnDtls

Presence: [0..*]

Definition: Set of elements used to provide information on the location and/or delivery of the remittance information.

The **RmtLctnDtls** block contains the following elements (see datatype "RemittanceLocationData1__1" on page 298 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		298
	ElectronicAddress	<ElctrncAdr>		[0..1]		299
	PostalAddress	<PstlAdr>		[0..1]		299

5.127 RemittanceLocationData1__1

Definition: Provides additional details on the remittance advice.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		298
	ElectronicAddress	<ElctrncAdr>		[0..1]		299
	PostalAddress	<PstlAdr>		[0..1]		299

Used in element(s)

"RemittanceLocationDetails" on page 298

5.127.1 Method

XML Tag: Mtd

Presence: [1..1]

Definition: Method used to deliver the remittance advice information.

Datatype: "RemittanceLocationMethod2Code" on page 376

5.127.2 ElectronicAddress

XML Tag: ElctrncAdr

Presence: [0..1]

Definition: Electronic address to which an agent is to send the remittance information.

Datatype: "CBPR_RestrictedFINXMax2048Text_Extended" on page 339

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/ElectronicAddress

Type changed to: CBPR_RestrictedFINXMax2048Text_Extended on page 339

5.127.3 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Postal address to which an agent is to send the remittance information.

The **PstlAdr** block contains the following elements (see datatype "NameAndAddress16__1" on page 174 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]		174
	Address	<Adr>		[1..1]		174

5.128 ServiceLevel8Choice

Definition: Specifies the service level of the transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		299
	Proprietary	<Prtry>	Or}	[1..1]		300

Used in element(s)

"ServiceLevel" on page 218

5.128.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list.

Datatype: ["ExternalServiceLevel1Code" on page 363](#)

5.128.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as a proprietary code.

Datatype: ["Max35Text" on page 370](#)

5.129 ServiceLevel8Choice__1

Definition: Specifies the service level of the transaction.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		300
	Proprietary	<Prtry>	Or}	[1..1]		300

Used in element(s)

["ServiceLevel" on page 221](#)

5.129.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list.

Datatype: ["ExternalServiceLevel1Code" on page 363](#)

5.129.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as a proprietary code.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/PaymentTypeInformation/ServiceLevel/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.130 SettlementDateTimelIndication1__1

Definition: Information on the occurred settlement time(s) of the payment transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitDateTime	<DbtDtTm>		[0..1]		301
	CreditDateTime	<CdtDtTm>		[0..1]		301

Used in element(s)

["SettlementTimeIndication" on page 89](#)

5.130.1 DebitDateTime

XML Tag: DbtDtTm

Presence: [0..1]

Definition: Date and time at which a payment has been debited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been debited at the central bank, expressed in Central European Time (CET).

Datatype: ["CBPR_DateTime" on page 337](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/SettlementTimeIndication/DebitDateTime](#)

Type changed to: [CBPR_DateTime on page 337](#)

5.130.2 CreditDateTime

XML Tag: CdtDtTm

Presence: [0..1]

Definition: Date and time at which a payment has been credited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been credited at the receiving central bank, expressed in Central European Time (CET).

Datatype: ["CBPR_DateTime" on page 337](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/SettlementTimeIndication/CreditDateTime](#)

Type changed to: [CBPR_DateTime on page 337](#)

5.131 SettlementInstruction8__1

Definition: Provides further details on the settlement of the instruction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementMethod	<SttlmMtd>		[1..1]		302
	SettlementAccount	<SttlmAcct>		[0..1]		303
	ClearingSystem	<ClrSys>		[0..1]		303

Rules

R16 SettlementMethodAgentRule ✓

If SettlementMethod is equal to INDA or INGA, then ClearingSystem is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00018
- *Error Text:* Invalid message content for settlement method INGA or INDA.

R17 SettlementMethodClearingRule ✓

If SettlementMethod is equal to CLRG, then ClearingSystem must be present and SettlementAccount is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00019
- *Error Text:* Invalid message content for settlement method CLRG.

Used in element(s)

["SettlementInformation" on page 165](#)

5.131.1 SettlementMethod

XML Tag: SttlmMtd

Presence: [1..1]

Definition: Method used to settle the (batch of) payment instructions.

Datatype: ["SettlementMethod2Code" on page 378](#)

5.131.2 SettlementAccount

XML Tag: SttlmAcct

Presence: [0..1]

Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.

The **SttlmAcct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 51 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		51
	Type	<Tp>		[0..1]		52
	Currency	<Ccy>		[0..1]		52
	Name	<Nm>		[0..1]		52
	Proxy	<Prxy>		[0..1]		53

5.131.3 ClearingSystem

XML Tag: ClrSys

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSys** block contains the following elements (see datatype "[ClearingSystemIdentification3Choice__1](#)" on page 63 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		64
	Proprietary	<Prtry>	Or}	[1..1]		64

Usage Guideline details

- This element([pacs.003.001.08/GroupHeader/SettlementInformation/ClearingSystem](#)) is removed.

5.132 StructuredRegulatoryReporting3__1

Definition: Information needed due to regulatory and statutory requirements.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		304
	Date	<Dt>		[0..1]		304
	Country	<Ctry>		[0..1]		304
	Code	<Cd>		[0..1]		305
	Amount	<Amt>		[0..1]		305
	Information	<Inf>		[0..*]		305

Used in element(s)

["Details" on page 291](#)

5.132.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the information supplied in the regulatory reporting details.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RegulatoryReporting/Details/Type](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.132.2 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date related to the specified type of regulatory reporting details.

Datatype: ["CBPR_Date" on page 336](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RegulatoryReporting/Details/Date](#)
Type changed to: [CBPR_Date on page 336](#)

5.132.3 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Country related to the specified type of regulatory reporting details.

Datatype: ["CountryCode" on page 346](#)

5.132.4 Code

XML Tag: Cd

Presence: [0..1]

Definition: Specifies the nature, purpose, and reason for the transaction to be reported for regulatory and statutory requirements in a coded form.

Datatype: ["CBPR_RestrictedFINXMax10Text" on page 337](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RegulatoryReporting/Details/Code](#)
Type changed to: [CBPR_RestrictedFINXMax10Text on page 337](#)

5.132.5 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Amount of money to be reported for regulatory and statutory requirements.

Datatype: ["CBPR_Amount" on page 335](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RegulatoryReporting/Details/Amount](#)
Type changed to: [CBPR_Amount on page 335](#)

5.132.6 Information

XML Tag: Inf

Presence: [0..*]

Definition: Additional details that cater for specific domestic regulatory requirements.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 341](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RegulatoryReporting/Details/Information](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 341](#)

5.133 StructuredRemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		306
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		306
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		307
	Invoice	<Invcr>		[0..1]		307
	Invoicee	<Invcee>		[0..1]		308
	TaxRemittance	<TaxRmt>		[0..1]		308
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		309
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]	⚠	309

Used in element(s)

"Structured" on page 296

5.133.1 ReferredDocumentInformation

XML Tag: RfrdDocInf

Presence: [0..*]

Definition: Provides the identification and the content of the referred document.

The **RfrdDocInf** block contains the following elements (see datatype "[ReferredDocumentInformation7__1](#)" on page 286 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		286
	Number	<Nb>		[0..1]	⚠	287
	RelatedDate	<RltdDt>		[0..1]	⚠	287
	LineDetails	<LineDtls>		[0..*]		287

5.133.2 ReferredDocumentAmount

XML Tag: RfrdDocAmt

Presence: [0..1]

Definition: Provides details on the amounts of the referred document.

The **RfrdDocAmt** block contains the following elements (see datatype "[RemittanceAmount2](#)" on page 291 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		292
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		292
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		292
	TaxAmount	<TaxAmt>		[0..*]		293
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		293
	RemittedAmount	<RmtdAmt>		[0..1]		293

5.133.3 CreditorReferenceInformation

XML Tag: CdtrRefInf

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

The **CdtrRefInf** block contains the following elements (see datatype "[CreditorReferenceInformation2_1](#)" on page 71 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		71
	Reference	<Ref>		[0..1]	M ⚠	72

5.133.4 Invoicer

XML Tag: Invcr

Presence: [0..1]

Definition: Identification of the organisation issuing the invoice, when it is different from the creditor or ultimate creditor.

The **Invcr** block contains the following elements (see datatype "[PartyIdentification135_4](#)" on page 206 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	206

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostalAddress	<PstlAdr>		[0..1]		207
	Identification	<Id>		[0..1]		208
	CountryOfResidence	<CtryOfRes>		[0..1]		208
	ContactDetails	<CtctDtls>		[0..1]		208

5.133.5 Invoicee

XML Tag: Invcee

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when it is different from the debtor or ultimate debtor.

The **Invcee** block contains the following elements (see datatype "PartyIdentification135_4" on page 206 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		206
	PostalAddress	<PstlAdr>		[0..1]		207
	Identification	<Id>		[0..1]		208
	CountryOfResidence	<CtryOfRes>		[0..1]		208
	ContactDetails	<CtctDtls>		[0..1]		208

5.133.6 TaxRemittance

XML Tag: TaxRmt

Presence: [0..1]

Definition: Provides remittance information about a payment made for tax-related purposes.

The **TaxRmt** block contains the following elements (see datatype "TaxInformation7_1" on page 316 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		316
	Debtor	<Dbtr>		[0..1]		317
	UltimateDebtor	<UltmtDbtr>		[0..1]		317
	AdministrationZone	<AdmstnZone>		[0..1]		318

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferenceNumber	<RefNb>		[0..1]		318
	Method	<Mtd>		[0..1]		318
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		318
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		319
	Date	<Dt>		[0..1]		319
	SequenceNumber	<SeqNb>		[0..1]		319
	Record	<Rcrd>		[0..*]		319

5.133.7 GarnishmentRemittance

XML Tag: GrnshmtRmt

Presence: [0..1]

Definition: Provides remittance information about a payment for garnishment-related purposes.

The **GrnshmtRmt** block contains the following elements (see datatype "Garnishment3__1" on page 136 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		136
	Garnishee	<Gmshee>		[0..1]		136
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		137
	ReferenceNumber	<RefNb>		[0..1]		137
	Date	<Dt>		[0..1]		138
	RemittedAmount	<RmtdAmt>		[0..1]		138
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrncInd>		[0..1]		138
	EmployeeTerminationIndicator	<MplyeeTermtnInd>		[0..1]		138

5.133.8 AdditionalRemittanceInformation

XML Tag: AddtlRmtInf

Presence: [0..3]

Definition: Additional information, in free text form, to complement the structured remittance information.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/AdditionalRemittanceInformation

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.134 SupplementaryData1

Definition: Additional information that can not be captured in the structured fields and/or any other specific block.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		310
	Envelope	<Envlp>		[1..1]		310

Rules

R36 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

Used in element(s)

"SupplementaryData" on page 22, "SupplementaryData" on page 108

5.134.1 PlaceAndName

XML Tag: PlcAndNm

Presence: [0..1]

Definition: Unambiguous reference to the location where the supplementary data must be inserted in the message instance.

In the case of XML, this is expressed by a valid XPath.

Datatype: "Max350Text" on page 369

5.134.2 Envelope

XML Tag: Envlp

Presence: [1..1]

Definition: Technical element wrapping the supplementary data.

5.135 TaxAmount2__1

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		311
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		311
	TotalAmount	<TtlAmt>		[0..1]		311
	Details	<Dtls>		[0..*]		311

Used in element(s)

"TaxAmount" on page 327

5.135.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: "PercentageRate" on page 372

5.135.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 330

5.135.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 330

5.135.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.

The **Dtls** block contains the following elements (see datatype "TaxRecordDetails2__1" on page 327 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		328
	Amount	<Amt>		[1..1]		328

5.136 TaxAmountAndType1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		312
	Amount	<Amt>		[1..1]		312

Used in element(s)

"TaxAmount" on page 293

5.136.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[TaxAmountType1Choice](#)" on page 313 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		314
	Proprietary	<Prtry>	Or}	[1..1]		314

5.136.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 330

5.137 TaxAmountAndType1__1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		313
	Amount	<Amt>		[1..1]		313

Used in element(s)

"TaxAmount" on page 295

5.137.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[TaxAmountType1Choice_1](#)" on page 314 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		314
	Proprietary	<Prtry>	Or}	[1..1]		314

5.137.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 330

5.138 TaxAmountType1Choice

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		314
	Proprietary	<Prtry>	Or}	[1..1]		314

Used in element(s)

["Type" on page 312](#)

5.138.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalTaxAmountType1Code" on page 364](#)

5.138.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["Max35Text" on page 370](#)

5.139 TaxAmountType1Choice__1

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		314
	Proprietary	<Prtry>	Or}	[1..1]		314

Used in element(s)

["Type" on page 313](#)

5.139.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalTaxAmountType1Code" on page 364](#)

5.139.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/TaxAmount/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342

5.140 TaxAuthorisation1__1

Definition: Details of the authorised tax paying party.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		315
	Name	<Nm>		[0..1]		315

Used in element(s)

"Authorisation" on page 323

5.140.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Title
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Title
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 342

5.140.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended"](#) on page 338

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338
- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 338

5.141 TaxInformation7__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		316
	Debtor	<Dbtr>		[0..1]		317
	UltimateDebtor	<UltmtDbtr>		[0..1]		317
	AdministrationZone	<AdmstnZone>		[0..1]		318
	ReferenceNumber	<RefNb>		[0..1]		318
	Method	<Mtd>		[0..1]		318
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		318
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		319
	Date	<Dt>		[0..1]		319
	SequenceNumber	<SeqNb>		[0..1]		319
	Record	<Rcrd>		[0..*]		319

Used in element(s)

"TaxRemittance" on page 308

5.141.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "TaxParty1__1" on page 320 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		320
	RegistrationIdentification	<RegnId>		[0..1]		320
	TaxType	<TaxTp>		[0..1]		321

5.141.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Identifies the party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "TaxParty2__1" on page 321 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		321
	RegistrationIdentification	<RegnId>		[0..1]		322
	TaxType	<TaxTp>		[0..1]		322
	Authorisation	<Authstn>		[0..1]		323

5.141.3 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the taxing authority.

The **UltmtDbtr** block contains the following elements (see datatype "TaxParty2__1" on page 321 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		321
	RegistrationIdentification	<RegnId>		[0..1]		322
	TaxType	<TaxTp>		[0..1]		322
	Authorisation	<Authstn>		[0..1]		323

5.141.4 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/AdministrationZone](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.141.5 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 338](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/ReferenceNumber](#)

Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 338](#)

5.141.6 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Method](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.141.7 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 330](#)

5.141.8 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 330](#)

5.141.9 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: ["CBPR_Date" on page 336](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Date](#)
Type changed to: [CBPR_Date on page 336](#)

5.141.10 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: ["Number" on page 371](#)

5.141.11 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype ["TaxRecord2__1" on page 324](#) for details)

❌ Removed -
 ❌ Partial Removed -
 ❖ Ignored -
 ❖ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	⚠	325
	Category	<Ctgy>		[0..1]	⚠	325

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CategoryDetails	<CtgyDtls>		[0..1]		325
	DebtorStatus	<DbtrSts>		[0..1]		325
	CertificateIdentification	<CertId>		[0..1]		326
	FormsCode	<FrmsCd>		[0..1]		326
	Period	<Prd>		[0..1]		326
	TaxAmount	<TaxAmt>		[0..1]		327
	AdditionalInformation	<AddtlInf>		[0..1]		327

5.142 TaxParty1__1

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		320
	RegistrationIdentification	<RegnId>		[0..1]		320
	TaxType	<TaxTp>		[0..1]		321

Used in element(s)

"Creditor" on page 316

5.142.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxIdentification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.142.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Creditor/RegistrationIdentification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.142.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 342

Usage Guideline details

- on pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxType

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 342

5.143 TaxParty2__1

Definition: Details about the entity involved in the tax paid or to be paid.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	321
	RegistrationIdentification	<RegnId>		[0..1]	⚠	322
	TaxType	<TaxTp>		[0..1]	⚠	322
	Authorisation	<Authstn>		[0..1]		323

Used in element(s)

"Debtor" on page 317, "UltimateDebtor" on page 317

5.143.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.143.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/RegistrationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/RegistrationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.143.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxType](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxType](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.143.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype "[TaxAuthorisation1__1](#)" on page 315 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		315
	Name	<Nm>		[0..1]		315

5.144 TaxPeriod2__1

Definition: Period of time details related to the tax payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		323
	Type	<Tp>		[0..1]		324
	FromToDate	<FrToDt>		[0..1]		324

Used in element(s)

"Period" on page 326, "Period" on page 328

5.144.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: "[CBPR_Date](#)" on page 336

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Period/Year](#)
Type changed to: [CBPR_Date](#) on page 336
- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/Year](#)

Type changed to: CBPR_Date on page 336

5.144.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: "TaxRecordPeriod1Code" on page 379

5.144.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype "DatePeriod2__1" on page 80 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]	⚠	80
	ToDate	<ToDt>		[1..1]	⚠	80

5.145 TaxRecord2__1

Definition: Set of elements used to define the tax record.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	⚠	325
	Category	<Ctgy>		[0..1]	⚠	325
	CategoryDetails	<CtgyDtls>		[0..1]	⚠	325
	DebtorStatus	<DbtrSts>		[0..1]	⚠	325
	CertificateIdentification	<CertId>		[0..1]	⚠	326
	FormsCode	<FrmsCd>		[0..1]	⚠	326
	Period	<Prd>		[0..1]		326
	TaxAmount	<TaxAmt>		[0..1]		327
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	327

Used in element(s)

["Record" on page 319](#)

5.145.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Type](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.145.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/Category](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.145.3 CategoryDetails

XML Tag: CtgyDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/CategoryDetails](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.145.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/DebtorStatus](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.145.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/CertificateIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.145.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 342](#)

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/FormsCode](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 342](#)

5.145.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "[TaxPeriod2__1](#)" on page 323 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		323
	Type	<Tp>		[0..1]		324
	FromToDate	<FrToDt>		[0..1]		324

5.145.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "[TaxAmount2__1](#)" on page 310 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		311
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		311
	TotalAmount	<TtlAmt>		[0..1]		311
	Details	<Dtls>		[0..*]		311

5.145.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 338

Usage Guideline details

- on [pacs.003.001.08/DirectDebitTransactionInformation/RemittanceInformation/Structured/TaxRemittance/Record/AdditionalInformation](#)

Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 338

5.146 TaxRecordDetails2__1

Definition: Provides information on the individual tax amount(s) per period of the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		328
	Amount	<Amt>		[1..1]		328

Used in element(s)

["Details" on page 311](#)

5.146.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "[TaxPeriod2_1](#)" on page 323 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		323
	Type	<Tp>		[0..1]		324
	FromToDate	<FrToDt>		[0..1]		324

5.146.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 330

6 Message Datatypes

Note The following chapter identifies the datatypes that are used in the message.

6.1 ActiveCurrencyAndAmount

Definition: A number of monetary units specified in an active currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 329

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules

R15 CurrencyAmount ✓

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

"TotalInterbankSettlementAmount" on page 164

6.2 ActiveCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern	[A-Z]{3,3}
---------	------------

Rules**R2 ActiveCurrency ✓**

The currency code must be a valid active currency code, not yet withdrawn on the day the message containing the currency is exchanged. Valid active currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and are not yet withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00005
- *Error Text:* Invalid currency code

Used in attribute(s)

"CBPR_Amount" on page 335, "ActiveCurrencyAndAmount" on page 329

Restricts

"ParentCurrencyCode" on page 372

6.3 ActiveOrHistoricCurrencyAndAmount

Definition: A number of monetary units specified in an active or a historic currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveOrHistoricCurrencyCode" on page 331

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules**R35 CurrencyAmount ✓**

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

["Amount" on page 110](#), ["Amount" on page 313](#), ["Amount" on page 113](#), ["Amount" on page 328](#), ["Amount" on page 109](#), ["Amount" on page 112](#), ["Amount" on page 312](#), ["CreditNoteAmount" on page 294](#), ["CreditNoteAmount" on page 292](#), ["DuePayableAmount" on page 294](#), ["DuePayableAmount" on page 292](#), ["RemittedAmount" on page 295](#), ["RemittedAmount" on page 138](#), ["RemittedAmount" on page 293](#), ["TaxableBaseAmount" on page 311](#), ["TotalAmount" on page 311](#), ["TotalTaxAmount" on page 319](#), ["TotalTaxableBaseAmount" on page 318](#)

6.4 ActiveOrHistoricCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme, as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern [A-Z]{3,3}

Rules**R18 ActiveOrHistoricCurrency ✓**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00006
- *Error Text:* Invalid currency code.

Used in element(s)

["Currency" on page 52](#), ["Currency" on page 54](#), ["Currency" on page 57](#)

Used in attribute(s)

["ActiveOrHistoricCurrencyAndAmount" on page 330](#)

Restricts

["ParentCurrencyCode" on page 372](#)

6.5 AddressType2Code

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.

Code	Name	Definition
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Used in element(s)

["Code" on page 27](#)

Restricts

["AddressTypeCode" on page 332](#)

6.6 AddressTypeCode

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Is restricted by

["AddressType2Code" on page 331](#)

6.7 AmountDirectionCode

Definition: Specifies if an operation is an increase or a decrease or the result of a reversal operation.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.
RVCD	ReversalCredit	Debit entry used to reverse a previously booked credit entry.

Code	Name	Definition
RVDB	ReversalDebit	Credit entry used to reverse a previously booked debit entry.

Is restricted by

["CreditDebitCode" on page 347](#)

6.8 AnyBICDec2014Identifier

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R34 AnyBIC ✓

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00008
- *Error Text:* Invalid BIC.

Used in element(s)

["AnyBIC" on page 177](#), ["AnyBIC" on page 179](#), ["AnyBIC" on page 180](#), ["AnyBIC" on page 175](#)

6.9 Authorisation1Code

Definition: Specifies the level of approval depending on a number of factors, including payment type, threshold amount or local country or operations practice.

Type: CodeSet

Code	Name	Definition
AUTH	PreAuthorisedFile	Indicates a file has been pre authorised or approved within the originating customer environment and no further approval is required.
FDET	FileLevelAuthorisationDetails	Indicates that a file requires additional file level approval, with the ability to view both the payment information block and

Code	Name	Definition
		supporting customer credit transaction detail.
FSUM	FileLevelAuthorisationSummary	Indicates that a file requires additional file level approval, with the ability to view only the payment information block level information.
ILEV	InstructionLevelAuthorisation	Indicates that a file requires all customer transactions to be authorised or approved.

Used in element(s)

"Code" on page 35

Restricts

"AuthorisationCode" on page 334

6.10 AuthorisationCode

Definition: Specifies the level of approval depending on a number of factors, including payment type, threshold amount or local country or operations practice.

Type: CodeSet

Code	Name	Definition
AUTH	PreAuthorisedFile	Indicates a file has been pre authorised or approved within the originating customer environment and no further approval is required.
FDET	FileLevelAuthorisationDetails	Indicates that a file requires additional file level approval, with the ability to view both the payment information block and supporting customer credit transaction detail.
FSUM	FileLevelAuthorisationSummary	Indicates that a file requires additional file level approval, with the ability to view only the payment information block level information.
ILEV	InstructionLevelAuthorisation	Indicates that a file requires all customer transactions to be authorised or approved.

Is restricted by

"Authorisation1Code" on page 333

6.11 BICFIDec2014Identifier

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R30 BICFI ✓

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00001
- *Error Text:* Invalid FI BIC.

Used in element(s)

["BICFI" on page 122](#), ["BICFI" on page 127](#), ["BICFI" on page 131](#), ["BICFI" on page 120](#)

6.12 BaseOneRate

Definition: Rate expressed as a decimal, for example, 0.7 is 7/10 and 70%.

Type: Rate

Format

fractionDigits	10
totalDigits	11

Used in element(s)

["ExchangeRate" on page 90](#)

6.13 BatchBookingIndicator

Definition: Identifies whether the sending party requests a single debit or credit entry per individual transaction or a batch entry for the sum of the amounts of all transactions.

Type: Indicator

Meaning When True: Identifies that a batch entry for the sum of the amounts of all transactions in the batch or message is requested.

Meaning When False: Identifies that a single entry for each of the transactions in the batch or message is requested.

Used in element(s)

["BatchBooking" on page 163](#)

6.14 CBPR_Amount

Definition:

This datatype has been created by the Publisher of this Usage Guideline.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 329

Format

fractionDigits	5
minInclusive	0
totalDigits	14

Rules**R1 CurrencyAmount**

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits

Used in element(s)

"Amount" on page 61, "Amount" on page 305, "InstructedAmount" on page 90, "InterbankSettlementAmount" on page 89

6.15 CBPR_Date

Definition: This Type restricts the base ISODate to YYYY (exactly 4 digits for the Year) and does not allow use of UTC offset or Zulu indicator with a date.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Date

Format

pattern	[0-9]{4}-[0-9]{2}-[0-9]{2}
---------	----------------------------

Used in element(s)

"BirthDate" on page 75, "BirthDate" on page 79, "Date" on page 304, "Date" on page 319, "Date" on page 138, "DateOfSignature" on page 170, "FinalCollectionDate" on page 172, "FirstCollectionDate"

on page 171, "FromDate" on page 80, "InterbankSettlementDate" on page 89, "OriginalFinalCollectionDate" on page 33, "PreNotificationDate" on page 84, "RelatedDate" on page 287, "RelatedDate" on page 115, "RequestedCollectionDate" on page 91, "ToDate" on page 80, "Year" on page 323

6.16 CBPR_DateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm-m).

This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 2020-07-16T19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: DateTime

Format

pattern `.*(\+|-)((0[0-9]))(1[0-4])):[0-5][0-9]`

Used in element(s)

"CreationDate" on page 49, "CreationDateTime" on page 162, "CreditDateTime" on page 301, "DebitDateTime" on page 301

6.17 CBPR_RestrictedFINXMax10Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 10 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	10
minLength	1
pattern	[0-9a-zA-Z/\-?:(\)\.,'+]+

Used in element(s)

["Code" on page 305](#)

6.18 CBPR_RestrictedFINXMax140Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-?:(\)\.,'+]+

Used in element(s)

["Name" on page 200](#), ["Name" on page 290](#)

6.19 CBPR_RestrictedFINXMax140Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-?:(\)\.,'+ !#\$%&*='^_`{ }~";<>@[\\]]+

Used in element(s)

["AdditionalInformation" on page 114](#), ["AdditionalInformation" on page 327](#), ["AdditionalRemittanceInformation" on page 309](#), ["Name" on page 123](#), ["Name" on page 196](#), ["Name" on page 131](#), ["Name" on page 203](#), ["Name" on page 174](#), ["Name" on page 206](#), ["Name" on page 315](#), ["Name" on page 210](#),

["Name" on page 213](#), ["ReferenceNumber" on page 318](#), ["ReferenceNumber" on page 137](#), ["Unstructured" on page 296](#)

6.20 CBPR_RestrictedFINXMax16Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+]+

Used in element(s)

["InstructionIdentification" on page 216](#)

6.21 CBPR_RestrictedFINXMax16Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+ !#\$%&!*='^_`{ }~";<>@[]+]

Used in element(s)

["BuildingNumber" on page 244](#), ["BuildingNumber" on page 269](#), ["BuildingNumber" on page 275](#), ["PostBox" on page 249](#), ["PostBox" on page 269](#), ["PostBox" on page 276](#), ["PostCode" on page 252](#), ["PostCode" on page 270](#), ["PostCode" on page 277](#)

6.22 CBPR_RestrictedFINXMax2048Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 2048 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	2048
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,\'+ !#\$%&!*^_`{ }\}~";<>@[\\]]+

Used in element(s)

"ElectronicAddress" on page 299

6.23 CBPR_RestrictedFINXMax28Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 28 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	28
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,\'+]+

Used in element(s)

"MemberIdentification" on page 67

6.24 CBPR_RestrictedFINXMax320Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 320 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&!*^_`{|}\}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	320
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,\'+ !#\$%&!*^_`{ }\}~";<>@[\\]]+

Used in element(s)

["Identification" on page 280](#), ["Identification" on page 282](#)

6.25 CBPR_RestrictedFINXMax34Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 34 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	34
minLength	1
pattern	<code>(([0-9a-zA-Z\-\?:(\)\.,\'+] ([0-9a-zA-Z\-\?:(\)\.,\'+])*([0-9a-zA-Z\-\?:(\)\.,\'+])?))*</code>

Used in element(s)

["Identification" on page 141](#), ["Identification" on page 142](#)

6.26 CBPR_RestrictedFINXMax35Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	<code>[0-9a-zA-Z\-\?:(\)\.,\'+]+</code>

Used in element(s)

["BusinessMessageIdentifier" on page 48](#), ["BusinessService" on page 49](#), ["ClearingSystemReference" on page 217](#), ["EndToEndIdentification" on page 216](#), ["Identification" on page 147](#), ["Identification" on page 155](#), ["Identification" on page 150](#), ["Identification" on page 158](#), ["Information" on page 305](#), ["Issuer" on page 141](#), ["Issuer" on page 149](#), ["Issuer" on page 157](#), ["Issuer" on page 143](#), ["Issuer" on page 151](#), ["Issuer" on page 159](#), ["MandatIdentification" on page 170](#), ["MessageDefinitionIdentifier" on page 48](#), ["MessageIdentification" on page 162](#), ["OriginalMandatIdentification" on page 28](#), ["PreNotificationIdentification" on page 84](#), ["Proprietary" on page 58](#), ["Proprietary" on page 64](#), ["Proprietary" on page 300](#), ["Proprietary" on page 168](#), ["Proprietary" on page 60](#), ["Proprietary" on page 182](#), ["Proprietary" on page 231](#), ["Proprietary" on page 26](#), ["Proprietary" on page 284](#), ["Proprietary" on page 286](#), ["TransactionIdentification" on page 217](#), ["Type" on page 304](#)

6.27 CBPR_RestrictedFINXMax35Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&!*='^_`{ }~";<>@[\\]]+

Used in element(s)

["AdministrationZone" on page 318](#), ["BuildingName" on page 246](#), ["BuildingName" on page 269](#), ["BuildingName" on page 275](#), ["Category" on page 325](#), ["CategoryDetails" on page 325](#), ["CertificateIdentification" on page 326](#), ["CityOfBirth" on page 77](#), ["CountrySubDivision" on page 260](#), ["CountrySubDivision" on page 271](#), ["CountrySubDivision" on page 278](#), ["DebtorStatus" on page 325](#), ["Department" on page 268](#), ["Description" on page 116](#), ["DistrictName" on page 259](#), ["DistrictName" on page 271](#), ["DistrictName" on page 278](#), ["Floor" on page 269](#), ["FormsCode" on page 326](#), ["Identification" on page 152](#), ["Identification" on page 159](#), ["Issuer" on page 289](#), ["Issuer" on page 118](#), ["Issuer" on page 73](#), ["Issuer" on page 153](#), ["Issuer" on page 161](#), ["Issuer" on page 140](#), ["Method" on page 318](#), ["Number" on page 287](#), ["Number" on page 115](#), ["Proprietary" on page 117](#), ["Proprietary" on page 111](#), ["Proprietary" on page 314](#), ["Proprietary" on page 184](#), ["Proprietary" on page 233](#), ["ProvinceOfBirth" on page 76](#), ["Reference" on page 72](#), ["RegistrationIdentification" on page 320](#), ["RegistrationIdentification" on page 322](#), ["RemittanceIdentification" on page 297](#), ["Room" on page 270](#), ["StreetName" on page 268](#), ["SubDepartment" on page 268](#), ["TaxIdentification" on page 320](#), ["TaxIdentification" on page 321](#), ["TaxType" on page 321](#), ["TaxType" on page 322](#), ["Title" on page 315](#), ["TownLocationName" on page 257](#), ["TownLocationName" on page 271](#), ["TownLocationName" on page 278](#), ["TownName" on page 254](#), ["TownName" on page 270](#), ["Type" on page 325](#)

6.28 CBPR_RestrictedFINXMax4Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 4 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	4
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&!*='^_`{ }~";<>@[\\]]+

Used in element(s)

["Reason" on page 114](#)

6.29 CBPR_RestrictedFINXMax70Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+]+

Used in element(s)

["Name" on page 52](#), ["Name" on page 54](#), ["Name" on page 57](#), ["Proprietary" on page 173](#)

6.30 CBPR_RestrictedFINXMax70Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters `!#$%&*='^_`{|}~";<>@[\\]`

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+ !#\$%&*='^_`{ }~";<>@[\\]]+

Used in element(s)

["AddressLine" on page 263](#), ["AddressLine" on page 272](#), ["AddressLine" on page 279](#), ["Department" on page 239](#), ["Department" on page 274](#), ["Floor" on page 248](#), ["Floor" on page 276](#), ["Room" on page 251](#), ["Room" on page 276](#), ["StreetName" on page 243](#), ["StreetName" on page 274](#), ["SubDepartment" on page 241](#), ["SubDepartment" on page 274](#)

6.31 ChargeBearerType1Code

Definition: Specifies which party(ies) will pay charges due for processing of the instruction.

Type: CodeSet

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme. Usage Guideline restrictions for this code • This code(pacs.003.001.08/DirectDebitTransactionInformation/ChargeBearer/FollowingServiceLevel) is removed.

Used in element(s)

"ChargeBearer" on page 90

Restricts

"ChargeBearerTypeCode" on page 344

6.32 ChargeBearerTypeCode

Definition: Specifies which party(ies) will pay charges due for processing of the instruction.

Type: CodeSet

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the

Code	Name	Definition
		receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme.

Is restricted by

["ChargeBearerType1Code" on page 343](#)

6.33 ClearingChannel2Code

Definition: Specifies the clearing channel for the routing of the transaction, as part of the payment type identification.

Type: CodeSet

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

Used in element(s)

["ClearingChannel" on page 220](#), ["ClearingChannel" on page 218](#)

Restricts

["ClearingChannelCode" on page 345](#)

6.34 ClearingChannelCode

Definition: Specifies the clearing channel for the routing of the transaction, as part of the payment type identification.

Type: CodeSet

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

Is restricted by

"ClearingChannel2Code" on page 345

6.35 CopyDuplicate1Code

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Used in element(s)

"CopyDuplicate" on page 50

Restricts

"CopyDuplicateCode" on page 346

6.36 CopyDuplicateCode

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Is restricted by

"CopyDuplicate1Code" on page 346

6.37 CountryCode

Definition: Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Type: CodeSet

Format

pattern [A-Z]{2,2}

Rules

R31 Country ✓

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00004
- *Error Text:* Invalid Country Code.

Used in element(s)

["Country" on page 262](#), ["Country" on page 272](#), ["Country" on page 290](#), ["Country" on page 304](#), ["Country" on page 279](#), ["Country" on page 237](#), ["CountryOfBirth" on page 78](#), ["CountryOfBirth" on page 80](#), ["CountryOfBirth" on page 75](#), ["CountryOfResidence" on page 199](#), ["CountryOfResidence" on page 202](#), ["CountryOfResidence" on page 205](#), ["CountryOfResidence" on page 208](#), ["CountryOfResidence" on page 211](#), ["CountryOfResidence" on page 214](#), ["CountryOfResidence" on page 195](#)

6.38 CreditDebitCode

Definition: Specifies if an operation is an increase or a decrease.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Used in element(s)

["CreditDebitIndicator" on page 113](#), ["CreditDebitIndicator" on page 112](#)

Restricts

["AmountDirectionCode" on page 332](#)

6.39 DecimalNumber

Definition: Number of objects represented as a decimal number, for example 0.75 or 45.6.

Type: Quantity

Format

fractionDigits	17
totalDigits	18

Used in element(s)

"ControlSum" on page 164, "CountPerPeriod" on page 135

6.40 DocumentType3Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Used in element(s)

"Code" on page 73

Restricts

"DocumentTypeCode" on page 349

6.41 DocumentType6Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.

Code	Name	Definition
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Used in element(s)

["Code" on page 288](#)

Restricts

["DocumentTypeCode" on page 349](#)

6.42 DocumentTypeCode

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.

Code	Name	Definition
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CRCP	CustomerReceipt	When the Sale System requires the POI system to print the Customer receipt.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
HRCP	CashierReceipt	When the Sale system print the Cashier copy of the Payment receipt.
JNRL	Journal	When the POI or the Sale System wants to store a message on the journal printer or electronic journal of the Sale Terminal (it is sometimes a Sale Logging/Journal Printer).
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
SRCP	SaleReceipt	When the Sale System requires the POI system to print the Sale receipt.

Code	Name	Definition
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Is restricted by

["DocumentType3Code" on page 348](#), ["DocumentType6Code" on page 348](#)

6.43 Exact2NumericText

Definition: Specifies a numeric string with an exact length of 2 digits.

Type: Text

Format

pattern [0-9]{2}

Used in element(s)

["OriginalTrackingDays" on page 34](#), ["PointInTime" on page 135](#), ["TrackingDays" on page 173](#)

6.44 Exact4AlphaNumericText

Definition: Specifies an alphanumeric string with a length of 4 characters.

Type: Text

Format

pattern [a-zA-Z0-9]{4}

Used in element(s)

["Identification" on page 146](#)

6.45 ExternalAccountIdentification1Code

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4
minLength 1

Used in element(s)

["Code" on page 25](#), ["Code" on page 25](#)

Restricts

["ExternalAccountIdentificationCode" on page 352](#)

6.46 ExternalAccountIdentificationCode

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalAccountIdentification1Code" on page 351](#)

6.47 ExternalCashAccountType1Code

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 58](#)

Restricts

["ExternalCashAccountTypeCode" on page 352](#)

6.48 ExternalCashAccountTypeCode

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCashAccountType1Code" on page 352

6.49 ExternalCashClearingSystem1Code

Definition: Specifies the cash clearing system, as published in an external cash clearing system code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	3
minLength	1

Used in element(s)

"Code" on page 64

Restricts

"ExternalCashClearingSystemCode" on page 353

6.50 ExternalCashClearingSystemCode

Definition: Specifies the cash clearing system, as published in an external cash clearing system code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalCashClearingSystem1Code" on page 353](#)

6.51 ExternalCategoryPurpose1Code

Definition: Specifies the category purpose, as published in an external category purpose code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 60](#), ["Code" on page 60](#)

Restricts

["ExternalCategoryPurposeCode" on page 354](#)

6.52 ExternalCategoryPurposeCode

Definition: Specifies the category purpose, as published in an external category purpose code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalCategoryPurpose1Code" on page 354](#)

6.53 ExternalClearingSystemIdentification1Code

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
-----------	---

minLength	1
-----------	---

Used in element(s)

"Code" on page 62

Restricts

"ExternalClearingSystemIdentificationCode" on page 355

6.54 ExternalClearingSystemIdentificationCode

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Is restricted by

"ExternalClearingSystemIdentification1Code" on page 354

6.55 ExternalDiscountAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 111, "Code" on page 111

Restricts

"ExternalDiscountAmountTypeCode" on page 355

6.56 ExternalDiscountAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDiscountAmountType1Code" on page 355

6.57 ExternalDocumentLineType1Code

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 117

Restricts

"ExternalDocumentLineTypeCode" on page 356

6.58 ExternalDocumentLineTypeCode

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDocumentLineType1Code" on page 356

6.59 ExternalFinancialInstitutionIdentification1Code

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 119

Restricts

"ExternalFinancialInstitutionIdentificationCode" on page 357

6.60 ExternalFinancialInstitutionIdentificationCode

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalFinancialInstitutionIdentification1Code" on page 356

6.61 ExternalGarnishmentType1Code

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 139

Restricts

"ExternalGarnishmentTypeCode" on page 358

6.62 ExternalGarnishmentTypeCode

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalGarnishmentType1Code" on page 357

6.63 ExternalLocalInstrument1Code

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Used in element(s)

"Code" on page 168, "Code" on page 168

Restricts

"ExternalLocalInstrumentCode" on page 358

6.64 ExternalLocalInstrumentCode

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Is restricted by

"ExternalLocalInstrument1Code" on page 358

6.65 ExternalMandateSetupReason1Code

Definition: Specifies the external mandate setup reason code in the format of character string with a maximum length of 4 characters.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 173

Restricts

"ExternalMandateSetupReasonCode" on page 359

6.66 ExternalMandateSetupReasonCode

Definition: Specifies the external mandate setup reason code in the format of character string with a maximum length of 4 characters.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalMandateSetupReason1Code" on page 359

6.67 ExternalOrganisationIdentification1Code

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 182](#), ["Code" on page 184](#), ["Code" on page 181](#)

Restricts

["ExternalOrganisationIdentificationCode" on page 360](#)

6.68 ExternalOrganisationIdentificationCode

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalOrganisationIdentification1Code" on page 359](#)

6.69 ExternalPersonIdentification1Code

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 231](#), ["Code" on page 233](#), ["Code" on page 230](#)

Restricts

["ExternalPersonIdentificationCode" on page 361](#)

6.70 ExternalPersonIdentificationCode

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalPersonIdentification1Code" on page 360](#)

6.71 ExternalProxyAccountType1Code

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 284](#), ["Code" on page 283](#)

Restricts

["ExternalProxyAccountTypeCode" on page 362](#)

6.72 ExternalProxyAccountTypeCode

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalProxyAccountType1Code" on page 361

6.73 ExternalPurpose1Code

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 286

Restricts

"ExternalPurposeCode" on page 362

6.74 ExternalPurposeCode

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalPurpose1Code" on page 362

6.75 ExternalServiceLevel1Code

Definition: Specifies the external service level code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 300, "Code" on page 299

Restricts

"ExternalServiceLevelCode" on page 363

6.76 ExternalServiceLevelCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalServiceLevel1Code" on page 363

6.77 ExternalTaxAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 314](#), ["Code" on page 314](#)

Restricts

["ExternalTaxAmountTypeCode" on page 364](#)

6.78 ExternalTaxAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalTaxAmountType1Code" on page 364](#)

6.79 Frequency6Code

Definition: Specifies the regularity of an event.

Type: CodeSet

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.

Code	Name	Definition
FRTN	Fortnightly	Event takes place every two weeks.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

Used in element(s)

"Type" on page 133, "Type" on page 135, "Type" on page 135

Restricts

"FrequencyCode" on page 365

6.80 FrequencyCode

Definition: Specifies the regularity of an event.

Type: CodeSet

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
BIMN	Bimonthly	Event takes place every two months or six times a year.
CRED	OnCreditEvent	Event occurs due to a credit event occurring for an issuer.
DAIL	Daily	Event takes place every day.
EXPI	OnExpiry	Event occurs on expiry of a financial contract.
FRTN	Fortnightly	Event takes place every two weeks.
HOUL	Hourly	Event takes place every hours.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
MOVE	TriggeredByMovement	Event takes place at the end of the day if there was a movement on the account, otherwise nothing is sent that day.

Code	Name	Definition
NEVR	Never	Event does never take place.
ODMD	OnDemand	Event takes place on demand.
OVNG	Overnight	Event takes place overnight.
QURT	Quarterly	Event takes place every three months or four times a year.
RATE	Rate	Event takes place based on a change of a rate.
SHFT	Shift	Event associated with a shift.
TEND	TenDays	Event takes place every ten business days.
TRIL	TriAnnual	Event takes place every four months or three times a year.
TWWK	TwiceAWeek	Two times a week
UPFR	Upfront	Event that takes place at the initiation of a trade or agreement.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

Is restricted by

"Frequency6Code" on page 364

6.81 IBAN2007Identifier

Definition: The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

Type: IdentifierSet

Format

pattern [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rules

R19 IBAN ✓

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00003
- *Error Text:* Invalid IBAN format or invalid check digits.

Used in element(s)

["IBAN" on page 23](#), ["IBAN" on page 24](#)

6.82 ISODate

Definition: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Type: Date

Used in element(s)

["BirthDate" on page 74](#), ["InterbankSettlementDate" on page 164](#)

6.83 ISODatetime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:mm:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Type: DateTime

6.84 LEIIdentifier

Definition: Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{18,18}[0-9]{2,2}

Used in element(s)

["LEI" on page 123](#), ["LEI" on page 177](#), ["LEI" on page 128](#), ["LEI" on page 131](#), ["LEI" on page 179](#), ["LEI" on page 180](#), ["LEI" on page 45](#), ["LEI" on page 120](#), ["LEI" on page 176](#)

6.85 Max1025Text

Definition: Specifies a character string with a maximum length of 1025 characters.

Type: Text

Format

maxLength	1025
minLength	1

Used in element(s)

"ElectronicSignature" on page 171

6.86 Max128Text

Definition: Specifies a character string with a maximum length of 128 characters.

Type: Text

Format

maxLength	128
minLength	1

Used in element(s)

"Identification" on page 185, "Proprietary" on page 35

6.87 Max140Text

Definition: Specifies a character string with a maximum length of 140 characters.

Type: Text

Format

maxLength	140
minLength	1

Used in element(s)

"AdditionalInformation" on page 113, "Name" on page 128, "Name" on page 45, "Name" on page 69, "Name" on page 120, "Name" on page 194

6.88 Max15NumericText

Definition: Specifies a numeric string with a maximum length of 15 digits.

Type: Text

Format

pattern	[0-9]{1,15}
---------	-------------

Used in element(s)

"NumberOfTransactions" on page 164

6.89 Max16Text

Definition: Specifies a character string with a maximum length of 16 characters.

Type: Text

Format

maxLength	16
minLength	1

Used in element(s)

"BuildingNumber" on page 235, "PostBox" on page 236, "PostCode" on page 236

6.90 Max2048Text

Definition: Specifies a character string with a maximum length of 2048 characters.

Type: Text

Format

maxLength	2048
minLength	1

Used in element(s)

"EmailAddress" on page 70, "Identification" on page 167

6.91 Max350Text

Definition: Specifies a character string with a maximum length of 350 characters.

Type: Text

Format

maxLength	350
minLength	1

Used in element(s)

"PlaceAndName" on page 310, "Registry" on page 167

6.92 Max35Text

Definition: Specifies a character string with a maximum length of 35 characters.

Type: Text

Format

maxLength	35
minLength	1

Used in element(s)

"BuildingName" on page 235, "CityOfBirth" on page 79, "CityOfBirth" on page 74, "CountrySubDivision" on page 237, "DistrictName" on page 237, "EmailPurpose" on page 70, "Identification" on page 45, "Identification" on page 145, "Identification" on page 146, "Identification" on page 154, "Issuer" on page 145, "Issuer" on page 146, "Issuer" on page 147, "Issuer" on page 154, "JobTitle" on page 70, "MemberIdentification" on page 65, "Proprietary" on page 25, "Proprietary" on page 60, "Proprietary" on page 62, "Proprietary" on page 73, "Proprietary" on page 111, "Proprietary" on page 119, "Proprietary" on page 139, "Proprietary" on page 168, "Proprietary" on page 182, "Proprietary" on page 230, "Proprietary" on page 284, "Proprietary" on page 288, "Proprietary" on page 300, "Proprietary" on page 314, "ProvinceOfBirth" on page 79, "ProvinceOfBirth" on page 74, "Responsibility" on page 70, "Scheme-Name" on page 146, "TownLocationName" on page 236, "TownName" on page 277, "TownName" on page 236

6.93 Max4Text

Definition: Specifies a character string with a maximum length of 4 characters.

Type: Text

Format

maxLength	4
minLength	1

Used in element(s)

"ChannelType" on page 185, "Reason" on page 112

6.94 Max70Text

Definition: Specifies a character string with a maximum length of 70characters.

Type: Text

Format

maxLength	70
minLength	1

Used in element(s)

["AddressLine" on page 237](#), ["Department" on page 70](#), ["Department" on page 235](#), ["Floor" on page 236](#), ["Room" on page 236](#), ["StreetName" on page 235](#), ["SubDepartment" on page 235](#)

6.95 NamePrefix2Code

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Used in element(s)

["NamePrefix" on page 69](#)

Restricts

["NamePrefixCode" on page 371](#)

6.96 NamePrefixCode

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Is restricted by

["NamePrefix2Code" on page 371](#)

6.97 Number

Definition: Number of objects represented as an integer.

Type: Quantity

Format

fractionDigits	0
totalDigits	18

Used in element(s)

"SequenceNumber" on page 319

6.98 ParentCurrencyCode

Definition: Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.

Type: CodeSet

Format

pattern	[A-Z]{3,3}
---------	------------

Is restricted by

"ActiveCurrencyCode" on page 329, "ActiveOrHistoricCurrencyCode" on page 331

6.99 PercentageRate

Definition: Rate expressed as a percentage, that is, in hundredths, for example, 0.7 is 7/10 of a percent, and 7.0 is 7%.

Type: Rate

Format

fractionDigits	10
totalDigits	11

Used in element(s)

"Rate" on page 311

6.100 PhoneNumber

Definition: The collection of information which identifies a specific phone or FAX number as defined by telecom services.

It consists of a "+" followed by the country code (from 1 to 3 characters) then a "-" and finally, any combination of numbers, "(", ")", "+", and "-" (up to 30 characters).

Type: Text

Format

pattern \+[0-9]{1,3}-[0-9()+-]{1,30}

Used in element(s)

["FaxNumber" on page 70](#), ["MobileNumber" on page 69](#), ["PhoneNumber" on page 69](#)

6.101 PreferredContactMethod1Code

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
PHON	Phone	Preferred method used to reach the contact is per phone.

Used in element(s)

["PreferredMethod" on page 71](#)

Restricts

["PreferredContactMethodCode" on page 373](#)

6.102 PreferredContactMethodCode

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
ONLI	Online	Preferred method used to reach the contact is online.

Code	Name	Definition
PHON	Phone	Preferred method used to reach the contact is per phone.

Is restricted by

"PreferredContactMethod1Code" on page 373

6.103 Priority2Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

Used in element(s)

"InstructionPriority" on page 220, "InstructionPriority" on page 218, "Priority" on page 50

Restricts

"PriorityCode" on page 374

6.104 Priority3Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Used in element(s)

"SettlementPriority" on page 89

Restricts

"PriorityCode" on page 374

6.105 PriorityCode

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
LOWW	Low	Priority level is low.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Is restricted by

"Priority2Code" on page 374, "Priority3Code" on page 374

6.106 RegulatoryReportingType1Code

Definition: Identifies whether the regulatory reporting information applies to the debit side, to the credit side or to both debit and credit sides of the transaction.

Type: CodeSet

Code	Name	Definition
BOTH	Both	Regulatory information applies to both credit and debit sides.
CRED	Credit	Regulatory information applies to the credit side.
DEBT	Debit	Regulatory information applies to the debit side.

Used in element(s)

"DebitCreditReportingIndicator" on page 290

Restricts

"RegulatoryReportingTypeCode" on page 375

6.107 RegulatoryReportingTypeCode

Definition: Identifies whether the regulatory reporting information applies to the debit side, to the credit side or to both debit and credit sides of the transaction.

Type: CodeSet

Code	Name	Definition
BOTH	Both	Regulatory information applies to both credit and debit sides.
CRED	Credit	Regulatory information applies to the credit side.
DEBT	Debit	Regulatory information applies to the debit side.

Is restricted by

"RegulatoryReportingType1Code" on page 375

6.108 RemittanceLocationMethod2Code

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Used in element(s)

"Method" on page 298

Restricts

"RemittanceLocationMethodCode" on page 376

6.109 RemittanceLocationMethodCode

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.

Code	Name	Definition
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Is restricted by

"RemittanceLocationMethod2Code" on page 376

6.110 SequenceType3Code

Definition: Specifies the type of the current transaction that belongs to a sequence of transactions.

Type: CodeSet

Code	Name	Definition
FNAL	Final	Final collection of a series of direct debit instructions.
FRST	First	First collection of a series of direct debit instructions.
OOFF	OneOff	Direct debit instruction where the debtor's authorisation is used to initiate one single direct debit transaction.
RCUR	Recurring	Direct debit instruction where the debtor's authorisation is used for regular direct debit transactions initiated by the creditor.
RPRE	Represented	Collection used to re-present previously reversed or returned direct debit transactions.

Used in element(s)

"SequenceType" on page 221, "SequenceType" on page 219

Restricts

"SequenceTypeCode" on page 377

6.111 SequenceTypeCode

Definition: Specifies the type of the current transaction that belongs to a sequence of transactions.

Type: CodeSet

Code	Name	Definition
FNAL	Final	Final collection of a series of direct debit instructions.
FRST	First	First collection of a series of direct debit instructions.
OOFF	OneOff	Direct debit instruction where the debtor's authorisation is used to initiate one single direct debit transaction.
RCUR	Recurring	Direct debit instruction where the debtor's authorisation is used for regular direct debit transactions initiated by the creditor.
RPRE	Represented	Collection used to re-present previously reversed or returned direct debit transactions.

Is restricted by

"SequenceType3Code" on page 377

6.112 SettlementMethod2Code

Definition: Specifies the method used to settle the credit transfer instruction.

Type: CodeSet

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system. Usage Guideline restrictions for this code • This code(pacs.003.001.08/Group-Header/SettlementInformation/SettlementMethod/ClearingSystem) is removed.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

Used in element(s)

"SettlementMethod" on page 302

Restricts

"SettlementMethodCode" on page 379

6.113 SettlementMethodCode

Definition: Specifies the method used to settle the payment instruction.

Type: CodeSet

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

Is restricted by

"SettlementMethod2Code" on page 378

6.114 TaxRecordPeriod1Code

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.

Code	Name	Definition
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Used in element(s)

"Type" on page 324

Restricts

"TaxRecordPeriodCode" on page 380

6.115 TaxRecordPeriodCode

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.

Code	Name	Definition
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Is restricted by

"TaxRecordPeriod1Code" on page 379

6.116 TrueFalseIndicator

Definition: A flag indicating a True or False value.

Type: Indicator

Meaning When True: True

Meaning When False: False

Used in element(s)

"AmendmentIndicator" on page 170, "EmployeeTerminationIndicator" on page 138, "FamilyMedicalInsuranceIndicator" on page 138

6.117 UUIDv4Identifier

Definition: Universally Unique Identifier (UUID) version 4, as described in IETF RFC 4122 "Universally Unique Identifier (UUID) URN Namespace".

Type: IdentifierSet

Format

pattern [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}

Used in element(s)

"UETR" on page 217

6.118 UnicodeChartsCode

Definition: codelist containing the names of the UNICODE code block name as specified on <http://unicode.org/Public/UNIDATA/Blocks.txt>.

Type: CodeSet

Rules

R4 ValidationByTable

Error handling: Undefined

Used in element(s)

["CharacterSet" on page 47](#)

6.119 YesNoIndicator

Definition: Indicates a "Yes" or "No" type of answer for an element.

Type: Indicator

Meaning When True: Yes

Meaning When False: No

Used in element(s)

["PossibleDuplicate" on page 50](#)

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.