



Usage Guideline

CBPRPlus-pacs.009.001.08_COV_Financial-InstitutionCreditTransfer

CBPRPlus SR2026 (Combined)

This document describes a usage guideline restricting the base message **MX pacs.009.001.08**. You can also consult [this information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

20 February 2026

Table of Contents

Message Functionality	3
1 Restriction summary	5
2 Structure	9
3 ISO 20022 Rules	12
4 Message Building Blocks	14
5 Message Components	25
6 Message Datatypes	362
Legal Notices	410

Message Functionality

This Usage Guideline is based on the pacs.009.001.08 message definition. In addition, Cross Border Payments and Reporting Plus (CBPR+) has defined usage of BusinessApplicationHeaderV02 as mandatory. The following section will be dealing with the pacs.009.001.08 only.

Overview

Principles:

1A. AGENTS IDENTIFICATION - Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) - However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

Note: "Instructing/ Instructed Agents" must be identified with a BICFI - Clearing System Members Identification and LEI are optional.

1B. DEBTOR/CREDITOR - PARTY IDENTIFICATION - Textual Rules

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. Single transactions only are allowed.

3. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

```
!#$%&*='^_ '{|}~";<>@[\\
```

< is replaced with <

> is replaced with >

4. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/ sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Collection Description

This is the Cross Border Payment and Reporting Collection for SR2026.

These are FINAL usage guidelines.

The usage guidelines are available on the CBPR+ SR2026 Readiness Portal for testing.

The Collection contains:

30 Usage Guidelines that will be live on the network as of November 2026.

Outline

The CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.009.001.08_COV_FinancialInstitutionCredit-Transfer message is composed of 3 building blocks

a. GroupHeader

Set of characteristics shared by all individual transactions included in the message.

b. CreditTransferTransactionInformation

Set of elements providing information specific to the individual credit transfer(s).

c. SupplementaryData

Additional information that cannot be captured in the structured elements and/or any other specific block.

1 Restriction summary

This Usage Guideline restricts the pacs.009.001.08 message. This also includes the BusinessApplicationHeaderV02.

Restriction Type	See page
Removed elements	13, 18, 19, 24, 33, 33, 33, 33, 33, 33, 40, 40, 40, 40, 40, 40, 40, 40, 40, 40, 40, 40, 41, 44, 44, 44, 44, 46, 48, 49, 49, 54, 54, 65, 65, 65, 65, 65, 65, 65, 65, 65, 66, 66, 66, 66, 66, 66, 66, 66, 66, 66, 66, 66, 66, 66, 66, 67, 67, 93, 98, 102, 126, 150, 150, 150, 150, 150, 150, 151, 151, 151, 151, 151, 151, 152, 152, 152, 152, 152, 152, 158, 158, 158, 158, 158, 158, 158, 158, 158, 158, 158, 158, 158, 162, 162, 162, 162, 162, 192, 192, 193, 193, 194, 195, 195, 196, 198, 198, 201, 201, 201, 202, 202, 202, 202, 207, 207, 207, 208, 208, 209, 209, 209, 209, 211, 211, 211, 211, 215, 215, 215, 215, 216, 216, 216, 216, 217, 217, 217, 217, 218, 218, 218, 218, 218, 218, 218, 218, 219, 219, 219, 219, 223, 223, 223, 223, 226, 230, 230, 230, 230, 244, 244, 244, 244, 245, 246, 246, 246, 246, 247, 247, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248, 248, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 249, 250, 250, 250, 250, 250, 250, 250, 250, 250, 250, 250, 250, 250, 252, 252, 252, 253, 253, 253, 253, 253, 253, 253, 253, 253, 253, 253, 253, 254, 254, 254, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 255, 256, 256, 256, 256, 256, 256, 256, 317, 317, 318, 318, 318, 319, 319, 319, 320, 321, 322, 322, 323, 323, 324, 405, 405
Make mandatory	17, 69, 69, 69, 69, 69, 69, 69, 70, 70, 70, 70, 70, 70, 70, 70, 70, 70, 70, 70, 71, 71, 71, 71, 71, 71, 71, 82, 87, 88, 101, 127, 128, 149, 149, 149, 149, 149, 149, 178, 179, 179, 179, 180, 182, 182, 182, 182, 185, 186, 186, 186, 187, 189, 189, 189, 189, 231, 233, 277, 277, 278, 278, 278, 278, 278, 278, 278, 278, 278, 278, 278, 278, 278, 279, 279, 279, 279, 279, 279, 279, 279, 279, 279, 279, 279, 289, 289, 289, 289, 289, 289, 289, 289, 290, 290, 290, 290, 290, 290, 290, 290, 290, 290, 290, 290, 290, 291, 291, 291, 291, 291, 291, 297, 297, 297, 297, 297, 297, 297, 297, 298, 298, 298, 298, 298, 298, 298, 298, 298, 298, 298, 298, 298

Restriction Type	See page
	154, 154, 154, 154, 154, 154, 154, 154, 154, 154, 154, 154, 160, 160, 160, 160, 160, 164, 165, 166, 167, 169, 169, 169, 169, 169, 169, 169, 169, 169, 169, 170, 170, 170, 170, 170, 170, 170, 170, 170, 170, 171, 171, 171, 171, 171, 171, 171, 171, 171, 172, 172, 172, 172, 172, 172, 172, 172, 172, 172, 172, 172, 174, 174, 174, 174, 174, 175, 175, 175, 175, 175, 178, 178, 178, 178, 179, 179, 179, 179, 180, 181, 181, 181, 182, 182, 183, 183, 183, 183, 185, 185, 185, 185, 186, 186, 186, 186, 187, 188, 188, 188, 189, 189, 190, 190, 190, 190, 191, 191, 197, 198, 199, 199, 200, 208, 208, 208, 208, 209, 209, 209, 209, 220, 220, 220, 220, 224, 227, 227, 227, 227, 231, 232, 233, 233, 245, 245, 245, 245, 246, 246, 246, 246, 256, 256, 256, 256, 256, 257, 257, 257, 257, 257, 257, 257, 257, 257, 257, 257, 257, 257, 258, 258, 258, 258, 258, 258, 258, 258, 258, 258, 259, 259, 259, 259, 259, 259, 259, 259, 259, 259, 259, 259, 259, 260, 260, 260, 260, 260, 260, 260, 260, 260, 260, 260, 260, 261, 261, 261, 261, 261, 261, 261, 261, 261, 261, 262, 262, 262, 262, 262, 262, 262, 262, 262, 262, 262, 262, 262, 263, 263, 263, 263, 263, 263, 263, 263, 263, 263, 264, 264, 264, 264, 264, 264, 264, 264, 264, 264, 264, 264, 265, 265, 265, 265, 265, 265, 265, 265, 265, 265, 266, 266, 266, 266, 266, 266, 266, 266, 266, 266, 266, 266, 267, 267, 267, 267, 267, 267, 267, 267, 267, 267, 267, 267, 267, 268, 268, 268, 268, 268, 268, 268, 268, 268, 268, 269, 269, 269, 269, 269, 269, 269, 269, 269, 269, 269, 269, 269, 270, 270, 270, 270, 270, 270, 270, 270, 270, 270, 271, 271, 271, 271, 271, 271, 271, 271, 271, 271, 271, 271, 272, 272, 272, 272, 272, 272, 272, 272, 272, 272, 272, 273, 273, 273, 273, 273, 273, 273, 273, 273, 273, 273, 273, 274, 274, 274, 274, 274, 274, 274, 274, 274, 274, 274, 274, 275, 275, 275, 275, 275, 275, 275, 275, 275, 275, 276, 276, 276, 276, 276, 276, 276, 276, 276, 276, 276, 276, 276, 277, 277, 277, 277, 277, 277, 277, 279, 280, 280, 280, 280, 280, 280, 280, 280, 280, 280, 280, 280, 281, 281, 281, 281, 281, 281, 281, 281, 281, 281, 281, 281, 281, 282, 282, 282, 282, 282, 282, 282, 282, 282, 283, 283, 283, 283, 283, 283, 283, 283, 283, 283, 283, 283, 283, 284, 284, 284, 284, 284, 284, 284, 284, 284, 284, 285, 285, 285, 285, 285, 285, 285, 285, 285, 285, 285, 285, 285, 286, 286, 286, 286, 286, 286, 286, 286, 286, 286, 287, 287, 287, 287, 287, 287, 287, 287, 287, 287, 287, 287, 288, 288, 288, 288, 288,

Restriction Type	See page
	288, 288, 288, 288, 288, 288, 288, 288, 289, 289, 293, 293, 294, 294, 294, 294, 294, 294, 294, 294, 294, 294, 294, 294, 294, 295, 295, 295, 295, 295, 295, 295, 295, 295, 295, 295, 295, 299, 299, 299, 299, 299, 299, 299, 299, 299, 299, 299, 300, 300, 300, 300, 300, 300, 300, 300, 300, 300, 302, 302, 302, 302, 302, 302, 302, 302, 302, 302, 302, 303, 303, 303, 303, 303, 303, 303, 303, 303, 303, 304, 305, 305, 307, 308, 312, 314, 315, 316, 316, 324, 325, 325, 325, 330, 334, 334, 335, 335, 336, 336, 336, 336, 338, 339, 339, 340, 342, 342, 343, 344, 345, 345, 346, 346, 346, 347, 347, 348, 349, 349, 349, 349, 349, 349, 351, 352, 353, 353, 353, 354, 354, 354, 355, 356, 357, 357, 357, 358, 358, 359
Extensions	n.a.
Synonyms	231, 320

2 Structure

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	<i>BusinessApplicationHeaderV02</i>	<AppHdr>		[1..1]		
	CharacterSet	<CharSet>		[0..1]		15
	From	<Fr>		[1..1]		15
	OrganisationIdentification	<OrgId>	{Or	[1..1]		215
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		215
	To	<To>		[1..1]		16
	OrganisationIdentification	<OrgId>	{Or	[1..1]		215
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		215
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		16
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		17
	BusinessService	<BizSvc>		[0..1]	 	17
	MarketPractice	<MktPrctc>		[0..1]		17
	Registry	<Regy>		[1..1]		195
	Identification	<Id>		[1..1]		196
	CreationDate	<CreDt>		[1..1]		18
	BusinessProcessingDate	<BizPrctgDt>		[0..1]		18
	CopyDuplicate	<CpyDplct>		[0..1]		18
	PossibleDuplicate	<PssblDplct>		[0..1]		19
	Priority	<Prty>		[0..1]		19
	Signature	<Sgntr>		[0..1]		19
	Related	<Rltd>		[0..*]	 R[0..1]	19
	CharacterSet	<CharSet>		[0..1]		50
	From	<Fr>		[1..1]		50
	To	<To>		[1..1]		51
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]		51
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]		52
	BusinessService	<BizSvc>		[0..1]		52
	CreationDate	<CreDt>		[1..1]		53

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CopyDuplicate	<CpyDplct>		[0..1]		53
	PossibleDuplicate	<PssblDplct>		[0..1]		53
	Priority	<Prty>		[0..1]		54
	Signature	<Sgntr>		[0..1]		54
	<i>FinancialInstitutionCreditTransferV08</i>	<FICdtTrf>		[1..1]		21
	GroupHeader	<GrpHdr>		[1..1]		21
	MessageIdentification	<MsgId>		[1..1]		191
	CreationDateTime	<CreDtTm>		[1..1]		191
	BatchBooking	<BtchBookg>		[0..1]		192
	NumberOfTransactions	<NbOfTx>		[1..1]		192
	ControlSum	<CtrlSum>		[0..1]		192
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]		192
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		193
	SettlementInformation	<SttlmInf>		[1..1]		193
	PaymentTypeInformation	<PmtTpInf>		[0..1]		194
	InstructingAgent	<InstgAgt>		[0..1]		194
	InstructedAgent	<InstdAgt>		[0..1]		195
	CreditTransferTransactionInformation	<CdtTrfTxInf>		[1..*]	R[1..1]	22
	PaymentIdentification	<PmtId>		[1..1]		80
	PaymentTypeInformation	<PmtTpInf>		[0..1]		81
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]		81
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		82
	SettlementPriority	<SttlmPrty>		[0..1]		82
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		82
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		83
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		83
	PreviousInstructingAgent1Account	<PrvsInstgAgt1Acct>		[0..1]		84
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		84
	PreviousInstructingAgent2Account	<PrvsInstgAgt2Acct>		[0..1]		85
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		86
	PreviousInstructingAgent3Account	<PrvsInstgAgt3Acct>		[0..1]		87

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructingAgent	<InstgAgt>		[0..1]	M	87
	InstructedAgent	<InstdAgt>		[0..1]	M	88
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]	⚠	88
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		89
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]	⚠	89
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		90
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]	⚠	91
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		92
	UltimateDebtor	<UltmtDbtr>		[0..1]	⊘	92
	Debtor	<Dbtr>		[1..1]	⚠	93
	DebtorAccount	<DbtrAcct>		[0..1]		94
	DebtorAgent	<DbtrAgt>		[0..1]	⚠	94
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		95
	CreditorAgent	<CdtrAgt>		[0..1]	⚠	95
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		96
	Creditor	<Cdtr>		[1..1]	⚠	97
	CreditorAccount	<CdtrAcct>		[0..1]		98
	UltimateCreditor	<UltmtCdtr>		[0..1]	⊘	98
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	98
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	99
	Purpose	<Purp>		[0..1]		99
	RemittanceInformation	<RmtInf>		[0..1]		100
	UnderlyingCustomerCreditTransfer	<UndrlygCstmrCdtTrf>		[0..1]	M	100
	SupplementaryData	<SplmtryData>		[0..*]	⊘	102
	SupplementaryData	<SplmtryData>		[0..*]	⊘	24
	PlaceAndName	<PlcAndNm>		[0..1]		330
	Envelope	<Envlp>		[1..1]		330

3 ISO 20022 Rules

R1 **RelatedPresentWhenCopyDupl** ✓

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Error handling:

- *Error severity:* Warning
- *Error Code:* H00001
- *Error Text:* Element Related is missing

R4 **InstructedAgentRule** ✓

If GroupHeader/InstructedAgent is present, then CreditTransferTransactionInformation/InstructedAgent is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00008
- *Error Text:* Invalid message content for instructed agent.

R5 **InstructingAgentRule** ✓

If GroupHeader/InstructingAgent is present, then CreditTransferTransactionInformation/InstructingAgent is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00007
- *Error Text:* Invalid message content for instructing agent.

R6 **TotalInterbankSettlementAmountRule** ✓

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00042
- *Error Text:* Invalid message content for the total interbank settlement amount and individual interbank settlement amount currencies.

R7 **TotalInterbankSettlementAmountAndSumRule**

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00043
- *Error Text:* Invalid message content for the total interbank settlement amount and sum of individual interbank settlement amounts.

R8 GroupHeaderInterbankSettlementDateRule ✓

If GroupHeader/InterbankSettlementDate is present, then CreditTransferTransactionInformation/InterbankSettlementDate is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00045
- *Error Text:* Invalid message content for interbank settlement date.

R9 TransactionInterbankSettlementDateRule ✓

If GroupHeader/InterbankSettlementDate is not present, then CreditTransferTransactionInformation/InterbankSettlementDate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00290
- *Error Text:* Invalid message content for interbank settlement date.

R10 PaymentTypeInfoInformationRule ✓

If GroupHeader/PaymentTypeInfoInformation is present, then CreditTransferTransactionInformation/PaymentTypeInfoInformation is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00009
- *Error Text:* Invalid message content for payment type information.

R11 SupplementaryDataRule

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

Error handling: Undefined

Usage Guideline restrictions for this element

- **This rule(pacs.009.001.08/SupplementaryDataRule) is removed.**

4 Message Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.009.001.08_COV_FinancialInstitutionCreditTransfer message definition.

Usage Guideline on Root Node

- on pacs.009.001.08/fullmessage

- CBPR_BusinessMessageIdentifier_FormalRule:

The Business Message Identifier must match the Message Identification in the Group Header.

For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/BusinessMessageIdentifier] value must be equal to every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/GroupHeader/MessageIdentification] value

- on pacs.009.001.08/fullmessage

- CBPR_Priority_Instruction_Priority_FormalRule:

If "Priority" is used in the BAH for pacs messages, the value should be identical to the one in the "Payment Type Information/InstructionPriority" if present.

For each [Full Message], if
 at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/Priority] and [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] is (are) present
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/Priority]
 must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority]

- on pacs.009.001.08/fullmessage

- CBPR_To_Instructed_Agent_BIC_1_FormalRule:

BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU

For each [Full Message], if
 every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU'
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

- on pacs.009.001.08/fullmessage

- CBPR_To_Instructed_Agent_BIC_2_FormalRule:

BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.

For each [Full Message], if
the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent
, then
every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must
have the same value than every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]

- on pacs.009.001.08/fullmessage

- CBPR_From_Instructing_Agent_BIC_FormalRule:

BAH "From" BIC must match "Instructing Agent" BIC

For each [Full Message], every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] value must be equal to every occurrence of [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] value

4.1 Header Building Blocks

Note	The following chapter identifies the building blocks of the BusinessApplicationHeaderV02 definition.
-------------	--

4.1.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 408

4.1.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 214 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	215
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		215

4.1.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 214 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	215
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		215

4.1.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 372

Usage Guideline details

- on **pacs.009.001.08/.header/BusinessMessageIdentifier**
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372

4.1.5 MessageDefinitionIdentifier

XML Tag: MsgDefldr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "Max35Text" on page 399

Usage Guideline details

- on pacs.009.001.08/header/MessageDefinitionIdentifier

Single value: pacs.009.001.08

4.1.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: "Max35Text" on page 399

Usage Guideline details

- on pacs.009.001.08/header/BusinessService

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/header/BusinessService

Single value: swift.cbprplus.cov.04

4.1.7 MarketPractice

XML Tag: MktPrctc

Presence: [0..1]

Definition: Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

The **MktPrctc** block contains the following elements (see datatype "[ImplementationSpecification1](#)" on page 195 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		195
	Identification	<Id>		[1..1]		196

4.1.8 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Datatype: "[CBPR_DateTime](#)" on page 369

Usage Guideline details

- on **pacs.009.001.08/.header/CreationDate**
Type changed to: [CBPR_DateTime](#) on page 369

4.1.9 BusinessProcessingDate

XML Tag: BizPrcgDt

Presence: [0..1]

Definition: Processing date and time indicated by the sender for the receiver of the business message. This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

Datatype: "[ISODatetime](#)" on page 395

Usage Guideline details

- This element(**pacs.009.001.08/.header/BusinessProcessingDate**) is removed.

4.1.10 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "[CopyDuplicate1Code](#)" on page 376

4.1.11 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: "YesNoIndicator" on page 409

4.1.12 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: "Priority2Code" on page 403

Usage Guideline details

- on pacs.009.001.08/.header/Priority
Type changed to: Priority2Code on page 403

4.1.13 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element(pacs.009.001.08/.header/Signature) is removed.

4.1.14 Related

XML Tag: Rltd

Presence: [0..*]

Definition: Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

The **Rltd** block contains the following elements (see datatype "BusinessApplicationHeader5_1" on page 50 for details)

⊘ Removed - ⊘ Partial Removed - ♦ Ignored - ♦ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		50
	From	<Fr>		[1..1]		50
	To	<To>		[1..1]		51
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	51
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	52
	BusinessService	<BizSvc>		[0..1]	⚠	52
	CreationDate	<CreDt>		[1..1]	⚠	53
	CopyDuplicate	<CpyDplct>		[0..1]		53
	PossibleDuplicate	<PssblDplct>		[0..1]	⊘	53
	Priority	<Prty>		[0..1]	⚠	54
	Signature	<Sgntr>		[0..1]	⊘	54

Usage Guideline details

- on **pacs.009.001.08/header/Related**

This element has change repeatability, the maximum occurrence has been changed to : 1

- on **pacs.009.001.08/header/Related**

- **CBPR_Related_Business_Application_Header_TextualRule:**

If used, the Related BAH must transport the exact same information as in the BAH of the related message.

4.2 Payload Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2026 (Combined) / CBPRPlus-pacs.009.001.08_COV_FinancialInstitutionCreditTransfer payload definition.

Usage Guideline on Root Node

- on pacs.009.001.08/

- CBPR_Remittance_Mutually_Exclusive_FormaRule:

Either Structured or Unstructured Remittance can be present.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08], the following elements are mutually exclusive: [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Unstructured] , [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured] and all may be absent

- on pacs.009.001.08/

- CBPR_GPI_ServiceLevel_Code_FormaRule:

The GPI ServiceLevel Code in pacs.009 COV must be 'G001'.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08], if at least one occurrence of the following element(s) [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInfoamtion/ServiceLevel] is (are) present , then the value of every occurrence of [FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInfoamtion/ServiceLevel/Code] must not comply with the following XML pattern : '(G002|G003|G004|G005|G006|G007|G009)'

4.2.1 GroupHeader

XML Tag: GrpHdr

Presence: [1..1]

Definition: Set of characteristics shared by all individual transactions included in the message.

The **GrpHdr** block contains the following elements (see datatype "GroupHeader93__1" on page 190 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		191
	CreationDateTime	<CreDtTm>		[1..1]		191
	BatchBooking	<BtchBookg>		[0..1]		192
	NumberOfTransactions	<NbOfTx>		[1..1]		192
	ControlSum	<CtrlSum>		[0..1]		192

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]	🚫	192
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	🚫	193
	SettlementInformation	<SttlmInf>		[1..1]		193
	PaymentTypeInformation	<PmtTplnf>		[0..1]	🚫	194
	InstructingAgent	<InstgAgt>		[0..1]	🚫	194
	InstructedAgent	<InstdAgt>		[0..1]	🚫	195

4.2.2 CreditTransferTransactionInformation

XML Tag: CdtTrfTxInf

Presence: [1..*]

Definition: Set of elements providing information specific to the individual credit transfer(s).

The **CdtTrfTxInf** block contains the following elements (see datatype "[CreditTransferTransaction36_1](#)" on page 76 for details)

🚫 Removed - !🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentIdentification	<PmtId>		[1..1]		80
	PaymentTypeInformation	<PmtTplnf>		[0..1]		81
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]	⚠	81
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	M ⚠	82
	SettlementPriority	<SttlmPrty>		[0..1]		82
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		82
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		83
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]	⚠	83
	PreviousInstructingAgent1Ac-count	<PrvsInstgAgt1Acct>		[0..1]		84
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]	⚠	84
	PreviousInstructingAgent2Ac-count	<PrvsInstgAgt2Acct>		[0..1]		85
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]	⚠	86
	PreviousInstructingAgent3Ac-count	<PrvsInstgAgt3Acct>		[0..1]		87
	InstructingAgent	<InstgAgt>		[0..1]	M	87
	InstructedAgent	<InstdAgt>		[0..1]	M	88

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		88
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		89
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		89
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		90
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		91
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		92
	UltimateDebtor	<UltmtDbtr>		[0..1]		92
	Debtor	<Dbtr>		[1..1]		93
	DebtorAccount	<DbtrAcct>		[0..1]		94
	DebtorAgent	<DbtrAgt>		[0..1]		94
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		95
	CreditorAgent	<CdtrAgt>		[0..1]		95
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		96
	Creditor	<Cdtr>		[1..1]		97
	CreditorAccount	<CdtrAcct>		[0..1]		98
	UltimateCreditor	<UltmtCdtr>		[0..1]		98
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	98
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	99
	Purpose	<Purp>		[0..1]		99
	RemittanceInformation	<RmtInf>		[0..1]		100
	UnderlyingCustomerCreditTransfer	<UndrlygCstmrCdtTrf>		[0..1]		100
	SupplementaryData	<SplmtryData>		[0..*]		102

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation

This element has change repeatability, the maximum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation

- CBPR_Instruction_For_Creditor_Presence_Code_FormalRule:

Each code can only be used once for element "Instruction For Creditor Agent".

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation], if

at least one occurrence of the following element(s) [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] is (are) present
 , then
 every occurrence of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] must have the same value than between '1' and '1' occurrences of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code]

4.2.3 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "SupplementaryData1" on page 330 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		330
	Envelope	<Envlp>		[1..1]		330

Usage Guideline details

- This element(pacs.009.001.08/SupplementaryData) is removed.

5 Message Components

Note The following chapter identifies the message components.

5.1 AccountIdentification4Choice

Definition: Specifies the unique identification of an account as assigned by the account servicer.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		25
	Other	<Othr>	Or}	[1..1]		25

Used in element(s)

"Identification" on page 55

5.1.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 394

5.1.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1](#)" on page 167 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		167
	SchemeName	<SchmeNm>		[0..1]		168
	Issuer	<Issr>		[0..1]		168

5.2 AccountIdentification4Choice__1

Definition: Specifies the unique identification of an account as assigned by the account servicer.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		26
	Other	<Othr>	Or}	[1..1]		26

Used in element(s)

"Identification" on page 57

5.2.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: "IBAN2007Identifier" on page 394

5.2.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericAccountIdentification1__1](#)" on page 168 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	168
	SchemeName	<SchmeNm>		[0..1]		170
	Issuer	<Issr>		[0..1]	⚠	171

5.3 AccountSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		27

Used in element(s)

["SchemeName" on page 168](#)

5.3.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalAccountIdentification1Code" on page 382](#)

5.3.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 399](#)

5.4 AccountSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		28

Used in element(s)

["SchemeName" on page 170](#)

5.4.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalAccountIdentification1Code" on page 382](#)

5.4.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgentAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2Account/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1Account/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1Account/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAccount/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAccount/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3Account/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2Account/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgentAccount/Identification/Other/SchemeName/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.5 AddressType3Choice

Definition: Choice of formats for the type of address.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		30
	Proprietary	<Prtry>	Or}	[1..1]		30

Used in element(s)

["AddressType" on page 254](#), ["AddressType" on page 247](#)

5.5.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of address expressed as a code.

Datatype: ["AddressType2Code" on page 364](#)

5.5.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of address expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype ["GenericIdentification30" on page 175](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		176
	Issuer	<Issr>		[1..1]		176
	SchemeName	<SchmeNm>		[0..1]		176

5.6 BranchAndFinancialInstitutionIdentification6

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		31
	BranchIdentification	<BrnchId>		[0..1]		31

Used in element(s)

"InstructedReimbursementAgent" on page 322, "InstructingReimbursementAgent" on page 321, "ThirdReimbursementAgent" on page 323, "UltimateCreditor" on page 98, "UltimateDebtor" on page 92

5.6.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18" on page 146 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		146
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		146
	LEI	<LEI>		[0..1]		147
	Name	<Nm>		[0..1]		147
	PostalAddress	<PstlAdr>		[0..1]		147
	Other	<Othr>		[0..1]		148

5.6.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3" on page 46 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		46
	LEI	<LEI>		[0..1]		46
	Name	<Nm>		[0..1]		46

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostalAddress	<PstlAdr>		[0..1]		47

5.7 BranchAndFinancialInstitutionIdentification6__1

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		32

Used in element(s)

["FinancialInstitutionIdentification" on page 215](#),
 ["InstructedAgent" on page 195](#),
 ["InstructedAgent" on page 88](#),
 ["InstructingAgent" on page 194](#),
 ["InstructingAgent" on page 87](#)

5.7.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype ["FinancialInstitutionIdentification18__1"](#) on page 148 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		149
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		149
	LEI	<LEI>		[0..1]		150
	Name	<Nm>		[0..1]		150
	PostalAddress	<PstlAdr>		[0..1]		150
	Other	<Othr>		[0..1]		151

5.7.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 46 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		46
	LEI	<LEI>		[0..1]		46
	Name	<Nm>		[0..1]		46
	PostalAddress	<PstAdr>		[0..1]		47

Usage Guideline details

- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/BranchIdentification) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/BranchIdentification) is removed.

5.8 BranchAndFinancialInstitutionIdentification6__2

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		34

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BranchIdentification	<BrnchId>		[0..1]		39

Used in element(s)

"Creditor" on page 97, "CreditorAgent" on page 95, "Debtor" on page 93, "DebtorAgent" on page 94, "IntermediaryAgent1" on page 88, "IntermediaryAgent2" on page 89, "IntermediaryAgent3" on page 91, "PreviousInstructingAgent1" on page 83, "PreviousInstructingAgent1" on page 111, "PreviousInstructingAgent2" on page 84, "PreviousInstructingAgent2" on page 112, "PreviousInstructingAgent3" on page 86, "PreviousInstructingAgent3" on page 114

5.8.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__2" on page 152 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		153
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		153
	LEI	<LEI>		[0..1]		153
	Name	<Nm>		[0..1]		153
	PostalAddress	<PstlAdr>		[0..1]		155
	Other	<Othr>		[0..1]		157

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification],

if

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present

```

    then
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormalRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-
TransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentifica-
tion],
    if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormalRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-
TransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentifi-
cation],
    if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormalRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/Debtor/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification],

if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification],

if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-
TransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentifi-
cation],
  if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
  and if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-
TransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionI-
dentification],
  for each [FinancialInstitutionIdentification], if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
  and for each [FinancialInstitutionIdentification], if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] must be present

```

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-
TransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionI-
dentification],
  if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] must be present
  and if
    at least one occurrence of the following element(s) [FinancialInstitu-
tionIdentification/PostalAddress] is (are) present
  then

```

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification],
 if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

5.8.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 46 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		46
	LEI	<LEI>		[0..1]		46
	Name	<Nm>		[0..1]		46
	PostalAddress	<PstlAdr>		[0..1]		47

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent3/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent1/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent2/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/BranchIdentification) is removed.

- This element([pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification](#)) is removed.

5.9 BranchAndFinancialInstitutionIdentification6__3

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		41
	BranchIdentification	<BrnchId>		[0..1]		43

Used in element(s)

["DebtorAgent" on page 110](#),
 ["IntermediaryAgent1" on page 115](#),
 ["IntermediaryAgent2" on page 117](#),
 ["IntermediaryAgent3" on page 118](#)

5.9.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype ["FinancialInstitutionIdentification18__3" on page 158](#) for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		159
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		159
	LEI	<LEI>		[0..1]		159
	Name	<Nm>		[0..1]		159
	PostalAddress	<PstlAdr>		[0..1]		160
	Other	<Othr>		[0..1]		162

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification](#)

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification],

```

    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

• **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification],

```

    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
    and if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
    then
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

• **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification**

– **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification],

```

    if
        at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
    then

```

at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification**

- **CBPR_Agent_Name_Postal_Address_FormaRule:**

Name and Address must always be present together.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification],

if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
 and if
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
 then
 at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

5.9.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 46 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠ Details below -

M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		46
	LEI	<LEI>		[0..1]		46
	Name	<Nm>		[0..1]		46
	PostalAddress	<PstlAdr>		[0..1]		47

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent3/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent2/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification) is removed.

5.10 BranchAndFinancialInstitutionIdentification6__4

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		44
	BranchIdentification	<BrnchId>		[0..1]		45

Used in element(s)

"CreditorAgent" on page 120

5.10.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__3" on page 158 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		159
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		159
	LEI	<LEI>		[0..1]		159
	Name	<Nm>		[0..1]		159

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostalAddress	<PstlAdr>		[0..1]	⚠	160
	Other	<Othr>		[0..1]	🚫	162

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification

- CBPR_Agent_Name_Postal_Address_FormaRule:

Name and Address must always be present together.

```

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification],
  if
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present
  and if
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present
  then
    at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present

```

5.10.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3__1" on page 47 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]	⚠	48
	LEI	<LEI>		[0..1]	🚫	48
	Name	<Nm>		[0..1]	🚫	48

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostalAddress	<PstlAdr>		[0..1]		49

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/BranchIdentification) is removed.

5.11 BranchData3

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		46
	LEI	<LEI>		[0..1]		46
	Name	<Nm>		[0..1]		46
	PostalAddress	<PstlAdr>		[0..1]		47

Used in element(s)

"BranchIdentification" on page 32, "BranchIdentification" on page 39, "BranchIdentification" on page 43, "BranchIdentification" on page 31

5.11.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: "Max35Text" on page 399

5.11.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: "LEIIdentifier" on page 397

5.11.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 398

5.11.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 246 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		247
	Department	<Dept>		[0..1]		248
	SubDepartment	<SubDept>		[0..1]		249
	StreetName	<StrtNm>		[0..1]		250
	BuildingNumber	<BldgNb>		[0..1]		250
	BuildingName	<BldgNm>		[0..1]		251
	Floor	<Flr>		[0..1]		251
	PostBox	<PstBx>		[0..1]		251
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		251
	TownName	<TwnNm>		[0..1]		251
	TownLocationName	<TwnLctnNm>		[0..1]		252
	DistrictName	<DstrctNm>		[0..1]		252
	CountrySubDivision	<CtrySubDvsn>		[0..1]		252
	Country	<Ctry>		[0..1]		252
	AddressLine	<AdrLine>		[0..7]		252

5.12 BranchData3__1

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		48
	LEI	<LEI>		[0..1]		48
	Name	<Nm>		[0..1]		48
	PostalAddress	<PstlAdr>		[0..1]		49

Used in element(s)

"BranchIdentification" on page 45

5.12.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/BranchIdentification/Identification

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.12.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: "LEIIdentifier" on page 397

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/BranchIdentification/LEI) is removed.

5.12.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 398

Usage Guideline details

- This element([pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/BranchIdentification/Name](#)) is removed.

5.12.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "[PostalAddress24](#)" on [page 246](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		247
	Department	<Dept>		[0..1]		248
	SubDepartment	<SubDept>		[0..1]		249
	StreetName	<StrtNm>		[0..1]		250
	BuildingNumber	<BldgNb>		[0..1]		250
	BuildingName	<BldgNm>		[0..1]		251
	Floor	<Flr>		[0..1]		251
	PostBox	<PstBx>		[0..1]		251
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		251
	TownName	<TwnNm>		[0..1]		251
	TownLocationName	<TwnLctnNm>		[0..1]		252
	DistrictName	<DstrctNm>		[0..1]		252
	CountrySubDivision	<CtrySubDvsn>		[0..1]		252
	Country	<Ctry>		[0..1]		252
	AddressLine	<AdrLine>		[0..7]		252

Usage Guideline details

- This element([pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/BranchIdentification/PostalAddress](#)) is removed.

5.13 BusinessApplicationHeader5__1

Definition: Specifies the Business Application Header of the Business Message.

Can be used when replying to a query; can also be used when canceling or amending.

🚫 Removed - !🚫 Partial Removed - ⬜ Ignored - !⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]		50
	From	<Fr>		[1..1]		50
	To	<To>		[1..1]		51
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	51
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	52
	BusinessService	<BizSvc>		[0..1]	⚠	52
	CreationDate	<CreDt>		[1..1]	⚠	53
	CopyDuplicate	<CpyDplct>		[0..1]		53
	PossibleDuplicate	<PssblDplct>		[0..1]	🚫	53
	Priority	<Prty>		[0..1]	⚠	54
	Signature	<Sgntr>		[0..1]	🚫	54

Used in element(s)

"Related" on page 19

5.13.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 408

5.13.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 214 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		215
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		215

5.13.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "[Party44Choice__1](#)" on page 214 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		215
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		215

5.13.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 372

Usage Guideline details

- on [pacs.009.001.08/header/Related/BusinessMessageIdentifier](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372
- on [pacs.009.001.08/header/Related/BusinessMessageIdentifier](#)
– [CBPR_Business_Message_Identifier_TextualRule](#):

The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.

Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this element must contain the unique identifier of the Business Message instance.

5.13.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/.header/Related/MessageDefinitionIdentifier](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on [pacs.009.001.08/.header/Related/MessageDefinitionIdentifier](#)

– **CBPR_Message_Definition_Identifier_TextualRule:**

The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.

5.13.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/.header/Related/BusinessService](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on **pacs.009.001.08/.header/Related/BusinessService**

- **CBPR_Related_BAH_Business_Service_TextualRule:**

If related BAH is present, it should transport the element Business Service.

5.13.7 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Note Times must be normalized, using the "Z" annotation.

Datatype: "CBPR_DateTime" on page 369

Usage Guideline details

- on **pacs.009.001.08/.header/Related/CreationDate**

Type changed to: CBPR_DateTime on page 369

5.13.8 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "CopyDuplicate1Code" on page 376

5.13.9 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: ["YesNoIndicator"](#) on page 409

Usage Guideline details

- This element([pacs.009.001.08/.header/Related/PossibleDuplicate](#)) is removed.

5.13.10 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: ["Priority2Code"](#) on page 403

Usage Guideline details

- on [pacs.009.001.08/.header/Related/Priority](#)
Type changed to: [Priority2Code](#) on page 403

5.13.11 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element([pacs.009.001.08/.header/Related/Signature](#)) is removed.

5.14 CashAccount38

Definition: Provides the details to identify an account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		55
	Type	<Tp>		[0..1]		55
	Currency	<Ccy>		[0..1]		55
	Name	<Nm>		[0..1]		56
	Proxy	<Prxy>		[0..1]		56

Used in element(s)

"InstructedReimbursementAgentAccount" on page 322, "InstructingReimbursementAgentAccount" on page 321, "ThirdReimbursementAgentAccount" on page 323

5.14.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "AccountIdentification4Choice" on page 25 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		25
	Other	<Othr>	Or}	[1..1]		25

5.14.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "CashAccountType2Choice" on page 60 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		60
	Proprietary	<Prtry>	Or}	[1..1]		60

5.14.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "ActiveOrHistoricCurrencyCode" on page 364

5.14.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: "Max70Text" on page 400

5.14.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "ProxyAccountIdentification1" on page 295 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		296
	Identification	<Id>		[1..1]		296

5.15 CashAccount38__1

Definition: Provides the details to identify an account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

Used in element(s)

"CreditorAccount" on page 98, "CreditorAccount" on page 123, "CreditorAgentAccount" on page 96, "CreditorAgentAccount" on page 121, "DebtorAccount" on page 94, "DebtorAccount" on page 109, "DebtorAgentAccount" on page 95, "DebtorAgentAccount" on page 111, "IntermediaryAgent1Account" on page 89, "IntermediaryAgent1Account" on page 116, "IntermediaryAgent2Account" on page 90, "IntermediaryAgent2Account" on page 118, "IntermediaryAgent3Account" on page 92, "IntermediaryAgent3Account" on page 119, "PreviousInstructingAgent1Account" on page 84, "PreviousInstructingAgent1Account" on page 112, "PreviousInstructingAgent2Account" on page 85, "PreviousInstructingAgent2Account" on page 113, "PreviousInstructingAgent3Account" on page 87, "PreviousInstructingAgent3Account" on page 115, "SettlementAccount" on page 319

5.15.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "AccountIdentification4Choice__1" on page 26 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		26
	Other	<Othr>	Or}	[1..1]		26

5.15.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "CashAccountType2Choice__1" on page 60 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		61
	Proprietary	<Prtry>	Or}	[1..1]		61

5.15.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: ["ActiveOrHistoricCurrencyCode" on page 364](#)

5.15.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 374](#)

Usage Guideline details

- on **pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)
- on **pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)
- on **pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)
- on **pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgentAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)
- on **pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)
- on **pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)
- on **pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAccount/Name**
Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)
- on **pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1Account/Name**

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgentAccount/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Name

Type changed to: [CBPR_RestrictedFINXMax70Text on page 374](#)

5.15.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "[ProxyAccountIdentification1__1](#)" on [page 296](#) for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		297
	Identification	<Id>		[1..1]		298

5.16 CashAccountType2Choice

Definition: Nature or use of the account.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		60
	Proprietary	<Prtry>	Or}	[1..1]		60

Used in element(s)

["Type"](#) on [page 55](#)

5.16.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: "[ExternalCashAccountType1Code](#)" on [page 382](#)

5.16.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: "[Max35Text](#)" on [page 399](#)

5.17 CashAccountType2Choice__1

Definition: Nature or use of the account.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		61
	Proprietary	<Prtry>	Or}	[1..1]		61

Used in element(s)

"Type" on page 57

5.17.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: ["ExternalCashAccountType1Code" on page 382](#)

5.17.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Type/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgentAccount/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3Account/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAccount/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3Account/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAccount/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgentAccount/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1Account/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1Account/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Type/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2Account/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.18 CategoryPurpose1Choice

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		63
	Proprietary	<Prtry>	Or}	[1..1]		63

Used in element(s)

["CategoryPurpose" on page 235](#)

5.18.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Category purpose, as published in an external category purpose code list.

Datatype: ["ExternalCategoryPurpose1Code" on page 384](#)

5.18.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Category purpose, in a proprietary form.

Datatype: ["Max35Text" on page 399](#)

5.19 CategoryPurpose1Choice__1

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		64
	Proprietary	<Prtry>	Or}	[1..1]		64

Used in element(s)

"CategoryPurpose" on page 237

5.19.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Category purpose, as published in an external category purpose code list.

Datatype: "ExternalCategoryPurpose1Code" on page 384

5.19.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Category purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/Category-Purpose/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.20 ClearingSystemIdentification2Choice

Definition: Choice of a clearing system identifier.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		65
	Proprietary	<Prtry>	Or}	[1..1]		65

Used in element(s)

"ClearingSystemIdentification" on page 69, "ClearingSystemIdentification" on page 68

5.20.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Identification of a clearing system, in a coded form as published in an external list.

Datatype: "ExternalClearingSystemIdentification1Code" on page 385

5.20.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Identification code for a clearing system, that has not yet been identified in the list of clearing systems.

Datatype: "Max35Text" on page 399

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

- This element([pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.

5.21 ClearingSystemIdentification3Choice

Definition: Specifies the clearing system identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		67
	Proprietary	<Prtry>	Or}	[1..1]		67

Used in element(s)

["ClearingSystem" on page 320](#)

5.21.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Infrastructure through which the payment instruction is processed, as published in an external clearing system identification code list.

Datatype: ["ExternalCashClearingSystem1Code" on page 383](#)

5.21.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Clearing system identification in a proprietary form.

Datatype: ["Max35Text" on page 399](#)

5.22 ClearingSystemMemberIdentification2

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		68
	MemberIdentification	<MmbId>		[1..1]		68

Used in element(s)

"ClearingSystemMemberIdentification" on page 146

5.22.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 64 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		65
	Proprietary	<Prtry>	Or}	[1..1]		65

5.22.2 MemberIdentification

XML Tag: MmbId

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "Max35Text" on page 399

5.23 ClearingSystemMemberIdentification2__1

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		69
	MemberIdentification	<MmbId>		[1..1]		71

Used in element(s)

"ClearingSystemMemberIdentification" on page 149, "ClearingSystemMemberIdentification" on page 153, "ClearingSystemMemberIdentification" on page 159

5.23.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 64 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		65
	Proprietary	<Prtry>	Or}	[1..1]	⊘	65

Usage Guideline details

- on pacs.009.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification
This element is now mandatory, the minimum occurrence has been changed to : 1

5.23.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "CBPR_RestrictedFINXMax28Text" on page 371

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: CBPR_RestrictedFINXMax28Text on page 371

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/GroupHeader/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/GroupHeader/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR_RestrictedFINXMax28Text on page 371](#)

5.24 Contact4

Definition: Specifies the details of the contact person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		74
	Name	<Nm>		[0..1]		74
	PhoneNumber	<PhneNb>		[0..1]		74
	MobileNumber	<MobNb>		[0..1]		75
	FaxNumber	<FaxNb>		[0..1]		75
	EmailAddress	<EmailAdr>		[0..1]		75
	EmailPurpose	<EmailPurp>		[0..1]		75
	JobTitle	<JobTitt>		[0..1]		75
	Responsibility	<Rspnsblty>		[0..1]		75
	Department	<Dept>		[0..1]		76
	Other	<Othr>		[0..*]		76
	PreferredMethod	<PrefrdMtd>		[0..1]		76

Used in element(s)

["ContactDetails" on page 222](#),
 ["ContactDetails" on page 225](#),
 ["ContactDetails" on page 229](#),
 ["ContactDetails" on page 219](#)

5.24.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Specifies the terms used to formally address a person.

Datatype: ["NamePrefix2Code" on page 400](#)

5.24.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["Max140Text" on page 398](#)

5.24.3 PhoneNumber

XML Tag: PhneNb

Presence: [0..1]

Definition: Collection of information that identifies a phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 402](#)

5.24.4 MobileNumber

XML Tag: MobNb

Presence: [0..1]

Definition: Collection of information that identifies a mobile phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 402](#)

5.24.5 FaxNumber

XML Tag: FaxNb

Presence: [0..1]

Definition: Collection of information that identifies a FAX number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 402](#)

5.24.6 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: ["Max2048Text" on page 399](#)

5.24.7 EmailPurpose

XML Tag: EmailPurp

Presence: [0..1]

Definition: Purpose for which an email address may be used.

Datatype: ["Max35Text" on page 399](#)

5.24.8 JobTitle

XML Tag: JobTitl

Presence: [0..1]

Definition: Title of the function.

Datatype: ["Max35Text" on page 399](#)

5.24.9 Responsibility

XML Tag: Rspnsblty

Presence: [0..1]

Definition: Role of a person in an organisation.

Datatype: ["Max35Text" on page 399](#)

5.24.10 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["Max70Text" on page 400](#)

5.24.11 Other

XML Tag: Othr

Presence: [0..*]

Definition: Contact details in another form.

The **Othr** block contains the following elements (see datatype ["OtherContact1" on page 209](#) for details)

ⓧ Removed - ⓧ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		210
	Identification	<Id>		[0..1]		210

5.24.12 PreferredMethod

XML Tag: PrefrdMtd

Presence: [0..1]

Definition: Preferred method used to reach the contact.

Datatype: ["PreferredContactMethod1Code" on page 402](#)

5.25 CreditTransferTransaction36__1

Definition: Provide further details specific to the individual transaction(s) included in the message.

ⓧ Removed - ⓧ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PaymentIdentification	<PmtId>		[1..1]		80
	PaymentTypeInformation	<PmtTpInf>		[0..1]		81
	InterbankSettlementAmount	<IntrBkSttlmAmt>		[1..1]	⚠	81
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	M ⚠	82

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementPriority	<SttlmPrty>		[0..1]		82
	SettlementTimeIndication	<SttlmTmIndctn>		[0..1]		82
	SettlementTimeRequest	<SttlmTmReq>		[0..1]		83
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		83
	PreviousInstructingAgent1Account	<PrvsInstgAgt1Acct>		[0..1]		84
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		84
	PreviousInstructingAgent2Account	<PrvsInstgAgt2Acct>		[0..1]		85
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		86
	PreviousInstructingAgent3Account	<PrvsInstgAgt3Acct>		[0..1]		87
	InstructingAgent	<InstgAgt>		[0..1]		87
	InstructedAgent	<InstdAgt>		[0..1]		88
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		88
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		89
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		89
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		90
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		91
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		92
	UltimateDebtor	<UltmtDbtr>		[0..1]		92
	Debtor	<Dbtr>		[1..1]		93
	DebtorAccount	<DbtrAcct>		[0..1]		94
	DebtorAgent	<DbtrAgt>		[0..1]		94
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		95
	CreditorAgent	<CdtrAgt>		[0..1]		95
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		96
	Creditor	<Cdtr>		[1..1]		97
	CreditorAccount	<CdtrAcct>		[0..1]		98
	UltimateCreditor	<UltmtCdtr>		[0..1]		98
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	98
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	99
	Purpose	<Purp>		[0..1]		99

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceInformation	<RmtInf>		[0..1]		100
	UnderlyingCustomerCreditTransfer	<UndrlygCstmrCdtTrf>		[0..1]	M	100
	SupplementaryData	<SplmtryData>		[0..*]	⊘	102

Rules

R26 IntermediaryAgent2Rule ✓

If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00056
- *Error Text:* Invalid message content for intermediary agent 2.

R27 IntermediaryAgent3Rule ✓

If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00057
- *Error Text:* Invalid message content for intermediary agent 3.

R28 IntermediaryAgent1Rule ✓

If IntermediaryAgent1 is present, then CreditorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00060
- *Error Text:* Invalid message content for intermediary agent 1.

R29 IntermediaryAgent1AccountRule ✓

If IntermediaryAgent1Account is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00052
- *Error Text:* Invalid message content for intermediary agent 1 account.

R30 IntermediaryAgent2AccountRule ✓

If IntermediaryAgent2Account is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00053
- *Error Text:* Invalid message content for intermediary agent 2 account.

R31 IntermediaryAgent3AccountRule ✓

If IntermediaryAgent3Account is present, then IntermediaryAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00054
- *Error Text:* Invalid message content for intermediary agent 3 account.

R32 DebtorAgentAccountRule ✓

If DebtorAgentAccount is present, then DebtorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00059
- *Error Text:* Invalid message content for debtor agent account.

R33 CreditorAgentAccountRule ✓

If CreditorAgentAccount is present, then CreditorAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00058
- *Error Text:* Invalid message content for creditor agent account.

R34 PreviousInstructingAgent1AccountRule ✓

If PreviousInstructingAgent1Account is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00411
- *Error Text:* Invalid message content for previous instructing agent account.

R35 PreviousInstructingAgent2AccountRule ✓

If PreviousInstructingAgent2Account is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00412

- *Error Text:* Invalid message content for previous instructing agent account.

R36 PreviousInstructingAgent3AccountRule ✓

If PreviousInstructingAgent3Account is present, then PreviousInstructingAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00413
- *Error Text:* Invalid message content for previous instructing agent account.

R37 PreviousInstructionAgent2Rule ✓

If PreviousInstructingAgent2 is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00415
- *Error Text:* Invalid message content for intermediary agent 1.

R38 PreviousInstructionAgent3Rule ✓

If PreviousInstructingAgent3 is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00416
- *Error Text:* Invalid message content for intermediary agent 1.

Guidelines**1. UltimateDebtorGuideline**

UltimateDebtor may only be present if different from Debtor.

2. UltimateCreditorGuideline

UltimateCreditor may only be present if different from Creditor.

3. PreviousInstructingAgent1Guideline

It is recommended that, when present, PreviousInstructingAgent1 is the closest to the DebtorAgent in the payment chain.

Used in element(s)

"CreditTransferTransactionInformation" on page 22

5.25.1 PaymentIdentification

XML Tag: PmtId

Presence: [1..1]

Definition: Set of elements used to reference a payment instruction.

The **PmtId** block contains the following elements (see datatype "[PaymentIdentification7__1](#)" on page 230 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionIdentification	<InstrId>		[0..1]	 	231
	EndToEndIdentification	<EndToEndId>		[1..1]		231
	TransactionIdentification	<TxId>		[0..1]		232
	UETR	<UETR>		[0..1]	 	233
	ClearingSystemReference	<ClrSysRef>		[0..1]		233

5.25.2 PaymentTypeInformation

XML Tag: PmtTpInf

Presence: [0..1]

Definition: Set of elements used to further specify the type of transaction.

The **PmtTpInf** block contains the following elements (see datatype "[PaymentTypeInformation28__1](#)" on page 235 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		236
	ClearingChannel	<ClrChanl>		[0..1]		236
	ServiceLevel	<SvcLvl>		[0..*]	R[0..3]	236
	LocalInstrument	<LclInstrm>		[0..1]		237
	CategoryPurpose	<CtgyPurp>		[0..1]		237

5.25.3 InterbankSettlementAmount

XML Tag: IntrBkSttlmAmt

Presence: [1..1]

Definition: Amount of money moved between the instructing agent and the instructed agent.

Datatype: "[CBPR_Amount__1](#)" on page 368

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InterbankSettlementAmount
Type changed to: [CBPR_Amount](#) on page 367

- on pacs.009.001.08/CreditTransferTransactionInformation/InterbankSettlementAmount

- CBPR_Interbank_Settlement_Currency_FormalRule:

The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/InterbankSettlementAmount], every occurrence of [InterbankSettlementAmount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'

5.25.4 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: "CBPR_Date" on page 368

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InterbankSettlementDate

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/InterbankSettlementDate

Type changed to: CBPR_Date on page 368

5.25.5 SettlementPriority

XML Tag: SttlmPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the settlement instruction.

Datatype: "Priority3Code" on page 404

5.25.6 SettlementTimeIndication

XML Tag: SttlmTmIndctn

Presence: [0..1]

Definition: Provides information on the occurred settlement time(s) of the payment transaction.

The **SttlmTmIndctn** block contains the following elements (see datatype "SettlementDateTimeIndication1__1" on page 315 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitDateTime	<DbtDtTm>		[0..1]	⚠	316
	CreditDateTime	<CdtDtTm>		[0..1]	⚠	316

5.25.7 SettlementTimeRequest

XML Tag: SttlmTmReq

Presence: [0..1]

Definition: Provides information on the requested settlement time(s) of the payment instruction.

The **SttlmTmReq** block contains the following elements (see datatype "SettlementTimeRequest2__1" on page 324 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CLSTime	<CLSTm>		[0..1]	⚠	324
	TillTime	<TillTm>		[0..1]	⚠	325
	FromTime	<FrTm>		[0..1]	⚠	325
	RejectTime	<RjctTm>		[0..1]	⚠	325

5.25.8 PreviousInstructingAgent1

XML Tag: PrvsInstgAgt1

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt1** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 33 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	34
	BranchIdentification	<BrnchId>		[0..1]	⊘	39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1

- CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

5.25.9 PreviousInstructingAgent1Account

XML Tag: PrvsInstgAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt1Acct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.25.10 PreviousInstructingAgent2

XML Tag: PrvsInstgAgt2

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 33 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	34
	BranchIdentification	<BrnchId>		[0..1]	🚫	39

Usage Guideline details

- on **pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2**
 - **CBPR_Agent_Option_1_TextualRule:**
BICFI, complemented optionally with a LEI (preferred option)
- on **pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2**
 - **CBPR_Agent_National_only_TextualRule:**
Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on **pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2**
 - **CBPR_Agent_Option_3_TextualRule:**
Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on **pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2**
 - **CBPR_Agent_Option_2_TextualRule:**
(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.25.11 PreviousInstructingAgent2Account

XML Tag: PrvsInstgAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt2Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

5.25.12 PreviousInstructingAgent3

XML Tag: PrvsInstgAgt3

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt3** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 33 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		34
	BranchIdentification	<BrnchId>		[0..1]		39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.25.13 PreviousInstructingAgent3Account

XML Tag: PrvsInstgAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt3Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

5.25.14 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 32 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		32

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent
This element is now mandatory, the minimum occurrence has been changed to : 1

5.25.15 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 32 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]	🚫	32

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent
This element is now mandatory, the minimum occurrence has been changed to : 1

5.25.16 IntermediaryAgent1

XML Tag: IntrmyAgt1

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the DebtorAgent and the IntermediaryAgent2.

The **IntrmyAgt1** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 33 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	34
	BranchIdentification	<BrnchId>		[0..1]	🚫	39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1
 – CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1

- CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.25.17 IntermediaryAgent1Account

XML Tag: IntrmyAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

The **IntrmyAgt1Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

5.25.18 IntermediaryAgent2

XML Tag: IntrmyAgt2

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the IntermediaryAgent1 and the IntermediaryAgent3.

The **IntrmyAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 33 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	34
	BranchIdentification	<BrnchId>		[0..1]	🚫	39

Usage Guideline details

- on **pac.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2**
 - **CBPR_Agent_Option_1_TextualRule:**
BICFI, complemented optionally with a LEI (preferred option)
- on **pac.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2**
 - **CBPR_Agent_National_only_TextualRule:**
Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on **pac.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2**
 - **CBPR_Agent_Option_3_TextualRule:**
Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on **pac.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2**
 - **CBPR_Agent_Option_2_TextualRule:**
(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.25.19 IntermediaryAgent2Account

XML Tag: IntrmyAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

The **IntrmyAgt2Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

5.25.20 IntermediaryAgent3

XML Tag: IntrmyAgt3

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the IntermediaryAgent 2 and the CreditorAgent.

The **IntrmyAgt3** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 33 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		34
	BranchIdentification	<BrnchId>		[0..1]		39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.25.21 IntermediaryAgent3Account

XML Tag: IntrmyAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.

The **IntrmyAgt3Acct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.25.22 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate financial institution that owes an amount of money to the (ultimate) institutional creditor.

The **UltmtDbtr** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6" on page 30 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		31
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- This element([pacs.009.001.08/CreditTransferTransactionInformation/UltimateDebtor](#)) is removed.

5.25.23 Debtor

XML Tag: Dbtr

Presence: [1..1]

Definition: Financial institution that owes an amount of money to the (ultimate) financial institutional creditor.

The **Dbtr** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 33 for details)

❌ Removed - ⚠️ Partial Removed - ❌ Ignored - ⚠️ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠️	34
	BranchIdentification	<BrnchId>		[0..1]	❌	39

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/Debtor](#)
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on [pacs.009.001.08/CreditTransferTransactionInformation/Debtor](#)
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on [pacs.009.001.08/CreditTransferTransactionInformation/Debtor](#)
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on [pacs.009.001.08/CreditTransferTransactionInformation/Debtor](#)
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.25.24 DebtorAccount

XML Tag: DbtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

The **DbtrAcct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

5.25.25 DebtorAgent

XML Tag: DbtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 33 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		34
	BranchIdentification	<BrnchId>		[0..1]		39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent

- CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent

- CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.25.26 DebtorAgentAccount

XML Tag: DbtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

The **DbtrAgtAcct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

5.25.27 CreditorAgent

XML Tag: CdtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the creditor.

The **CdtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 33 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		34
	BranchIdentification	<BrnchId>		[0..1]		39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.25.28 CreditorAgentAccount

XML Tag: CdtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor agent at its servicing agent to which a credit entry will be made as a result of the payment transaction.

The **CdtrAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.25.29 Creditor

XML Tag: Cdtr

Presence: [1..1]

Definition: Financial institution that receives an amount of money from the financial institutional debtor.

The **Cdtr** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 33 for details)

🚫 Removed - 🚫 Partial Removed - 🔹 Ignored - 🔹 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	34
	BranchIdentification	<BrnchId>		[0..1]	🚫	39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor
 - **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.25.30 CreditorAccount

XML Tag: CdtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

The **CdtrAcct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.25.31 UltimateCreditor

XML Tag: UltmtCdtr

Presence: [0..1]

Definition: Ultimate financial institution to which an amount of money is due.

The **UltmtCdtr** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6" on page 30 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		31
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UltimateCreditor) is removed.

5.25.32 InstructionForCreditorAgent

XML Tag: InstrForCdtrAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor agent.

The **InstrForCdtrAgt** block contains the following elements (see datatype "InstructionForCreditorAgent2__1" on page 197 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		197
	InstructionInformation	<InstrInf>		[0..1]	⚠	197

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructionForCreditorAgent
This element has change repeatability, the maximum occurrence has been changed to : 2

5.25.33 InstructionForNextAgent

XML Tag: InstrForNxtAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the next agent.

Usage: The next agent may not be the creditor agent.

The instruction can relate to a level of service, can be an instruction that has to be executed by the agent, or can be information required by the next agent.

The **InstrForNxtAgt** block contains the following elements (see datatype "InstructionForNextAgent1__1" on page 198 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]	🚫	198
	InstructionInformation	<InstrInf>		[0..1]	⚠	198

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructionForNextAgent
This element has change repeatability, the maximum occurrence has been changed to : 6

5.25.34 Purpose

XML Tag: Purp

Presence: [0..1]

Definition: Underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

The **Purp** block contains the following elements (see datatype "Purpose2Choice__1" on page 303 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		304
	Proprietary	<Prtry>	Or}	[1..1]	⚠	304

5.25.35 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, such as commercial invoices in an accounts' receivable system.

The **RmtInf** block contains the following elements (see datatype "RemittanceInformation2__1" on page 313 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	⚠ R[0..1]	313

5.25.36 UnderlyingCustomerCreditTransfer

XML Tag: UndrlygCstmrCdtTrf

Presence: [0..1]

Definition: Provides information on the underlying customer credit transfer for which cover is provided.

The **UndrlygCstmrCdtTrf** block contains the following elements (see datatype "CreditTransferTransaction37__1" on page 102 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	UltimateDebtor	<UltmtDbtr>		[0..1]	⚠	105
	InitiatingParty	<InitgPty>		[0..1]	⚠	107

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Debtor	<Dbtr>		[1..1]		107
	DebtorAccount	<DbtrAcct>		[0..1]		109
	DebtorAgent	<DbtrAgt>		[1..1]		110
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		111
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		111
	PreviousInstructingAgent1Account	<PrvsInstgAgt1Acct>		[0..1]		112
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		112
	PreviousInstructingAgent2Account	<PrvsInstgAgt2Acct>		[0..1]		113
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		114
	PreviousInstructingAgent3Account	<PrvsInstgAgt3Acct>		[0..1]		115
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		115
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		116
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		117
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		118
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		118
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		119
	CreditorAgent	<CdtrAgt>		[1..1]		120
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		121
	Creditor	<Cdtr>		[1..1]		121
	CreditorAccount	<CdtrAcct>		[0..1]		123
	UltimateCreditor	<UltmtCdtr>		[0..1]		123
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	125
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	125
	Tax	<Tax>		[0..1]		126
	RemittanceInformation	<RmtInf>		[0..1]		126
	InstructedAmount	<InstdAmt>		[0..1]		127

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer
This element is now mandatory, the minimum occurrence has been changed to : 1

5.25.37 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "SupplementaryData1" on page 330 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		330
	Envelope	<Envlp>		[1..1]		330

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/SupplementaryData) is removed.

5.26 CreditTransferTransaction37__1

Definition: Provides further details specific to the individual transaction(s) included in the message.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	UltimateDebtor	<UltmtDbtr>		[0..1]		105
	InitiatingParty	<InitgPty>		[0..1]		107
	Debtor	<Dbtr>		[1..1]		107
	DebtorAccount	<DbtrAcct>		[0..1]		109
	DebtorAgent	<DbtrAgt>		[1..1]		110
	DebtorAgentAccount	<DbtrAgtAcct>		[0..1]		111
	PreviousInstructingAgent1	<PrvsInstgAgt1>		[0..1]		111
	PreviousInstructingAgent1Ac-count	<PrvsInstgAgt1Acct>		[0..1]		112
	PreviousInstructingAgent2	<PrvsInstgAgt2>		[0..1]		112
	PreviousInstructingAgent2Ac-count	<PrvsInstgAgt2Acct>		[0..1]		113
	PreviousInstructingAgent3	<PrvsInstgAgt3>		[0..1]		114

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PreviousInstructingAgent3Account	<PrvsInstgAgt3Acct>		[0..1]		115
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		115
	IntermediaryAgent1Account	<IntrmyAgt1Acct>		[0..1]		116
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		117
	IntermediaryAgent2Account	<IntrmyAgt2Acct>		[0..1]		118
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		118
	IntermediaryAgent3Account	<IntrmyAgt3Acct>		[0..1]		119
	CreditorAgent	<CdtrAgt>		[1..1]		120
	CreditorAgentAccount	<CdtrAgtAcct>		[0..1]		121
	Creditor	<Cdtr>		[1..1]		121
	CreditorAccount	<CdtrAcct>		[0..1]		123
	UltimateCreditor	<UltmtCdtr>		[0..1]		123
	InstructionForCreditorAgent	<InstrForCdtrAgt>		[0..*]	R[0..2]	125
	InstructionForNextAgent	<InstrForNxtAgt>		[0..*]	R[0..6]	125
	Tax	<Tax>		[0..1]		126
	RemittanceInformation	<RmtInf>		[0..1]		126
	InstructedAmount	<InstdAmt>		[0..1]		127

Rules

R42 IntermediaryAgent2Rule ✓

If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00056
- *Error Text:* Invalid message content for intermediary agent 2.

R43 IntermediaryAgent3Rule ✓

If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00057
- *Error Text:* Invalid message content for intermediary agent 3.

R44 IntermediaryAgent1AccountRule ✓

If IntermediaryAgent1Account is present, then IntermediaryAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00052
- *Error Text:* Invalid message content for intermediary agent 1 account.

R45 IntermediaryAgent2AccountRule ✓

If IntermediaryAgent2Account is present, then IntermediaryAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00053
- *Error Text:* Invalid message content for intermediary agent 2 account.

R46 IntermediaryAgent3AccountRule ✓

If IntermediaryAgent3Account is present, then IntermediaryAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00054
- *Error Text:* Invalid message content for intermediary agent 3 account.

R47 PreviousInstructingAgent1AccountRule ✓

If PreviousInstructingAgent1Account is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00411
- *Error Text:* Invalid message content for previous instructing agent account.

R48 PreviousInstructingAgent2AccountRule ✓

If PreviousInstructingAgent2Account is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00412
- *Error Text:* Invalid message content for previous instructing agent account.

R49 PreviousInstructingAgent3AccountRule ✓

If PreviousInstructingAgent3Account is present, then PreviousInstructingAgent3 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00413
- *Error Text:* Invalid message content for previous instructing agent account.

R50 PreviousInstructionAgent2Rule ✓

If PreviousInstructingAgent2 is present, then PreviousInstructingAgent1 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00415
- *Error Text:* Invalid message content for intermediary agent 1.

R51 PreviousInstructionAgent3Rule ✓

If PreviousInstructingAgent3 is present, then PreviousInstructingAgent2 must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00416
- *Error Text:* Invalid message content for intermediary agent 1.

Guidelines

1. UltimateDebtorGuideline

UltimateDebtor may only be present if different from Debtor.

2. UltimateCreditorGuideline

UltimateCreditor may only be present if different from Creditor.

3. PreviousInstructingAgent1Guideline

It is recommended that, when present, PreviousInstructingAgent1 is the closest to the DebtorAgent in the payment chain.

Used in element(s)

"UnderlyingCustomerCreditTransfer" on page 100

5.26.1 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.

The **UltmtDbtr** block contains the following elements (see datatype "PartyIdentification135_1" on page 219 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		220
	PostalAddress	<PstlAdr>		[0..1]		220
	Identification	<Id>		[0..1]		222
	CountryOfResidence	<CtryOfRes>		[0..1]		222
	ContactDetails	<CtctDtls>		[0..1]		222

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor**

- **CBPR_Ultimate_Debtor_Option_1_TextualRule:**

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available)]

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor**

- **CBPR_UltimateDebtor_Option_3_Jurisdictions_only_TextualRule:**

For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden, United Kingdom - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor**

- **CBPR_Ultimate_Debtor_Option_2_TextualRule:**

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country- it is recommended to add Post code when available] AND (Identification: Private or Organisation)

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor**

- **CBPR_Party_Name_Postal_Address_FormalRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor], if
 at least one occurrence of the following element(s) [UltimateDebtor/Postal-Address] is (are) present
 , then
 at least one occurrence of the following element(s) [UltimateDebtor/Name] must be present

5.26.2 InitiatingParty

XML Tag: InitgPty

Presence: [0..1]

Definition: Party that initiates the payment.

Usage: This can be either the debtor or a party that initiates the credit transfer on behalf of the debtor.

The **InitgPty** block contains the following elements (see datatype "[PartyIdentification135__1](#)" on [page 219](#) for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	220
	PostalAddress	<PstlAdr>		[0..1]	⚠	220
	Identification	<Id>		[0..1]		222
	CountryOfResidence	<CtryOfRes>		[0..1]		222
	ContactDetails	<CtctDtls>		[0..1]	🚫	222

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty
 - **CBPR_Party_Name_Postal_Address_FormaRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty], if
 at least one occurrence of the following element(s) [InitiatingParty/Postal-Address] is (are) present
 , then
 at least one occurrence of the following element(s) [InitiatingParty/Name] must be present

5.26.3 Debtor

XML Tag: Dbtr

Presence: [1..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "PartyIdentification135__2" on page 223 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	224
	PostalAddress	<PstlAdr>		[0..1]	⚠	224
	Identification	<Id>		[0..1]		225
	CountryOfResidence	<CtryOfRes>		[0..1]		225
	ContactDetails	<CtctDtls>		[0..1]	🚫	225

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor
 - CBPR_Debtor_Option_2_TextualRule:

Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)] OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)] AND (Account Number OR Identification: Private or Organisation)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor
 - CBPR_Debtor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor
 - CBPR_Debtor_Option_1_TextualRule:

Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor
 - CBPR_Debtor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Debtor/ Name is mandatory with either Debtor Account OR Debtor Identification (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden, United Kingdom - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor

- CBPR_Party_Name_Any_BIC_FormalRule:

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor], at least one occurrence of [Debtor/Name] must be present when [Debtor/Identification/OrganisationIdentification/AnyBIC] is absent

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor], if at least one occurrence of the following element(s) [Debtor/PostalAddress] is (are) present, then at least one occurrence of the following element(s) [Debtor/Name] must be present

5.26.4 DebtorAccount

XML Tag: DbtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

The **DbtrAcct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.26.5 DebtorAgent

XML Tag: DbtrAgt

Presence: [1..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_3](#)" on page 41 for details)

🚫 Removed - 🚫 Partial Removed - 🔹 Ignored - 🔹 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	41
	BranchIdentification	<BrnchId>		[0..1]	🚫	43

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent

– **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.26.6 DebtorAgentAccount

XML Tag: DbtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

The **DbtrAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

5.26.7 PreviousInstructingAgent1

XML Tag: PrvsInstgAgt1

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt1** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 33 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		34
	BranchIdentification	<BrnchId>		[0..1]		39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1

– **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1

– **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1

– **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1

– **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.26.8 PreviousInstructingAgent1Account

XML Tag: PrvsInstgAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt1Acct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.26.9 PreviousInstructingAgent2

XML Tag: PrvsInstgAgt2

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__2](#)" on page 33 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	34
	BranchIdentification	<BrnchId>		[0..1]	🚫	39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.26.10 PreviousInstructingAgent2Account

XML Tag: PrvsInstgAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt2Acct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.26.11 PreviousInstructingAgent3

XML Tag: PrvsInstgAgt3

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

The **PrvsInstgAgt3** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__2" on page 33 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	34
	BranchIdentification	<BrnchId>		[0..1]	🚫	39

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3

– **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3

– **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.26.12 PreviousInstructingAgent3Account

XML Tag: PrvsInstgAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

The **PrvsInstgAgt3Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 56 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.26.13 IntermediaryAgent1

XML Tag: IntrmyAgt1

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the DebtorAgent and the IntermediaryAgent2.

The **IntrmyAgt1** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__3](#)" on page 41 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		41
	BranchIdentification	<BrnchId>		[0..1]		43

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.26.14 IntermediaryAgent1Account

XML Tag: IntrmyAgt1Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

The **IntrmyAgt1Acct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.26.15 IntermediaryAgent2

XML Tag: IntrmyAgt2

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the IntermediaryAgent1 and the IntermediaryAgent3.

The **IntrmyAgt2** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__3" on page 41 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	41
	BranchIdentification	<BrnchId>		[0..1]	⊘	43

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2

– **CBPR_Agent_Option_2_TextualRule:**

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

5.26.16 IntermediaryAgent2Account

XML Tag: IntrmyAgt2Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

The **IntrmyAgt2Acct** block contains the following elements (see datatype "[CashAccount38__1](#)" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

5.26.17 IntermediaryAgent3

XML Tag: IntrmyAgt3

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the IntermediaryAgent 2 and the CreditorAgent.

The **IntrmyAgt3** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__3](#)" on page 41 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	41
	BranchIdentification	<BrnchId>		[0..1]	🚫	43

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3
 - CBPR_Agent_National_only_TextualRule:

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3
 - CBPR_Agent_Option_1_TextualRule:

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3
 - CBPR_Agent_Option_3_TextualRule:

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3
 - CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.26.18 IntermediaryAgent3Account

XML Tag: IntrmyAgt3Acct

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.

The **IntrmyAgt3Acct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.26.19 CreditorAgent

XML Tag: CdtrAgt

Presence: [1..1]

Definition: Financial institution servicing an account for the creditor.

The **CdtrAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__4" on page 44 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]	⚠	44
	BranchIdentification	<BrnchId>		[0..1]	🚫	45

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent
 - **CBPR_Agent_Option_1_TextualRule:**

BICFI, complemented optionally with a LEI (preferred option)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent
 - **CBPR_Agent_National_only_TextualRule:**

Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent
 - **CBPR_Agent_Option_3_TextualRule:**

Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent

– CBPR_Agent_Option_2_TextualRule:

(Clearing Code OR LEI) AND (Name AND ([Structured postal address with minimum Town Name and Country] OR [Hybrid postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.

5.26.20 CreditorAgentAccount

XML Tag: CdtrAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor agent at its servicing agent to which a credit entry will be made as a result of the payment transaction.

The **CdtrAgtAcct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.26.21 Creditor

XML Tag: Cdtr

Presence: [1..1]

Definition: Party to which an amount of money is due.

The **Cdtr** block contains the following elements (see datatype "PartyIdentification135__1" on page 219 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	220
	PostalAddress	<PstlAdr>		[0..1]	⚠	220
	Identification	<Id>		[0..1]		222
	CountryOfResidence	<CtryOfRes>		[0..1]		222

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ContactDetails	<CtctDtls>		[0..1]		222

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor

- CBPR_Creditor_BIC_Presence_TextualRule:

If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor

- CBPR_Creditor_Option_3_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Creditor/Name is mandatory with either Creditor Account OR Creditor Identification (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden, United Kingdom - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor

- CBPR_Creditor_Option_2_TextualRule:

Name AND ([Structured Address with minimum Town Name & Country (+ recommended to add Post code when available)] OR [Hybrid postal address with minimum Town Name and Country (+ recommended to add Post code when available)]) AND (Account Number OR Identification: Private or Organisation)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor

- CBPR_Creditor_Option_1_TextualRule:

Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor

- CBPR_Party_Name_Postal_Address_FormalRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor], if at least one occurrence of the following element(s) [Creditor/PostalAddress] is (are) present
, then
at least one occurrence of the following element(s) [Creditor/Name] must be present

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor

– **CBPR_Party_Name_Any_BIC_FormalRule:**

If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/Credit-TransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor], at least one occurrence of [Creditor/Name] must be present when [Creditor/Identification/OrganisationIdentification/AnyBIC] is absent

5.26.22 CreditorAccount

XML Tag: CdtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

The **CdtrAcct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

🔴 Removed - 🟡 Partial Removed - ⚪ Ignored - 🟡 Partial Ignored - ⚠ Details below -
🔵 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]	⚠	58
	Proxy	<Prxy>		[0..1]		59

5.26.23 UltimateCreditor

XML Tag: UltmtCdtr

Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

The **UltmtCdtr** block contains the following elements (see datatype "PartyIdentification135__1" on page 219 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		220
	PostalAddress	<PstlAdr>		[0..1]		220
	Identification	<Id>		[0..1]		222
	CountryOfResidence	<CtryOfRes>		[0..1]		222
	ContactDetails	<CtctDtls>		[0..1]		222

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor

- CBPR_UltimateCreditor_Option_2_Jurisdictions_only_TextualRule:

For Jurisdictional transactions, Name and/or Identification (Private or Organisation (that is within a country or for regions under same legislations - e.g. EEA)

Countries impacted by the Jurisdictional rule:

Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden, United Kingdom - Iceland, Liechtenstein, Norway.

Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor

- CBPR_Ultimate_Creditor_Option_1_TextualRule:

Name AND [(Structured Postal Address) OR (Hybrid Postal Address) with minimum Town Name & Country - it is recommended to add Post code when available)]. Other elements are optional, eg Identification: Private or Organisation)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor

- CBPR_Party_Name_Postal_Address_FormaRule:

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor], if
 at least one occurrence of the following element(s) [UltimateCreditor/PostalAddress] is (are) present
 , then

at least one occurrence of the following element(s) [UltimateCreditor/Name] must be present

5.26.24 InstructionForCreditorAgent

XML Tag: InstrForCdtrAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor agent.

The **InstrForCdtrAgt** block contains the following elements (see datatype "InstructionForCreditorAgent1__1" on page 196 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]	🚫	196
	InstructionInformation	<InstrInf>		[0..1]	⚠	196

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InstructionForCreditorAgent

This element has change repeatability, the maximum occurrence has been changed to : 2

5.26.25 InstructionForNextAgent

XML Tag: InstrForNxtAgt

Presence: [0..*]

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the next agent.

The **InstrForNxtAgt** block contains the following elements (see datatype "InstructionForNextAgent1__1" on page 198 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]	🚫	198
	InstructionInformation	<InstrInf>		[0..1]	⚠	198

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InstructionForNextAgent

This element has change repeatability, the maximum occurrence has been changed to : 6

5.26.26 Tax

XML Tag: Tax

Presence: [0..1]

Definition: Provides details on the tax.

The **Tax** block contains the following elements (see datatype "[TaxInformation8__1](#)" on page 341 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		341
	Debtor	<Dbtr>		[0..1]		341
	AdministrationZone	<AdmstnZone>		[0..1]	⚠	342
	ReferenceNumber	<RefNb>		[0..1]	⚠	342
	Method	<Mtd>		[0..1]	⚠	342
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		343
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		343
	Date	<Dt>		[0..1]		343
	SequenceNumber	<SeqNb>		[0..1]		343
	Record	<Rcrd>		[0..*]		343

Usage Guideline details

- This element([pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/Tax](#)) is removed.

5.26.27 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, such as commercial invoices in an accounts' receivable system.

The **RmtInf** block contains the following elements (see datatype "[RemittanceInformation16__1](#)" on page 312 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	 R[0..1]	312
	Structured	<Strd>		[0..*]		312

5.26.28 InstructedAmount

XML Tag: InstdAmt

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Usage: This amount has to be transported unchanged through the transaction chain.

Datatype: "CBPR_Amount__1" on page 368

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InstructedAmount

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InstructedAmount

Type changed to: CBPR_Amount on page 367

5.27 CreditorReferenceInformation2__1

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		127
	Reference	<Ref>		[0..1]	 	128

Used in element(s)

"CreditorReferenceInformation" on page 327

5.27.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of creditor reference.

The **Tp** block contains the following elements (see datatype "CreditorReferenceType2__1" on page 129 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		129
	Issuer	<Issr>		[0..1]	⚠	130

5.27.2 Reference

XML Tag: Ref

Presence: [0..1]

Definition: Unique reference, as assigned by the creditor, to unambiguously refer to the payment transaction.

Usage: If available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the amount of money.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/CreditorReferenceInformation/Reference
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/CreditorReferenceInformation/Reference
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.28 CreditorReferenceType1Choice__1

Definition: Specifies the type of document referred by the creditor.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		129
	Proprietary	<Prtry>	Or}	[1..1]	⚠	129

Used in element(s)

["CodeOrProprietary" on page 129](#)

5.28.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of creditor reference, in a coded form.

Datatype: ["DocumentType3Code" on page 378](#)

5.28.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Creditor reference type, in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/CreditorReferenceInformation/Type/CodeOrProprietary/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.29 CreditorReferenceType2__1

Definition: Specifies the type of creditor reference.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		129
	Issuer	<Issr>		[0..1]		130

Used in element(s)

["Type" on page 127](#)

5.29.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Coded or proprietary format creditor reference type.

The **CdOrPrtry** block contains the following elements (see datatype ["CreditorReferenceType1Choice__1" on page 128](#) for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		129
	Proprietary	<Prtry>	Or}	[1..1]		129

5.29.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the credit reference type.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/CreditorReferenceInformation/Type/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.30 DateAndPlaceOfBirth1

Definition: Date and place of birth of a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		130
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		131
	CityOfBirth	<CityOfBirth>		[1..1]		131
	CountryOfBirth	<CtryOfBirth>		[1..1]		131

Used in element(s)

"DateAndPlaceOfBirth" on page 238

5.30.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: "ISODate" on page 395

5.30.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["Max35Text" on page 399](#)

5.30.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 399](#)

5.30.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 377](#)

5.31 DateAndPlaceOfBirth1__1

Definition: Date and place of birth of a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		131
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		132
	CityOfBirth	<CityOfBirth>		[1..1]		133
	CountryOfBirth	<CtryOfBirth>		[1..1]		134

Used in element(s)

["DateAndPlaceOfBirth" on page 239](#), ["DateAndPlaceOfBirth" on page 240](#), ["DateAndPlaceOfBirth" on page 242](#)

5.31.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["CBPR_Date" on page 368](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/BirthDate
Type changed to: [CBPR_Date on page 368](#)

5.31.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373

5.31.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.31.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: "CountryCode" on page 377

5.32 DatePeriod2

Definition: Range of time defined by a start date and an end date.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		135
	ToDate	<ToDt>		[1..1]		135

Used in element(s)

"FromToDate" on page 351

5.32.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: "ISODate" on page 395

5.32.2 ToDate

XML Tag: ToDt

Presence: [1..1]

Definition: End date of the range.

Datatype: "ISODate" on page 395

5.33 DatePeriod2__1

Definition: Range of time defined by a start date and an end date.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		135
	ToDate	<ToDt>		[1..1]		136

Used in element(s)

"FromToDate" on page 352

5.33.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: "CBPR_Date" on page 368

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/Period/FromDate/FromDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/FromDate/FromDate
Type changed to: [CBPR_Date on page 368](#)

5.33.2 ToDate

XML Tag: ToDt

Presence: [1..1]

Definition: End date of the range.

Datatype: "CBPR_Date" on page 368

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/Period/FromDate/ToDate
Type changed to: [CBPR_Date on page 368](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/FromDate/ToDate
Type changed to: [CBPR_Date on page 368](#)

5.34 DiscountAmountAndType1__1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		137
	Amount	<Amt>		[1..1]		137

Used in element(s)

["DiscountAppliedAmount" on page 310](#), ["DiscountAppliedAmount" on page 308](#)

5.34.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype ["DiscountAmountType1Choice__1" on page 137](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		137
	Proprietary	<Prtry>	Or}	[1..1]		138

5.34.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 363](#)

5.35 DiscountAmountType1Choice__1

Definition: Specifies the amount type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		137
	Proprietary	<Prtry>	Or}	[1..1]		138

Used in element(s)

["Type" on page 137](#)

5.35.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalDiscountAmountType1Code" on page 385](#)

5.35.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentAmount/DiscountAppliedAmount/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/DiscountAppliedAmount/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.36 DocumentAdjustment1__1

Definition: Set of elements used to provide information on the amount and reason of the document adjustment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		138
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		138
	Reason	<Rsn>		[0..1]		139
	AdditionalInformation	<AddtlInf>		[0..1]		139

Used in element(s)

"AdjustmentAmountAndReason" on page 311, "AdjustmentAmountAndReason" on page 309

5.36.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the document adjustment.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.36.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Specifies whether the adjustment must be subtracted or added to the total amount.

Datatype: "CreditDebitCode" on page 378

5.36.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the adjustment.

Datatype: "CBPR_RestrictedFINXMax4Text_Extended" on page 374

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/AdjustmentAmountAndReason/Reason
Type changed to: CBPR_RestrictedFINXMax4Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentAmount/AdjustmentAmountAndReason/Reason
Type changed to: CBPR_RestrictedFINXMax4Text_Extended on page 374

5.36.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Provides further details on the document adjustment.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/AdjustmentAmountAndReason/AdditionalInformation
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentAmount/AdjustmentAmountAndReason/AdditionalInformation
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.37 DocumentLineIdentification1__1

Definition: Identifies the documents referred to in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		140
	Number	<Nb>		[0..1]	⚠	140
	RelatedDate	<RltdDt>		[0..1]	⚠	140

Used in element(s)

"Identification" on page 141

5.37.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document line identification.

The **Tp** block contains the following elements (see datatype "DocumentLineType1__1" on page 143 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		143
	Issuer	<Issr>		[0..1]	⚠	144

5.37.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Identification of the type specified for the referred document line.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Number

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.37.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document line.

Datatype: "CBPR_Date" on page 368

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/RelatedDate

Type changed to: CBPR_Date on page 368

5.38 DocumentLineInformation1__1

Definition: Provides document line information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		141
	Description	<Desc>		[0..1]		141
	Amount	<Amt>		[0..1]		142

Used in element(s)

"LineDetails" on page 305

5.38.1 Identification

XML Tag: Id

Presence: [1..*]

Definition: Provides identification of the document line.

The **Id** block contains the following elements (see datatype "DocumentLineIdentification1__1" on page 139 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		140
	Number	<Nb>		[0..1]		140
	RelatedDate	<RltdDt>		[0..1]		140

5.38.2 Description

XML Tag: Desc

Presence: [0..1]

Definition: Description associated with the document line.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Description
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.38.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Provides details on the amounts of the document line.

The **Amt** block contains the following elements (see datatype "RemittanceAmount3__1" on page 310 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		310
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		310
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		311
	TaxAmount	<TaxAmt>		[0..*]		311
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		311
	RemittedAmount	<RmtdAmt>		[0..1]		312

5.39 DocumentLineType1Choice__1

Definition: Specifies the type of the document line identification.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		143
	Proprietary	<Prtry>	Or}	[1..1]	⚠	143

Used in element(s)

["CodeOrProprietary" on page 143](#)

5.39.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Line identification type in a coded form.

Datatype: ["ExternalDocumentLineType1Code" on page 386](#)

5.39.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/CodeOrProprietary/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.40 DocumentLineType1__1

Definition: Specifies the type of the document line identification.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		143
	Issuer	<Issr>		[0..1]		144

Used in element(s)

["Type" on page 140](#)

5.40.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document line identification.

The **CdOrPrtry** block contains the following elements (see datatype ["DocumentLineType1Choice__1" on page 142](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		143
	Proprietary	<Prtry>	Or}	[1..1]		143

5.40.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document line identificationtype.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.41 FinancialIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		144
	Proprietary	<Prtry>	Or}	[1..1]		144

Used in element(s)

"SchemeName" on page 173

5.41.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalFinancialInstitutionIdentification1Code" on page 387

5.41.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 399](#)

5.42 FinancialIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

❌ Removed - ❌ Partial Removed - ✦ Ignored - ✦ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		145
	Proprietary	<Prtry>	Or}	[1..1]	⚠️	145

Used in element(s)

["SchemeName" on page 174](#)

5.42.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalFinancialInstitutionIdentification1Code" on page 387](#)

5.42.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.43 FinancialInstitutionIdentification18

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		146
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		146
	LEI	<LEI>		[0..1]		147
	Name	<Nm>		[0..1]		147
	PostalAddress	<PstlAdr>		[0..1]		147
	Other	<Othr>		[0..1]		148

Used in element(s)

"FinancialInstitutionIdentification" on page 31

5.43.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: ["BICFIDec2014Identifier" on page 366](#)

5.43.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype ["ClearingSystemMemberIdentification2" on page 67](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		68
	MemberIdentification	<MmbId>		[1..1]		68

5.43.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 397

5.43.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 398

5.43.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 246 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		247
	Department	<Dept>		[0..1]		248
	SubDepartment	<SubDept>		[0..1]		249
	StreetName	<StrtNm>		[0..1]		250
	BuildingNumber	<BldgNb>		[0..1]		250
	BuildingName	<BldgNm>		[0..1]		251
	Floor	<Flr>		[0..1]		251
	PostBox	<PstBx>		[0..1]		251
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		251

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TownName	<TwnNm>		[0..1]		251
	TownLocationName	<TwnLctnNm>		[0..1]		252
	DistrictName	<DstrctNm>		[0..1]		252
	CountrySubDivision	<CtrySubDvsn>		[0..1]		252
	Country	<Ctry>		[0..1]		252
	AddressLine	<AdrLine>		[0..7]	🚫	252

5.43.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 172 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		173
	SchemeName	<SchmeNm>		[0..1]		173
	Issuer	<Issr>		[0..1]		173

5.44 FinancialInstitutionIdentification18__1

Definition: Specifies the details to identify a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]	M	149
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		149
	LEI	<LEI>		[0..1]		150
	Name	<Nm>		[0..1]	🚫	150
	PostalAddress	<PstlAdr>		[0..1]	🚫	150
	Other	<Othr>		[0..1]	🚫	151

Used in element(s)

["FinancialInstitutionIdentification" on page 32](#)

5.44.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: ["BICFIDec2014Identifier" on page 366](#)

Usage Guideline details

- **on pacs.009.001.08/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.44.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype ["ClearingSystemMemberIdentification2__1" on page 68](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	69
	MemberIdentification	<MmbId>		[1..1]	⚠	71

5.44.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 397

5.44.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 398

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/Name) is removed.

5.44.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 246 for details)

ⓧ Removed - ⓧ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		247
	Department	<Dept>		[0..1]		248
	SubDepartment	<SubDept>		[0..1]		249
	StreetName	<StrtNm>		[0..1]		250
	BuildingNumber	<BldgNb>		[0..1]		250
	BuildingName	<BldgNm>		[0..1]		251
	Floor	<Flr>		[0..1]		251
	PostBox	<PstBx>		[0..1]		251
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		251
	TownName	<TwnNm>		[0..1]		251
	TownLocationName	<TwnLctnNm>		[0..1]		252
	DistrictName	<DstrctNm>		[0..1]		252
	CountrySubDivision	<CtrySubDvsn>		[0..1]		252
	Country	<Ctry>		[0..1]		252
	AddressLine	<AdrLine>		[0..7]		252

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/PostalAddress) is removed.

5.44.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1" on page 172 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		173
	SchemeName	<SchmeNm>		[0..1]		173
	Issuer	<Issr>		[0..1]		173

Usage Guideline details

- This element(pacs.009.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other) is removed.

5.45 FinancialInstitutionIdentification18__2

Definition: Specifies the details to identify a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		153
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		153
	LEI	<LEI>		[0..1]		153
	Name	<Nm>		[0..1]	⚠	153
	PostalAddress	<PstlAdr>		[0..1]	⚠	155

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Other	<Othr>		[0..1]		157

Used in element(s)

"FinancialInstitutionIdentification" on page 34

5.45.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 366

5.45.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 68 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		69
	MemberIdentification	<Mmbld>		[1..1]		71

5.45.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 397

5.45.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.45.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 253 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		254
	Department	<Dept>		[0..1]		256
	SubDepartment	<SubDept>		[0..1]		258
	StreetName	<StrtNm>		[0..1]		261
	BuildingNumber	<BldgNb>		[0..1]		263
	BuildingName	<BldgNm>		[0..1]		265
	Floor	<Flr>		[0..1]		268
	PostBox	<PstBx>		[0..1]		270
	Room	<Room>		[0..1]		272
	PostCode	<PstCd>		[0..1]		275
	TownName	<TwnNm>		[0..1]		277
	TownLocationName	<TwnLctnNm>		[0..1]		282
	DistrictName	<DstrctNm>		[0..1]		284
	CountrySubDivision	<CtrySubDvsn>		[0..1]		286
	Country	<Ctry>		[0..1]		289
	AddressLine	<AdrLine>		[0..7]	R[0..2] R[0..2] R[0..2] R[0..2]	291

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress**
 - **CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.45.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1](#)" on page 172 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		173
	SchemeName	<SchmeNm>		[0..1]		173
	Issuer	<Issr>		[0..1]		173

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/Other) is removed.

5.46 FinancialInstitutionIdentification18__3

Definition: Specifies the details to identify a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		159
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		159

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	LEI	<LEI>		[0..1]		159
	Name	<Nm>		[0..1]		159
	PostalAddress	<PstlAdr>		[0..1]		160
	Other	<Othr>		[0..1]		162

Used in element(s)

"FinancialInstitutionIdentification" on page 41, "FinancialInstitutionIdentification" on page 44

5.46.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 366

5.46.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2__1" on page 68 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]		69
	MemberIdentification	<Mmbld>		[1..1]		71

5.46.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 397

5.46.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 370](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 370](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 370](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 370](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/Name
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 370](#)

5.46.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 253 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]	⊘	254
	Department	<Dept>		[0..1]	⚠	256
	SubDepartment	<SubDept>		[0..1]	⚠	258
	StreetName	<StrtNm>		[0..1]	⚠	261
	BuildingNumber	<BldgNb>		[0..1]	⚠	263
	BuildingName	<BldgNm>		[0..1]	⚠	265
	Floor	<Flr>		[0..1]	⚠	268

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostBox	<PstBx>		[0..1]		270
	Room	<Room>		[0..1]		272
	PostCode	<PstCd>		[0..1]		275
	TownName	<TwnNm>		[0..1]	 	277
	TownLocationName	<TwnLctnNm>		[0..1]		282
	DistrictName	<DstrctNm>		[0..1]		284
	CountrySubDivision	<CtrySubDvsn>		[0..1]		286
	Country	<Ctry>		[0..1]		289
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	291

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.46.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericFinancialIdentification1__1](#)" on [page 173](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		174
	SchemeName	<SchmeNm>		[0..1]		174
	Issuer	<Issr>		[0..1]		175

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/FinancialInstitutionIdentification/Other) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/Other) is removed.

5.47 Garnishment3__1

Definition: Provides remittance information about a payment for garnishment-related purposes.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		163
	Garnishee	<Gmshee>		[0..1]		163

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		164
	ReferenceNumber	<RefNb>		[0..1]	⚠	164
	Date	<Dt>		[0..1]	⚠	164
	RemittedAmount	<RmtdAmt>		[0..1]		165
	FamilyMedicalInsuranceIndicator	<FmlyMdcInsrnclnd>		[0..1]		165
	EmployeeTerminationIndicator	<MplyeeTermntnlnd>		[0..1]		165

Used in element(s)

"GarnishmentRemittance" on page 329

5.47.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of garnishment.

The **Tp** block contains the following elements (see datatype "GarnishmentType1__1" on page 166 for details)

❌ Removed - ⊗ Partial Removed - ♦ Ignored - ⊗ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		167
	Issuer	<Issr>		[0..1]	⚠	167

5.47.2 Garnishee

XML Tag: Grnshee

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the garnisher.

The **Grnshee** block contains the following elements (see datatype "PartyIdentification135__3" on page 226 for details)

❌ Removed - ⊗ Partial Removed - ♦ Ignored - ⊗ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	227
	PostalAddress	<PstlAdr>		[0..1]	⚠	227

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		229
	CountryOfResidence	<CtryOfRes>		[0..1]		229
	ContactDetails	<CtctDtls>		[0..1]		229

5.47.3 GarnishmentAdministrator

XML Tag: GrnshmtAdmstr

Presence: [0..1]

Definition: Party on the credit side of the transaction who administers the garnishment on behalf of the ultimate beneficiary.

The **GrnshmtAdmstr** block contains the following elements (see datatype "[PartyIdentification135_3](#)" on page 226 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		227
	PostalAddress	<PstlAdr>		[0..1]		227
	Identification	<Id>		[0..1]		229
	CountryOfResidence	<CtryOfRes>		[0..1]		229
	ContactDetails	<CtctDtls>		[0..1]		229

5.47.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Reference information that is specific to the agency receiving the garnishment.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 370

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/ReferenceNumber](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 370

5.47.5 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of payment which garnishment was taken from.

Datatype: "CBPR_Date" on page 368

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Date

Type changed to: CBPR_Date on page 368

5.47.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.47.7 FamilyMedicalInsuranceIndicator

XML Tag: FmlyMdclInsrncInd

Presence: [0..1]

Definition: Indicates if the person to whom the garnishment applies (that is, the ultimate debtor) has family medical insurance coverage available.

Datatype: "TrueFalseIndicator" on page 408

5.47.8 EmployeeTerminationIndicator

XML Tag: MplyeeTermntnInd

Presence: [0..1]

Definition: Indicates if the employment of the person to whom the garnishment applies (that is, the ultimate debtor) has been terminated.

Datatype: "TrueFalseIndicator" on page 408

5.48 GarnishmentType1Choice__1

Definition: Specifies the type of garnishment.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		166
	Proprietary	<Prtry>	Or}	[1..1]	⚠	166

Used in element(s)

["CodeOrProprietary" on page 167](#)

5.48.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Garnishment type in a coded form.

Would suggest this to be an External Code List to contain:

GNCS Garnishment from a third party payer for Child Support

GNDP Garnishment from a Direct Payer for Child Support

GTPP Garnishment from a third party payer to taxing agency.

Datatype: ["ExternalGarnishmentType1Code" on page 388](#)

5.48.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of garnishment.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Type/CodeOrProprietary/Proprietary

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.49 GarnishmentType1__1

Definition: Specifies the type of garnishment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		167
	Issuer	<Issr>		[0..1]		167

Used in element(s)

["Type" on page 163](#)

5.49.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the garnishment.

The **CdOrPrtry** block contains the following elements (see datatype "[GarnishmentType1Choice__1](#)" on page 165 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		166
	Proprietary	<Prtry>	Or}	[1..1]		166

5.49.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the garnishment type.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 373

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Type/Issuer](#)
- Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373

5.50 GenericAccountIdentification1

Definition: Information related to a generic account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		167
	SchemeName	<SchmeNm>		[0..1]		168
	Issuer	<Issr>		[0..1]		168

Used in element(s)

"Other" on page 25

5.50.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max34Text" on page 399

5.50.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[AccountSchemeName1Choice](#)" on page 26 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		27

5.50.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 399

5.51 GenericAccountIdentification1__1

Definition: Information related to a generic account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		168
	SchemeName	<SchmeNm>		[0..1]		170
	Issuer	<Issr>		[0..1]		171

Used in element(s)

"Other" on page 26

5.51.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax34Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgentAccount/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgentAccount/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1Account/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAccount/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2Account/Identification/Other/Identification
Type changed to: CBPR_RestrictedFINXMax34Text on page 372

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3Account/Identification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax34Text on page 372](#)

5.51.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[AccountSchemeName1Choice__1](#)" on page 27 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		27
	Proprietary	<Prtry>	Or}	[1..1]		28

5.51.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgentAccount/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2Account/Identification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.52 GenericFinancialIdentification1

Definition: Information related to an identification of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		173
	SchemeName	<SchmeNm>		[0..1]		173
	Issuer	<Issr>		[0..1]		173

Used in element(s)

"Other" on page 151, "Other" on page 157, "Other" on page 148

5.52.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 399

5.52.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "FinancialIdentificationScheme-Name1Choice" on page 144 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		144
	Proprietary	<Prtry>	Or}	[1..1]		144

5.52.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 399

5.53 GenericFinancialIdentification1__1

Definition: Information related to an identification of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		174
	SchemeName	<SchmeNm>		[0..1]		174
	Issuer	<Issr>		[0..1]		175

Used in element(s)

"Other" on page 162

5.53.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/Other/Identification
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.53.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[FinancialInstitutionIdentificationScheme-Name1Choice__1](#)" on page 145 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or}	[1..1]		145
	Proprietary	<Prtry>	Or}	[1..1]		145

5.53.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 372

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/Other/Issuer](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/Other/Issuer](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/Other/Issuer](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/Other/Issuer](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/Other/Issuer](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372

5.54 GenericIdentification30

Definition: Information related to an identification, for example, party identification or account identification.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		176
	Issuer	<Issr>		[1..1]		176
	SchemeName	<SchmeNm>		[0..1]		176

Used in element(s)

"Proprietary" on page 30

5.54.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: "Exact4AlphaNumericText" on page 381

5.54.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 399

5.54.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: "Max35Text" on page 399

5.55 GenericOrganisationIdentification1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		177
	SchemeName	<SchmeNm>		[0..1]		177
	Issuer	<Issr>		[0..1]		177

Used in element(s)

"Other" on page 201

5.55.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max35Text" on page 399

5.55.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice](#)" on page 206 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		206
	Proprietary	<Prtry>	Or}	[1..1]		206

5.55.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 399

5.56 GenericOrganisationIdentification1__1

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		178
	SchemeName	<SchmeNm>		[0..1]		178
	Issuer	<Issr>		[0..1]		179

Used in element(s)

"Other" on page 202

5.56.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.56.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice__1](#)" on page 207 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		207
	Proprietary	<Prtry>	Or}	[1..1]	 	207

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.56.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.57 GenericOrganisationIdentification1__2

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		180
	SchemeName	<SchmeNm>		[0..1]		180
	Issuer	<Issr>		[0..1]		181

Used in element(s)

"Other" on page 204

5.57.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/OrganisationIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.57.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice" on page 206 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		206
	Proprietary	<Prtry>	Or}	[1..1]		206

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.57.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/OrganisationIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.58 GenericOrganisationIdentification1__3

Definition: Information related to an identification of an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		181
	SchemeName	<SchmeNm>		[0..1]		182
	Issuer	<Issr>		[0..1]		183

Used in element(s)

"Other" on page 205

5.58.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.58.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice_2" on page 208 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		208
	Proprietary	<Prtry>	Or}	[1..1]	 	208

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.58.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.59 GenericPersonIdentification1

Definition: Information related to an identification of a person.

 Mandatory -
  Partial Mandatory -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		184
	SchemeName	<SchmeNm>		[0..1]		184
	Issuer	<Issr>		[0..1]		184

Used in element(s)

"Other" on page 238

5.59.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "Max35Text" on page 399

5.59.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[PersonIdentificationScheme-Name1Choice](#)" on page 243 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		243
	Proprietary	<Prtry>	Or}	[1..1]		243

5.59.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 399

5.60 GenericPersonIdentification1__1

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		185
	SchemeName	<SchmeNm>		[0..1]		185
	Issuer	<Issr>		[0..1]		186

Used in element(s)

"Other" on page 239

5.60.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other/Identification
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.60.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationScheme-Name1Choice__1" on page 244 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		244
	Proprietary	<Prtry>	Or}	[1..1]	 	244

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName
This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.60.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other/Issuer

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.61 GenericPersonIdentification1__2

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		187

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SchemeName	<SchmeNm>		[0..1]	M	187
	Issuer	<Issr>		[0..1]	⚠	187

Used in element(s)

"Other" on page 241

5.61.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.61.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationScheme-Name1Choice" on page 243 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		243
	Proprietary	<Prtry>	Or}	[1..1]		243

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.61.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other/Issuer

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.62 GenericPersonIdentification1__3

Definition: Information related to an identification of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		188
	SchemeName	<SchmeNm>		[0..1]		189
	Issuer	<Issr>		[0..1]		190

Used in element(s)

"Other" on page 242

5.62.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Identification

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.62.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "PersonIdentificationSchemeName1Choice__2" on page 245 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		245
	Proprietary	<Prtry>	Or}	[1..1]	 	245

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName

This element is now mandatory, the minimum occurrence has been changed to : 1

5.62.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoice/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Issuer
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.63 GroupHeader93__1

Definition: Set of characteristics shared by all individual transactions included in the message.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]	⚠	191
	CreationDateTime	<CreDtTm>		[1..1]	⚠	191
	BatchBooking	<BtchBookg>		[0..1]	⊘	192
	NumberOfTransactions	<NbOfTx>		[1..1]	⚠	192
	ControlSum	<CtrlSum>		[0..1]	⊘	192
	TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>		[0..1]	⊘	192
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]	⊘	193
	SettlementInformation	<SttlmInf>		[1..1]		193
	PaymentTypeInformation	<PmtTpInf>		[0..1]	⊘	194

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructingAgent	<InstgAgt>		[0..1]		194
	InstructedAgent	<InstdAgt>		[0..1]		195

Rules

R12 TotalInterbankSettlementAmountAndDateRule ✓

If TotalInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00044
- *Error Text:* Invalid message content for group header interbank settlement date.

Used in element(s)

"GroupHeader" on page 21

5.63.1 MessageIdentification

XML Tag: MsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the instructing party, and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that MessageIdentification is unique per instructed party for a pre-agreed period.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/GroupHeader/MessageIdentification
Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.63.2 CreationDateTime

XML Tag: CreDtTm

Presence: [1..1]

Definition: Date and time at which the message was created.

Datatype: "CBPR_DateTime" on page 369

Usage Guideline details

- on pacs.009.001.08/GroupHeader/CreationDateTime

Type changed to: [CBPR_DateTime on page 369](#)

5.63.3 BatchBooking

XML Tag: BtchBookg

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions within the group of a message is requested.

Usage: Batch booking is used to request and not order a possible batch booking.

Datatype: ["BatchBookingIndicator" on page 367](#)

Usage Guideline details

- This element([pacs.009.001.08/GroupHeader/BatchBooking](#)) is removed.

5.63.4 NumberOfTransactions

XML Tag: NbOfTxS

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Datatype: ["Max15NumericText" on page 398](#)

Usage Guideline details

- on [pacs.009.001.08/GroupHeader/NumberOfTransactions](#)
Single value: 1

5.63.5 ControlSum

XML Tag: CtrlSum

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Datatype: ["DecimalNumber" on page 378](#)

Usage Guideline details

- This element([pacs.009.001.08/GroupHeader/ControlSum](#)) is removed.

5.63.6 TotalInterbankSettlementAmount

XML Tag: TtlIntrBkSttlmAmt

Presence: [0..1]

Definition: Total amount of money moved between the instructing agent and the instructed agent.

Datatype: "ActiveCurrencyAndAmount" on page 362

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/TotalInterbankSettlementAmount) is removed.

5.63.7 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: "ISODate" on page 395

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/InterbankSettlementDate) is removed.

5.63.8 SettlementInformation

XML Tag: SttlmInf

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

The **SttlmInf** block contains the following elements (see datatype "SettlementInstruction7__1" on page 316 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementMethod	<SttlmMtd>		[1..1]		319
	SettlementAccount	<SttlmAcct>		[0..1]	⚠	319
	ClearingSystem	<ClrSys>		[0..1]	🚫	320
	InstructingReimbursementAgent	<InstgRmbrsmntAgt>		[0..1]	🚫	321
	InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>		[0..1]	🚫	321
	InstructedReimbursementAgent	<InstdRmbrsmntAgt>		[0..1]	🚫	322
	InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>		[0..1]	🚫	322
	ThirdReimbursementAgent	<ThrdRmbrsmntAgt>		[0..1]	🚫	323

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>		[0..1]		323

5.63.9 PaymentTypeInformation

XML Tag: PmtTpInf

Presence: [0..1]

Definition: Set of elements used to further specify the type of transaction.

The **PmtTpInf** block contains the following elements (see datatype "PaymentTypeInformation28" on page 234 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		234
	ClearingChannel	<ClrChanl>		[0..1]		234
	ServiceLevel	<SvcLvl>		[0..*]		234
	LocalInstrument	<LclInstrm>		[0..1]		235
	CategoryPurpose	<CtgyPurp>		[0..1]		235

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/PaymentTypeInformation) is removed.

5.63.10 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__1" on page 32 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		32

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/InstructingAgent) is removed.

5.63.11 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 32 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		32

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/InstructedAgent) is removed.

5.64 ImplementationSpecification1

Definition: Identifies the implementation specification to which the ISO 20022 message conforms.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		195
	Identification	<Id>		[1..1]		196

Used in element(s)

"MarketPractice" on page 17

5.64.1 Registry

XML Tag: Regy

Presence: [1..1]

Definition: Name of the implementation specification registry in which the implementation specification of the ISO 20022 message is maintained.

For example, "MyStandards".

Datatype: ["Max350Text" on page 399](#)

5.64.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identifier which unambiguously identifies, within the implementation specification registry, the implementation specification to which the ISO 20022 message is compliant. This can be done via a URN. It can also contain a version number or date.

For instance, "2018-01-01 - Version 2" or "urn:uuid:6e8bc430-9c3a-11d9-9669-0800200c9a66".

Datatype: ["Max2048Text" on page 399](#)

5.65 InstructionForCreditorAgent1__1

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the creditor's agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the creditor's agent.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		196
	InstructionInformation	<InstrInf>		[0..1]		196

Used in element(s)

["InstructionForCreditorAgent" on page 125](#)

5.65.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor's agent.

Datatype: ["Instruction3Code" on page 395](#)

Usage Guideline details

- This element([pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/InstructionForCreditorAgent/Code](#)) is removed.

5.65.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the creditor's agent that is bilaterally agreed or specific to a user community.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 369

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InstructionForCreditorAgent/InstructionInformation
Type changed to: CBPR_RestrictedFINXMax140Text on page 369

5.66 InstructionForCreditorAgent2__1

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the creditor's agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the creditor's agent.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]		197
	InstructionInformation	<InstrInf>		[0..1]		197

Used in element(s)

"InstructionForCreditorAgent" on page 98

5.66.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor's agent.

Datatype: "Instruction5Code" on page 396

5.66.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the creditor's agent that is bilaterally agreed or specific to a user community.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 369

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructionForCreditorAgent/InstructionInformation

Type changed to: [CBPR_RestrictedFINXMax140Text](#) on page 369

5.67 InstructionForNextAgent1__1

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by an other agent. The instruction may relate to a level of service, or may be an instruction that has to be executed by the creditor's agent, or may be information required by the other agent.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[0..1]	🚫	198
	InstructionInformation	<InstrInf>		[0..1]	⚠	198

Used in element(s)

"InstructionForNextAgent" on page 99, "InstructionForNextAgent" on page 125

5.67.1 Code

XML Tag: Cd

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the next agent in the payment chain.

Datatype: ["Instruction4Code"](#) on page 396

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/InstructionForNextAgent/Code) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/InstructionForNextAgent/Code) is removed.

5.67.2 InstructionInformation

XML Tag: InstrInf

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the next agent that is bilaterally agreed or specific to a user community.

Datatype: ["CBPR_RestrictedFINXMax35Text"](#) on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/InstructionForNextAgent/InstructionInformation
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InstructionForNextAgent/InstructionInformation
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.68 LocalInstrument2Choice

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		199
	Proprietary	<Prtry>	Or}	[1..1]		199

Used in element(s)

["LocalInstrument" on page 235](#)

5.68.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: ["ExternalLocalInstrument1Code" on page 388](#)

5.68.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: ["Max35Text" on page 399](#)

5.69 LocalInstrument2Choice__1

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		200
	Proprietary	<Prtry>	Or}	[1..1]		200

Used in element(s)

"LocalInstrument" on page 237

5.69.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: "ExternalLocalInstrument1Code" on page 388

5.69.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/LocalInstrument/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.70 OrganisationIdentification29

Definition: Unique and unambiguous way to identify an organisation.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		201
	LEI	<LEI>		[0..1]		201
	Other	<Othr>		[0..*]		201

Used in element(s)

"OrganisationIdentification" on page 210

5.70.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: ["AnyBICDec2014Identifier" on page 366](#)

Usage Guideline details

- This element([pacs.009.001.08/.header/From/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC](#)) is removed.
- This element([pacs.009.001.08/.header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC](#)) is removed.

5.70.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: ["LEIIdentifier" on page 397](#)

Usage Guideline details

- This element([pacs.009.001.08/.header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/LEI](#)) is removed.

5.70.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype ["GenericOrganisationIdentification1" on page 176](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		177
	SchemeName	<SchmeNm>		[0..1]		177
	Issuer	<Issr>		[0..1]		177

Usage Guideline details

- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/Identification/OrganisationIdentification/Other) is removed.

5.71 OrganisationIdentification29__1

Definition: Unique and unambiguous way to identify an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		202
	LEI	<LEI>		[0..1]		202
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	202

Used in element(s)

["OrganisationIdentification" on page 212](#)

5.71.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: ["AnyBICDec2014Identifier" on page 366](#)

5.71.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: ["LEIIdentifier" on page 397](#)

5.71.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericOrganisationIdentification1__1](#)" on page 177 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	178
	SchemeName	<SchmeNm>		[0..1]	M	178
	Issuer	<Issr>		[0..1]	⚠	179

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2

5.72 OrganisationIdentification29__2

Definition: Unique and unambiguous way to identify an organisation.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		204
	LEI	<LEI>		[0..1]		204
	Other	<Othr>		[0..*]	R[0..2]	204

Used in element(s)

"[OrganisationIdentification](#)" on page 213

5.72.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: ["AnyBICDec2014Identifier" on page 366](#)

5.72.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: ["LEIIdentifier" on page 397](#)

5.72.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype ["GenericOrganisationIdentification1__2" on page 179](#) for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	180
	SchemeName	<SchmeNm>		[0..1]	M	180
	Issuer	<Issr>		[0..1]	⚠	181

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.73 OrganisationIdentification29__3

Definition: Unique and unambiguous way to identify an organisation.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		205
	LEI	<LEI>		[0..1]		205
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	205

Used in element(s)

"OrganisationIdentification" on page 214

5.73.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "AnyBICDec2014Identifier" on page 366

5.73.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "LEIIdentifier" on page 397

5.73.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericOrganisationIdentification1_3" on page 181 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		181
	SchemeName	<SchmeNm>		[0..1]		182
	Issuer	<Issr>		[0..1]		183

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.74 OrganisationIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		206
	Proprietary	<Prtry>	Or}	[1..1]	⊘	206

Used in element(s)

"SchemeName" on page 180, "SchemeName" on page 177

5.74.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 389

5.74.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 399

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/Debtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.

5.75 OrganisationIdentificationScheme-Name1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		207
	Proprietary	<Prtry>	Or}	[1..1]	 	207

Used in element(s)

"SchemeName" on page 178

5.75.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 389

5.75.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other/Scheme-Name/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other/Scheme-Name/Proprietary) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.76 OrganisationIdentificationScheme-Name1Choice__2

Definition: Sets of elements to identify a name of the organisation identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		208
	Proprietary	<Prtry>	Or}	[1..1]	 	208

Used in element(s)

["SchemeName" on page 182](#)

5.76.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalOrganisationIdentification1Code" on page 389](#)

5.76.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary) is removed.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.77 OtherContact1

Definition: Communication device number or electronic address used for communication.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		210
	Identification	<Id>		[0..1]		210

Used in element(s)

"Other" on page 76

5.77.1 ChannelType

XML Tag: ChanlTp

Presence: [1..1]

Definition: Method used to contact the financial institution's contact for the specific tax region.

Datatype: "Max4Text" on page 400

5.77.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Communication value such as phone number or email address.

Datatype: "Max128Text" on page 397

5.78 Party38Choice

Definition: Nature or use of the account.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		210
	PrivateIdentification	<PrvtId>	Or}	[1..1]	🚫	211

Used in element(s)

"Identification" on page 218

5.78.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29" on page 200 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		201
	LEI	<LEI>		[0..1]		201
	Other	<Othr>		[0..*]		201

5.78.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "[PersonIdentification13](#)" on page 237 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		238
	Other	<Othr>		[0..*]		238

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/Identification/PrivateIdentification) is removed.

5.79 Party38Choice__1

Definition: Nature or use of the account.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		212

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PrivateIdentification	<PrvtId>	Or}	[1..1]		212

Used in element(s)

"Identification" on page 222

5.79.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__1" on page 202 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		202
	LEI	<LEI>		[0..1]		202
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	202

5.79.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__1" on page 239 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		239
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	239

5.80 Party38Choice__2

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		213
	PrivateIdentification	<PrvtId>	Or}	[1..1]		213

Used in element(s)

"Identification" on page 225

5.80.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__2" on page 203 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		204
	LEI	<LEI>		[0..1]		204
	Other	<Othr>		[0..*]	R[0..2]	204

5.80.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__2" on page 240 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		240
	Other	<Othr>		[0..*]	R[0..2]	241

5.81 Party38Choice__3

Definition: Nature or use of the account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		214
	PrivateIdentification	<PrvtId>	Or}	[1..1]		214

Used in element(s)

"Identification" on page 229

5.81.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29__3" on page 204 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		205
	LEI	<LEI>		[0..1]		205
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	205

5.81.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13__3" on page 241 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		242
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	242

5.82 Party44Choice__1

Definition: Identification of a person, an organisation or a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	215
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		215

Used in element(s)

"From" on page 15, "From" on page 50, "To" on page 16, "To" on page 51

5.82.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **OrgId** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 216 for details)

🚫 Removed - 🚫 Partial Removed - ✦ Ignored - ✦ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	🚫	216
	PostalAddress	<PstAdr>		[0..1]	🚫	216
	Identification	<Id>		[0..1]	🚫	218
	CountryOfResidence	<CtryOfRes>		[0..1]	🚫	218
	ContactDetails	<CtctDtls>		[0..1]	🚫	219

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification) is removed.

5.82.2 FinancialInstitutionIdentification

XML Tag: FIId

Presence: [1..1]

Definition: Identification of a financial institution.

The **FIId** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6__1](#)" on page 32 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		32
	BranchIdentification	<BrnchId>		[0..1]		32

5.83 PartyIdentification135

Definition: Specifies the identification of a person or an organisation.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		216
	PostalAddress	<PstlAdr>		[0..1]		216
	Identification	<Id>		[0..1]		218
	CountryOfResidence	<CtryOfRes>		[0..1]		218
	ContactDetails	<CtctDtls>		[0..1]		219

Used in element(s)

"OrganisationIdentification" on page 215

5.83.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "Max140Text" on page 398

Usage Guideline details

- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/Name) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/Name) is removed.

5.83.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 246 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		247
	Department	<Dept>		[0..1]		248
	SubDepartment	<SubDept>		[0..1]		249
	StreetName	<StrtNm>		[0..1]		250
	BuildingNumber	<BldgNb>		[0..1]		250
	BuildingName	<BldgNm>		[0..1]		251
	Floor	<Flr>		[0..1]		251
	PostBox	<PstBx>		[0..1]		251
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		251
	TownName	<TwnNm>		[0..1]		251
	TownLocationName	<TwnLctnNm>		[0..1]		252
	DistrictName	<DstrctNm>		[0..1]		252
	CountrySubDivision	<CtrySubDvsn>		[0..1]		252
	Country	<Ctry>		[0..1]		252
	AddressLine	<AdrLine>		[0..7]		252

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification/PostalAddress) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/PostalAddress) is removed.

5.83.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice" on page 210 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		210
	PrivateIdentification	<PrvtId>	Or}	[1..1]	🚫	211

Usage Guideline details

- This element(pacs.009.001.08/.header/From/OrganisationIdentification/Identification) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/Identification) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/Identification) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/Identification) is removed.

5.83.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 377

Usage Guideline details

- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/CountryOfResidence) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/CountryOfResidence) is removed.
- This element(pacs.009.001.08/.header/From/OrganisationIdentification/CountryOfResidence) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/CountryOfResidence) is removed.

5.83.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 74 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		74
	Name	<Nm>		[0..1]		74
	PhoneNumber	<PhneNb>		[0..1]		74
	MobileNumber	<MobNb>		[0..1]		75
	FaxNumber	<FaxNb>		[0..1]		75
	EmailAddress	<EmailAdr>		[0..1]		75
	EmailPurpose	<EmailPurp>		[0..1]		75
	JobTitle	<JobTitl>		[0..1]		75
	Responsibility	<Rspnsblty>		[0..1]		75
	Department	<Dept>		[0..1]		76
	Other	<Othr>		[0..*]		76
	PreferredMethod	<PrefrdMtd>		[0..1]		76

Usage Guideline details

- This element(pacs.009.001.08/.header/From/OrganisationIdentification/ContactDetails) is removed.
- This element(pacs.009.001.08/.header/Related/From/OrganisationIdentification/ContactDetails) is removed.
- This element(pacs.009.001.08/.header/Related/To/OrganisationIdentification/ContactDetails) is removed.
- This element(pacs.009.001.08/.header/To/OrganisationIdentification/ContactDetails) is removed.

5.84 PartyIdentification135__1

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		220
	PostalAddress	<PstlAdr>		[0..1]		220
	Identification	<Id>		[0..1]		222
	CountryOfResidence	<CtryOfRes>		[0..1]		222
	ContactDetails	<CtctDtls>		[0..1]		222

Used in element(s)

"Creditor" on page 121, "InitiatingParty" on page 107, "UltimateCreditor" on page 123, "UltimateDebtor" on page 105

5.84.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.84.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 253 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		254
	Department	<Dept>		[0..1]		256
	SubDepartment	<SubDept>		[0..1]		258
	StreetName	<StrtNm>		[0..1]		261
	BuildingNumber	<BldgNb>		[0..1]		263
	BuildingName	<BldgNm>		[0..1]		265
	Floor	<Flr>		[0..1]		268
	PostBox	<PstBx>		[0..1]		270
	Room	<Room>		[0..1]		272
	PostCode	<PstCd>		[0..1]		275
	TownName	<TwnNm>		[0..1]		277
	TownLocationName	<TwnLctnNm>		[0..1]		282
	DistrictName	<DstrctNm>		[0..1]		284
	CountrySubDivision	<CtrySubDvsn>		[0..1]		286
	Country	<Ctry>		[0..1]		289
	AddressLine	<AdrLine>		[0..7]	R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	291

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress**
 - CBPR_Duplication_Postal_Address_TextualRule:**

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.84.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__1](#)" on page 211 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		212
	PrivateIdentification	<PrvtId>	Or}	[1..1]		212

5.84.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 377

5.84.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 74 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		74
	Name	<Nm>		[0..1]		74

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PhoneNumber	<PhneNb>		[0..1]		74
	MobileNumber	<MobNb>		[0..1]		75
	FaxNumber	<FaxNb>		[0..1]		75
	EmailAddress	<EmailAdr>		[0..1]		75
	EmailPurpose	<EmailPurp>		[0..1]		75
	JobTitle	<JobTitl>		[0..1]		75
	Responsibility	<Rspnsblty>		[0..1]		75
	Department	<Dept>		[0..1]		76
	Other	<Othr>		[0..*]		76
	PreferredMethod	<PrefrdMtd>		[0..1]		76

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/InitiatingParty/ContactDetails) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/UltimateCreditor/ContactDetails) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/UltimateDebtor/ContactDetails) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/Creditor/ContactDetails) is removed.

5.85 PartyIdentification135__2

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		224
	PostalAddress	<PstlAdr>		[0..1]		224
	Identification	<Id>		[0..1]		225
	CountryOfResidence	<CtryOfRes>		[0..1]		225
	ContactDetails	<CtctDtls>		[0..1]		225

Used in element(s)

"Debtor" on page 107

5.85.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.85.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 253 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		254
	Department	<Dept>		[0..1]		256
	SubDepartment	<SubDept>		[0..1]		258
	StreetName	<StrtNm>		[0..1]		261
	BuildingNumber	<BldgNb>		[0..1]		263
	BuildingName	<BldgNm>		[0..1]		265
	Floor	<Flr>		[0..1]		268
	PostBox	<PstBx>		[0..1]		270
	Room	<Room>		[0..1]		272
	PostCode	<PstCd>		[0..1]		275
	TownName	<TwnNm>		[0..1]	 	277
	TownLocationName	<TwnLctnNm>		[0..1]		282

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DistrictName	<DstrctNm>		[0..1]		284
	CountrySubDivision	<CtrySubDvsn>		[0..1]		286
	Country	<Ctry>		[0..1]		289
	AddressLine	<AdrLine>		[0..7]	 R[0..2]	291

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress

– CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.85.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice__2" on page 212 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		213
	PrivateIdentification	<PrvtId>	Or}	[1..1]		213

5.85.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 377

5.85.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4" on page 74 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		74
	Name	<Nm>		[0..1]		74
	PhoneNumber	<PhneNb>		[0..1]		74
	MobileNumber	<MobNb>		[0..1]		75
	FaxNumber	<FaxNb>		[0..1]		75
	EmailAddress	<EmailAdr>		[0..1]		75
	EmailPurpose	<EmailPurp>		[0..1]		75
	JobTitle	<JobTitl>		[0..1]		75
	Responsibility	<Rspnsblty>		[0..1]		75
	Department	<Dept>		[0..1]		76
	Other	<Othr>		[0..*]		76
	PreferredMethod	<PrefrdMtd>		[0..1]		76

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/Debtor/ContactDetails) is removed.

5.86 PartyIdentification135__3

Definition: Specifies the identification of a person or an organisation.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		227
	PostalAddress	<PstlAdr>		[0..1]		227
	Identification	<Id>		[0..1]		229
	CountryOfResidence	<CtryOfRes>		[0..1]		229
	ContactDetails	<CtctDtls>		[0..1]		229

Used in element(s)

"Garnishee" on page 163, "GarnishmentAdministrator" on page 164, "Invoicee" on page 328, "Invoicer" on page 327

5.86.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Name
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.86.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 253 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]	⊘	254
	Department	<Dept>		[0..1]	▲	256
	SubDepartment	<SubDept>		[0..1]	▲	258
	StreetName	<StrtNm>		[0..1]	▲	261

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BuildingNumber	<BldgNb>		[0..1]		263
	BuildingName	<BldgNm>		[0..1]		265
	Floor	<Flr>		[0..1]		268
	PostBox	<PstBx>		[0..1]		270
	Room	<Room>		[0..1]		272
	PostCode	<PstCd>		[0..1]		275
	TownName	<TwnNm>		[0..1]	 	277
	TownLocationName	<TwnLctnNm>		[0..1]		282
	DistrictName	<DstrctNm>		[0..1]		284
	CountrySubDivision	<CtrySubDvsn>		[0..1]		286
	Country	<Ctry>		[0..1]		289
	AddressLine	<AdrLine>		[0..7]	 R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	290

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress

- CBPR_Duplication_Postal_Address_TextualRule:

Data present in structured elements within the Postal Address must not, under any circumstances be repeated in AddressLine.

5.86.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice__3](#)" on page 213 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		214
	PrivateIdentification	<PrvtId>	Or}	[1..1]		214

5.86.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 377

5.86.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 74 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		74
	Name	<Nm>		[0..1]		74
	PhoneNumber	<PhneNb>		[0..1]		74
	MobileNumber	<MobNb>		[0..1]		75
	FaxNumber	<FaxNb>		[0..1]		75
	EmailAddress	<EmailAdr>		[0..1]		75
	EmailPurpose	<EmailPurp>		[0..1]		75
	JobTitle	<JobTitl>		[0..1]		75

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Responsibility	<Rspnsblty>		[0..1]		75
	Department	<Dept>		[0..1]		76
	Other	<Othr>		[0..*]		76
	PreferredMethod	<PrefrdMtd>		[0..1]		76

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/Invoicee/ContactDetails) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/Invoicer/ContactDetails) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails) is removed.

5.87 PaymentIdentification7__1

Definition: Provides further means of referencing a payment transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionIdentification	<InstrId>		[0..1]	 	231
	EndToEndIdentification	<EndToEndId>		[1..1]		231
	TransactionIdentification	<TxId>		[0..1]		232
	UETR	<UETR>		[0..1]	 	233
	ClearingSystemReference	<ClrSysRef>		[0..1]		233

Rules

R40 TransactionIdentificationPresenceRule

TransactionIdentification or UETR must be present. Both may be present

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00420

- *Error Text:* No transaction identification is present

Used in element(s)

"PaymentIdentification" on page 80

5.87.1 InstructionIdentification

XML Tag: InstrId

Presence: [0..1]

Definition: Unique identification, as assigned by an instructing party for an instructed party, to unambiguously identify the instruction.

Usage: The instruction identification is a point to point reference that can be used between the instructing party and the instructed party to refer to the individual instruction. It can be included in several messages related to the instruction.

Datatype: "CBPR_RestrictedFINXMax16Text" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification

Type changed to: CBPR_RestrictedFINXMax16Text on page 370

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification

Synonym (Transaction Reference Number): 20

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification

– **CBPR_Instruction_Identification_FormalRule:**

This element must not start or end with a slash '/' and must not contain two consecutive slashes '//'.

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification],
the value of every occurrence of [InstructionIdentification] must not comply with the following XML pattern : '(/*.)|(/*/)|(/*//.*)'

5.87.2 EndToEndIdentification

XML Tag: EndToEndId

Presence: [1..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Usage: The end-to-end identification can be used for reconciliation or to link tasks relating to the transaction. It can be included in several messages related to the transaction.

Usage: In case there are technical limitations to pass on multiple references, the end-to-end identification must be passed on throughout the entire end-to-end chain.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on **pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification**

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

- on **pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification**

- **CBPR_E2E_COV_TextualRule:**

In the pacs.009 COV, the E2E identification should transport the instruction identification of the underlying pacs.008.

- on **pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification**

- **CBPR_End_To_End_Identification_FormalRule:**

In the E2E identification, the below restrictions apply to the first 16 characters:

- The first one and the 16th one cannot be "/" and
- The string of 16 characters cannot contain "/"

For each [Full Message/Document/FinancialInstitutionCreditTransferV08/CreditTransferTransactionInformation/PaymentIdentification/EndToEndIdentification], the value of every occurrence of [EndToEndIdentification] must not comply with the following XML pattern : `'/.*'` and the value of every occurrence of [EndToEndIdentification] must not comply with the following XML pattern : `'.{15}/.*'` and the value of every occurrence of [EndToEndIdentification] must not comply with the following XML pattern : `'.{0,14}/.*'`

5.87.3 TransactionIdentification

XML Tag: TxId

Presence: [0..1]

Definition: Unique identification, as assigned by the first instructing agent, to unambiguously identify the transaction that is passed on, unchanged, throughout the entire interbank chain.

Usage: The transaction identification can be used for reconciliation, tracking or to link tasks relating to the transaction on the interbank level.

Usage: The instructing agent has to make sure that the transaction identification is unique for a pre-agreed period.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/TransactionIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.87.4 UETR

XML Tag: UETR

Presence: [0..1]

Definition: Universally unique identifier to provide an end-to-end reference of a payment transaction.

Datatype: ["UUIDv4Identifier" on page 408](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/UETR](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

- on [pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/UETR](#)

– **CBPR_UETR_COV_TextualRule:**

In the [pacs.009 COV](#), the UETR should transport the UETR of the underlying [pacs.008](#).

5.87.5 ClearingSystemReference

XML Tag: ClrSysRef

Presence: [0..1]

Definition: Unique reference, as assigned by a clearing system, to unambiguously identify the instruction.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/PaymentIdentification/ClearingSystemReference](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.88 PaymentTypeInformation28

Definition: Provides further details of the type of payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		234
	ClearingChannel	<ClrChanl>		[0..1]		234
	ServiceLevel	<SvcLvl>		[0..*]		234
	LocalInstrument	<LclInstrm>		[0..1]		235
	CategoryPurpose	<CtgyPurp>		[0..1]		235

Used in element(s)

"PaymentTypeInformation" on page 194

5.88.1 InstructionPriority

XML Tag: InstrPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Datatype: "Priority2Code" on page 403

5.88.2 ClearingChannel

XML Tag: ClrChanl

Presence: [0..1]

Definition: Specifies the clearing channel to be used to process the payment instruction.

Datatype: "ClearingChannel2Code" on page 375

5.88.3 ServiceLevel

XML Tag: SvcLvl

Presence: [0..*]

Definition: Agreement under which or rules under which the transaction should be processed.

The **SvcLvl** block contains the following elements (see datatype "ServiceLevel8Choice" on page 314 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		314
	Proprietary	<Prtry>	Or}	[1..1]		314

5.88.4 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype "[LocalInstrument2Choice](#)" on page 199 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		199
	Proprietary	<Prtry>	Or}	[1..1]		199

5.88.5 CategoryPurpose

XML Tag: Ctgypurp

Presence: [0..1]

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

The **Ctgypurp** block contains the following elements (see datatype "[CategoryPurpose1Choice](#)" on page 63 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		63
	Proprietary	<Prtry>	Or}	[1..1]		63

5.89 PaymentTypeInformation28__1

Definition: Provides further details of the type of payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructionPriority	<InstrPrty>		[0..1]		236
	ClearingChannel	<ClrChanl>		[0..1]		236
	ServiceLevel	<SvcLvl>		[0..*]	R[0..3]	236
	LocalInstrument	<LclInstrm>		[0..1]		237
	CategoryPurpose	<CtgyPurp>		[0..1]		237

Used in element(s)

"PaymentTypeInformation" on page 81

5.89.1 InstructionPriority

XML Tag: InstrPrty

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Datatype: "Priority2Code" on page 403

5.89.2 ClearingChannel

XML Tag: ClrChanl

Presence: [0..1]

Definition: Specifies the clearing channel to be used to process the payment instruction.

Datatype: "ClearingChannel2Code" on page 375

5.89.3 ServiceLevel

XML Tag: SvcLvl

Presence: [0..*]

Definition: Agreement under which or rules under which the transaction should be processed.

The **SvcLvl** block contains the following elements (see datatype "ServiceLevel8Choice__1" on page 315 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		315
	Proprietary	<Prtry>	Or}	[1..1]		315

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel

This element has change repeatability, the maximum occurrence has been changed to : 3

5.89.4 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype "[LocalInstrument2Choice__1](#)" on [page 199](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		200
	Proprietary	<Prtry>	Or}	[1..1]		200

5.89.5 CategoryPurpose

XML Tag: Ctgypurp

Presence: [0..1]

Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.

Usage: This is used by the initiating party to provide information concerning the processing of the payment. It is likely to trigger special processing by any of the agents involved in the payment chain.

The **Ctgypurp** block contains the following elements (see datatype "[CategoryPurpose1Choice__1](#)" on [page 63](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		64
	Proprietary	<Prtry>	Or}	[1..1]		64

5.90 PersonIdentification13

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		238
	Other	<Othr>		[0..*]		238

Used in element(s)

"PrivateIdentification" on page 211

5.90.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1" on page 130 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		130
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		131
	CityOfBirth	<CityOfBirth>		[1..1]		131
	CountryOfBirth	<CtryOfBirth>		[1..1]		131

5.90.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1" on page 183 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		184
	SchemeName	<SchmeNm>		[0..1]		184
	Issuer	<Issr>		[0..1]		184

5.91 PersonIdentification13__1

Definition: Unique and unambiguous way to identify a person.

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		239
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	239

Used in element(s)

"PrivateIdentification" on page 212

5.91.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1__1](#)" on page 131 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]	⚠	131
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]	⚠	132
	CityOfBirth	<CityOfBirth>		[1..1]	⚠	133
	CountryOfBirth	<CtryOfBirth>		[1..1]		134

5.91.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1__1](#)" on page 184 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	185

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SchemeName	<SchmeNm>		[0..1]	M	185
	Issuer	<Issr>		[0..1]	⚠	186

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/PrivateIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2

5.92 PersonIdentification13__2

Definition: Unique and unambiguous way to identify a person.

❌ Removed - ❌ Partial Removed - ◆ Ignored - ◆ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		240
	Other	<Othr>		[0..*]	R[0..2]	241

Used in element(s)

"PrivateIdentification" on page 213

5.92.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 131 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		131
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		132
	CityOfBirth	<CityOfBirth>		[1..1]		133
	CountryOfBirth	<CtryOfBirth>		[1..1]		134

5.92.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__2" on page 186 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		187
	SchemeName	<SchmeNm>		[0..1]		187
	Issuer	<Issr>		[0..1]		187

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

5.93 PersonIdentification13__3

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		242
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	242

Used in element(s)

"PrivateIdentification" on page 214

5.93.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 131 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		131
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		132
	CityOfBirth	<CityOfBirth>		[1..1]		133
	CountryOfBirth	<CtrtyOfBirth>		[1..1]		134

5.93.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__3" on page 188 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		188
	SchemeName	<SchmeNm>		[0..1]		189
	Issuer	<Issr>		[0..1]		190

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other

This element has change repeatability, the maximum occurrence has been changed to : 2

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2

5.94 PersonIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		243
	Proprietary	<Prtry>	Or}	[1..1]		243

Used in element(s)

"SchemeName" on page 187, "SchemeName" on page 184

5.94.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalPersonIdentification1Code" on page 390

5.94.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 399

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/Debtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.

5.95 PersonIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		244
	Proprietary	<Prtry>	Or}	[1..1]	 	244

Used in element(s)

"SchemeName" on page 185

5.95.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalPersonIdentification1Code" on page 390

5.95.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/Creditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.

- This element([pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)) is removed.
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 372

5.96 PersonIdentificationSchemeName1Choice__2

Definition: Sets of elements to identify a name of the identification scheme.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		245
	Proprietary	<Prtry>	Or}	[1..1]	 	245

Used in element(s)

["SchemeName" on page 189](#)

5.96.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 390](#)

5.96.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName/Proprietary) is removed.
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.97 PostalAddress24

Definition: Information that locates and identifies a specific address, as defined by postal services.

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		247
	Department	<Dept>		[0..1]		248
	SubDepartment	<SubDept>		[0..1]		249
	StreetName	<StrtNm>		[0..1]		250

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BuildingNumber	<BldgNb>		[0..1]		250
	BuildingName	<BldgNm>		[0..1]		251
	Floor	<Flr>		[0..1]		251
	PostBox	<PstBx>		[0..1]		251
	Room	<Room>		[0..1]		251
	PostCode	<PstCd>		[0..1]		251
	TownName	<TwnNm>		[0..1]		251
	TownLocationName	<TwnLctnNm>		[0..1]		252
	DistrictName	<DstrctNm>		[0..1]		252
	CountrySubDivision	<CtrySubDvsn>		[0..1]		252
	Country	<Ctry>		[0..1]		252
	AddressLine	<AdrLine>		[0..7]		252

Used in element(s)

"PostalAddress" on page 150, "PostalAddress" on page 49, "PostalAddress" on page 47,
 "PostalAddress" on page 147, "PostalAddress" on page 216

5.97.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 29 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		30
	Proprietary	<Prtry>	Or}	[1..1]		30

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursement-Agent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent2/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursement-Agent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursement-Agent/BranchIdentification/PostalAddress/AddressType) is removed.

5.97.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "Max70Text" on page 400

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursement-Agent/FinancialInstitutionIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursement-Agent/FinancialInstitutionIdentification/PostalAddress/Department) is removed.

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent2/BranchIdentification/PostalAddress/Department) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/BranchIdentification/PostalAddress/Department) is removed.

5.97.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "Max70Text" on page 400

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent2/BranchIdentification/PostalAddress/SubDepartment) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification/PostalAddress/SubDepartment) is removed.

5.97.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: "Max70Text" on page 400

5.97.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "Max16Text" on page 398

5.97.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "Max35Text" on page 399

5.97.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: "Max70Text" on page 400

5.97.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: "Max16Text" on page 398

5.97.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: "Max70Text" on page 400

5.97.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: "Max16Text" on page 398

5.97.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "Max35Text" on page 399

5.97.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: "Max35Text" on page 399

5.97.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "Max35Text" on page 399

5.97.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: "Max35Text" on page 399

5.97.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 377

5.97.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "Max70Text" on page 400

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/BranchIdentification/PostalAddress/AddressLine) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent2/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine) is removed.
- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent/BranchIdentification/PostalAddress/AddressLine) is removed.

5.98 PostalAddress24__1

Definition: Information that locates and identifies a specific address, as defined by postal services.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		254
	Department	<Dept>		[0..1]		256
	SubDepartment	<SubDept>		[0..1]		258
	StreetName	<StrtNm>		[0..1]		261
	BuildingNumber	<BldgNb>		[0..1]		263
	BuildingName	<BldgNm>		[0..1]		265

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Floor	<Flr>		[0..1]		268
	PostBox	<PstBx>		[0..1]		270
	Room	<Room>		[0..1]		272
	PostCode	<PstCd>		[0..1]		275
	TownName	<TwnNm>		[0..1]		277
	TownLocationName	<TwnLctnNm>		[0..1]		282
	DistrictName	<DstrctNm>		[0..1]		284
	CountrySubDivision	<CtrySubDvsn>		[0..1]		286
	Country	<Ctry>		[0..1]		289
	AddressLine	<AdrLine>		[0..7]	R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2] R[0..2]	290

Used in element(s)

"PostalAddress" on page 155, "PostalAddress" on page 220, "PostalAddress" on page 224, "PostalAddress" on page 160, "PostalAddress" on page 227

5.98.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice" on page 29 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		30
	Proprietary	<Prtry>	Or}	[1..1]		30

Usage Guideline details

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/UltimateDebtor/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/InitiatingParty/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomer-CreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.

- This element(pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/AddressType) is removed.
- This element(pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType) is removed.

5.98.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 374

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/Department
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374

5.98.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 374

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/SubDepartment
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/SubDepartment

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374

5.98.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 374

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/StreetName
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

5.98.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 371](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/BuildingNumber

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber
Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 371

5.98.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373

5.98.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended"](#) on page 374

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Floor
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Floor

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

5.98.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 371](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

5.98.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 374

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/Room
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/Room

Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/Room
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended](#) on page 374

5.98.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended"](#) on page 371

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/PostCode
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended](#) on page 371
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 371](#)

5.98.11 TownName

XML Tag: TwNnm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/TownName

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/TownName

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/TownName**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/TownName

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.98.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownLocationName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373

5.98.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.98.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/CountrySubDivision

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.98.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 377

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Country

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/Country**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.98.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 374

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374
- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 374

- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateDebtor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Debtor/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/Creditor/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Creditor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/UltimateCreditor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/InitiatingParty/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Debtor/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 374](#)

5.99 ProxyAccountIdentification1

Definition: Information related to a proxy identification of the account.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		296
	Identification	<Id>		[1..1]		296

Used in element(s)

"Proxy" on page 56

5.99.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice" on page 300 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		301
	Proprietary	<Prtry>	Or}	[1..1]		301

5.99.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "Max2048Text" on page 399

5.100 ProxyAccountIdentification1__1

Definition: Information related to a proxy identification of the account.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		297
	Identification	<Id>		[1..1]		298

Used in element(s)

"Proxy" on page 59

5.100.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype "ProxyAccountType1Choice__1" on page 301 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		301
	Proprietary	<Prtry>	Or}	[1..1]		301

Usage Guideline details

- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1

- **on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3Account/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgentAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAccount/Proxy/Type**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.100.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.

Datatype: "CBPR_RestrictedFINXMax320Text_Extended" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Identification
Type changed to: [CBPR_RestrictedFINXMax320Text_Extended on page 372](#)

5.101 ProxyAccountType1Choice

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		301

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		301

Used in element(s)

"Type" on page 296

5.101.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalProxyAccountType1Code" on page 391

5.101.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 399

5.102 ProxyAccountType1Choice__1

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		301
	Proprietary	<Prtry>	Or}	[1..1]		301

Used in element(s)

"Type" on page 297

5.102.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalProxyAccountType1Code" on page 391

5.102.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAccount/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent3Account/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent1Account/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent1Account/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent2Account/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAccount/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent1Account/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent2Account/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent3Account/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent3Account/Proxy/Type/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372

- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/PreviousInstructingAgent2Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/DebtorAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/IntermediaryAgent1Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/CreditorAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/PreviousInstructingAgent2Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/DebtorAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/IntermediaryAgent3Account/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)
- on pacs.009.001.08/CreditTransferTransactionInformation/CreditorAgentAccount/Proxy/Type/Proprietary
Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.103 Purpose2Choice__1

Definition: Specifies the underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		304
	Proprietary	<Prtry>	Or}	[1..1]		304

Used in element(s)

"Purpose" on page 99

5.103.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Underlying reason for the payment transaction, as published in an external purpose code list.

Datatype: "ExternalPurpose1Code" on page 391

5.103.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Purpose, in a proprietary form.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/Purpose/Proprietary
Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.104 ReferredDocumentInformation7__1

Definition: Set of elements used to identify the documents referred to in the remittance information.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		305
	Number	<Nb>		[0..1]		305
	RelatedDate	<RltdDt>		[0..1]		305
	LineDetails	<LineDtls>		[0..*]		305

Used in element(s)

"ReferredDocumentInformation" on page 326

5.104.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document.

The **Tp** block contains the following elements (see datatype "[ReferredDocumentType4__1](#)" on page 307 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		307
	Issuer	<Issr>		[0..1]		307

5.104.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Unique and unambiguous identification of the referred document.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 373

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/Number](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 373

5.104.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document.

Datatype: "[CBPR_Date](#)" on page 368

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/RelatedDate](#)

Type changed to: [CBPR_Date](#) on page 368

5.104.4 LineDetails

XML Tag: LineDtls

Presence: [0..*]

Definition: Set of elements used to provide the content of the referred document line.

The **LineDtls** block contains the following elements (see datatype "[DocumentLineInformation1__1](#)" on page 141 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		141
	Description	<Desc>		[0..1]	⚠	141
	Amount	<Amt>		[0..1]		142

5.105 ReferredDocumentType3Choice__1

Definition: Specifies the type of the document referred in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		306
	Proprietary	<Prtry>	Or}	[1..1]	⚠	306

Used in element(s)

"[CodeOrProprietary](#)" on page 307

5.105.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Document type in a coded form.

Datatype: "[DocumentType6Code](#)" on page 379

5.105.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/Type/CodeOrProprietary/Proprietary

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.106 ReferredDocumentType4__1

Definition: Specifies the type of the document referred in the remittance information.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		307
	Issuer	<Issr>		[0..1]		307

Used in element(s)

"Type" on page 305

5.106.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document.

The **CdOrPrtry** block contains the following elements (see datatype "ReferredDocumentType3Choice__1" on page 306 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		306
	Proprietary	<Prtry>	Or}	[1..1]		306

5.106.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/Type/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.107 RemittanceAmount2__1

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		308
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		308
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		309
	TaxAmount	<TaxAmt>		[0..*]		309
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		309
	RemittedAmount	<RmtdAmt>		[0..1]		310

Used in element(s)

"ReferredDocumentAmount" on page 326

5.107.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.107.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount specified for the referred document is the amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAnd-Type1__1" on page 136 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		137
	Amount	<Amt>		[1..1]		137

5.107.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount specified for the referred document is the amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.107.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Quantity of cash resulting from the calculation of the tax.

The **TaxAmt** block contains the following elements (see datatype "TaxAmountAndType1__1" on page 333 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		333
	Amount	<Amt>		[1..1]		333

5.107.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the document adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1__1" on page 138 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		138
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		138
	Reason	<Rsn>		[0..1]		139
	AdditionalInformation	<AddtlInf>		[0..1]		139

5.107.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.108 RemittanceAmount3__1

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		310
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		310
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		311
	TaxAmount	<TaxAmt>		[0..*]		311
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		311
	RemittedAmount	<RmtdAmt>		[0..1]		312

Used in element(s)

"Amount" on page 142

5.108.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.108.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAnd-Type1__1" on page 136 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		137
	Amount	<Amt>		[1..1]		137

5.108.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.108.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Amount of the tax.

The **TaxAmt** block contains the following elements (see datatype "TaxAmountAndType1__1" on page 333 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		333
	Amount	<Amt>		[1..1]		333

5.108.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1__1" on page 138 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		138
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		138
	Reason	<Rsn>		[0..1]		139
	AdditionalInformation	<AddtlInf>		[0..1]		139

5.108.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.109 RemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system.

🔴 Removed - 🟡 Partial Removed - 🟡 Ignored - 🟡 Partial Ignored - ⚠️ Details below -
 🟢 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	⚠️ R[0..1]	312
	Structured	<Strd>		[0..*]	⚠️	312

Used in element(s)

"RemittanceInformation" on page 126

5.109.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in an unstructured form.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Unstructured
This element has change repeatability, the maximum occurrence has been changed to : 1
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Unstructured
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.109.2 Structured

XML Tag: Strd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

The **Strd** block contains the following elements (see datatype "[StructuredRemittanceInformation16__1](#)" on page 325 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		326
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		326
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		327
	Invoice	<Invcr>		[0..1]		327
	Invoicee	<Invcee>		[0..1]		328
	TaxRemittance	<TaxRmt>		[0..1]		328
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		329
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]	⚠	329

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured](#)

– CBPR_Structured_RemittanceInformation_TextualRule:

Structured can be repeated, however the total business data for all occurrences (excluding tags) must not exceed 9,000 characters.

5.110 RemittanceInformation2__1

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	⚠ R[0..1]	313

Used in element(s)

"[RemittanceInformation](#)" on page 100

5.110.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, for example, commercial invoices in an accounts' receivable system in an unstructured form.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/RemittanceInformation/Unstructured

This element has change repeatability, the maximum occurrence has been changed to : 1

- on pacs.009.001.08/CreditTransferTransactionInformation/RemittanceInformation/Unstructured

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.111 ServiceLevel8Choice

Definition: Specifies the service level of the transaction.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		314
	Proprietary	<Prtry>	Or}	[1..1]		314

Used in element(s)

"ServiceLevel" on page 234

5.111.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list.

Datatype: "ExternalServiceLevel1Code" on page 392

5.111.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as a proprietary code.

Datatype: "Max35Text" on page 399

5.112 ServiceLevel8Choice__1

Definition: Specifies the service level of the transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		315
	Proprietary	<Prtry>	Or}	[1..1]		315

Used in element(s)

"ServiceLevel" on page 236

5.112.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as published in an external service level code list.

Datatype: "ExternalServiceLevel1Code" on page 392

5.112.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a pre-agreed service or level of service between the parties, as a proprietary code.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/PaymentTypeInformation/ServiceLevel/Proprietary
- Type changed to:** CBPR_RestrictedFINXMax35Text on page 372

5.113 SettlementDateTimelndication1__1

Definition: Information on the occurred settlement time(s) of the payment transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DebitDateTime	<DbtDtTm>		[0..1]		316
	CreditDateTime	<CdtDtTm>		[0..1]		316

Used in element(s)

"SettlementTimeIndication" on page 82

5.113.1 DebitDateTime

XML Tag: DbtDtTm

Presence: [0..1]

Definition: Date and time at which a payment has been debited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been debited at the central bank, expressed in Central European Time (CET).

Datatype: "CBPR_DateTime" on page 369

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeIndication/Debit-DateTime

Type changed to: [CBPR_DateTime on page 369](#)

5.113.2 CreditDateTime

XML Tag: CdtDtTm

Presence: [0..1]

Definition: Date and time at which a payment has been credited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been credited at the receiving central bank, expressed in Central European Time (CET).

Datatype: "CBPR_DateTime" on page 369

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeIndication/Credit-DateTime

Type changed to: [CBPR_DateTime on page 369](#)

5.114 SettlementInstruction7__1

Definition: Provides further details on the settlement of the instruction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SettlementMethod	<SttlmMtd>		[1..1]		319
	SettlementAccount	<SttlmAcct>		[0..1]		319
	ClearingSystem	<ClrSys>		[0..1]		320

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructingReimbursementAgent	<InstgRmbrsmntAgt>		[0..1]		321
	InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>		[0..1]		321
	InstructedReimbursementAgent	<InstdRmbrsmntAgt>		[0..1]		322
	InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>		[0..1]		322
	ThirdReimbursementAgent	<ThrdRmbrsmntAgt>		[0..1]		323
	ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>		[0..1]		323

Rules

R15 ThirdReimbursementAgentRule ✓

If ThirdReimbursementAgent is present, then InstructingReimbursementAgent and InstructedReimbursementAgent must both be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00040
- *Error Text:* Invalid message content for third reimbursement agent.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentRule) is removed.

R16 SettlementMethodAgentRule ✓

If SettlementMethod is equal to INDA or INGA, then ReimbursementAgent(s) and ClearingSystem are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00018
- *Error Text:* Invalid message content for settlement method INGA or INDA.

Usage Guideline restrictions for this element

- This rule(pacs.009.001.08/GroupHeader/SettlementInformation/SettlementMethodAgentRule) is removed.

R17 SettlementMethodCoverRule ✓

If SettlementMethod is equal to COVE, then SettlementAccount and ClearingSystem are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00075
- *Error Text:* Invalid message content for cover settlement method with settlement account and clearing system.

Usage Guideline restrictions for this element

- **This rule(pacs.009.001.08/GroupHeader/SettlementInformation/Settlement-MethodCoverRule) is removed.**
-

R18 SettlementMethodCoverAgentRule ✓

If SettlementMethod is equal to COVE, then InstructedReimbursementAgent or InstructingReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00076
- *Error Text:* Invalid message content for cover settlement method and reimbursement agents.

Usage Guideline restrictions for this element

- **This rule(pacs.009.001.08/GroupHeader/SettlementInformation/Settlement-MethodCoverAgentRule) is removed.**
-

R19 SettlementMethodClearingRule ✓

If SettlementMethod is equal to CLRG, then SettlementAccount and ReimbursementAgent(s) are not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00019
- *Error Text:* Invalid message content for settlement method CLRG.

Usage Guideline restrictions for this element

- **This rule(pacs.009.001.08/GroupHeader/SettlementInformation/Settlement-MethodClearingRule) is removed.**
-

R20 InstructingReimbursementAgentAccountRule ✓

If InstructingReimbursementAgentAccount is present, then InstructingReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00038

- *Error Text:* Invalid message content for instructing reimbursement agent account.

Usage Guideline restrictions for this element

- **This rule(pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccountRule) is removed.**

R21 InstructedReimbursementAgentAccountRule ✓

If InstructedReimbursementAgentAccount is present, then InstructedReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00037
- *Error Text:* Invalid message content for instructed reimbursement agent account.

Usage Guideline restrictions for this element

- **This rule(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccountRule) is removed.**

R22 ThirdReimbursementAgentAccountRule ✓

If ThirdReimbursementAgentAccount is present, then ThirdReimbursementAgent must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00039
- *Error Text:* Invalid message content for third reimbursement agent account.

Usage Guideline restrictions for this element

- **This rule(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccountRule) is removed.**

Used in element(s)

"SettlementInformation" on page 193

5.114.1 SettlementMethod

XML Tag: SttlmMtd

Presence: [1..1]

Definition: Method used to settle the (batch of) payment instructions.

Datatype: "SettlementMethod1Code" on page 404

5.114.2 SettlementAccount

XML Tag: SttlmAcct

Presence: [0..1]

Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.

The **SttlmAcct** block contains the following elements (see datatype "CashAccount38__1" on page 56 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		57
	Type	<Tp>		[0..1]		57
	Currency	<Ccy>		[0..1]		57
	Name	<Nm>		[0..1]		58
	Proxy	<Prxy>		[0..1]		59

Usage Guideline details

- on pacs.009.001.08/GroupHeader/SettlementInformation/SettlementAccount
Synonym (Sender's Correspondent (option 53B - account to be debited)): 53B

5.114.3 ClearingSystem

XML Tag: ClrSys

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSys** block contains the following elements (see datatype "ClearingSystemIdentification3Choice" on page 67 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		67
	Proprietary	<Prtry>	Or}	[1..1]		67

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ClearingSystem) is removed.

5.114.4 InstructingReimbursementAgent

XML Tag: InstgRmbrsmntAgt

Presence: [0..1]

Definition: Agent through which the instructing agent will reimburse the instructed agent.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

The **InstgRmbrsmntAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		31
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- This element([pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgent](#)) is removed.

5.114.5 InstructingReimbursementAgentAccount

XML Tag: InstgRmbrsmntAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

The **InstgRmbrsmntAgtAcct** block contains the following elements (see datatype "[CashAccount38](#)" on page 54 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		55
	Type	<Tp>		[0..1]		55
	Currency	<Ccy>		[0..1]		55
	Name	<Nm>		[0..1]		56
	Proxy	<Prxy>		[0..1]		56

Usage Guideline details

- This element([pacs.009.001.08/GroupHeader/SettlementInformation/InstructingReimbursementAgentAccount](#)) is removed.

5.114.6 InstructedReimbursementAgent

XML Tag: `InstdRmbrsmntAgt`

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If `InstructedReimbursementAgent` contains a branch of the `InstructedAgent`, then the party in `InstructedAgent` will claim reimbursement from that branch/will be paid by that branch.

Usage: If `InstructingAgent` and `InstructedAgent` have the same reimbursement agent, then only `InstructingReimbursementAgent` must be used.

The **`InstdRmbrsmntAgt`** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 30 for details)

❌ Removed - ⊗ Partial Removed - ◇ Ignored - ⊗ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<code><FinInstnId></code>		[1..1]		31
	BranchIdentification	<code><BrnchId></code>		[0..1]		31

Usage Guideline details

- This element([pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgent](#)) is removed.

5.114.7 InstructedReimbursementAgentAccount

XML Tag: `InstdRmbrsmntAgtAcct`

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

The **`InstdRmbrsmntAgtAcct`** block contains the following elements (see datatype "[CashAccount38](#)" on page 54 for details)

❌ Removed - ⊗ Partial Removed - ◇ Ignored - ⊗ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<code><Id></code>		[1..1]		55
	Type	<code><Tp></code>		[0..1]		55

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Currency	<Ccy>		[0..1]		55
	Name	<Nm>		[0..1]		56
	Proxy	<Prxy>		[0..1]		56

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/InstructedReimbursementAgentAccount) is removed.

5.114.8 ThirdReimbursementAgent

XML Tag: ThrdRmbrsmntAgt

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If ThirdReimbursementAgent contains a branch of the InstructedAgent, then the party in InstructedAgent will claim reimbursement from that branch/will be paid by that branch.

The **ThrdRmbrsmntAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6](#)" on page 30 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		31
	BranchIdentification	<BrnchId>		[0..1]		31

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgent) is removed.

5.114.9 ThirdReimbursementAgentAccount

XML Tag: ThrdRmbrsmntAgtAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

The **ThrdRmbrsmntAgtAcct** block contains the following elements (see datatype "[CashAccount38](#)" on page 54 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		55
	Type	<Tp>		[0..1]		55
	Currency	<Ccy>		[0..1]		55
	Name	<Nm>		[0..1]		56
	Proxy	<Prxy>		[0..1]		56

Usage Guideline details

- This element(pacs.009.001.08/GroupHeader/SettlementInformation/ThirdReimbursementAgentAccount) is removed.

5.115 SettlementTimeRequest2__1

Definition: Provides information on the requested settlement time(s) of the payment instruction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CLSTime	<CLSTm>		[0..1]	⚠	324
	TillTime	<TillTm>		[0..1]	⚠	325
	FromTime	<FrTm>		[0..1]	⚠	325
	RejectTime	<RjctTm>		[0..1]	⚠	325

Used in element(s)

"SettlementTimeRequest" on page 83

5.115.1 CLSTime

XML Tag: CLSTm

Presence: [0..1]

Definition: Time by which the amount of money must be credited, with confirmation, to the CLS Bank's account at the central bank.

Usage: Time must be expressed in Central European Time (CET).

Datatype: "CBPR_Time" on page 375

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/CLSTime

Type changed to: [CBPR_Time on page 375](#)

5.115.2 TillTime

XML Tag: TillTm

Presence: [0..1]

Definition: Time until when the payment may be settled.

Datatype: ["CBPR_Time" on page 375](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/TillTime](#)
Type changed to: [CBPR_Time on page 375](#)

5.115.3 FromTime

XML Tag: FrTm

Presence: [0..1]

Definition: Time as from when the payment may be settled.

Datatype: ["CBPR_Time" on page 375](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/FromTime](#)
Type changed to: [CBPR_Time on page 375](#)

5.115.4 RejectTime

XML Tag: RjctTm

Presence: [0..1]

Definition: Time by when the payment must be settled to avoid rejection.

Datatype: ["CBPR_Time" on page 375](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/SettlementTimeRequest/RejectTime](#)
Type changed to: [CBPR_Time on page 375](#)

5.116 StructuredRemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		326
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		326
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		327
	Invoice	<Invcr>		[0..1]		327
	Invoicee	<Invcee>		[0..1]		328
	TaxRemittance	<TaxRmt>		[0..1]		328
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		329
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]	⚠	329

Used in element(s)

"Structured" on page 312

5.116.1 ReferredDocumentInformation

XML Tag: RfrdDocInf

Presence: [0..*]

Definition: Provides the identification and the content of the referred document.

The **RfrdDocInf** block contains the following elements (see datatype "ReferredDocumentInformation7__1" on page 304 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		305
	Number	<Nb>		[0..1]	⚠	305
	RelatedDate	<RltdDt>		[0..1]	⚠	305
	LineDetails	<LineDtls>		[0..*]		305

5.116.2 ReferredDocumentAmount

XML Tag: RfrdDocAmt

Presence: [0..1]

Definition: Provides details on the amounts of the referred document.

The **RfrdDocAmt** block contains the following elements (see datatype "RemittanceAmount2__1" on page 308 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		308
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		308
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		309
	TaxAmount	<TaxAmt>		[0..*]		309
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		309
	RemittedAmount	<RmtdAmt>		[0..1]		310

5.116.3 CreditorReferenceInformation

XML Tag: CdtrRefInf

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

The **CdtrRefInf** block contains the following elements (see datatype "CreditorReferenceInformation2__1" on page 127 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		127
	Reference	<Ref>		[0..1]	M ⚠	128

5.116.4 Invoicer

XML Tag: Invcr

Presence: [0..1]

Definition: Identification of the organisation issuing the invoice, when it is different from the creditor or ultimate creditor.

The **Invcr** block contains the following elements (see datatype "PartyIdentification135__3" on page 226 for details)

🚫 Removed - 🚫 Partial Removed - ⬡ Ignored - ⬡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	227

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostalAddress	<PstlAdr>		[0..1]		227
	Identification	<Id>		[0..1]		229
	CountryOfResidence	<CtryOfRes>		[0..1]		229
	ContactDetails	<CtctDtls>		[0..1]		229

5.116.5 Invoicee

XML Tag: Invcee

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when it is different from the debtor or ultimate debtor.

The **Invcee** block contains the following elements (see datatype "[PartyIdentification135_3](#)" on page 226 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		227
	PostalAddress	<PstlAdr>		[0..1]		227
	Identification	<Id>		[0..1]		229
	CountryOfResidence	<CtryOfRes>		[0..1]		229
	ContactDetails	<CtctDtls>		[0..1]		229

5.116.6 TaxRemittance

XML Tag: TaxRmt

Presence: [0..1]

Definition: Provides remittance information about a payment made for tax-related purposes.

The **TaxRmt** block contains the following elements (see datatype "[TaxInformation7_1](#)" on page 337 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		337
	Debtor	<Dbtr>		[0..1]		337
	UltimateDebtor	<UltmtDbtr>		[0..1]		338
	AdministrationZone	<AdmstnZone>		[0..1]		338

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferenceNumber	<RefNb>		[0..1]	⚠	339
	Method	<Mtd>		[0..1]	⚠	339
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		339
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		339
	Date	<Dt>		[0..1]	⚠	340
	SequenceNumber	<SeqNb>		[0..1]		340
	Record	<Rcrd>		[0..*]		340

5.116.7 GarnishmentRemittance

XML Tag: GrnshmtRmt

Presence: [0..1]

Definition: Provides remittance information about a payment for garnishment-related purposes.

The **GrnshmtRmt** block contains the following elements (see datatype "Garnishment3__1" on page 162 for details)

🚫 Removed - 🚫 Partial Removed - 🔹 Ignored - 🔹 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		163
	Garnishee	<Gmshee>		[0..1]		163
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		164
	ReferenceNumber	<RefNb>		[0..1]	⚠	164
	Date	<Dt>		[0..1]	⚠	164
	RemittedAmount	<RmtdAmt>		[0..1]		165
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrncInd>		[0..1]		165
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		165

5.116.8 AdditionalRemittanceInformation

XML Tag: AddtlRmtInf

Presence: [0..3]

Definition: Additional information, in free text form, to complement the structured remittance information.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/AdditionalRemittanceInformation

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.117 SupplementaryData1

Definition: Additional information that can not be captured in the structured fields and/or any other specific block.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		330
	Envelope	<Envlp>		[1..1]		330

Rules

R54 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

Used in element(s)

"SupplementaryData" on page 24, "SupplementaryData" on page 102

5.117.1 PlaceAndName

XML Tag: PlcAndNm

Presence: [0..1]

Definition: Unambiguous reference to the location where the supplementary data must be inserted in the message instance.

In the case of XML, this is expressed by a valid XPath.

Datatype: "Max350Text" on page 399

5.117.2 Envelope

XML Tag: Envlp

Presence: [1..1]

Definition: Technical element wrapping the supplementary data.

5.118 TaxAmount2

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		331
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		331
	TotalAmount	<TtlAmt>		[0..1]		331
	Details	<Dtls>		[0..*]		331

Used in element(s)

"TaxAmount" on page 355

5.118.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: "PercentageRate" on page 402

5.118.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.118.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.118.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.

The **Dtls** block contains the following elements (see datatype "TaxRecordDetails2" on page 359 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		359
	Amount	<Amt>		[1..1]		360

5.119 TaxAmount2__1

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		332
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		332
	TotalAmount	<TtlAmt>		[0..1]		332
	Details	<Dtls>		[0..*]		332

Used in element(s)

"TaxAmount" on page 358

5.119.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: "PercentageRate" on page 402

5.119.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.119.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.119.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.

The **Dtls** block contains the following elements (see datatype "[TaxRecordDetails2__1](#)" on page 360 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		360
	Amount	<Amt>		[1..1]		361

5.120 TaxAmountAndType1__1

Definition: Specifies the amount with a specific type.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		333
	Amount	<Amt>		[1..1]		333

Used in element(s)

["TaxAmount" on page 311](#), ["TaxAmount" on page 309](#)

5.120.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[TaxAmountType1Choice__1](#)" on page 334 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		334
	Proprietary	<Prtry>	Or}	[1..1]		334

5.120.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 363](#)

5.121 TaxAmountType1Choice__1

Definition: Specifies the amount type.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		334
	Proprietary	<Prtry>	Or}	[1..1]	⚠	334

Used in element(s)

["Type" on page 333](#)

5.121.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalTaxAmountType1Code" on page 393](#)

5.121.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentAmount/TaxAmount/Type/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/TaxAmount/Type/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.122 TaxAuthorisation1__1

Definition: Details of the authorised tax paying party.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		335
	Name	<Nm>		[0..1]		335

Used in element(s)

"Authorisation" on page 348

5.122.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Debtor/Authorisation/Title

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.122.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 369

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Debtor/Authorisation/Name

Type changed to: CBPR_RestrictedFINXMax140Text on page 369

5.123 TaxAuthorisation1__2

Definition: Details of the authorised tax paying party.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		336
	Name	<Nm>		[0..1]		336

Used in element(s)

"Authorisation" on page 350

5.123.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Title
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Title
 Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.123.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Name
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370
- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Name
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.124 TaxInformation7__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		337
	Debtor	<Dbtr>		[0..1]		337
	UltimateDebtor	<UltmtDbtr>		[0..1]		338
	AdministrationZone	<AdmstnZone>		[0..1]		338
	ReferenceNumber	<RefNb>		[0..1]		339
	Method	<Mtd>		[0..1]		339
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		339
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		339
	Date	<Dt>		[0..1]		340
	SequenceNumber	<SeqNb>		[0..1]		340
	Record	<Rcrd>		[0..*]		340

Used in element(s)

"TaxRemittance" on page 328

5.124.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "TaxParty1__2" on page 345 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		346
	RegistrationIdentification	<RegnId>		[0..1]		346
	TaxType	<TaxTp>		[0..1]		346

5.124.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Identifies the party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "TaxParty2__2" on page 348 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	348
	RegistrationIdentification	<RegnId>		[0..1]	⚠	349
	TaxType	<TaxTp>		[0..1]	⚠	349
	Authorisation	<Authstn>		[0..1]		350

5.124.3 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the taxing authority.

The **UltmtDbtr** block contains the following elements (see datatype "TaxParty2__2" on page 348 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	348
	RegistrationIdentification	<RegnId>		[0..1]	⚠	349
	TaxType	<TaxTp>		[0..1]	⚠	349
	Authorisation	<Authstn>		[0..1]		350

5.124.4 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/AdministrationZone

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.124.5 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 370](#)

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/ReferenceNumber**

Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 370](#)

5.124.6 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- **on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Method**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.124.7 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 363](#)

5.124.8 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 363](#)

5.124.9 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: "CBPR_Date" on page 368

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Date

Type changed to: CBPR_Date on page 368

5.124.10 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: "Number" on page 401

5.124.11 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype "TaxRecord2__2" on page 356 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	⚠	356
	Category	<Ctgy>		[0..1]	⚠	356
	CategoryDetails	<CtgyDtls>		[0..1]	⚠	357
	DebtorStatus	<DbtrSts>		[0..1]	⚠	357
	CertificateIdentification	<CertId>		[0..1]	⚠	357
	FormsCode	<FrmsCd>		[0..1]	⚠	358
	Period	<Prd>		[0..1]		358
	TaxAmount	<TaxAmt>		[0..1]		358
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	359

5.125 TaxInformation8__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		341
	Debtor	<Dbtr>		[0..1]		341
	AdministrationZone	<AdmstnZone>		[0..1]		342
	ReferenceNumber	<RefNb>		[0..1]		342
	Method	<Mtd>		[0..1]		342
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		343
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		343
	Date	<Dt>		[0..1]		343
	SequenceNumber	<SeqNb>		[0..1]		343
	Record	<Rcrd>		[0..*]		343

Used in element(s)

"Tax" on page 126

5.125.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "TaxParty1__1" on page 344 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		344
	RegistrationIdentification	<RegnId>		[0..1]		345
	TaxType	<TaxTp>		[0..1]		345

5.125.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "TaxParty2__1" on page 346 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		347
	RegistrationIdentification	<RegnId>		[0..1]		347
	TaxType	<TaxTp>		[0..1]		347
	Authorisation	<Authstn>		[0..1]		348

5.125.3 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/AdministrationZone

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.125.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 369

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/ReferenceNumber

Type changed to: CBPR_RestrictedFINXMax140Text on page 369

5.125.5 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Method](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.125.6 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 363](#)

5.125.7 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 363](#)

5.125.8 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: ["ISODate" on page 395](#)

5.125.9 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: ["Number" on page 401](#)

5.125.10 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype "TaxRecord2__1" on page 352 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	⚠	353
	Category	<Ctgy>		[0..1]	⚠	353
	CategoryDetails	<CtgyDtls>		[0..1]	⚠	353
	DebtorStatus	<DbtrSts>		[0..1]	⚠	354
	CertificateIdentification	<CertId>		[0..1]	⚠	354
	FormsCode	<FrmsCd>		[0..1]	⚠	354
	Period	<Prd>		[0..1]		355
	TaxAmount	<TaxAmt>		[0..1]		355
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	355

5.126 TaxParty1__1

Definition: Details about the entity involved in the tax paid or to be paid.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	344
	RegistrationIdentification	<RegnId>		[0..1]	⚠	345
	TaxType	<TaxTp>		[0..1]	⚠	345

Used in element(s)

"Creditor" on page 341

5.126.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Creditor/TaxIdentification

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.126.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Creditor/RegistrationIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.126.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Creditor/TaxType](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.127 TaxParty1__2

Definition: Details about the entity involved in the tax paid or to be paid.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		346
	RegistrationIdentification	<RegnId>		[0..1]		346
	TaxType	<TaxTp>		[0..1]		346

Used in element(s)

["Creditor" on page 337](#)

5.127.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.127.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Creditor/RegistrationIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.127.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxType](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.128 TaxParty2__1

Definition: Details about the entity involved in the tax paid or to be paid.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		347
	RegistrationIdentification	<RegnId>		[0..1]		347
	TaxType	<TaxTp>		[0..1]		347
	Authorisation	<Authstn>		[0..1]		348

Used in element(s)

"Debtor" on page 341

5.128.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Debtor/TaxIdentification

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.128.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Debtor/RegistrationIdentification

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.128.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Debtor/TaxType

Type changed to: CBPR_RestrictedFINXMax35Text on page 372

5.128.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype "TaxAuthorisation1__1" on page 335 for details)

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]	⚠	335
	Name	<Nm>		[0..1]	⚠	335

5.129 TaxParty2__2

Definition: Details about the entity involved in the tax paid or to be paid.

❌ Removed - ❌ Partial Removed - ❖ Ignored - ❖ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	348
	RegistrationIdentification	<RegnId>		[0..1]	⚠	349
	TaxType	<TaxTp>		[0..1]	⚠	349
	Authorisation	<Authstn>		[0..1]		350

Used in element(s)

"Debtor" on page 337, "UltimateDebtor" on page 338

5.129.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.129.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/RegistrationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/RegistrationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.129.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxType](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)
- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxType](#)

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.129.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype "TaxAuthorisation1_2" on page 335 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]		336
	Name	<Nm>		[0..1]		336

5.130 TaxPeriod2

Definition: Period of time details related to the tax payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		350
	Type	<Tp>		[0..1]		350
	FromToDate	<FrToDt>		[0..1]		351

Used in element(s)

"Period" on page 355, "Period" on page 359

5.130.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: "ISODate" on page 395

5.130.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: ["TaxRecordPeriod1Code" on page 406](#)

5.130.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype ["DatePeriod2" on page 135](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		135
	ToDate	<ToDt>		[1..1]		135

5.131 TaxPeriod2__1

Definition: Period of time details related to the tax payment.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		351
	Type	<Tp>		[0..1]		352
	FromToDate	<FrToDt>		[0..1]		352

Used in element(s)

["Period" on page 358](#), ["Period" on page 360](#)

5.131.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: ["CBPR_Date" on page 368](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/Period/Year](#)

Type changed to: [CBPR_Date on page 368](#)

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/TaxAmount/Details/Period/Year
Type changed to: CBPR_Date on page 368

5.131.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: "TaxRecordPeriod1Code" on page 406

5.131.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype "DatePeriod2__1" on page 135 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		135
	ToDate	<ToDt>		[1..1]		136

5.132 TaxRecord2__1

Definition: Set of elements used to define the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		353
	Category	<Ctgy>		[0..1]		353
	CategoryDetails	<CtgyDtls>		[0..1]		353
	DebtorStatus	<DbtrSts>		[0..1]		354
	CertificateIdentification	<CertId>		[0..1]		354
	FormsCode	<FrmsCd>		[0..1]		354
	Period	<Prd>		[0..1]		355
	TaxAmount	<TaxAmt>		[0..1]		355

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AdditionalInformation	<AddtlInf>		[0..1]		355

Used in element(s)

"Record" on page 343

5.132.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/Type

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.132.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/Category

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.132.3 CategoryDetails

XML Tag: CtgyDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 372

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/CategoryDetails

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.132.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/DebtorStatus](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.132.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/CertificateIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.132.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 372](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/FormsCode](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 372](#)

5.132.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod2" on page 350 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		350
	Type	<Tp>		[0..1]		350
	FromDate	<FrToDt>		[0..1]		351

5.132.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "TaxAmount2" on page 330 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		331
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		331
	TotalAmount	<TtlAmt>		[0..1]		331
	Details	<Dtls>		[0..*]		331

5.132.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "CBPR_RestrictedFINXMax140Text" on page 369

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/Tax/Record/AdditionalInformation

Type changed to: [CBPR_RestrictedFINXMax140Text on page 369](#)

5.133 TaxRecord2__2

Definition: Set of elements used to define the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		356
	Category	<Ctgy>		[0..1]		356
	CategoryDetails	<CtgyDtls>		[0..1]		357
	DebtorStatus	<DbtrSts>		[0..1]		357
	CertificateIdentification	<CertId>		[0..1]		357
	FormsCode	<FrmsCd>		[0..1]		358
	Period	<Prd>		[0..1]		358
	TaxAmount	<TaxAmt>		[0..1]		358
	AdditionalInformation	<AddtlInf>		[0..1]		359

Used in element(s)

["Record" on page 340](#)

5.133.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/Type](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.133.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/Category](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.133.3 CategoryDetails

XML Tag: CtgDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/CategoryDetails](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.133.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on [pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/DebtorStatus](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 373](#)

5.133.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 373](#)

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/CertificateIdentification
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.133.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 373

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/FormsCode
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 373

5.133.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod2__1" on page 351 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]	⚠	351
	Type	<Tp>		[0..1]		352
	FromDate	<FrToDt>		[0..1]		352

5.133.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "TaxAmount2__1" on page 332 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		332
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		332
	TotalAmount	<TtlAmt>		[0..1]		332
	Details	<Dtls>		[0..*]		332

5.133.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 370

Usage Guideline details

- on pacs.009.001.08/CreditTransferTransactionInformation/UnderlyingCustomerCreditTransfer/RemittanceInformation/Structured/TaxRemittance/Record/AdditionalInformation
Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 370

5.134 TaxRecordDetails2

Definition: Provides information on the individual tax amount(s) per period of the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		359
	Amount	<Amt>		[1..1]		360

Used in element(s)

"Details" on page 331

5.134.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod2" on page 350 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		350
	Type	<Tp>		[0..1]		350
	FromToDate	<FrToDt>		[0..1]		351

5.134.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

5.135 TaxRecordDetails2__1

Definition: Provides information on the individual tax amount(s) per period of the tax record.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		360
	Amount	<Amt>		[1..1]		361

Used in element(s)

"Details" on page 332

5.135.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "TaxPeriod2__1" on page 351 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		351
	Type	<Tp>		[0..1]		352

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromToDate	<FrToDt>		[0..1]		352

5.135.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 363

6 Message Datatypes

Note The following chapter identifies the datatypes that are used in the message.

6.1 ActiveCurrencyAndAmount

Definition: A number of monetary units specified in an active currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 362

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules

R13 CurrencyAmount ✓

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

"TotalInterbankSettlementAmount" on page 192

6.2 ActiveCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern	[A-Z]{3,3}
---------	------------

Rules**R14 ActiveCurrency ✓**

The currency code must be a valid active currency code, not yet withdrawn on the day the message containing the currency is exchanged. Valid active currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and are not yet withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00005
- *Error Text:* Invalid currency code

Used in attribute(s)

"ActiveCurrencyAndAmount" on page 362, "CBPR_Amount__1" on page 368, "CBPR_Amount" on page 367

Restricts

"ParentCurrencyCode" on page 402

6.3 ActiveOrHistoricCurrencyAndAmount

Definition: A number of monetary units specified in an active or a historic currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveOrHistoricCurrencyCode" on page 364

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules**R53 CurrencyAmount ✓**

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

["Amount" on page 137](#), ["Amount" on page 333](#), ["Amount" on page 138](#), ["Amount" on page 361](#), ["Amount" on page 360](#), ["CreditNoteAmount" on page 311](#), ["CreditNoteAmount" on page 309](#), ["Due-PayableAmount" on page 310](#), ["DuePayableAmount" on page 308](#), ["RemittedAmount" on page 312](#), ["RemittedAmount" on page 310](#), ["RemittedAmount" on page 165](#), ["TaxableBaseAmount" on page 332](#), ["TaxableBaseAmount" on page 331](#), ["TotalAmount" on page 332](#), ["TotalAmount" on page 331](#), ["Total-TaxAmount" on page 343](#), ["TotalTaxAmount" on page 339](#), ["TotalTaxableBaseAmount" on page 343](#), ["TotalTaxableBaseAmount" on page 339](#)

6.4 ActiveOrHistoricCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme, as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern [A-Z]{3,3}

Rules**R23 ActiveOrHistoricCurrency ✓**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00006
- *Error Text:* Invalid currency code.

Used in element(s)

["Currency" on page 57](#), ["Currency" on page 55](#)

Used in attribute(s)

["ActiveOrHistoricCurrencyAndAmount" on page 363](#)

Restricts

["ParentCurrencyCode" on page 402](#)

6.5 AddressType2Code

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Used in element(s)

["Code" on page 30](#)

Restricts

["AddressTypeCode" on page 365](#)

6.6 AddressTypeCode

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Is restricted by

["AddressType2Code" on page 364](#)

6.7 AmountDirectionCode

Definition: Specifies if an operation is an increase or a decrease or the result of a reversal operation.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Code	Name	Definition
RVCD	ReversalCredit	Debit entry used to reverse a previously booked credit entry.
RVDB	ReversalDebit	Credit entry used to reverse a previously booked debit entry.

Is restricted by

"CreditDebitCode" on page 378

6.8 AnyBICDec2014Identifier

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R52 AnyBIC ✓

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00008
- *Error Text:* Invalid BIC.

Used in element(s)

"AnyBIC" on page 202, "AnyBIC" on page 204, "AnyBIC" on page 205, "AnyBIC" on page 201

6.9 BICFIDec2014Identifier

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R25 BICFI ✓

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00001
- *Error Text:* Invalid FI BIC.

Used in element(s)

["BICFI" on page 149](#), ["BICFI" on page 153](#), ["BICFI" on page 159](#), ["BICFI" on page 146](#)

6.10 BatchBookingIndicator

Definition: Identifies whether the sending party requests a single debit or credit entry per individual transaction or a batch entry for the sum of the amounts of all transactions.

Type: Indicator

Meaning When True: Identifies that a batch entry for the sum of the amounts of all transactions in the batch or message is requested.

Meaning When False: Identifies that a single entry for each of the transactions in the batch or message is requested.

Used in element(s)

["BatchBooking" on page 192](#)

6.11 CBPR_Amount

Definition:

This datatype has been created by the Publisher of this Usage Guideline.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 362

Format

fractionDigits	5
minInclusive	0
totalDigits	14

Rules

R55 CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits

6.12 CBPR_Amount__1

Definition:

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveCurrencyCode" on page 362

Format

fractionDigits	5
minInclusive	0
totalDigits	14

Rules

R39 CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits

Used in element(s)

"InstructedAmount" on page 127, "InterbankSettlementAmount" on page 81

6.13 CBPR_Date

Definition: This Type restricts the base ISODate to YYYY (exactly 4 digits for the Year) and does not allow use of UTC offset or Zulu indicator with a date.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Date

Format

pattern [0-9]{4}-[0-9]{2}-[0-9]{2}

Used in element(s)

["BirthDate" on page 131](#), ["Date" on page 340](#), ["Date" on page 164](#), ["FromDate" on page 135](#), ["Inter-bankSettlementDate" on page 82](#), ["RelatedDate" on page 305](#), ["RelatedDate" on page 140](#), ["ToDate" on page 136](#), ["Year" on page 351](#)

6.14 CBPR_DateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:m-m).

This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 2020-07-16T19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: DateTime

Format

pattern .*(\+|-)((0[0-9])|(1[0-4])):[0-5][0-9]

Used in element(s)

["CreationDate" on page 53](#), ["CreationDateTime" on page 191](#), ["CreditDateTime" on page 316](#), ["Debit-DateTime" on page 316](#)

6.15 CBPR_RestrictedFINXMax140Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,\'+]+

Used in element(s)

["AdditionalInformation" on page 355](#), ["InstructionInformation" on page 197](#), ["InstructionInformation" on page 196](#), ["Name" on page 335](#), ["ReferenceNumber" on page 342](#)

6.16 CBPR_RestrictedFINXMax140Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,\'+ !#\$%&*='^_`{ }~";<>@[\\]]+

Used in element(s)

["AdditionalInformation" on page 139](#), ["AdditionalInformation" on page 359](#), ["AdditionalRemittanceInformation" on page 329](#), ["Name" on page 153](#), ["Name" on page 220](#), ["Name" on page 224](#), ["Name" on page 159](#), ["Name" on page 227](#), ["Name" on page 336](#), ["ReferenceNumber" on page 339](#), ["ReferenceNumber" on page 164](#), ["Unstructured" on page 313](#), ["Unstructured" on page 312](#)

6.17 CBPR_RestrictedFINXMax16Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+]+

Used in element(s)

"InstructionIdentification" on page 231

6.18 CBPR_RestrictedFINXMax16Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*=_`{ } ~";<>@[\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+ !#\$%&!*=_`{\ } ~";<>@[\\\]]+

Used in element(s)

"BuildingNumber" on page 263, "PostBox" on page 270, "PostCode" on page 275

6.19 CBPR_RestrictedFINXMax28Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 28 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	28
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'+]+

Used in element(s)

"MemberIdentification" on page 71

6.20 CBPR_RestrictedFINXMax320Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 320 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	320
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+ !#\$%&!*='^_`{ }\}~";<>@[\\]]+

Used in element(s)

"Identification" on page 298

6.21 CBPR_RestrictedFINXMax34Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 34 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	34
minLength	1
pattern	(([0-9a-zA-Z/\-!\?:(\)\.,'+]([0-9a-zA-Z/\-!\?:(\)\.,'+])*([0-9a-zA-Z/\-!\?:(\)\.,'+])?)*

Used in element(s)

"Identification" on page 168

6.22 CBPR_RestrictedFINXMax35Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-?\:\(\)\.,\'+]+

Used in element(s)

["AdministrationZone" on page 342](#), ["BusinessMessageIdentifier" on page 51](#), ["BusinessService" on page 52](#), ["Category" on page 353](#), ["CategoryDetails" on page 353](#), ["CertificateIdentification" on page 354](#), ["ClearingSystemReference" on page 233](#), ["DebtorStatus" on page 354](#), ["EndToEndIdentification" on page 231](#), ["FormsCode" on page 354](#), ["Identification" on page 178](#), ["Identification" on page 185](#), ["Identification" on page 180](#), ["Identification" on page 187](#), ["Identification" on page 174](#), ["Identification" on page 48](#), ["InstructionInformation" on page 198](#), ["Issuer" on page 171](#), ["Issuer" on page 179](#), ["Issuer" on page 186](#), ["Issuer" on page 181](#), ["Issuer" on page 187](#), ["Issuer" on page 175](#), ["MessageDefinitionIdentifier" on page 52](#), ["MessageIdentification" on page 191](#), ["Method" on page 342](#), ["Proprietary" on page 28](#), ["Proprietary" on page 61](#), ["Proprietary" on page 301](#), ["Proprietary" on page 315](#), ["Proprietary" on page 200](#), ["Proprietary" on page 64](#), ["Proprietary" on page 304](#), ["Proprietary" on page 207](#), ["Proprietary" on page 244](#), ["Proprietary" on page 145](#), ["RegistrationIdentification" on page 345](#), ["RegistrationIdentification" on page 347](#), ["TaxIdentification" on page 344](#), ["TaxIdentification" on page 347](#), ["TaxType" on page 345](#), ["TaxType" on page 347](#), ["Title" on page 335](#), ["TransactionIdentification" on page 232](#), ["Type" on page 353](#)

6.23 CBPR_RestrictedFINXMax35Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z/\-?\:\(\)\.,\'+ !#\$%&\'*='^_`{ }~";<>@[\\]]+

Used in element(s)

["AdministrationZone" on page 338](#), ["BuildingName" on page 265](#), ["Category" on page 356](#), ["CategoryDetails" on page 357](#), ["CertificateIdentification" on page 357](#), ["CityOfBirth" on page 133](#), ["CountrySubDivision" on page 286](#), ["DebtorStatus" on page 357](#), ["Description" on page 141](#), ["DistrictName" on page 284](#), ["FormsCode" on page 358](#), ["Identification" on page 181](#), ["Identification" on page 188](#), ["Issuer" on page 307](#), ["Issuer" on page 144](#), ["Issuer" on page 130](#), ["Issuer" on page 183](#), ["Issuer" on page 190](#), ["Issuer" on page 167](#), ["Method" on page 339](#), ["Number" on page 305](#), ["Number" on page 140](#), ["Proprietary" on page 306](#), ["Proprietary" on page 143](#), ["Proprietary" on page 138](#), ["Proprietary" on page 334](#), ["Proprietary" on page 129](#), ["Proprietary" on page 208](#), ["Proprietary" on page 245](#), ["Proprietary" on page 166](#), ["ProvinceOfBirth" on page 132](#), ["Reference" on page 128](#), ["RegistrationIdentification" on page 346](#), ["RegistrationIdentification" on page 349](#), ["TaxIdentification" on page 346](#), ["TaxIdentification" on page 348](#), ["TaxType" on page 346](#), ["TaxType" on page 349](#), ["Title" on page 336](#), ["TownLocationName" on page 282](#), ["TownName" on page 277](#), ["Type" on page 356](#)

6.24 CBPR_RestrictedFINXMax4Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 4 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	4
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+ !#\$%&!*='^_`{ }\}~";<>@[\\]]+

Used in element(s)

"Reason" on page 139

6.25 CBPR_RestrictedFINXMax70Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:(\)\.,'+]+

Used in element(s)

"Name" on page 58

6.26 CBPR_RestrictedFINXMax70Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*='^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,'\+ !#\$%&!*=-^_`{\ }\~";<>@\[\]\]]+

Used in element(s)

"AddressLine" on page 291, "Department" on page 256, "Floor" on page 268, "Room" on page 272, "StreetName" on page 261, "SubDepartment" on page 258

6.27 CBPR_Time

Definition: A particular point in the progression of time defined by a mandatory time component, expressed in local time with UTC offset format (hh:mm:ss.sss+/-hh:mm).

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: Time

Format

pattern	.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]
---------	--

Used in element(s)

"CLSTime" on page 324, "FromTime" on page 325, "RejectTime" on page 325, "TillTime" on page 325

6.28 ClearingChannel2Code

Definition: Specifies the clearing channel for the routing of the transaction, as part of the payment type identification.

Type: CodeSet

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

Used in element(s)

["ClearingChannel" on page 236](#), ["ClearingChannel" on page 234](#)

Restricts

["ClearingChannelCode" on page 376](#)

6.29 ClearingChannelCode

Definition: Specifies the clearing channel for the routing of the transaction, as part of the payment type identification.

Type: CodeSet

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

Is restricted by

["ClearingChannel2Code" on page 375](#)

6.30 CopyDuplicate1Code

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.

Code	Name	Definition
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Used in element(s)

["CopyDuplicate" on page 53](#)

Restricts

["CopyDuplicateCode" on page 377](#)

6.31 CopyDuplicateCode

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Is restricted by

["CopyDuplicate1Code" on page 376](#)

6.32 CountryCode

Definition: Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Type: CodeSet

Format

pattern [A-Z]{2,2}

Rules**R41 Country ✓**

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00004
- *Error Text:* Invalid Country Code.

Used in element(s)

"Country" on page 289, "Country" on page 252, "CountryOfBirth" on page 134, "CountryOfBirth" on page 131, "CountryOfResidence" on page 222, "CountryOfResidence" on page 225, "CountryOfResidence" on page 229, "CountryOfResidence" on page 218

6.33 CreditDebitCode

Definition: Specifies if an operation is an increase or a decrease.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Used in element(s)

"CreditDebitIndicator" on page 138

Restricts

"AmountDirectionCode" on page 365

6.34 DecimalNumber

Definition: Number of objects represented as a decimal number, for example 0.75 or 45.6.

Type: Quantity

Format

fractionDigits	17
totalDigits	18

Used in element(s)

"ControlSum" on page 192

6.35 DocumentType3Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.

Code	Name	Definition
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Used in element(s)

"Code" on page 129

Restricts

"DocumentTypeCode" on page 380

6.36 DocumentType6Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.

Code	Name	Definition
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Used in element(s)

"Code" on page 306

Restricts

"DocumentTypeCode" on page 380

6.37 DocumentTypeCode

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CRCP	CustomerReceipt	When the Sale System requires the POI system to print the Customer receipt.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.

Code	Name	Definition
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
HRCP	CashierReceipt	When the Sale system print the Cashier copy of the Payment receipt.
JNRL	Journal	When the POI or the Sale System wants to store a message on the journal printer or electronic journal of the Sale Terminal (it is sometimes a Sale Logging/Journal Printer).
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
SRCP	SaleReceipt	When the Sale System requires the POI system to print the Sale receipt.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Is restricted by

["DocumentType3Code" on page 378](#), ["DocumentType6Code" on page 379](#)

6.38 Exact4AlphaNumericText

Definition: Specifies an alphanumeric string with a length of 4 characters.

Type: Text

Format

pattern	[a-zA-Z0-9]{4}
---------	----------------

Used in element(s)

["Identification" on page 176](#)

6.39 ExternalAccountIdentification1Code

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 27](#), ["Code" on page 27](#)

Restricts

["ExternalAccountIdentificationCode" on page 382](#)

6.40 ExternalAccountIdentificationCode

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalAccountIdentification1Code" on page 382](#)

6.41 ExternalCashAccountType1Code

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 61](#), ["Code" on page 60](#)

Restricts

["ExternalCashAccountTypeCode" on page 383](#)

6.42 ExternalCashAccountTypeCode

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalCashAccountType1Code" on page 382](#)

6.43 ExternalCashClearingSystem1Code

Definition: Specifies the cash clearing system, as published in an external cash clearing system code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	3
minLength	1

Used in element(s)

["Code" on page 67](#)

Restricts

["ExternalCashClearingSystemCode" on page 384](#)

6.44 ExternalCashClearingSystemCode

Definition: Specifies the cash clearing system, as published in an external cash clearing system code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalCashClearingSystem1Code" on page 383](#)

6.45 ExternalCategoryPurpose1Code

Definition: Specifies the category purpose, as published in an external category purpose code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 64](#), ["Code" on page 63](#)

Restricts

["ExternalCategoryPurposeCode" on page 384](#)

6.46 ExternalCategoryPurposeCode

Definition: Specifies the category purpose, as published in an external category purpose code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCategoryPurpose1Code" on page 384

6.47 ExternalClearingSystemIdentification1Code

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Used in element(s)

"Code" on page 65

Restricts

"ExternalClearingSystemIdentificationCode" on page 385

6.48 ExternalClearingSystemIdentificationCode

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Is restricted by

"ExternalClearingSystemIdentification1Code" on page 385

6.49 ExternalDiscountAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 137

Restricts

"ExternalDiscountAmountTypeCode" on page 386

6.50 ExternalDiscountAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDiscountAmountType1Code" on page 385

6.51 ExternalDocumentLineType1Code

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 143

Restricts

["ExternalDocumentLineTypeCode" on page 387](#)

6.52 ExternalDocumentLineTypeCode

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalDocumentLineType1Code" on page 386](#)

6.53 ExternalFinancialInstitutionIdentification1Code

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 145](#), ["Code" on page 144](#)

Restricts

["ExternalFinancialInstitutionIdentificationCode" on page 387](#)

6.54 ExternalFinancialInstitutionIdentificationCode

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalFinancialInstitutionIdentification1Code" on page 387

6.55 ExternalGarnishmentType1Code

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 166

Restricts

"ExternalGarnishmentTypeCode" on page 388

6.56 ExternalGarnishmentTypeCode

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalGarnishmentType1Code" on page 388

6.57 ExternalLocalInstrument1Code

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Used in element(s)

["Code" on page 200](#), ["Code" on page 199](#)

Restricts

["ExternalLocalInstrumentCode" on page 389](#)

6.58 ExternalLocalInstrumentCode

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Is restricted by

["ExternalLocalInstrument1Code" on page 388](#)

6.59 ExternalOrganisationIdentification1Code

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 207](#), ["Code" on page 208](#), ["Code" on page 206](#)

Restricts

["ExternalOrganisationIdentificationCode" on page 390](#)

6.60 ExternalOrganisationIdentificationCode

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalOrganisationIdentification1Code" on page 389](#)

6.61 ExternalPersonIdentification1Code

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 244](#), ["Code" on page 245](#), ["Code" on page 243](#)

Restricts

["ExternalPersonIdentificationCode" on page 390](#)

6.62 ExternalPersonIdentificationCode

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalPersonIdentification1Code" on page 390

6.63 ExternalProxyAccountType1Code

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 301, "Code" on page 301

Restricts

"ExternalProxyAccountTypeCode" on page 391

6.64 ExternalProxyAccountTypeCode

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalProxyAccountType1Code" on page 391

6.65 ExternalPurpose1Code

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 304](#)

Restricts

["ExternalPurposeCode" on page 392](#)

6.66 ExternalPurposeCode

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalPurpose1Code" on page 391](#)

6.67 ExternalServiceLevel1Code

Definition: Specifies the external service level code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 315, "Code" on page 314

Restricts

"ExternalServiceLevelCode" on page 393

6.68 ExternalServiceLevelCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalServiceLevel1Code" on page 392

6.69 ExternalTaxAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 334

Restricts

["ExternalTaxAmountTypeCode" on page 394](#)

6.70 ExternalTaxAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalTaxAmountType1Code" on page 393](#)

6.71 IBAN2007Identifier

Definition: The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

Type: IdentifierSet

Format

pattern	[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}
---------	---------------------------------------

Rules**R24 IBAN ✓**

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00003
- *Error Text:* Invalid IBAN format or invalid check digits.

Used in element(s)

["IBAN" on page 26](#), ["IBAN" on page 25](#)

6.72 ISODate

Definition: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Type: Date

Used in element(s)

"BirthDate" on page 130, "Date" on page 343, "FromDate" on page 135, "InterbankSettlementDate" on page 193, "ToDate" on page 135, "Year" on page 350

6.73 ISODateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:mm:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Type: DateTime

6.74 Instruction3Code

Definition: Specifies further instructions concerning the processing of a payment instruction, provided by the sending clearing agent to the next agent(s).

Type: CodeSet

Code	Name	Definition
CHQB	PayCreditorByCheque	(Ultimate) creditor must be paid by cheque.
HOLD	HoldCashForCreditor	Amount of money must be held for the (ultimate) creditor, who will call. Pay on identification.
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone.
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.

Used in element(s)

["Code" on page 196](#)

Restricts

["InstructionCode" on page 396](#)

6.75 Instruction4Code

Definition: Specifies further instructions concerning the processing of a payment instruction, provided by the sending clearing agent to the next agent(s).

Type: CodeSet

Code	Name	Definition
PHOA	PhoneNextAgent	Please advise/contact next agent by phone.
TELA	TelecomNextAgent	Please advise/contact next agent by the most efficient means of telecommunication.

Used in element(s)

["Code" on page 198](#)

Restricts

["InstructionCode" on page 396](#)

6.76 Instruction5Code

Definition: Specifies further instructions concerning the processing of a payment instruction, provided by the sending clearing agent to the next agent(s).

Type: CodeSet

Code	Name	Definition
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone.
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.

Used in element(s)

["Code" on page 197](#)

Restricts

["InstructionCode" on page 396](#)

6.77 InstructionCode

Definition: Specifies further instructions concerning the processing of a payment instruction.

Type: CodeSet

Code	Name	Definition
CHQB	PayCreditorByCheque	(Ultimate) creditor must be paid by cheque.
HOLD	HoldCashForCreditor	Amount of money must be held for the (ultimate) creditor, who will call. Pay on identification.
PBEN	PayTheBeneficiary	(Ultimate) creditor to be paid only after verification of identity.
PHOA	PhoneNextAgent	Please advise/contact next agent by phone.
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone.
TELA	TelecomNextAgent	Please advise/contact next agent by the most efficient means of telecommunication.
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.
TFRO	TimeFrom	Payment instruction will be valid and eligible for execution from the date and time stipulated.
TTIL	TimeTill	Payment instruction is valid and eligible for execution until the date and time stipulated. Otherwise, the payment instruction will be rejected.

Is restricted by

["Instruction3Code" on page 395](#), ["Instruction4Code" on page 396](#), ["Instruction5Code" on page 396](#)

6.78 LEIIdentifier

Definition: Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{18,18}[0-9]{2,2}

Used in element(s)

["LEI" on page 150](#), ["LEI" on page 153](#), ["LEI" on page 202](#), ["LEI" on page 204](#), ["LEI" on page 159](#), ["LEI" on page 48](#), ["LEI" on page 205](#), ["LEI" on page 46](#), ["LEI" on page 147](#), ["LEI" on page 201](#)

6.79 Max128Text

Definition: Specifies a character string with a maximum length of 128 characters.

Type: Text

Format

maxLength	128
minLength	1

Used in element(s)

"Identification" on page 210

6.80 Max140Text

Definition: Specifies a character string with a maximum length of 140 characters.

Type: Text

Format

maxLength	140
minLength	1

Used in element(s)

"Name" on page 150, "Name" on page 48, "Name" on page 46, "Name" on page 74, "Name" on page 147, "Name" on page 216

6.81 Max15NumericText

Definition: Specifies a numeric string with a maximum length of 15 digits.

Type: Text

Format

pattern	[0-9]{1,15}
---------	-------------

Used in element(s)

"NumberOfTransactions" on page 192

6.82 Max16Text

Definition: Specifies a character string with a maximum length of 16 characters.

Type: Text

Format

maxLength	16
minLength	1

Used in element(s)

["BuildingNumber" on page 250](#), ["PostBox" on page 251](#), ["PostCode" on page 251](#)

6.83 Max2048Text

Definition: Specifies a character string with a maximum length of 2048 characters.

Type: Text

Format

maxLength	2048
minLength	1

Used in element(s)

["EmailAddress" on page 75](#), ["Identification" on page 196](#), ["Identification" on page 296](#)

6.84 Max34Text

Definition: Specifies a character string with a maximum length of 34 characters.

Type: Text

Format

maxLength	34
minLength	1

Used in element(s)

["Identification" on page 167](#)

6.85 Max350Text

Definition: Specifies a character string with a maximum length of 350 characters.

Type: Text

Format

maxLength	350
minLength	1

Used in element(s)

["PlaceAndName" on page 330](#), ["Registry" on page 195](#)

6.86 Max35Text

Definition: Specifies a character string with a maximum length of 35 characters.

Type: Text

Format

maxLength	35
minLength	1

Used in element(s)

["BuildingName" on page 251](#), ["CityOfBirth" on page 131](#), ["CountrySubDivision" on page 252](#), ["DistrictName" on page 252](#), ["EmailPurpose" on page 75](#), ["Identification" on page 46](#), ["Identification" on page 173](#), ["Identification" on page 177](#), ["Identification" on page 184](#), ["Issuer" on page 168](#), ["Issuer" on page 173](#), ["Issuer" on page 176](#), ["Issuer" on page 177](#), ["Issuer" on page 184](#), ["JobTitle" on page 75](#), ["MemberIdentification" on page 68](#), ["Proprietary" on page 27](#), ["Proprietary" on page 60](#), ["Proprietary" on page 63](#), ["Proprietary" on page 65](#), ["Proprietary" on page 67](#), ["Proprietary" on page 144](#), ["Proprietary" on page 199](#), ["Proprietary" on page 206](#), ["Proprietary" on page 243](#), ["Proprietary" on page 301](#), ["Proprietary" on page 314](#), ["ProvinceOfBirth" on page 131](#), ["Responsibility" on page 75](#), ["SchemeName" on page 176](#), ["TownLocationName" on page 252](#), ["TownName" on page 251](#)

6.87 Max4Text

Definition: Specifies a character string with a maximum length of 4 characters.

Type: Text

Format

maxLength	4
minLength	1

Used in element(s)

["ChannelType" on page 210](#)

6.88 Max70Text

Definition: Specifies a character string with a maximum length of 70characters.

Type: Text

Format

maxLength	70
minLength	1

Used in element(s)

["AddressLine" on page 252](#), ["Department" on page 76](#), ["Department" on page 248](#), ["Floor" on page 251](#), ["Name" on page 56](#), ["Room" on page 251](#), ["StreetName" on page 250](#), ["SubDepartment" on page 249](#)

6.89 NamePrefix2Code

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Used in element(s)

["NamePrefix" on page 74](#)

Restricts

["NamePrefixCode" on page 401](#)

6.90 NamePrefixCode

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Is restricted by

["NamePrefix2Code" on page 400](#)

6.91 Number

Definition: Number of objects represented as an integer.

Type: Quantity

Format

fractionDigits	0
totalDigits	18

Used in element(s)

["SequenceNumber" on page 343](#), ["SequenceNumber" on page 340](#)

6.92 ParentCurrencyCode

Definition: Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.

Type: CodeSet

Format

pattern [A-Z]{3,3}

Is restricted by

"ActiveCurrencyCode" on page 362, "ActiveOrHistoricCurrencyCode" on page 364

6.93 PercentageRate

Definition: Rate expressed as a percentage, that is, in hundredths, for example, 0.7 is 7/10 of a percent, and 7.0 is 7%.

Type: Rate

Format

fractionDigits 10

totalDigits 11

Used in element(s)

"Rate" on page 332, "Rate" on page 331

6.94 PhoneNumber

Definition: The collection of information which identifies a specific phone or FAX number as defined by telecom services.

It consists of a "+" followed by the country code (from 1 to 3 characters) then a "-" and finally, any combination of numbers, "(", ")", "+", and "-" (up to 30 characters).

Type: Text

Format

pattern \+[0-9]{1,3}-[0-9()+\-]{1,30}

Used in element(s)

"FaxNumber" on page 75, "MobileNumber" on page 75, "PhoneNumber" on page 74

6.95 PreferredContactMethod1Code

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
PHON	Phone	Preferred method used to reach the contact is per phone.

Used in element(s)

["PreferredMethod" on page 76](#)

Restricts

["PreferredContactMethodCode" on page 403](#)

6.96 PreferredContactMethodCode

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
ONLI	Online	Preferred method used to reach the contact is online.
PHON	Phone	Preferred method used to reach the contact is per phone.

Is restricted by

["PreferredContactMethod1Code" on page 402](#)

6.97 Priority2Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

Used in element(s)

["InstructionPriority" on page 236](#), ["InstructionPriority" on page 234](#), ["Priority" on page 54](#)

Restricts

["PriorityCode" on page 404](#)

6.98 Priority3Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Used in element(s)

["SettlementPriority" on page 82](#)

Restricts

["PriorityCode" on page 404](#)

6.99 PriorityCode

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
LOWW	Low	Priority level is low.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Is restricted by

["Priority2Code" on page 403](#), ["Priority3Code" on page 404](#)

6.100 SettlementMethod1Code

Definition: Specifies the method used to settle the credit transfer instruction.

Type: CodeSet

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system. Usage Guideline restrictions for this code • This code(pacs.009.001.08/Group-Header/SettlementInformation/SettlementMethod/ClearingSystem) is removed.
COVE	CoverMethod	Settlement is done through a cover payment. Usage Guideline restrictions for this code • This code(pacs.009.001.08/Group-Header/SettlementInformation/SettlementMethod/CoverMethod) is removed.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

Used in element(s)

["SettlementMethod" on page 319](#)

Restricts

["SettlementMethodCode" on page 405](#)

6.101 SettlementMethodCode

Definition: Specifies the method used to settle the payment instruction.

Type: CodeSet

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.

Code	Name	Definition
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

Is restricted by

"SettlementMethod1Code" on page 404

6.102 TaxRecordPeriod1Code

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.

Code	Name	Definition
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Used in element(s)

"Type" on page 352, "Type" on page 350

Restricts

"TaxRecordPeriodCode" on page 407

6.103 TaxRecordPeriodCode

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.

Code	Name	Definition
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Is restricted by

"TaxRecordPeriod1Code" on page 406

6.104 TrueFalseIndicator

Definition: A flag indicating a True or False value.

Type: Indicator

Meaning When True: True

Meaning When False: False

Used in element(s)

"EmployeeTerminationIndicator" on page 165, "FamilyMedicalInsuranceIndicator" on page 165

6.105 UUIDv4Identifier

Definition: Universally Unique Identifier (UUID) version 4, as described in IETF RFC 4122 "Universally Unique Identifier (UUID) URN Namespace".

Type: IdentifierSet

Format

pattern [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}

Used in element(s)

"UETR" on page 233

6.106 UnicodeChartsCode

Definition: codelist containing the names of the UNICODE code block name as specified on <http://unicode.org/Public/UNIDATA/Blocks.txt>.

Type: CodeSet

Rules**R2 ValidationByTable**

Error handling: Undefined

Used in element(s)

"CharacterSet" on page 50

6.107 YesNoIndicator

Definition: Indicates a "Yes" or "No" type of answer for an element.

Type: Indicator

Meaning When True: Yes

Meaning When False: No

Used in element(s)

"PossibleDuplicate" on page 53

Legal Notices

Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.