Assignment-2

1. What is tags in HTML

In HTML, tags are used to define and structure content on a webpage. Each tag represent an element such as paragraph, image or link

2. What is elements in HTML?

Elements are building blocks of a webpage. It consists of a start tag, content and an end tag. Elements define the structure and meaning of the content displayed on the web page

Types : 1. Block-level elements - Takes full width of screen

Eg: , <p>, <h1>, <section>, <article>

2. Inline Elements - These elements takes up only as much width as their content and don't cause a line-break

Eg: , <a>, , <img>

3. Empty (self-closing) Elements

Don't have content or an end tag. They are typically used for non-textual content

Scanned with OKEN Scanner

3. Formatting tags - Used to control the appearance of text and content on the page

Eg: <b>, <i>, <u>, <strong

Interactive tags - Used to create interactive elements on a webpage. These tags help in user interaction, such as navigating between pages, submitting forms, or handling clicks

Eg: <a>, <button>, <form>, <input>

Media tags are used to embed and control media such as images, videos and audio on a webpage

Eg: <img>, <audio>, <video>, <picture>

6. Semantic & Non-Semantic

Semantic improve the clarity and structure of your HTML code they are meaningful and help search engines and accessibility tools understand the content

Non-Semantic - used for styling and grouping content without providing any content or meaning

Scanned with OKEN Scanner

7. Closing Tags. - Required for most HTML elements, where content is enclosed between an opening tag and a closing tag

Eg: <P></P>

Self-closing tags - Used for elements that don't have content or require a closing structure. They only need an opening tag with or without a closing slash

Eg: <img />