

Jeevan Kumar Banoth – 02105145


CIS 552: Database Design

Homework – 3:

The procedures below are based on the company's database used in the previous task. You will find this procedure, “insert_employee” created in the screenshot below if a request is successfully submitted. SQL workbench software was used to write the procedure.

Stored Procedure Creation:


To put new employees into our COMPANY Database as a with different STORED procedures, one can always result to so PSS (Persistent Stored Module) invaluabley.



Here, we have used the company Database that I have used in HW 2, so by using use company command we are retrieving it.

Then, we are using the delimiter by that started creating the procedures for employer and inserting the information below.


Next, we started by checking if the department exists or not.



CREATE PROCEDURE InsertNewEmployee(...): Defines a new stored procedure named InsertNewEmployee with the following parameters:


- **IN parameters:** These are input parameters passed into the procedure when it is called.
- **OUT parameter:** This is an output parameter that will hold the success status (TRUE or FALSE) of the procedure.

Calling the Stored Procedure:



CALL InsertNewEmployee(...): Calls the InsertNewEmployee stored procedure with the specified parameters ('Jane', 'Smith', '1990-01-01', '123 Main St', 'F', 55000.00, '123456789', 4) and passes an output parameter @SuccessFlag to capture the success status of the procedure.

SELECT @SuccessFlag AS Insertion Success: Selects the value of @SuccessFlag which indicates whether the insertion into the EMPLOYEE table was successful (TRUE) or not (FALSE).



OUTPUT:

The script will create a new stored procedure called InsertNewEmployee which will enter information about a new employee to the EMPLOYEE table provided the mentioned department does exist in the DEPARTMENT table. This guarantees the safety of your data as well as proper error handling should there be a mistake concerning whether the department exists when inserting records into this table.

As you can see above, script runs successfully but the error is occurring at the Date of birth formatting, I have tried to rectify this multiple times, but I couldn't find anything. But the script runs smoothly so I let it slide.

Conclusion:

- The SQL script effectively sets up a database schema for managing employee data within a company structure.
- It ensures data integrity by linking employees to departments and managers using foreign key constraints.
- Checks if the specified Department_Number exists in the DEPARTMENT table before insertion.
- Outputs p_Success indicating success (TRUE) or failure (FALSE) of the insertion.
- Ensures that before inserting an employee record, the corresponding department exists to maintain referential integrity.
- Uses COUNT (*) query to verify the existence of the department.
- Demonstrates how to call the InsertNewEmployee procedure with sample data ('Jane', 'Smith', '1990-01-01', '123 Main St', 'F', 55000.00, '123456789', 4).
- Captures the success status of the insertion using an output parameter @SuccessFlag.
- After calling the procedure, check the value of @SuccessFlag to determine if the insertion was successful (TRUE) or not (FALSE).
- The InsertNewEmployee procedure provides a structured way to insert new employees while verifying the existence of their assigned department.
- Overall, the script provides a foundation for managing and querying employee-related data within an organizational context.