

Problem List

Submit

Settings

0

Auto

Profile

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 47 / 47 testcases passed

Jeevankumar8074 submitted at Apr 10, 2026 10:45

Analysis


Solution

Runtime

20 ms | Beats 81.63%

Memory

13.21 MB | Beats 14.90%



Code

C

```
1 #include <stdio.h>
2 #include <string.h>
3
4 int max(int a, int b){
5     return (a > b) ? a : b;
6 }
7
8 void findLCS(char* X, char* Y){
9     int m = strlen(X);
10    int n = strlen(Y);
11
12    int L[m + 1][n + 1];
13
14    for(int i = 0; i <= m; i++){
15        for(int j = 0; j <= n; j++){
16            if(i == 0 || j == 0)
17                L[i][j] = 0;
18            else if (X[i - 1] == Y[j - 1])
19                L[i][j] = L[i - 1][j - 1] + 1;
20            else
21                L[i][j] = max(L[i - 1][j], L[i][j - 1]);
22        }
23    }
24 }
```

View more

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Case 3

Input

text1 = "abcde"

text2 = "ace"

Output

More challenges