



Campus Corporate Connect
The most trusted training partner in India

Welcome!

Jeevan R

SRM Easwari Engineering College, Chennai

My Assessment

← SRM EEC PO-2025 Stream-I 05 JUL
24 DAY-5 AN

Quiz · 15
mins

1. What is the correct order for defining link pseudo-classes in CSS?

- ☒ :link, :visited, :hover, :active
- ☐ :visited, :link, :hover, :active
- ☐ :hover, :active, :link, :visited,
- ☐ :active, :hover, :visited, :link,

2. Which CSS property is used to create space around elements, outside of any defined borders?



☐ border

☒ margin

☐ width

3. Which pseudo-class is used to define the style for visited links in CSS?

☐ :link

☐ :active

☐ :hover

☒ :visited

4. What will be the result if you set a negative value for padding?

☒ The padding will be ignored

☐ The element will overlap with other elements



- ☐ Negative values are not allowed for padding

5. What is the default value of the 'margin' property in CSS?

- ☒ 0
- ☐ auto
- ☐ depends on the browser
- ☐ 1em

6. What does 'margin: 20px 40px;' mean in CSS?

- ☐ top and bottom margins are 20px, left and right margins are 40px
- ☐ all four margins are 20px
- ☐ all four margins are 40px



20px

7. What is the purpose of the 'padding' property in CSS?

- ☒ To create space between the content of an element and its border
- ☐ To create space between the border of an element and other elements
- ☐ To change the color of an element's border
- ☐ To change the size of the element's content

8. If an element has a specified width, which margin property can be used to center it horizontally?

- ☐ margin-left: auto; margin-right: auto;
- ☐ margin-top: auto; margin-bottom: auto;



☒ margin: auto 0;

9. Which property is used to remove the underline from links in CSS?

☒ text-decoration: none;

☐ border-bottom: none;

☐ text-style: none;

☐ text-line: none;

10. Which CSS property is used as the shorthand for the padding properties on all four sides of an element?

☐ padding-left

☐ padding-right

☒ padding

☐ padding-top



11. Which of the following values is NOT valid for the 'padding' property?

☐ 10px

☐ 5%

☒ auto

☐ 1em

12. What does the `:hover` pseudo-class in CSS apply to?

☐ Elements that are being clicked

☐ Elements that are being double-clicked

☐ Elements that have keyboard input focus

☒ Elements that are under the mouse pointer

13. Which of the following is true when you set 'margin: auto;' in CSS?



- ☐ The element will have no margin
- ☒ The element will be centered horizontally within its container
- ☐ The margin will be set to the browser's default

14. How can you set different padding values for all four sides of an element?

- ☒ padding: top right bottom left;
- ☐ padding: left top right bottom;
- ☐ padding: bottom right top left;
- ☐ padding: right top left bottom;

15. How do you change the color of unvisited links in CSS?

- ☒ a:link { color: blue; }
- ☐ a:visited { color: blue; }



Campus Corporate Connect
The most trusted training partner in India

☐ a:active { color: blue; }

Submit

We partner & train students primarily from premier Institutes in India

Students from 135 Institutions / Universities have benefitted from our trainings



125+ more Institutions

Our Alumni work at the best companies in the world

Our 611000+ alumni have got placed in 758 companies with 1.22Cr as highest package



Campus Corporate Connect
The most trusted training partner in India

730+ more Companies



CONTESTS

Copyright © 2022 CCC.Training

Contact: info@ccc.training