| | |
|---|---|
| **Status** | Finished |
| **Started** | Tuesday, 20 October 2026, 11:34 AM |
| **Completed** | Tuesday, 20 October 2026, 11:38 AM |
| **Duration** | 4 mins 32 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. file()
b. openfile()
c. open() ✓
d. open_file()

The correct answer is: open()

Question **2**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Flushes the internal buffer to the file ✓
b. Moves the file cursor to the beginning
c. Deletes the file content
d. Closes the file

The correct answer is: Flushes the internal buffer to the file

Question **3**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readline() method
b. Using the read() method
c. Using a for loop ✓
d. Using the readlines() method

The correct answer is: Using a for loop

Question **4**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

- a. To automatically close the file after its suite finishes ✓
- b. To delete a file
- c. To write data to a file
- d. To read data from a file

The correct answer is: To automatically close the file after its suite finishes

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

- a. write_list()
- b. write_all()
- c. writelines() ✓
- d. write()

The correct answer is: writelines()

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

- a. It reads a single line from the file
- b. It reads the entire file and returns it as a string
- c. It reads the entire file and returns it as a list of lines ✓
- d. It reads the file and returns it as a dictionary

The correct answer is: It reads the entire file and returns it as a list of lines

Question **7**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

a. file.closed()
b. file.closed ✓
c. file.isclosed()
d. file.is_closed()

The correct answer is: file.closed

Question **8**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. space
b. \n ✓
c. \t
d. ,

The correct answer is:
\n

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised
b. Python Programming
c. Python ✓
d. Program

The correct answer is: Python

Question **10**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file, “a.txt”, “r”)

b. infile = open(“a.txt”, “r”) ✓

c. infile = open(file = “a.txt”, “r”)

d. infile = open(file = “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. w

b. r+ ✓

c. r

d. a

The correct answer is: r+

Question **12**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write, w+ is for append only

b. r+ is for binary read and write, w+ is for text read and write

c. r+ is for read and append, w+ is for read and write

d. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **13**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.

Question **14**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. garbage

b. 0 ✓

c. null

d. 1

e. 2

The correct answer is:
0

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readline() ✓

b. readlines()

c. read()

d. readline(size)

The correct answer is: readline()