

MySQL Workbench

My Local instance x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

gldata

jeevandatabase

Tables

candidate

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

Schema: jeevandatabase

Object Info Session

Query 1 candidate

Limit to 1000 rows

```
1 • CREATE DATABASE jeevandatabase;
2
3 -- DROP DATABASE jeevandatabase;
4
5 • CREATE TABLE candidate (
6     CandidateId INT,
7     FirstName VARCHAR(20),
8     LastName VARCHAR(20),
9     CityFrom VARCHAR(20),
10    DateOfBirth DATE
11 );
12
13 • INSERT INTO candidate VALUES (01, 'Jeevan', 'Sai', 'Tirupati', '2000-11-30');
14 • INSERT INTO candidate VALUES (02, 'Bipul', 'Sardar', 'Odisha', '1999-07-16');
15 • INSERT INTO candidate VALUES (03, 'Arjit', 'Dhal', 'Bhubaneswar', '2000-07-10');
16
17 • SELECT * FROM candidate;
18
19 -- DROP TABLE candidate;
```

Result Grid

Filter Rows:

Export: Wrap Cell Content:

	CandidateId	FirstName	LastName	CityFrom	DateOfBirth
▶	1	Jeevan	Sai	Tirupati	2000-11-30
	2	Bipul	Sardar	Odisha	1999-07-16
	3	Arjit	Dhal	Bhubaneswar	2000-07-10

candidate 8 x

Read Only

Windows Taskbar: MySQL Workbench, MySQL notes - Notep...

System Tray: ENG 14:30

MySQL Workbench

My Local instance x

File Edit View Query Database Server Tools Scripting Help

Query 1 x candidate

Limit to 1000 rows

```
1 • CREATE DATABASE jeevandatabase;
2
3 -- DROP DATABASE jeevandatabase;
4
5 • ⊕ CREATE TABLE candidate (
12
13 • INSERT INTO candidate VALUES (01, 'Jeevan', 'Sai', 'Tirupati', '2000-11-30');
14 • INSERT INTO candidate VALUES (02, 'Bipul', 'Sardar', 'Odisha', '1999-07-16');
15 • INSERT INTO candidate VALUES (03, 'Arjit', 'Dhal', 'Bhubaneswar', '2000-07-10');
16
17 • SELECT * FROM candidate;
18
19 -- DROP TABLE candidate;
20
21 • ALTER TABLE candidate ADD Email varchar(100);
22
23 -- ALTER TABLE candidate DROP Email;
```

Result Grid

Filter Rows: Export: Wrap Cell Content:

	CandidateId	FirstName	LastName	CityFrom	DateOfBirth	Email
▶	1	Jeevan	Sai	Tirupati	2000-11-30	NULL
	2	Bipul	Sardar	Odisha	1999-07-16	NULL
	3	Arjit	Dhal	Bhubaneswar	2000-07-10	NULL

candidate 9 x

Read Only

MySQL Workbench MySQL notes - Notep...

ENG 14:39

MySQL Workbench

My Local instance x

File Edit View Query Database Server Tools Scripting Help

Query 1 x candidate

Limit to 1000 rows

```
1 • CREATE DATABASE jeevandatabase;
2 -- DROP DATABASE jeevandatabase;
3
4 • CREATE TABLE candidate (
5     CandidateId int NOT NULL AUTO_INCREMENT,
6     FirstName VARCHAR(20) NOT NULL,
7     LastName VARCHAR(20) NOT NULL,
8     DateOfBirth DATE NOT NULL,
9     Email VARCHAR(100) NOT NULL,
10    PRIMARY KEY (CandidateId)
11 );
12
13 -- DROP TABLE candidate;
14
15 • INSERT INTO candidate (FirstName, LastName, DateOfBirth, Email) VALUES ('Jeevan', 'Sai', '2000-11-30', 'jeevansai03@gmail.com');
16 • INSERT INTO candidate (FirstName, LastName, DateOfBirth, Email) VALUES ('Bipul', 'Sardar', '1999-07-16', 'bipulsardar@gmail.com');
17 • INSERT INTO candidate (FirstName, LastName, DateOfBirth, Email) VALUES ('Arjit', 'Dhal', '2000-07-10', 'arjithdhal@gmail.com');
18
19 • SELECT * FROM candidate;
```

Result Grid

	CandidateId	FirstName	LastName	DateOfBirth	Email
▶	1	Jeevan	Sai	2000-11-30	jeevansai03@gmail.com
	2	Bipul	Sardar	1999-07-16	bipulsardar@gmail.com
	3	Arjit	Dhal	2000-07-10	arjithdhal@gmail.com
*	NULL	NULL	NULL	NULL	NULL

candidate 17 x

Apply Revert

Windows Taskbar: MySQL Workbench, MySQL notes - Notep...

System Tray: ENG 15:12