



Weather Observation Station 4 ☆

80 more points to get your next star!

Rank: 203617 | Points: 95/175



Your Weather Observation Station 4 submission got 10.00 points.

[Share](#)[Tweet](#)

You are now 80 points away from the 2nd star for your sql badge.

[Try the next challenge](#) | [Try a Random Challenge](#)

Problem

Submissions

Leaderboard

Let N be the number of CITY entries in **STATION**, and let N' be the number of distinct CITY names in **STATION**; query the value of $N - N'$ from **STATION**. In other words, find the difference between the total number of CITY entries in the table and the number of distinct CITY entries in the table.

Input Format

The **STATION** table is described as follows:

STATION

Field	Type
ID	NUMBER
CITY	VARCHAR2(21)
STATE	VARCHAR2(2)
LAT_N	NUMBER
LONG_W	NUMBER

where LAT_N is the northern latitude and LONG_W is the western longitude.

Current Buffer (saved locally, editable)



MySQL



1 ▼ / *

```
2 Enter your query here.  
3 */  
4  
5 SELECT COUNT(CITY)-COUNT(DISTINCT CITY) FROM STATION;
```

Line: 5 Col: 54

[⬆ Upload Code as File](#)[Run Code](#)[Submit Code](#)

You have earned 10.00 points!

You are now 80 points away from the 2nd star for your sql badge.

16%

95/175



Congratulations

You solved this challenge. Would you like to challenge your friends?

[Next Challenge](#)

Test case 0

Compiler Message

Success

Input (stdin)

[Download](#)

INPUT

Expected Output

[Download](#)

13



[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) |
[Privacy Policy](#) | [Request a Feature](#)

