```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "
http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
<title>View Messages</title>
</head>
<body>
<%
       String id[] = null;
        String date [] = null;
        String sub [] = null;
        String con [] = null;
        String uid [] = null;
        if (request.getSession().getAttribute("date") != null) {
            date = (String[]) request.getSession().getAttribute("date");
        if (request.getSession().getAttribute("sub") != null) {
            sub = (String[]) request.getSession().getAttribute("sub");
        if (request.getSession().getAttribute("con") != null) {
            con = (String[]) request.getSession().getAttribute("con");
        if (request.getSession().getAttribute("uid") != null) {
            uid = (String[]) request.getSession().getAttribute("uid");
        if (request.getSession().getAttribute("mid") != null) {
            id = (String[]) request.getSession().getAttribute("mid");
        }
<form action="delMsqs" method = 'post'>
<응
       for (int i = 0; i < date.length; i++) {</pre>
           out.println("");
           out.println("");
           out.println("<input type = 'checkbox' value = '" + id[i] + "' name = 'delmsgs'");</pre>
           out.println("");
           out.println("");
           out.println(id[i]);
           out.println("");
```

```
out.println("");
out.println(date[i]);
out.println("");
out.println("");
out.println(sub[i]);
out.println("");
out.println("");
out.println(con[i]);
out.println("");
out.println("");
out.println(uid[i]);
out.println(uid[i]);
out.println("");
out.println("");
```

## 응>

```
<input type = 'submit' value = 'delete' name = 'delete' >

</form>
<input type = 'submit' value = 'go home' name = 'go home' onClick="location.href='home.jsp';">
</body>
</html>
```