Cucumber Report

| Start : Apr 03, 8:40:11.693 pm | End : Apr 03, 8:40:20.599 pm | Duration : 8.906 s |

| Features | Scenarios | Steps |

| PASSED - 0 FAILED - 1 SKIPPED - 0 | PASSED - 0 FAILED - 1 SKIPPED - 0 | PASSED - 1 FAILED - 1 SKIPPED - 1 |

Features: 1

Scenarios: 1

Steps: 3

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 33 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to hrm application	*8.906 s*	*1*	*0*	*1*	*0*	*3*	*1*	*1*	*1*

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@ValidCredentials	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login to hrm application	1	0	1	0	8.906 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to hrm application	Login with valid credentials	3	1	1	1	8.898 s

Login to hrm application

FAILED	DURATION - 8.906 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 8:40:11.693 pm // 8:40:20.599 pm /						

Login with valid credentials

FAILED	DURATION - 8.898 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 8:40:11.701 pm // 8:40:20.599 pm /				
Login to hrm application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	3.197 s
2	When User enters username and password	FAILED	0.031 s

	java.lang.NullPointerException: inStream parameter is null
	    at java.base/java.util.Objects.requireNonNull(Objects.java:246)
	    at java.base/java.util.Properties.load(Properties.java:409)
	    at com.actions.LoginPageActions.login(LoginPageActions.java:42)
	    at com.definitions.LoginPageDefinition.goToHomePage(LoginPageDefinition.java:24)
	    at ?.User enters username and password(file:///C:/Users/kirub/git/cucumberReportPractice/CucumberPageObject/src/test/resources/practice/Features/LoginPage.feature:6)
	* Not displayable characters are replaced by '?'.		

3	Then User should be able to login successfully and new page open	SKIPPED	0.002 s