

Feature		Scenario			Step				
Name	Duration	T	P	F	S	T	P	F	S
Login to hrm application	6.534 s	1	0	1	0	3	1	1	1


Tag		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Login to hrm application	1	0	1	0	6.534 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to hrm application	Login with valid credentials	3	1	1	1	6.527 s

DETAILED SECTION -- 6 --

## **Login to hrm application**

FAILED	DURATION - 6.534 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 7:04:09.552 pm // 7	<sup>7</sup> :04:16.086 pm /	Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## **Login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	2.919 s
2	When User enters username and password	FAILED	0.867 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression By. xpath("//button[@type='submit'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string 'By. xpath("//button[@type='submit']' is not a valid XPath expression. (Session info: chrome=134.0.6998.178) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [3e95b90ff673a10c7045052436d96114, findElement {value=By.xpath("//button[@type='submit'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29, userDataDir: C:\Users\kirub\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61599}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61599/devtoo, se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, Session ID: 3e95b90ff673a10c7045052436d96114  at java.base/java.lang.reflect.Constructor.newInstance(VithCaller(Constructor.java:501)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at com.actions.LoginPageActions.clickLogin(LoginPageActions.java:29)		
	at com.actions.LoginPageActions.login(LoginPageActions.java:52)		
	at com.definitions.LoginPageDefinition.goToHomePage(LoginPageDefinition.java:24)		
	at ?.User enters username and password(file:///C:/Users/kirub/eclipse-testNG/CucumberPageObject/src/test/resources/practice/Features/		
	LoginPage.feature:6)		
	* Not displayable characters are replaced by '?'.		
3	Then User should be able to login successfully and new page open	SKIPPED	0.002 s