Start: Apr 03, 7:16:18.125 pm **Duration : 5.412 s** End: Apr 03, 7:16:23.537 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 1 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 40 50 60 40 50 60 40 50 60 30 Pass % 70 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 33 % 100 100

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to hrm application	5.412 s	1	0	1	0	3	1	1	1

Tag	Scenario			Feature				
Name	T P F S		T	P	F	S		
@ValidCredentials	1	0	1	0	1	0	1	0


FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Login to hrm application	1	0	1	0	5.412 s

SCENARIOS SUMMARY

-- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to hrm application	Login with valid credentials	3	1	1	1	5.402 s

DETAILED SECTION -- 6 --

## **Login to hrm application**

FAILED	DURATION - 5.412 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 7:16:18.125 pm // 7	7:16:23.537 pm /	Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	l 📐 ് 🎜 📗
		Skip - 0		Skip - 1	

## **Login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	0.824 s
2	When User enters username and password	FAILED	0.037 s
	java.lang.NullPointerException: inStream parameter is null at java.base/java.util.Objects.requireNonNull(Objects.java:246) at java.base/java.util.Properties.load(Properties.java:409) at com.actions.LoginPageActions.login(LoginPageActions.java:42) at com.definitions.LoginPageDefinition.goToHomePage(LoginPageDefinition.java:24) at ?.User enters username and password(file:///C:/Users/kirub/git/cucumberReportPractice/CucumberPageObject/src/test/resources/practice/Features/LoginPage.feature:6) * Not displayable characters are replaced by '?'.		
3	Then User should be able to login successfully and new page open	SKIPPED	0.002 s