

SIH 2026 Slide Prompts: Air Power

Oct 9, 2026 · @Blah Blah

Generate only the body artwork with AI, and keep the official template's frame (logo, team-name oval, footer bar, page number) as real PowerPoint objects. Each prompt below starts with the same style block, so all six slides match each other and look nothing like the reference deck's detective style.

How to use these prompts

1. **Why only the body:** the template rules say you may use only the provided template and must keep its pointers. An AI image that redraws the SIH logo or footer breaks that rule, and AI tools garble small text.
2. **Place each image** on slides 2 to 6: Picture Format, Size and Position, Left 0 in, Top 1.25 in, Width 13.33 in. The height comes out at about 5.7 in. Send it to the back, delete the template's grey pointer text box, and keep the header, logo, oval and footer bar visible.
3. **Type the header text** into the template as real text:

Slide	Header text in the template
1	Replace "TITLE PAGE" with AIR POWER
2	Replace "IDEA TITLE" with AIR POWER: PREDICTIVE MAINTENANCE & FLEET AVAILABILITY (shrink the font if it does not fit)
3	Keep TECHNICAL APPROACH
4	Keep FEASIBILITY AND VIABILITY
5	Keep IMPACT AND BENEFITS
6	Keep RESEARCH AND REFERENCES

4. **Put your team name** in the "Your Team Name" oval on slides 2 to 6.
5. **Image size:** 2400 x 1020 px. If the AI tool only offers fixed ratios, pick the widest one (21:9) and crop to fit.

6. **Check every word and number** against the key numbers in your Presentation Kit. If the AI garbles text, regenerate with "write every word exactly as given", or ask for a text-free layout and add the words as PowerPoint text boxes.
7. **Use real screenshots.** Do not let the AI draw your dashboard. Slides 3 and 6 ask for empty dashed frames: paste your real dashboard screenshots there.
8. **Numbers on the slides** compare our model and the lazy guess on the same answer key: 13.1 vs 34.8 flights. The 14.2 figure stays in your README and Q&A.
9. **Submit:** delete the template's last slide (Important Instructions), keep six slides in total, and save as PDF. The template says PPT or Word files are not accepted.

Slide 1: Title page

The title page is mostly fields, so type them into the template as real text. Replace the bracketed items with your own.

Template field	Text to type
Problem Statement ID	26249
Problem Statement Title	Air Power: Predictive Maintenance & Fleet Availability
Theme	Transportation & Logistics
PS Category	Software
Team ID	[your Team ID from the portal]
Team Name	[your team name]

Check the Problem Statement ID against the SIH portal before you submit.

Optional cover art: paste this prompt into your image AI to get a decorative panel for the right half of the title page. Leave the left half empty for the template's text fields.

Create a single 2400 x 1020 px (21:9) infographic panel in the "Mission Control Light" style for a Smart India Hackathon defence-aviation presentation.

STYLE (same on every slide)

- Background: warm off-white #F5F5F3 with a faint 40 px blueprint grid in #E4E6EA. Cards are white #FFFFFF with a 1.5 px #D5D8DE border, 14 px rounded corners and a very soft shadow.
- Text: headings near-black #0B0B0B, body #3A4250. Font: Inter (or a similar clean sans-serif). Headings bold 700, body medium 500. Numbers in a monospace font (JetBrains Mono) like an instrument readout.
- Colours: navy #14213D, signal blue #2A78D6, green #1F9D55, amber #E8A317, red #D64545. Use green, amber and red ONLY to show status (healthy, warning, danger).
- Motif: flat thin-line vector icons (jet, turbofan, wrench, gauge), a dotted flight-path arc joining the steps, and numbered round badges like cockpit dials.
- Never use photos, 3D, dark backgrounds, stock people or heavy gradients.
- Keep 60 px safe margins. Draw ONLY the body of the slide. Do NOT draw any header, logo, footer, page number or team-name badge.
- Text rules: write every word exactly as given, in English, with no extra words and no lorem ipsum. The smallest text must stay readable at 2400 px width (about 28 px). Keep labels short.
- Honesty tags: small outlined pill labels reading PUBLIC DATA or SIMULATED wherever the content says so.

SLIDE: Cover art only (no paragraphs)

Layout: use only the right half of the canvas (about 1100 x 1020 px) and leave the left half plain background.

Draw a top-down view of a fleet of 12 small jet icons in neat rows on the blueprint grid. Colour 7 of them green, 3 amber and 2 red, to show a fleet with different health. Above the fleet, draw one large round gauge dial (a half-circle, needle in the green-amber zone). Link the dial to the fleet with one dotted flight-path arc.

Only text allowed, in a small white card at the bottom right: "100 aircraft. 7 days. One clear plan."

Slide 2: Proposed solution (the idea)

Header in the template: AIR POWER: PREDICTIVE MAINTENANCE & FLEET AVAILABILITY. Paste the whole block below into your image AI.

Create a single 2400 x 1020 px (21:9) infographic panel in the "Mission Control Light" style for a Smart India Hackathon defence-aviation presentation.

STYLE (same on every slide)

- Background: warm off-white #F5F5F3 with a faint 40 px blueprint grid in #E4E6EA. Cards are white #FFFFFF with a 1.5 px #D5D8DE border, 14 px rounded corners and a very soft shadow.
- Text: headings near-black #0B0B0B, body #3A4250. Font: Inter (or a similar clean sans-serif). Headings bold 700, body medium 500. Numbers in a monospace font (JetBrains Mono) like an instrument readout.
- Colours: navy #14213D, signal blue #2A78D6, green #1F9D55, amber #E8A317, red #D64545. Use green, amber and red ONLY to show status (healthy, warning, danger).
- Motif: flat thin-line vector icons (jet, turbofan, wrench, gauge), a dotted flight-path arc joining the steps, and numbered round badges like cockpit dials.
- Never use photos, 3D, dark backgrounds, stock people or heavy gradients.
- Keep 60 px safe margins. Draw ONLY the body of the slide. Do NOT draw any header, logo, footer, page number or team-name badge.
- Text rules: write every word exactly as given, in English, with no extra words and no lorem ipsum. The smallest text must stay readable at 2400 px width (about 28 px). Keep labels short.
- Honesty tags: small outlined pill labels reading PUBLIC DATA or SIMULATED wherever the content says so.

SLIDE: The idea in one picture

Layout: three zones, left to right, joined by one dotted flight-path arc.

ZONE 1 (left, 25% width), a white card with a small red tag "THE PROBLEM":

- Icon: a jet with a red warning triangle.
- Line 1: "Fixed-schedule servicing"
- Line 2: "Parts fail by surprise"
- Line 3: "Spares and hangars not matched"

ZONE 2 (centre, 45% width), a horizontal 4-step pipeline of numbered round badges 1 to 4, each with an icon and a short label:

1. icon sensor wave, label "14 sensor signals"
2. icon turbofan, label "AI predicts flights left"
3. icon three traffic-light dots, label "Green, Yellow, Red"
4. icon calendar with wrench, label "Maintenance plan"

Under the pipeline, a wide pill in signal blue: "Fix the right jet, at the right time".

ZONE 3 (right, 30% width), a white card titled "WHAT MAKES IT DIFFERENT" with three rows, each with a small icon:

- "Says WHY an aircraft is red"
- "Plans around spares and hangar slots"
- "7-day availability forecast and what-if"

Bottom strip across the full width, small outlined pills: [PUBLIC DATA] "NASA C-MAPSS engine data" and [SIMULATED] "Spares and hangar slots".

Slide 3: Technical approach

Header in the template: TECHNICAL APPROACH. After generating, paste your real dashboard screenshot over the dashed empty frame.

Create a single 2400 x 1020 px (21:9) infographic panel in the "Mission Control Light" style for a Smart India Hackathon defence-aviation presentation.

STYLE (same on every slide)

- Background: warm off-white #F5F5F3 with a faint 40 px blueprint grid in #E4E6EA. Cards are white #FFFFFF with a 1.5 px #D5D8DE border, 14 px rounded corners and a very soft shadow.
- Text: headings near-black #0B0B0B, body #3A4250. Font: Inter (or a similar clean sans-serif). Headings bold 700, body medium 500. Numbers in a monospace font (JetBrains Mono) like an instrument readout.
- Colours: navy #14213D, signal blue #2A78D6, green #1F9D55, amber #E8A317, red #D64545. Use green, amber and red ONLY to show status (healthy, warning, danger).
- Motif: flat thin-line vector icons (jet, turbofan, wrench, gauge), a dotted flight-path arc joining the steps, and numbered round badges like cockpit dials.
- Never use photos, 3D, dark backgrounds, stock people or heavy gradients.
- Keep 60 px safe margins. Draw ONLY the body of the slide. Do NOT draw any header, logo, footer, page number or team-name badge.
- Text rules: write every word exactly as given, in English, with no extra words and no lorem ipsum. The smallest text must stay readable at 2400 px width (about 28 px). Keep labels short.
- Honesty tags: small outlined pill labels reading PUBLIC DATA or SIMULATED wherever the content says so.

SLIDE: How it works, from sensor to decision

Layout: top row is a 5-step flow across the full width. Bottom row has two cards: a dashed empty frame on the left (55% width) and a results card on the right (45% width).

TOP ROW, five white cards joined by the dotted flight-path arc, each with a numbered badge, an icon and two short lines:

1. "Data" / "NASA C-MAPSS, 100 engines" with a [PUBLIC DATA] pill
2. "Clean" / "14 useful sensors, smoothed"
3. "Predict" / "Random Forest: flights left"
4. "Decide" / "Risk score + safety margin"
5. "Plan" / "Spares, slots, 7-day forecast" with a [SIMULATED] pill

BOTTOM LEFT: a large empty rounded frame with a dashed #2A78D6 border and no content inside, with the small label "Live dashboard (screenshot)" above it. Leave it completely empty.

BOTTOM RIGHT: a white card titled "TESTED ON 100 UNSEEN ENGINES". Draw two horizontal bars to compare the average error in flights (shorter is better):

- Bar 1, grey: "Lazy guess" with the readout "34.8"
- Bar 2, signal blue: "Our model" with the readout "13.1"

Caption under the bars: "Average error, in flights".

Below, one small amber line with a warning icon: "17 of 100 engines were still 20+ flights too optimistic".

Footer strip of small chips: "Python", "scikit-learn", "Streamlit", "Plotly", "GitHub".

Slide 4: Feasibility and viability

Header in the template: FEASIBILITY AND VIABILITY.

Create a single 2400 x 1020 px (21:9) infographic panel in the "Mission Control Light" style for a Smart India Hackathon defence-aviation presentation.

STYLE (same on every slide)

- Background: warm off-white #F5F5F3 with a faint 40 px blueprint grid in #E4E6EA. Cards are white #FFFFFF with a 1.5 px #D5D8DE border, 14 px rounded corners and a very soft shadow.
- Text: headings near-black #0B0B0B, body #3A4250. Font: Inter (or a similar clean sans-serif). Headings bold 700, body medium 500. Numbers in a monospace font (JetBrains Mono) like an instrument readout.

- Colours: navy #14213D, signal blue #2A78D6, green #1F9D55, amber #E8A317, red #D64545. Use green, amber and red ONLY to show status (healthy, warning, danger).
- Motif: flat thin-line vector icons (jet, turbofan, wrench, gauge), a dotted flight-path arc joining the steps, and numbered round badges like cockpit dials.
- Never use photos, 3D, dark backgrounds, stock people or heavy gradients.
- Keep 60 px safe margins. Draw ONLY the body of the slide. Do NOT draw any header, logo, footer, page number or team-name badge.
- Text rules: write every word exactly as given, in English, with no extra words and no lorem ipsum. The smallest text must stay readable at 2400 px width (about 28 px). Keep labels short.
- Honesty tags: small outlined pill labels reading PUBLIC DATA or SIMULATED wherever the content says so.

SLIDE: Can we build it? Yes, and here is the proof

Layout: three columns of equal width. Each column is a white card with a coloured top edge and a big icon.

COLUMN 1 (green top edge, check-circle icon), title "WHY IT IS FEASIBLE":

- "Public data, free tools"
- "Runs on one laptop"
- "Rebuilt from a fresh GitHub clone"
- "Working prototype today"

COLUMN 2 (amber top edge, warning-triangle icon), title "RISKS WE ADMIT", each line paired with a blue fix after an arrow:

- "Data is simulated" -> "Retrain on real fleet logs"
- "Spares and slots are simulated" -> "Connect to the base stores system"
- "21 of 25 at-risk engines caught as RED, 4 missed" -> "Tune the safety margin with experts"

COLUMN 3 (signal-blue top edge, road/arrow icon), title "PATH TO REAL USE", drawn as a vertical 3-step stair with dotted arc:

1. "Now: prototype on NASA data"
2. "Next: pilot on one base's records"
3. "Then: scale across the fleet"

Bottom full-width strip in navy with white text: "Humans stay in charge: the tool advises, engineers decide".

Slide 5: Impact and benefits

Header in the template: IMPACT AND BENEFITS. We do not claim a higher availability count in week 1, because planned hangar time lowers it. The real gain is fewer surprise failures, so the prompt says that honestly.

Create a single 2400 x 1020 px (21:9) infographic panel in the "Mission Control Light" style for a Smart India Hackathon defence-aviation presentation.

STYLE (same on every slide)

- Background: warm off-white #F5F5F3 with a faint 40 px blueprint grid in #E4E6EA. Cards are white #FFFFFF with a 1.5 px #D5D8DE border, 14 px rounded corners and a very soft shadow.
- Text: headings near-black #0B0B0B, body #3A4250. Font: Inter (or a similar clean sans-serif). Headings bold 700, body medium 500. Numbers in a monospace font (JetBrains Mono) like an instrument readout.
- Colours: navy #14213D, signal blue #2A78D6, green #1F9D55, amber #E8A317, red #D64545. Use green, amber and red ONLY to show status (healthy, warning, danger).
- Motif: flat thin-line vector icons (jet, turbofan, wrench, gauge), a dotted flight-path arc joining the steps, and numbered round badges like cockpit dials.
- Never use photos, 3D, dark backgrounds, stock people or heavy gradients.
- Keep 60 px safe margins. Draw ONLY the body of the slide. Do NOT draw any header, logo, footer, page number or team-name badge.
- Text rules: write every word exactly as given, in English, with no extra words and no lorem ipsum. The smallest text must stay readable at 2400 px width (about 28 px). Keep labels short.
- Honesty tags: small outlined pill labels reading PUBLIC DATA or SIMULATED wherever the content says so.

SLIDE: What changes for the Air Force

Layout: left 40% is a "fleet snapshot" card, right 60% is a 2 x 2 grid of benefit cards, and a thin honesty bar runs along the bottom.

LEFT CARD, titled "FLEET SNAPSHOT: 100 AIRCRAFT" with a [SIMULATED] pill. Draw a large donut chart with three segments and a centre label "100":

- Green "62 healthy"
- Amber "16 watch"
- Red "22 act now"

Under the donut, one line: "Sorted in seconds, riskiest first".

RIGHT GRID, four white cards, each with an icon, a bold title and one short line:

1. icon shield, "Safer flying", "Danger is flagged before it happens"
2. icon jet with a check, "Fewer surprise failures", "Fix it on our schedule, not the engine's"
3. icon boxes, "Smarter spares", "Know which base will run short"
4. icon calendar, "Clear 7-day plan", "Right jet, right base, right day"

BOTTOM HONESTY BAR (thin amber outline, warning icon): "Planned maintenance takes jets out for a few days. The gain is fewer surprise failures, not more jets on day one."

Slide 6: Research and references

Header in the template: RESEARCH AND REFERENCES. AI tools garble web addresses, so the image leaves a blank strip on each card. Type the links yourself as real PowerPoint text boxes, then add hyperlinks (Ctrl+K).

Card	Text box to type over the blank strip
Code	https://github.com/jeevikagowda7/sih26-airpower-predictive-maintenance
Data	NASA Prognostics Center of Excellence data repository (C-MAPSS, turbofan engine degradation): https://www.nasa.gov/intelligent-systems-division/discovery-and-systems-health/pcoe/pcoe-data-set-repository/
Paper	Saxena, A. and Goebel, K., et al. (2008). Damage Propagation Modeling for Aircraft Engine Run-to-Failure Simulation. PHM 2008. DOI: 10.1109/PHM.2008.4711414
Tools	https://scikit-learn.org , https://docs.streamlit.io , https://plotly.com/python/

Before submitting, open each link once to confirm it still works.

Create a single 2400 x 1020 px (21:9) infographic panel in the "Mission Control Light" style for a Smart India Hackathon defence-aviation presentation.

STYLE (same on every slide)

- Background: warm off-white #F5F5F3 with a faint 40 px blueprint grid in #E4E6EA. Cards are white #FFFFFF with a 1.5 px #D5D8DE border, 14 px rounded corners and a very soft shadow.
- Text: headings near-black #0B0B0B, body #3A4250. Font: Inter (or a similar clean sans-serif). Headings bold 700, body medium 500. Numbers in a monospace font (JetBrains Mono) like an instrument readout.
- Colours: navy #14213D, signal blue #2A78D6, green #1F9D55, amber #E8A317, red #D64545. Use green, amber and red ONLY to show status (healthy, warning, danger).
- Motif: flat thin-line vector icons (jet, turbofan, wrench, gauge), a dotted flight-path arc joining the steps, and numbered round badges like cockpit dials.
- Never use photos, 3D, dark backgrounds, stock people or heavy gradients.
- Keep 60 px safe margins. Draw ONLY the body of the slide. Do NOT draw any header, logo, footer, page number or team-name badge.
- Text rules: write every word exactly as given, in English, with no extra words and no lorem ipsum. The smallest text must stay readable at 2400 px width (about 28 px). Keep labels short.
- Honesty tags: small outlined pill labels reading PUBLIC DATA or SIMULATED wherever the content says so.

SLIDE: Where our work comes from

Layout: a 2 x 2 grid of four white cards on the left 70% of the canvas, and a tall empty dashed frame on the right 30%.

Each card has a big icon, a bold title, a one-line caption, and BELOW the caption a blank white strip about 70 px high. Leave every blank strip completely empty, with no text and no lines.

1. icon code brackets, title "CODE", caption "Open on GitHub"
2. icon database, title "DATA", caption "NASA C-MAPSS engine data" with a [PUBLIC DATA] pill
3. icon document, title "PAPER", caption "Saxena and Goebel, PHM 2008"
4. icon toolbox, title "TOOLS", caption "scikit-learn, Streamlit, Plotly"

RIGHT: a tall empty rounded frame with a dashed #2A78D6 border, no content

inside, with the small label "Dashboard screenshot" above it.

Bottom thin bar: [SIMULATED] "Spares and hangar slots are our own assumptions, not Air Force data".