Status	Finished
Started	Sunday, 18 October 2026, 12:10 PM
Completed	Sunday, 18 October 2026, 12:20 PM
Duration	10 mins 28 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓
True

b. False
False

c. False
True

d. True
False

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. i,ii

b. iii,iv

c. ii,iv

d. i,iii ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

- a. 2
- b. 100
- c. 117 ✓
- d. Error

Question **4**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t1 = (55, 44, 33, 22, 11)

x = [t1[i] for i in range(0, len(t1), 2)]

print(x)

- a. [55, 33, 11] ✓
- b. [(55,33,11)]
- c. ([55,33,11])
- d. (55,33,11)

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. Error
- b. {'rec', 1, ('cse', 'ece')} ✓
- c. {'rec', 1, ('cse', 'ece'),True}
- d. {'rec', True, ('cse', 'ece')}

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50)(40, 50, 60, 70, 80)

b. (10, 20, 30, 40) (40, 50, 60, 70, 80)

c. (30, 40, 50) (10, 20, 30, 40)

d. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer

b. Error

c. () ✓

d. (Computer)

Question **8**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (16,17,18)

b. (16,17,18,19) ✓

c. (25,19,18,17)

d. Error

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. (1,4,5,6,7) ✓
- b. ("Wonder")
- c. [1,2,3,4]
- d. {1,3,8,9,41}

Question **10**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. (11,3)(11,3)(11,3)
- b. [11,11,11,3,3,3]
- c. (11, 3, 11, 3, 11, 3) ✓
- d. (11,3,11,11,3,11,11,11,3)

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. (1,2,3,3,2,1)
- b. (1,2,3)(4,5,6)
- c. (1,2,3,4,5,6) ✓
- d. Error

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

- a. (36, 25, 14) ✓
- b. Error
- c. (3,14,25)
- d. (58,47,36,25)

Question **13**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. False
- b. True ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- a. {9}
- b. {0,0,9}
- c. It will throw an error as there are two 0 while creating the set.
- d. {0,9} ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. remove.sampleSet("ECE")

b. del.sampleSet("ECE")

c. sampleSet.discard("ECE") ✓

d. sampleSet.delete("ECE")