

Exp. No. 8A	Set Up a Honeypot and Monitor Network Connections Using Python
Date:	

AIM:

ALGORITHM:

231401043

PROGRAM:

Honey-pot.py

```
import socket

from datetime import datetime

HOST = "0.0.0.0"

PORT = 9999

server = socket.socket(socket.AF_INET, socket.SOCK_STREAM)

server.bind((HOST, PORT))

server.listen(5)

print(f'Honeypot started on port {PORT}')

print("Waiting for connections...")

while True:

    client, address = server.accept()

    print("\n[+] Connection Detected")

    print("IP Address :", address[0])

    print("Port      :", address[1])

    print("Time       :", datetime.now())

    client.send(b"Welcome to Server\n")

    client.close()
```

Client.py

```
import socket

client = socket.socket(socket.AF_INET, socket.SOCK_STREAM)

client.connect(("127.0.0.1", 9999))

message = client.recv(1024)

print(message.decode())

client.close()
```

OUTPUT:

```
C:\Users\jvars>cd C:\Users\jvars\OneDrive\Desktop  
  
C:\Users\jvars\OneDrive\Desktop>python Honey-pot.py  
Honeypot started on port 9999  
Waiting for connections...  
  
[+] Connection Detected  
IP Address : 127.0.0.1  
Port       : 59443  
Time       : 2026-09-02 22:49:18.363317  
|
```

```
C:\Users\jvars>cd C:\Users\jvars\OneDrive\Desktop  
  
C:\Users\jvars\OneDrive\Desktop>python client.py  
Welcome to Server  
  
C:\Users\jvars\OneDrive\Desktop>|
```

RESULT:

Exp. No. 8B	Implementation of a Python-Based Honeypot with TCP Client–Server Communication
Date:	

AIM:

ALGORITHM:

PROGRAM:

Honey-pot2.py

```
import socket
```

```
from datetime import datetime
```

```
HOST = "0.0.0.0"
```

```
PORT = 8888
```

```
server = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
```

```

server.bind((HOST, PORT))
server.listen(5)
print("=====")
print("    SIMPLE PYTHON HONEYPOT")
print("=====")
print(f'Honeypot started on port {PORT}')
print("Waiting for connections...")
while True:
    client, address = server.accept()
    print("\n[+] Connection Detected")
    print("IP Address :", address[0])
    print("Port      :", address[1])
    print("Time       :", datetime.now())
    client.send(b"Welcome to Test Server\nEnter a message: ")
    data = client.recv(1024)
    message = data.decode().strip()
    print("Message :", message)
    client.send(b"Message received\n")
    client.close()
    print("[+] Connection Closed")
    print("-----")

```

client2.py

```

import socket

HOST = "127.0.0.1"
PORT = 8888

client = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
client.connect((HOST, PORT))
message = client.recv(1024)

```

```
print(message.decode())  
user_message = input("Type Message: ")  
client.send(user_message.encode())  
response = client.recv(1024)  
print(response.decode())  
client.close()
```

OUTPUT:

```
C:\Users\jvars\OneDrive\Desktop>python honey-pot2.py  
=====  
SIMPLE PYTHON HONEYPOT  
=====  
Honeypot started on port 8888  
Waiting for connections...  
  
[+] Connection Detected  
IP Address : 127.0.0.1  
Port      : 56498  
Time      : 2026-09-02 23:53:27.503709  
Message : Hello!  
[+] Connection Closed  
-----  
|
```

```
C:\Users\jvars\OneDrive\Desktop>python client2.py  
Welcome to Test Server  
Enter a message:  
Type Message: Hello!  
Message received
```

RESULT: