Apollo
TOUCHING LIVES

MC-2439

Apollo DIAGNOSTICS®
Expertise. Empowering you.

Patient Name	: Ms.PARIMALA K	Collected	: 07/Jun/2024 09:17AM
Age/Gender	: 68 Y 2 M 23 D /F	Received	: 07/Jun/2024 02:04PM
UHID/MR No	: APJ1.0028029327	Reported	: 07/Jun/2024 02:39PM
Visit ID	: DASKOPV44160	Status	: Final Report
Ref Doctor	: Dr.SELF	Client Name	: PUP 24X7_CREDIT
IP/OP NO	:	Center location	: Jafferkhanpet,Chennai

DEPARTMENT OF HAEMATOLOGY

APOLLO DIABETES PANEL - BASIC

Test Name	Result	Unit	Bio. Ref. Range	Method
COMPLETE BLOOD COUNT (CBC) , *WHOLE BLOOD EDTA*				
HAEMOGLOBIN	**11.1**	g/dL	12-15	Spectrophotometer
PCV	**34.50**	%	36-46	Electronic pulse & Calculation
RBC COUNT	4.31	Million/cu.mm	3.8-4.8	Electrical Impedence
MCV	**80**	fL	83-101	Calculated
MCH	**25.8**	pg	27-32	Calculated
MCHC	32.2	g/dL	31.5-34.5	Calculated
R.D.W	**15.8**	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	7,600	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (DLC)				
NEUTROPHILS	55.6	%	40-80	Electrical Impedance
LYMPHOCYTES	30.5	%	20-40	Electrical Impedance
EOSINOPHILS	**6.9**	%	1-6	Electrical Impedance
MONOCYTES	6.1	%	2-10	Electrical Impedance
BASOPHILS	0.9	%	<1-2	Electrical Impedance
CORRECTED TLC	7,600	Cells/cu.mm		Calculated
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	4225.6	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	2318	Cells/cu.mm	1000-3000	Calculated

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. Privacy Policy
Your Privacy Choices
Third Parties

Storage

Targeted Advertising

Personalization

Performance Cookies

Save Preferences

Accept All

Reject Non-Essential

Apollo TOUCHING LIVES

Apollo DIAGNOSTICS® Expertise. Empowering you.

Patient Name	: Ms.PARIMALA K	Collected	: 07/Jun/2024 09:17AM
Age/Gender	: 68 Y 2 M 23 D /F	Received	: 07/Jun/2024 02:25PM
UHID/MR No	: APJ1.0028029327	Reported	: 07/Jun/2024 02:54PM
Visit ID	: DASKOPV44160	Status	: Final Report
Ref Doctor	: Dr.SELF	Client Name	: PUP 24X7_CREDIT
IP/OP NO	:	Center location	: Jafferkhanpet,Chennai

DEPARTMENT OF BIOCHEMISTRY

APOLLO DIABETES PANEL - BASIC

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, FASTING , *NAF PLASMA*	**131**	mg/dL	70-100	HEXOKINASE

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

Note:

1.The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions.

2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. Privacy Policy
Your Privacy Choices
Third Parties

Storage

Targeted Advertising

Personalization

Performance Cookies

Save Preferences

Accept All

Reject Non-Essential

Apollo TOUCHING LIVES

Apollo DIAGNOSTICS® Expertise. Empowering you.

Patient Name	: Ms.PARIMALA K	Collected	: 07/Jun/2024 09:17AM
Age/Gender	: 68 Y 2 M 23 D /F	Received	: 07/Jun/2024 02:25PM
UHID/MR No	: APJ1.0028029327	Reported	: 07/Jun/2024 03:48PM
Visit ID	: DASKOPV44160	Status	: Final Report
Ref Doctor	: Dr.SELF	Client Name	: PUP 24X7_CREDIT
IP/OP NO	:	Center location	: Jafferkhanpet,Chennai

DEPARTMENT OF BIOCHEMISTRY

APOLLO DIABETES PANEL - BASIC

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS , *SODIUM FLUORIDE PLASMA (2 HR)*	110	mg/dL	70-140	HEXOKINASE

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. Privacy Policy
Your Privacy Choices
Third Parties

Storage

Targeted Advertising

Personalization

Performance Cookies

Save Preferences

Accept All

Reject Non-Essential

Apollo TOUCHING LIVES

MC-2439

Apollo DIAGNOSTICS® Expertise. Empowering you.

Patient Name	: Ms.PARIMALA K	Collected	: 07/Jun/2024 09:17AM
Age/Gender	: 68 Y 2 M 23 D /F	Received	: 07/Jun/2024 02:04PM
UHID/MR No	: APJ1.0028029327	Reported	: 07/Jun/2024 03:17PM
Visit ID	: DASKOPV44160	Status	: Final Report
Ref Doctor	: Dr.SELF	Client Name	: PUP 24X7_CREDIT
IP/OP NO	:	Center location	: Jafferkhanpet,Chennai

DEPARTMENT OF BIOCHEMISTRY

APOLLO DIABETES PANEL - BASIC

Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C (GLYCATED HEMOGLOBIN) , *WHOLE BLOOD EDTA*				
HBA1C, GLYCATED HEMOGLOBIN	7.5	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG)	169	mg/dL		Calculated

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 – 10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. Privacy Policy
Your Privacy Choices
Third Parties

Storage

Targeted Advertising

Personalization

Performance Cookies

Save Preferences

Accept All

Reject Non-Essential

Apollo TOUCHING LIVES

Apollo DIAGNOSTICS® Expertise. Empowering you.

Patient Name	: Ms.PARIMALA K	Collected	: 07/Jun/2024 09:17AM
Age/Gender	: 68 Y 2 M 23 D /F	Received	: 07/Jun/2024 02:21PM
UHID/MR No	: APJ1.0028029327	Reported	: 07/Jun/2024 03:34PM
Visit ID	: DASKOPV44160	Status	: Final Report
Ref Doctor	: Dr.SELF	Client Name	: PUP 24X7_CREDIT
IP/OP NO	:	Center location	: Jafferkhanpet,Chennai

DEPARTMENT OF BIOCHEMISTRY

APOLLO DIABETES PANEL - BASIC

Test Name	Result	Unit	Bio. Ref. Range	Method
CREATININE , *SERUM*	**0.60**	mg/dL	0.72 – 1.18	JAFFE METHOD

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. Privacy Policy
Your Privacy Choices
Third Parties

Storage

Targeted Advertising

Personalization

Performance Cookies

Save Preferences

Accept All

Reject Non-Essential

Apollo TOUCHING LIVES

MC-2439

Apollo DIAGNOSTICS® Expertise. Empowering you.

Patient Name	: Ms.PARIMALA K	Collected	: 07/Jun/2024 09:17AM
Age/Gender	: 68 Y 2 M 23 D /F	Received	: 07/Jun/2024 01:39PM
UHID/MR No	: APJ1.0028029327	Reported	: 07/Jun/2024 02:17PM
Visit ID	: DASKOPV44160	Status	: Final Report
Ref Doctor	: Dr.SELF	Client Name	: PUP 24X7_CREDIT
IP/OP NO	:	Center location	: Jafferkhanpet,Chennai

DEPARTMENT OF CLINICAL PATHOLOGY

APOLLO DIABETES PANEL - BASIC

Test Name	Result	Unit	Bio. Ref. Range	Method
COMPLETE URINE EXAMINATION (CUE) , *URINE*				
PHYSICAL EXAMINATION				
COLOUR	PALE STRAW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Physical measurement
pH	5.5		5-7.5	DOUBLE INDICATOR
SP. GRAVITY	1.020		1.002-1.030	Bromothymol Blue
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GLUCOSE OXIDASE
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING REACTION
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	SODIUM NITRO PRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	MODIFED EHRLICH REACTION
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	LEUCOCYTE ESTERASE
CENTRIFUGED SEDIMENT WET MOUNT AND MICROSCOPY				

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. Privacy Policy
Your Privacy Choices
Third Parties

Storage

Targeted Advertising

Personalization

Performance Cookies

Save Preferences

Accept All

Reject Non-Essential

Apollo TOUCHING LIVES

MC-2439

Apollo DIAGNOSTICS® Expertise. Empowering you.

Patient Name	: Ms.PARIMALA K	Collected	: 07/Jun/2024 09:17AM
Age/Gender	: 68 Y 2 M 23 D /F	Received	: 07/Jun/2024 01:39PM
UHID/MR No	: APJ1.0028029327	Reported	: 07/Jun/2024 02:17PM
Visit ID	: DASKOPV44160	Status	: Final Report
Ref Doctor	: Dr.SELF	Client Name	: PUP 24X7_CREDIT
IP/OP NO	:	Center location	: Jafferkhanpet,Chennai

DEPARTMENT OF CLINICAL PATHOLOGY

APOLLO DIABETES PANEL - BASIC

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content. You may change your settings at any time or accept the default settings. You may close this banner to continue with only essential cookies. Privacy Policy
Your Privacy Choices
Third Parties

Storage

Targeted Advertising

Personalization

Performance Cookies

Save Preferences

Accept All

Reject Non-Essential