Vijaya Diagnostic Centre

16-11-741/C/C, Beside TITAN Showroom, Dilsukhnagar, Hyderabad.
Helpline : 040-21000000
Email : info@vijayadiagnostic.com
www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date	: 10/10/2021 08:30		Sample Collection	:	10/10/2021 08:52
Name	: **MR. SINGASANI UMA MAHESHWAR REDDY-L4515970**		Print Date	:	10/10/2021 14:47
Regn No	: **1221331897**		Age / Sex	:	**32 Years / Male**
Ref By	: SELF		Regn Centre	:	Dilsukhnagar - 12
Sample Type	: Serum		Ref no.	:	

T3,T4 & TSH

TEST NAME		RESULT	BIOLOGICAL REFERENCE INTERVAL
Total T3 *Method : Chemiluminescence Immuno Assay (CLIA)*	:	1.34	Adult : 0.6-1.81 ng/mL
Total T4 *Method : Chemiluminescence Immuno Assay (CLIA)*	:	6.80	Adult : 3.2-12.6 µg/dL
TSH *Method : Chemiluminescence Immuno Assay (CLIA)*	:	2.921	Adult : 0.55-4.78 µIU/mL

Comments / Interpretation :

- Patient preparation is particularly important for hormone studies, results of which may be markedly affected by many factors such as stress, position, fasting state, time of the day, preceding diet and drug therapy.
- The levels of T3 helps in the diagnosis of T3 Thyrotoxicosis and monitoring the course of hyperthyroidism.
- T3 is not recommended for diagnosis of hypothyroidism as decreased values have minimal clinical significance.
- Values below the lower limits can be caused by a number of conditions including non-thyroidal illness, acute and chronic stress and hypothyroidism.
- Elevated level of T4 are seen in hyperthyroidism, pregnancy, euthyroid patients with increased serum Thyroxine Binding Globulin.
- Decreased levels are noted in hypothyroidism, hypoproteinemia, euthyroid sick syndrome, decrease in Thyroxine Binding Globulin.
- TSH levels are increased in primary hypothyroidism, insufficient thyroid hormone replacement therapy, Hashimotos thyroiditis, use of amphetamines, dopamine antagonists, iodine containing agents, lithium and iodine induced or deficiency goiter.
- Decreased levels of TSH may be seen in Graves Disease, Toxic multinodular Goitre, Thyroiditis, Excessive treatment with thyroid hormone replacement and central Hypothyroidism.

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content.
Our website may use these cookies to:

- Measure the audience of the advertising on our website, without profiling
- Display personalized ads based on your navigation and your profile
- Personalize our editorial content based on your navigation
- Allow you to share content on social networks or platforms present on our website
- Send you advertising based on your location

Privacy Policy
Third Parties

Customize Your Choices

Accept All

Reject All

Vijaya Diagnostic Centre

16-11-741/C/C, Beside TITAN Showroom, Dilsukhnagar, Hyderabad.
Helpline : 040-21000000
Email : info@vijayadiagnostic.com
www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date	:	10/10/2021 08:30	Sample Collection	:	10/10/2021 08:52
Name	:	**MR. SINGASANI UMA MAHESHWAR REDDY-L4515970**	Print Date	:	10/10/2021 14:47
Regn No	:	**1221331897**	Age / Sex	:	**32 Years / Male**
Ref By	:	SELF	Regn Centre	:	Dilsukhnagar - 12
Sample Type	:	Whole Blood - EDTA	Ref no.	:	

COMPLETE BLOOD PICTURE (CBP)

TEST NAME		RESULT	BIOLOGICAL REFERENCE INTERVAL
Haemoglobin *Photometric measurement*	:	14.1	13.0 - 17.0 g/dL
Total RBC Count *Coulter Principle*	:	**6.25**	4.5 - 5.5 millions/cumm
Packed Cell Volume / Hematocrit *Calculated*	:	43.30	40.0 - 50.0 Vol%
MCV *Derived from RBC Histogram*	:	**69.30**	83.0 - 101.0 fl
MCH *Calculated*	:	**22.60**	27 - 32 pg
MCHC *Calculated*	:	32.60	31.5 - 34.5 gm/dL
RDW *Derived from RBC Histogram*	:	13.9	11.6 - 14.0 %
Total WBC Count *Coulter Principle*	:	9900	4000 - 10000 Cells/cumm
Differential count			
Neutrophils *VCSn Technology & Microscopy*	:	44	40 - 80 %
Lymphocytes *VCSn Technology & Microscopy*	:	40	20 - 40 %

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content.
Our website may use these cookies to:

- Measure the audience of the advertising on our website, without profiling
- Display personalized ads based on your navigation and your profile
- Personalize our editorial content based on your navigation
- Allow you to share content on social networks or platforms present on our website
- Send you advertising based on your location

Privacy Policy
Third Parties

Customize Your Choices

Accept All

Reject All

Vijaya Diagnostic Centre

16-11-741/C/C, Beside TITAN Showroom, Dilsukhnagar, Hyderabad.
Helpline : 040-21000000
Email : info@vijayadiagnostic.com
www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date	:	10/10/2021 08:30	Sample Collection	:	10/10/2021 08:52
Name	:	**MR. SINGASANI UMA MAHESHWAR REDDY-L4515970**	Print Date	:	10/10/2021 14:47
Regn No	:	**1221331897**	Age / Sex	:	**32 Years / Male**
Ref By	:	SELF	Regn Centre	:	Dilsukhnagar - 12
Sample Type	:	Whole Blood - EDTA	Ref no.	:	

COMPLETE BLOOD PICTURE (CBP)

TEST NAME		RESULT	BIOLOGICAL REFERENCE INTERVAL
Microscopy of Leishman stained smear			
WBC	:	Absolute lymphocytosis	
Microscopy of Leishman stained smear			
Platelets	:	Adequate	

MC-2657

DR.RAVI TEJA J
CONSULTANT PATHOLOGIST

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content.
Our website may use these cookies to:

- Measure the audience of the advertising on our website, without profiling
- Display personalized ads based on your navigation and your profile
- Personalize our editorial content based on your navigation
- Allow you to share content on social networks or platforms present on our website
- Send you advertising based on your location

Privacy Policy
Third Parties

Customize Your Choices

Accept All

Reject All

Vijaya Diagnostic Centre

16-11-741/C/C, Beside TITAN Showroom, Dilsukhnagar, Hyderabad.
Helpline : 040-21000000
Email : info@vijayadiagnostic.com
www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date	:	10/10/2021 08:30	Sample Collection	:	10/10/2021 08:52
Name	:	**MR. SINGASANI UMA MAHESHWAR REDDY-L4515970**	Print Date	:	10/10/2021 14:47
Regn No	:	**1221331897**	Age / Sex	:	**32 Years / Male**
Ref By	:	SELF	Regn Centre	:	Dilsukhnagar - 12
Sample Type	:	Whole Blood - EDTA	Ref no.	:	

ERYTHROCYTE SEDIMENTATION RATE (ESR)

TEST NAME		RESULT	BIOLOGICAL REFERENCE INTERVAL
Erythrocyte Sedimentation Rate (ESR)	:	4	0 - 15 mm/hr

Method : Automated (Modified Westergren)

Comments / Interpretation :

- ESR is a nonspecific parameter, clinically useful in disorders associated with an increased production of acute phase proteins.
- Elevated in acute and chronic infections and malignancies.
- Extremely high ESR values are seen in multiple myeloma, leukemias, lymphomas, breast and lung carcinomas, rheumatoid arthritis, Systemic Lupus Erythematosus and pulmonary infarction.

MC-2657

DR.RAVI TEJA J
CONSULTANT PATHOLOGIST

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content.
Our website may use these cookies to:

- Measure the audience of the advertising on our website, without profiling
- Display personalized ads based on your navigation and your profile
- Personalize our editorial content based on your navigation
- Allow you to share content on social networks or platforms present on our website
- Send you advertising based on your location

Privacy Policy
Third Parties

Customize Your Choices

Accept All

Reject All

Vijaya Diagnostic Centre

16-11-741/C/C, Beside TITAN Showroom, Dilsukhnagar, Hyderabad.
Helpline : 040-21000000
Email : info@vijayadiagnostic.com
www.vijayadiagnostic.com

LABORATORY TEST REPORT

Regn Date	: 10/10/2021 08:30		Sample Collection	:	10/10/2021 08:52
Name	: **MR. SINGASANI UMA MAHESHWAR REDDY-L4515970**		Print Date	:	10/10/2021 14:47
Regn No	: **1221331897**		Age / Sex	:	**32 Years / Male**
Ref By	: SELF		Regn Centre	:	Dilsukhnagar - 12
Sample Type	: Serum		Ref no.	:	

LIPID PROFILE (LP)

TEST NAME		RESULT	BIOLOGICAL REFERENCE INTERVAL
Serum Status	:	Clear	
Triglycerides	:	253	Desirable Level : < 150 mg/dL Borderline : 150 - 199 mg/dL High : 200 - 499 mg/dL Very High : > 499 mg/dL
Total Cholesterol *Method : CHOD-POD*	:	235	Desirable Level : < 200 mg/dL Borderline : 200 - 240 mg/dL Undesirable : > 240 mg/dL
LDL Cholesterol. *Method: Calculation*	:	138	Optimal : < 100 mg/dL Near Optimal : 100 - 129 mg/dL Borderline High : 130 - 159 mg/dL High : 160 - 189 mg/dL Very High : > 189 mg/dL
HDL Cholesterol *Method : Enzymatic Immunoinhibition*	:	46	Desirable Level : > 60 mg/dL Optimal : 40 - 59 mg/dL Undesirable : < 40 mg/dLL
VLDL *Method: Calculation*	:	51	< 30
Total Cholesterol/HDL Cholesterol Ratio	:	5.11	Low Risk : 3.3 - 4.4 Average Risk : 4.5 - 7.1 Moderate Risk : 7.2 - 11.0

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.
Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.
Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content.
Our website may use these cookies to:

- Measure the audience of the advertising on our website, without profiling
- Display personalized ads based on your navigation and your profile
- Personalize our editorial content based on your navigation
- Allow you to share content on social networks or platforms present on our website
- Send you advertising based on your location

Privacy Policy
Third Parties

Customize Your Choices

Accept All

Reject All