

Introduction

In this project, I analyze pizza sales data with SQL to find important trends and insights.

This helps in making better business decisions, managing inventory, and improving marketing. We look at customer likes, seasonal patterns, and how profitable different pizzas are.


Total number of order place

```
SELECT

COUNT(order_id) AS total_order

FROM

orders;
```



--Total revene genrated from pizza sales

```
SELECT

ROUND(SUM(orders_details.quantity * pizzas.price),


2) AS total_sales

FROM


orders_details

JOIN

pizzas ON pizzas.pizza_id = orders_details.pizza_id
```



-- The highest price of pizza



-- Most common pizza size ordered.

Result Grid			44	Filt
	size	order	_count	
•	L	18526		
	M	15385		
	S	14137		
	XL	544		

-- 5 most orderd pizza types along with their quantities

```
SELECT
    pizza_types.name, SUM(orders_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

Result Grid			
	name	quantity	
•	The Classic Deluxe Pizza	2453	
	The Barbecue Chicken Pizza	2432	
	The Hawaiian Pizza	2422	
	The Pepperoni Pizza	2418	
	The Thai Chicken Pizza	2371	

--Category-wise distribution of pizzas.

```
SELECT

category, COUNT(name)

FROM

pizza_types

GROUP BY category;
```

Result Grid			
	category	count(name)	
•	Chicken	6	
	Classic	8	
	Supreme	9	
	Veggie	9	


--Distribution of orders by hour of the day.

```
SELECT
   HOUR(order_time), COUNT(order_id)
FROM
   orders
GROUP BY HOUR(order_time);
```

Re	sult Grid 📙 🙌	Filter Row
	hour(order_time)	count(ord
	11	1231
	12	2520
	13	2455
	14	1472
	15	1468
	16	1920
	17	2336
	18	2399
	19	2009
	20	1642
	21	1198
	22	663
	23	28
	10	8

--Orders by date and average number of pizzas ordered per day.

```
SELECT
    ROUND(AVG(quantity), 0)
FROM
    (SELECT
         orders.order_date, SUM(orders_details.quantity) AS quantity
    FROM
         orders
         JOIN orders_details ON orders.order_id = orders_details.order_id
         GROUP BY orders.order_date) AS order_quantity;
```



-- Total quantity of each pizza category ordered.

```
SELECT
    pizza_types.category,
    SUM(orders_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

category	quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

Top 3 most ordered pizza types based on revenue.

```
SELECT
    pizza_types.name,
    SUM(orders_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

Result Grid			
	name	revenue	
•	The Thai Chicken Pizza	43434.25	
	The Barbecue Chicken Pizza	42768	
	The California Chicken Pizza	41409.5	

-- Percentage contribution of each pizza type to total revenue.

```
SELECT
    pizza types.category,
    ROUND(SUM(orders_details.quantity * pizzas.price) /
        (SELECT
                SUM(orders_details.quantity * pizzas.price)
            FROM orders details
            JOIN pizzas
            ON pizzas.pizza_id = orders_details.pizza_id) * 100, 2) AS revenue
FROM
    pizza types
JOIN pizzas
ON pizza_types.pizza_type_id = pizzas.pizza_type_id
JOIN orders details
ON orders details.pizza id = pizzas.pizza id
GROUP BY pizza_types.category
ORDER BY
    revenue DESC;
```

suit Gria B	H (4
category	revenue
Classic	26.91
Supreme	25.46
Chicken	23.96
Veggie	23.68

-- Cumulative revenue generated over time.

```
select order_date,
sum(revenue) over(order by order_date) as cum_revenue
from
(select orders.order_date,
sum(orders_details.quantity * pizzas.price ) as revenue
from orders_details join pizzas
on orders_details.pizza_id=pizzas.pizza_id
join orders
on orders.order_id=orders_details.order_id
group by orders.order_date) as sales;
```

order_date	cum_revenue
2015-01-01	2713.8500000000004
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05

Top 3 most ordered pizza types based on revenue for each pizza category

```
select category,name,revenue,
rank() over(partition by category order by revenue desc) as rn
from
(select pizza_types.category,pizza_types.name,
sum((orders_details.quantity) * pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id=pizzas.pizza_type_id
join orders_details
on orders_details.pizza_id = pizzas.pizza_id
group by pizza_types.category,pizza_types.name )as a;
```

Result Grid				
	category	name	revenue	rn
•	Chicken	The Thai Chicken Pizza	43434.25	1
	Chicken	The Barbecue Chicken Pizza	42768	2
	Chicken	The California Chicken Pizza	41409.5	3
	-			

Key Insights:

- Large pizzas are the most popular size, with 18,526 orders.
- The Classic Deluxe Pizza is the top choice, with 2,453 orders.
- Classic pizzas lead in total revenue, contributing 26.91%.
- The Thai Chicken Pizza is a major contributor to revenue.
- Average pizza sales are 138 per category.
- The Veggie category hits a high of 9%.