

Alumina Ceramic

Page 1 of 10

SECTION 1. IDENTIFICATION

GHS product identifier Alumina Ceramic (AD-85, AD-90, AD-94, AD-96, AD-98, AD-995, AD-996, AD-998,

ADR-96, AHP-99, AP-AII, FG-995, FG-98) (Fired)

Other means of identification AD-85; AD-90; AD-94; AD-96; AD-98; AD-995; AD-996; AD-998; AD-996; AD-998; AD-996; AD-998; AD-99

AHP-99; AP-AII; FG-995; FG-98, ADS-85, ADS-96(R), ADS-995(R), ADS-96(RHR),

ADS-995, ADS-996, Superstrate, AHP-99, R54, ADSR-96(R).

Product Type Solid

RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Identified uses Wear resistant, corrosion resistant, temperature resistant products.

Supplier's details CoorsTek

14143 Denver West Parkway, Suite 400

Golden, CO 80401 Phone: 1-303-271-7000 Fax: 1-303-271-7009

Email: CoorsTekSDS@coorstek.com

Website: www.coorstek.com

Emergency telephone number 303-271-7000

(with hours of operation) 8am-5pm MDT (M-F)

SECTION 2. HAZARDS IDENTIFICATION

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for

employees and other users of this product.

Classification of the substance or mixture Not classified

GHS LABEL ELEMENTS

Signal word No signal word

Hazard statements No known significant effects or critical hazards

PRECAUTIONARY STATEMENTS

Prevention Not applicable

Response Not applicable

Storage Not applicable

Disposal Not applicable

Hazards not otherwise classified None known



Alumina Ceramic

Page 2 of 10

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture Mixture

Other means of identification AD-85; AD-90; AD-94; AD-96; AD-98; AD-995; AD-996; AD-998; ADR-96;

AHP-99; AP-All; FG-995; FG-98, ADS-85, ADS-96(R), ADS-995(R), ADS-96(RHR),

ADS-995, ADS-996, Superstrate, AHP-99, R54, ADSR-96(R)

CAS NUMBER/OTHER IDENTIFIERS

CAS number Not applicable

Product code Not available

INGREDIENT NAME	%	CAS NUMBER
Aluminium oxide	90 - 100	1344-28-1
Crystalline silica, amorphous	0.1 - 1	14808-60-7
Magnesium oxide	0.1 - 1	1309-48-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST AID MEASURES

DESCRIPTION OF NECESSARY FIRST AID MEASURES

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed

to do so by medical personnel. Get medical attention if symptoms occur.



Alumina Ceramic

SECTION 4. FIRST AID MEASURES, CONTINUED

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

Potential acute health effects

Eye contact No known significant effects or critical hazards
 Inhalation No known significant effects or critical hazards
 Skin contact No known significant effects or critical hazards
 Ingestion No known significant effects or critical hazards

Over-exposure signs/symptoms

Eye contact No known significant effects or critical hazards
 Inhalation No known significant effects or critical hazards
 Skin contact No known significant effects or critical hazards
 Ingestion No known significant effects or critical hazards

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities

have been ingested or inhaled.

Specific treatments No specific treatment

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

SECTION 5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media None known

Specific hazards arising from the chemical No specific fire or explosion hazard

Hazardous thermal decomposition products Decomposition products may include the following materials: metal oxide/oxides

Special protective actions for fire-fighters No special measures are required.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.



Alumina Ceramic

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE **EQUIPMENT, AND EMERGENCY PROCEDURES**

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through

spilled material. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information For emergency responders

in Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

Environmental precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and

sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Spill Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Protective measures Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and

smoking. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage. including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



Alumina Ceramic

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

Occupational exposure limits None

Appropriate engineering controls Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they

comply with the requirements of environmental protection legislation.

INDIVIDUAL PROTECTION MEASURES

Hygiene measures Wash hands, forearms, and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash

contaminated clothing before reusing. Ensure that eyewash stations and safety showers

are close to the workstation location.

Eye/face protection Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

SKIN PROTECTION

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is

necessary.

Body protection Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling

this product.

Other skin protection Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection Based on the hazard and potential for exposure, select a respirator that meets the

appropriate standard or certification. Respirators must be used according to a respiratory

protection program to ensure proper fitting, training, and other important aspects of use.



Alumina Ceramic

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Physical state Solid

Color White

Odor None

Odor threshold Not applicable

pH Not applicable

Melting point >1700°C (>3092°F)

Boiling point >2200°C (>3992°F)

Flash point Not applicable

Evaporation rate Not applicable

Flammability (solid, gas) Not available

Lower and upper explosive Not applicable

(flammable) limits

Vapor pressure Not applicable

Vapor density Not applicable

Relative density 3.7

Solubility Negligible solubility in water

Partition coefficient: noctanol/water Not applicable

Auto-ignition temperature Not available

Decomposition temperature Not available

Viscosity Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity is available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data

Incompatible materials None known

Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should

not be produced.



Alumina Ceramic

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL

EFFECTS

Acute toxicity There is no data available.

Irritation/Corrosion There is no data available.

Sensitization There is no data available.

Mutagenicity There is no data available.

CARCINOGENICITY

Classification

NAME	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
Aluminium oxide	-	-	-	A4	-	-
Crystalline silica, amorphous	-	1	Known to be a human carcinogen	A2	-	+

Reproductive toxicity There is no data available.

Teratogenicity There is no data available.

Specific target organ toxicity (single exposure) There is no data available.

Specific target organ toxicity There is no data available.

(repeated exposure)

Aspiration hazard There is no data available.

Information on the likely routes of exposure Dermal contact

POTENTIAL ACUTE HEALTH EFFECTS

Eye contact
 Inhalation
 No known significant effects or critical hazards
 Skin contact
 Ingestion
 No known significant effects or critical hazards
 No known significant effects or critical hazards

SYMPTOMS RELATED TO THE PHYSICAL,
CHEMICAL AND TOXICOLOGICAL
CHARACTERISTICS

Eye contactNo known significant effects or critical hazardsInhalationNo known significant effects or critical hazardsSkin contactNo known significant effects or critical hazardsIngestionNo known significant effects or critical hazards



Alumina Ceramic

SECTION 11. TOXICOLOGICAL INFORMATION, CONTINUED

DELAYED AND IMMEDIATE EFFECTS AND
ALSO CHRONIC EFFECTS FROM SHORT
AND LONG TERM EXPOSURE

Short term exposure

Potential immediate effects No known significant effects or critical hazards

Potential delayed effects No known significant effects or critical hazards

Long term exposure

Potential immediate effects No known significant effects or critical hazards

Potential delayed effects No known significant effects or critical hazards

Potential chronic health effects

General No known significant effects or critical hazards

Carcinogenicity No known significant effects or critical hazards

Mutagenicity No known significant effects or critical hazards

Teratogenicity No known significant effects or critical hazards

Developmental effects No known significant effects or critical hazards

Fertility effects No known significant effects or critical hazards

Numerical measures of toxicity

Acute toxicity estimates There is no data available.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity There is no data available.

Persistence and degradability There is no data available.

Bioaccumulative potential There is no data available.

MOBILITY IN SOIL

Soil/water partition coefficient (Koc) There is no data available.

Other adverse effects No known significant effects or critical hazards



Alumina Ceramic

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

SECTION 14. TRANSPORT INFORMATION

	DOT	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No	No	No
Additional information	-	-	-

AERG: Not applicable.

Special precautions for user Transport within users' premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15. REGULATORY INFORMATION

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Not listed

Pollutants (HAPs)

Clean Air Act Section 602 Class I Not listed

Substances

02101 B Alumina Ceramic | ©2017 CoorsTek | +1 303 271 7100 | info@coorstek.com



Alumina Ceramic

SECTION 15. REGULATORY INFORMATION

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Not listed

Pollutants (HAPs)

Clean Air Act Section 602 Class I Substances Not listed
Clean Air Act Section 602 Class II Substances Not listed
DEA List I Chemicals (Precursor Chemicals) Not listed
DEA List II Chemicals (Essential Chemicals) Not listed

SARA 302/304

Composition/information on ingredients No products were found.

SARA 304 RQ Not applicable

SARA 311/312 Classification Not applicable

SARA 313 There is no data available.

STATE REGULATIONS

Massachusetts The following components are listed: Aluminium oxide

New York None of the components are listed.

New Jersey The following components are listed: Aluminium oxide; Crystalline silica, amorphous **Pennsylvania** The following components are listed: Aluminium oxide; Crystalline silica, amorphous

California Prop. 65 No products were found.

SECTION 16. OTHER INFORMATION

Procedure used to derive the classification CLASSIFICATION JUSTIFICATION

Not classified.

HISTORY

Date of issue mm/dd/yyyy 02/15/2017

Date of previous issue 07/30/2014

Version 3

Prepared by KMK Regulatory Services Inc.

Notice to reader To the best of our knowledge, the information contained herein is accurate. However, neither

the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described

herein, we cannot guarantee that these are the only hazards that exist.