

# Computation and Verification of A174511(14)

Number of Isomorphism Types of Subgroups of  $S_{14}$

**Result: A174511(14) = 7,766**

Jeffrey Yan | February 2026

## 1. Introduction

OEIS sequence A174511 counts the number of isomorphism types of subgroups of the symmetric group  $S_n$ . Two subgroups are considered isomorphic if they are isomorphic as abstract groups, not as permutation groups. This report documents the computation of  $a(14) = 7,766$ , extending the sequence beyond the previously known  $a(13) = 3,845$ .

The computation was carried out using GAP (Groups, Algorithms, Programming) version 4.15.1 on a Windows system with Cygwin and WSL environments. The result was verified through four independent rounds of checking (original computation, double check, triple check, and quadruple check).

## 2. Known Values

The complete sequence A174511 through  $n = 14$ :

n	a(n)	Ratio
1	1	-
2	2	2.000
3	4	2.000
4	9	2.250
5	16	1.778
6	29	1.812
7	55	1.897
8	137	2.491
9	241	1.759
10	453	1.880
11	894	1.974
12	2,065	2.310
13	3,845	1.862
14	7,766	2.020

The ratio  $a(14)/a(13) = 2.020$ , consistent with the observed growth pattern of approximately 1.5x to 2.2x per increment.

## 3. Methodology

### 3.1 Overview

The computation proceeds in three stages:

- (1) Enumerate all conjugacy classes of subgroups of  $S_{14}$ .
- (2) Classify each subgroup by abstract isomorphism type.
- (3) Deduplicate to count distinct isomorphism types.

### 3.2 Stage 1: Conjugacy Class Enumeration

We first computed  $A000638(14) = 75,154$ , the number of conjugacy classes of subgroups of  $S_{14}$ . This was done via maximal subgroup decomposition: every subgroup of  $S_{14}$  is contained in at least one maximal subgroup. The maximal subgroups of  $S_{14}$  are:

- 7 intransitive subgroups:  $S_k \times S_{(14-k)}$  for  $k = 1..7$
- 2 wreath products:  $S_2 \text{ wr } S_7$  and  $S_7 \text{ wr } S_2$
- Primitive groups of degree 14 (from GAP's primitive groups library)
- The alternating group  $A_{14}$

Subgroup lattices of each maximal subgroup were computed in parallel (11 workers), producing 600,634 candidate subgroups. These were deduplicated using invariant-based bucketing and pairwise  $S_{14}$ -conjugacy testing, yielding 75,154 conjugacy class representatives. This matches the known value of  $A000638(14)$ .

### 3.3 Stage 2: Isomorphism Type Classification

Each of the 75,154 conjugacy class representatives was classified into one of two categories:

- `IdGroup`-compatible (order  $< 2,000$  and not in  $\{512, 768, 1024, 1536\}$ ): 64,467 groups, yielding 4,602 unique `IdGroup` types.
- Large groups (order  $\geq 2,000$  or in  $\{512, 768, 1024, 1536\}$ ): 10,687 groups requiring isomorphism deduplication.

GAP's `IdGroup` function assigns a canonical identifier  $[\text{order}, \text{id}]$  to groups of order less than 2,000 (excluding orders 512, 768, 1024, and 1536 where the small groups library is incomplete). Groups with the same `IdGroup` are isomorphic.

### 3.4 Stage 3: Large Group Deduplication

The 10,687 large groups were deduplicated using a multi-level approach:

- Invariant bucketing: Groups were sorted into buckets by a signature key  $[\text{order}, \text{derived\_size}, \text{conjugacy\_classes}, \text{derived\_length}, \text{abelian\_invariants}]$  combined with an element-order/fixed-point histogram. Groups in different buckets are guaranteed non-isomorphic.
- Direct product decomposition: 7,431 of the 10,687 groups decompose as direct products of smaller groups. Factor-level isomorphism testing (comparing sorted factor `IdGroups` via bipartite matching) replaces expensive full-group tests.
- 2-group testing: 336 groups of order 512 were tested using the ANUPQ package's `IsIsomorphicPGroup` function, which is optimized for  $p$ -groups.
- Full isomorphism testing: The remaining non-DP, non-2-group groups (2,920 groups across 508 multi-group + 353 singleton buckets) used GAP's `IsomorphismGroups` for pairwise comparison within each bucket.

Result: 10,687 large groups deduplicated to 3,164 unique isomorphism types.

## 4. Result Breakdown

The final count of A174511(14) = 7,766 is composed of:

Category	Groups	Types
IdGroup-compatible	64,467	4,602
Large: DP factor dedup	7,429	2,269
Large: 2-groups (order 512)	336	10
Large: Isomorphism testing	2,922	885
<b>TOTAL</b>	<b>75,154</b>	<b>7,766</b>

*Note:  $75,154 = A000638(14)$ . Of the 7,431 direct product groups, 2 share invariant signatures with non-DP groups and were processed via isomorphism testing (hence 7,429 in the DP row, 2,922 in the isomorphism testing row). Net type count is unaffected.*

## 5. Verification History

### 5.1 Original Computation (January 2026)

The initial computation used the partition-based method from a174511.g, processing all 34 integer partitions of 14. Groups were classified by IdGroup where possible and deduplicated using invariant-based bucketing with CompareByFactorsV3 for direct products and IsomorphismGroups for non-decomposable groups.

### 5.2 Double Check (January 2026)

An independent 6-way parallel computation re-covered all 34 partitions (3,878 group combinations). Cross-deduplication against S\_13 large groups identified 758 duplicates. A bug in the original CompareByFactorsV3 algorithm was discovered: when groups had two semidirect factors in the old ambiguousFactorGens format, only one factor was compared. This caused an undercount of 1 group.

### 5.3 Triple Check (February 2026)

A completely independent approach using conjugacy class representatives from A000638(14) = 75,154. The factorGens refactor replaced the buggy ambiguousFactorGens with positionally-aligned factorGens for ALL direct product factors. This found 11 additional IdGroup types (1 of order 128 + 10 of order 256) that were lost during the original merge. Result:  $4,602 + 3,164 = 7,766$ .

### 5.4 Quadruple Check (February 2026)

The quadruple check independently verified the triple check's 3,164 large group representatives using two completely different approaches:

#### Phase 1: Fresh DP Deduplication (Factor IdGroup Canonicalization)

Instead of pairwise bipartite factor matching (CompareByFactorsV3), a canonical key was computed for each direct product group by taking the sorted list of per-factor IdGroups. Two DP groups are isomorphic iff their sorted factor IdGroup lists match. For factors without IdGroup (order 512, 1024, etc.), extended invariants were used with fallback to pairwise IsomorphismGroups on individual factors. Result: 2,271 DP reps (2 of which overlap with regular buckets in the triple check's partitioning). Cross-check:  $2,271 + 10 + 884 + 1 - 2 = 3,164$ .

#### Phase 2: Non-DP Bucket Verification

For every non-DP bucket from the triple check (508 multi-group buckets + 6 2-group buckets), the quadruple check verified: (a) all representatives are mutually non-isomorphic, and (b) every non-representative is isomorphic to at least one representative. Six parallel Cygwin workers handled regular buckets; one WSL worker with ANUPQ handled 2-group buckets. Two hard buckets with expensive isomorphism tests (order 2,592 and order 10,368) were re-verified using saved explicit homomorphism proofs.

**Quadruple Check Result: ALL PHASES PASSED**

Phase	Detail	Result
Phase 1 (DP)	2,271 fresh reps	PASS
Phase 2B Regular (6 workers)	508 buckets, 0 errors	PASS
Phase 2B 2-groups (1 worker)	6 buckets, 0 errors	PASS
Phase 2C Difficult proof	4 groups -> 1 rep	PASS
Phase 2C Hard proof	8 groups -> 1 rep	PASS

## 6. Correction History

The value of  $a(14)$  underwent several corrections during computation:

- 7,095: Initial partition-based computation
- 7,739: After fixing missing partition [8,2,2,2]
- 7,740: After finding 1 additional group from DC verification
- 7,754: After cross-deduplication corrections
- 7,756: After additional bucket analysis
- 7,755: After fixing CompareByFactorsV3 bug (two-semidirect-factor case)
- 7,766: Triple check: 11 missing IdGroup types found (final, verified by quadruple check)

The final value of 7,766 has been independently confirmed by the quadruple check using a completely different DP deduplication algorithm and exhaustive verification of all non-DP isomorphism results.

## 7. Computational Resources

The computation was performed on a single Windows machine with the following setup:

- GAP 4.15.1 (via Cygwin bash) for group-theoretic computations
- WSL (Windows Subsystem for Linux) with ANUPQ package for 2-group testing
- Python 3.11 for orchestration, parallel worker management, and data processing
- Up to 11 parallel GAP workers, each allocated 8-50 GB memory

Approximate wall-clock times for major computation phases:

- A000638(14) = 75,154 conjugacy classes: ~12 hours (11 parallel workers)
- IdGroup classification (64,467 groups): ~2 hours (8 parallel workers)
- Large group deduplication (10,687 groups): ~6 hours (12 parallel workers)
- Quadruple check verification: ~6 hours (8 parallel workers)

## 8. Software and Reproducibility

All computation code is available at: <https://github.com/jeff87654/symmetric-group-subgroups>

Key files:

- triple\_check/process\_s14\_subgroups.g - Main conjugacy class processing
- triple\_check/dedupe/ - Isomorphism deduplication pipeline
- triple\_check/quad\_check/ - Quadruple check verification
- Partition/a174511.g - Original partition-based algorithm
- Partition/tests/test\_groups\_static.g - 41-group validation test suite

The computation can be independently verified by: (1) computing A000638(14) = 75,154 conjugacy class representatives using ConjugacyClassesSubgroups(SymmetricGroup(14)), then (2) classifying each representative by IdGroup where applicable and deduplicating the remainder by isomorphism testing.

## 9. Spot-Check Against SmallGroups Library

As an additional consistency check, we verified at 13 selected group orders that the number of distinct IdGroup types found among S<sub>14</sub> subgroups does not exceed NrSmallGroups(n). All 13 orders pass. At 6 orders (6, 10, 12, 20, 24, 36, 60), every isomorphism type in the library appears as a subgroup of S<sub>14</sub>.

Order	Conj.Classes	Types Found	Library
6	52	2	2
10	20	2	2
12	303	5	5
16	1936	12	14
20	93	5	5
24	1264	15	15
36	571	14	14
48	2881	45	52
60	163	13	13
72	1560	41	50
96	3938	103	231
100	57	11	16
120	400	35	47

## 10. Related Sequences

This computation also verified/produced values for related OEIS sequences:

### Computation of $A_{174511}(14) = 7,766$

---

- $A_{000638}(14) = 75,154$  (conjugacy classes of subgroups of  $S_{14}$ ) - matches known value
- $A_{174511}(14) = 7,766$  (isomorphism types of subgroups of  $S_{14}$ ) - NEW

### Conclusion: $A_{174511}(14) = 7,766$

The value  $a(14) = 7,766$  has been computed via conjugacy class enumeration and isomorphism deduplication, and independently verified through four rounds of checking using multiple algorithms. The result is 4,602 IdGroup types plus 3,164 large group representatives = 7,766 total isomorphism types.