

References

References

- [1] S. H. Javadi, L. Keuninckx, H. Cappelle, and T. Gielen, “Person identification based on mm-wave radars,” in *2024 21st European Radar Conference (EuRAD)*, 2024, pp. 160–163.
- [2] S. H. Javadi, A. Bourdoux, N. Deligiannis, and H. Sahli, “Human pose estimation based on ISAR and deep learning,” *IEEE Sensors Journal*, vol. 24, no. 17, pp. 28 324–28 337, 2024.
- [3] X. Zhang, L. Xu, L. Xu, and D. Xu, “Direction of departure (DOD) and direction of arrival (DOA) estimation in MIMO radar with reduced-dimension MUSIC,” *IEEE Communications Letters*, vol. 14, no. 12, pp. 1161–1163, 2010.
- [4] Q. Zhang, T. S. Yeo, G. Du, and S. Zhang, “Estimation of three-dimensional motion parameters in interferometric ISAR imaging,” *IEEE Transactions on Geoscience and Remote Sensing*, vol. 42, no. 2, pp. 292–300, 2004.
- [5] M. Martorella, F. Salvetti, and D. Staglianò, “3D target reconstruction by means of 2D-ISAR imaging and interferometry,” in *2013 IEEE Radar Conference (RadarCon13)*, 2013, pp. 1–6.
- [6] R. Feng, E. D. Greef, M. Rykunov, H. Sahli, S. Pollin, and A. Bourdoux, “Multipath ghost recognition for indoor MIMO radar,” *IEEE Transactions on Geoscience and Remote Sensing*, vol. 60, pp. 1–10, 2022.
- [7] C. Ma and Z. Liu, “A novel spatial–temporal network for gait recognition using millimeter-wave radar point cloud videos,” *Electronics*, vol. 12, no. 23, 2023. [Online]. Available: <https://www.mdpi.com/2079-9292/12/23/4785>
- [8] J. Pegoraro and M. Rossi, “Real-time people tracking and identification from sparse mm-wave radar point-clouds,” *IEEE Access*, vol. 9, pp. 78 504–78 520, 2021.
- [9] M.-H. Guo, J. Cai, Z.-N. Liu, T.-J. Mu, R. R. Martin, and S. Hu, “PCT: Point cloud transformer,” *Computational Visual Media*, vol. 7, pp. 187–199, 2020. [Online]. Available: <https://api.semanticscholar.org/CorpusID:229297794>
- [10] G. Meucci, F. Mancuso, E. Giusti, A. Kumar, S. Ghio, and M. Martorella, “Point cloud transformer (PCT) for 3D-InISAR automatic target recognition,” in *2023 IEEE Radar Conference (RadarConf23)*, 2023, pp. 1–6.
- [11] C.-F. Lin and H.-Y. Lee, “Master of puppets: Model-agnostic meta-learning via pre-trained parameters for natural language generation,” in *NeurIPS Workshop on Meta Learning*, 2020.
- [12] C. Finn, P. Abbeel, and S. Levine, “Model-agnostic meta-learning for fast adaptation of deep networks,” 2017.
- [13] R. Puri, A. Zakhori, and R. Puri, “Few shot learning for point cloud data using model agnostic meta learning,” in *2020 IEEE International Conference on Image Processing (ICIP)*, 2020, pp. 1906–1910.

- [14] Z. Meng, S. Fu, J. Yan, H. Liang, A. Zhou, S. Zhu, H. Ma, J. Liu, and N. Yang, “Gait recognition for co-existing multiple people using millimeter wave sensing,” *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 34, no. 01, pp. 849–856, 4 2020. [Online]. Available: <https://ojs.aaai.org/index.php/AAAI/article/view/5430>