Aluno: Jefferson Batista Xavier

Disciplina: WEB II

Professor: Fábio Lima

Data: 21/12/2021

## CSS:

```
EXPLORER
                                           # style.css
PROJETO
                                              1 @import url('https://fonts.googleapis.com/css?family=Open+Sans&display=swap');
    Controller.php
                                                  body {
   > Middleware
                                                       margin: 0;
   Kernel.php
                                                       padding: 0;
                                                       background: ☐hsl(0, 0%, 100%);
font: 100% arial, sans-serif;
  Models
   Cliente.php
  🙌 User.php
                                                       text-align: center;
  > Providers
 > bootstrap
 > config
                                                      margin: 20px auto 0;

√ database

                                                      width: 590px;
  > factories
                                                      height: 50px;
background: ■
  > migrations
                                                       border-radius: 8px;
  > seeders
 gitignore
                                                       box-shadow: 0 2px 3px 0 □rgba(255, 255, 255, 0.1);
 ∨ public
                                                       font-size: 15px;
                                                      text-transform: uppercase; color: white;
 .htaccess
                                                       text-decoration: none;
 🖛 index.php
                                                      line-height: 50px;
  position: relative;
 web.config
                                                       z-index: 1;
                                                      display: inline-block;
text-align: center;

√ resources

  > css
                                                  nav .animation{
  > lang
                                                       position: absolute;
OUTLINE
                                                       height: 15%;
```

## Layout main

```
💝 create.blade.php 💮 index.blade.php 💆 main.blade.php 🗴
                                                                                                                                                          codigo > resources > views > layouts > \mathbb{m} main.blade.php > \to html > \to head \quad \text{ meta name="viewport" content="width=device-width, initial-scale=1.0">
                                                                                                                                                                                                  <title>Menu Indicator | EL Creative Academy</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet" ir
<link rel="stylesheet" href="http://localhost/projeto/codigo/public/css/style.css">
  > lang
  views
                                                                                                                                                                                                    <ently continuous conti
      clientes
       ereate.blade.php
        edit.blade.php
         🖛 index.blade.php
        show.blade.php
      > contatos
                                                                                                                                                                                                                    <a href="#">Clientes</a>
<a href="#">Produtos</a>
        😭 main.blade.php
                                                                                                                                                                                                                                                   <a href="#">Entradas</a>
                                                                                                                                                                                                                                                  a href="#">Vendas</a>
<a href="#">Vendas</a>
<a href="http://localhost/projeto/codigo/public/clientes/index">Consultar</a>
<div class="animation start-home"></div>
                                                                                                                                                                                                                 😭 web.php
                                                                                                                                                                                                                     <script src="script.js"></script>
```

## Views:

OUTLINE

```
EXPLORER
                                        ereate.blade.php ×
 PROJETO
                                               @extends('layouts.main')
    > migrations
                                               @section('titulo','Cadastro de clientes')
@section('conteudo')
    gitignore
                                               <h4>Cadastro de Cliente</h4>

→ public

                                               <div id="form
    # style.css
                                                      @csrf
                                                        .htaccess
   * favicon.ico
                                                              💝 index.php
   web.config
                                                               <div class="invalid-feedback">
                                                                  {{$message}}
                                                              @enderror
                                                           <div class="col">
    clientes
                                                              v class= Got ">Endereco do Cliente</label>
<input type="text" class="form=control @error('endereco') is-invalid @enderror" placeholder-</pre>
     ereate.blade.php
                                                              @error('endereco')

div class="invalid-feedback">
{{$message}}
     edit.blade.php
     m index.blade.php
     show.blade.php
     > contatos
                                                              @enderror
     > entradas
                                                           <div class="col">
                                                              <label for="">Debito do Cliente</label>
<input type="text" class="form-control @error('debito') is-invalid @enderror" placeholder='
@error('debito')</pre>
                                                               <div class="invalid-feedback">
 > OUTLINE
                                                                ndex.blade.php ×
                           日日で日
                                          codigo > resources > views > clientes > ♥ index.blade.php > � table.table > � thead > � tr
PROJETO
                                                @extends('layouts.main')
@section('titulo','Lista de clientes')
@section('conteudo')
  > migrations
  > seeders
 gitignore
                                                  <h4>Listar Clientes</h4>
                                                 .htaccess
                                                              Nome
 * favicon.ico
                                                              ndex.php

    robots.txt

                                                              Ação
 web.config
 resources
                                                          @foreach ($clientes as $cliente)
 > lang
                                                              {{$cliente->id}}
                                                              {{$cliente->nome}}
{{$cliente->nome}}
   ereate.blade.php
                                                              {{$cliente->debito}}
   edit.blade.php
   🖛 index.blade.php
   show.blade.php
   > contatos
   > entradas
                                                                       @csrf
   > fornecedores
                                                                       @method('DELETE')
                                                                        <input type="submit" value="deletar">
   > itensvendas

∨ layouts
```

@endforeach

## Telas:





