葉立丞 **Li-Cheng Yeh**

企業應用開發 × 後端系統整合 × AI／RAG

學經歷

- **University of Auckland｜Master of Data Science**
- 廣達電腦｜**Software Engineer**
  參與品質管理、供應商及內部流程系統的開發與維護
- 企業 **AI** 專案經驗
  參與 RAG 知識問答流程與企業資料需求拆解

核心技術

- 後端與資料：C# / .NET、Python、REST API、SQL Server
- 非同步與儲存：RabbitMQ、Azure Blob Storage
- **AI** 應用：RAG、向量檢索、文件處理與權限需求

研究亮點

相關研究論文已獲 **ACM TIST** 接受（**Accepted**）

ECLAIR: Explainable Causal Learning for Robust GNNs with disentAngled uncertainty via Interventional Reasoning

代表專案｜企業系統與 AI 應用


① 文件上雲與非同步處理

場景：大型檔案上傳，以及處理狀態與失敗追蹤。

我的參與：API 與狀態流程設計、跨元件整合及問題定位。

專案流程：以 RabbitMQ 派送背景工作，由 Consumer 上傳至 Azure Blob，並以 SQL Server 記錄處理狀態。

工程重點：非同步處理、狀態管理、失敗重試與除錯。



② 企業知識問答／RAG


場景：品質規範、SOP 與內部文件查詢。


我的參與：文件處理、metadata / 權限需求及知識問答流程的拆解與規劃。


工程重點：檢索權限、答案引用、資料不足時的處理與評估。

希望帶入團隊的能力

企業流程理解、後端與資料整合、跨元件問題定位，以及 AI 應用的工程實踐。




(a) Dual Graph Disentanglement
$\mathcal{G}$
$\mathbf{C}_N$
$\mathbf{T}_N$
Parametric Node Attention Masking
GNN Encoder GRv in Eq. (1)
Feature Conformity Estimation
Parametric Edge Attention Masking
$\mathbf{C}_E$
$\mathbf{T}_E$
$\mathbf{H}_{G_C}$
$\mathcal{L}_{G_C}$
$\mathcal{L}_{G_T}$
$\mathbf{H}_{G_T}$
(b) Uncertainty Learning
Sampled Non-causal Subgraph $\mathbf{T}_S$
Sampled Causal Subgraph $\mathbf{C}_S$
Certainty Estimation of Ego-nets in Eq. (12)
Non-causal Uncertain Subgraph Sampling $\mathbf{T}_S^u$ $\mathcal{L}_{T_S^u}$
Causal Uncertain Subgraph Sampling $\mathbf{C}_S^u$ $\mathcal{L}_{C_S^u}$
Non-causal Certain Subgraph Sampling $\mathbf{T}_S^h$ $\mathcal{L}_{T_S^h}$
Causal Certain Subgraph Sampling $\mathbf{C}_S^h$ $\mathcal{L}_{C_S^h}$
Causal Attention Score
Non-causal Attention Score
Well-trained Weights
Masked with Zeros
Frozen Weights
Prune
Frozen
Train
Re-train
First-tier Parametric Optimization in Eq. (22)
Second-tier Parametric Optimization in Eq. (23)
(c) Tiered Parametric-Efficient Optimization


Update by GRPO with Uncertainty Reward
Challenger
x_1
...
x_i
Solver
$\{y_{1,1}, y_{1,2} \cdots y_{1,m}\}$
...
$\{y_{i,1}, y_{i,2} \cdots y_{i,m}\}$
majority voting
$\hat{y}_1$
...
$\hat{y}_i$
Challenger training
Solver training
Challenger
x_1
...
x_i
Solver
$\{y_{1,1}, y_{1,2} \cdots y_{1,m}\}$
...
$\{y_{i,1}, y_{i,2} \cdots y_{i,m}\}$
majority voting
$\hat{y}_1$
...
$\hat{y}_i$
Update by GRPO
with Filtered Question