COMP 3133 – Lab Test – 1

Jeffin Yohannan

101512594

Screenshots

1. Chat Application - Private



2. Group messages Database Inside Mongodb





3. Leave Room



4. Login Saved Locally



5. Logout Showing Locally





6. Signup error when user already exist



7. Private Messages Stored in mongodb



8. Typing Indicator



9. Users Signed in database in Mongodb





File Edit Selection View Go Run Terminal Help 101512594_lab_test1_chat_app

101...
- models
  - GroupMessage.js
  - PrivateMessage.js
  - User.js
- routes
  - auth.js
  - messages.js
  - users.js
- view
  - chat.html
  - login.html
  - signup.html
- .env
- package-lock.json
- package.json
- server.js

users.js | server.js | .env | User.js | GroupMessage.js | PrivateMessage.js | auth.js | messages.js

models > GroupMessage.js > ...

```javascript
const mongoose = require("mongoose");

const groupMessageSchema = new mongoose.Schema({
  from_user: { type: String, required: true, trim: true },
  room: { type: String, required: true, trim: true },
  message: { type: String, required: true, trim: true },
  date_sent: { type: Date, default: Date.now }
});

module.exports = mongoose.model("GroupMessage", groupMessageSchema);
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
USER@Jeffin-Lap MINGW64 /d/Winter2026/Comp3133/101512594_lab_test1_chat_app
$ npm run dev
[dotenv@17.2.4] injecting env (2) from .env -- tip: sync secrets across teammates & machines: https://dotenvx.com/ops
Server running on http://localhost:3000
MongoDB connected
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.4] injecting env (2) from .env -- tip: prevent building .env in docker: https://dotenvx.com/prebuild
Server running on http://localhost:3000
MongoDB connected
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.4] injecting env (2) from .env -- tip: backup and recover secrets: https://dotenvx.com/ops
Server running on http://localhost:3000
MongoDB connected
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.4] injecting env (2) from .env -- tip: prevent committing .env to code: https://dotenvx.com/precommit
Server running on http://localhost:3000
MongoDB connected
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.4] injecting env (2) from .env -- tip: prevent building .env in docker: https://dotenvx.com/prebuild
Server running on http://localhost:3000
MongoDB connected
```