## Inviscid Burgers Equation Notes

Strong form:

$$\frac{\partial u}{\partial t} + \frac{1}{2} \frac{\partial u^2}{\partial x} = 0$$

Space-time divergence form:

$$\nabla_{xt} \cdot \left( \begin{array}{c} \frac{1}{2}u^2 \\ u \end{array} \right) = 0$$

Ultra-weak form:

$$-\left( \begin{pmatrix} \frac{1}{2}u^2 \\ u \end{pmatrix}, \nabla_{xt}v \right) + \langle \hat{t}, v \rangle = 0$$

where 
$$\hat{t} = \begin{pmatrix} \frac{1}{2}u^2 \\ u \end{pmatrix} \cdot \boldsymbol{n}_{xt}$$
.

Linearized form:

$$-\left( \left( \begin{array}{c} \tilde{u}\Delta u \\ \Delta u \end{array} \right), \nabla_{xt}v \right) + \left\langle \hat{t}, v \right\rangle = \left( \left( \begin{array}{c} \frac{1}{2}\tilde{u}^2 \\ \tilde{u} \end{array} \right), \nabla_{xt}v \right)$$

I don't see a way of relating the definition of  $\hat{t}$  as a linear term of  $\Delta u$ . As the background flow,  $\tilde{u}$  converges to the exact solution,  $\Delta u$  converges to zero.

Ideally, for a converged solution,  $\hat{t} = \begin{pmatrix} \frac{1}{2}\tilde{u}^2 \\ \tilde{u} \end{pmatrix} \cdot \boldsymbol{n}_{xt}$ , but the current LinearTerm code does not allow this possibility.