

2014-09-08 / 1.0.0

- Initial release

2.0.0 / 2021-12-17

- Drop support for Node.js 0.6
- Remove `I'mateapot` export; use `ImATeapot` instead
- Remove support for status being non-first argument
- Rename `UnorderedCollection` constructor to `TooEarly`
- `deps: depd@2.0.0`
 - Replace internal `eval` usage with `Function` constructor
 - Use instance methods on `process` to check for listeners
- `deps: statuses@2.0.1`
 - Fix messaging casing of 418 `I'm a Teapot`
 - Remove code 306
 - Rename 425 `Unordered Collection` to standard 425 `Too Early`

- deps: toidentifier@1.0.1

2021-11-14 / 1.8.1

- Fix accepting string message

2014-09-08 / 1.0.1

2014-09-08 / 1.1.0

- Default status to 500
- Support provided `error` to extend

2020-06-29 / 1.8.0

- Add `isHttpError` export to determine if value is an HTTP error
- `deps: setprototypeof@1.2.0`

2019-06-24 / 1.7.3

- `deps: inherits@2.0.4`

2014-09-09 / 1.2.0

- Fix the way inheriting functions
- Support `expose` being provided in properties argument

2014-09-21 / 1.2.1

- Support Node.js 0.6
- Use `inherits` instead of `util`

2019-02-18 / 1.7.2

- `deps: setprototypeof@1.1.1`

2018-09-08 / 1.7.1

- Fix error creating objects in some environments

2014-09-21 / 1.2.2

- Fix publish error

2014-09-21 / 1.2.3

- `deps: statuses@~1.1.0`

2018-07-30 / 1.7.0

- Set constructor name when possible
- Use `toIdentifier` module to make class names
- `deps: statuses@'>= 1.5.0 < 2'`

2018-03-29 / 1.6.3

- deps: depd@~1.1.2
- perf: remove argument reassignment
- deps: setprototypeof@1.1.0
- deps: statuses@'>= 1.4.0 < 2'

2014-09-21 / 1.2.4

- Fix dependency version to work with old npms

2014-09-28 / 1.2.5

- deps: statuses@1

2017-08-04 / 1.6.2

- deps: depd@1.1.1
 - Remove unnecessary Buffer loading

2017-02-20 / 1.6.1

- deps: setprototypeof@1.0.3
- Fix shim for old browsers

2014-10-02 / 1.2.6

- Fix expose to be true for ClientError constructor

2014-10-14 / 1.2.7

- Remove duplicate line

2017-02-14 / 1.6.0

- Accept custom 4xx and 5xx status codes in factory
- Add deprecation message to "I'mateapot" export
- Deprecate passing status code as anything except first argument in factory
- Deprecate using non-error status codes
- Make message property enumerable for `HttpErrors`

2016-11-16 / 1.5.1

- deps: inherits@2.0.3
- Fix issue loading in browser
- deps: setprototypeof@1.0.2
- deps: statuses@>= 1.3.1 < 2

2014-12-09 / 1.2.8

- Fix stack trace from exported function
- Remove arguments.callee usage

2015-02-01 / 1.3.0

- Construct errors using defined constructors from `createError`
- Fix error names that are not identifiers
 - `createError["I'mateapot"]` is now `createError.ImATeapot`
- Set a meaningful name property on constructed errors

2016-05-18 / 1.5.0

- Support new code 421 Misdirected Request
- Use `setprototypeof` module to replace `__proto__` setting
- `deps: statuses@'>= 1.3.0 < 2'`
 - Add 421 Misdirected Request
 - perf: enable strict mode
- perf: enable strict mode

2016-01-28 / 1.4.0

- Add `HttpError` export, for `err instanceof createError.HttpError`
 - `deps: inherits@2.0.1`
 - `deps: statuses@'>= 1.2.1 < 2'`
 - Fix message for status 451
 - Remove incorrect `nginx` status code

14

2015-02-02 / 1.3.1

- Fix regression where status can be overwritten in `createError.props`

15