

Changelog

All notable changes to this project will be documented in this file.

The format is based on [Keep a Changelog](#) and this project adheres to [Semantic Versioning](#).

v1.2.8 - 2023-02-09

Merged

- [Fix] Fix long option followed by single dash [#17](#)
- [Tests] Remove duplicate test [#12](#)
- [Fix] opt.string works with multiple aliases [#10](#)

Fixed

- [Fix] Fix long option followed by single dash (#17) [#15](#)
- [Tests] Remove duplicate test (#12) [#8](#)
- [Fix] Fix long option followed by single dash [#15](#)
- [Fix] opt.string works with multiple aliases (#10) [#9](#)
- [Fix] Fix handling of short option with non-trivial equals [#5](#)

Commits

- Merge tag 'v0.2.3', [a026794](#)
- [eslint] Fix indentation and whitespace [5368ca4](#)
- [eslint] Fix indentation and whitespace [e5f5067](#)
- [eslint] more cleanup [62fde7d](#)
- [meta] add auto-change log [73923d2](#)
- [actions] add reusable workflows [d80727d](#)
- [eslint] add eslint; rules to enable later are warnings [48bc06a](#)
- [eslint] fix indentation [34b0f1c](#)
- [readme] rename and add badges [5d0fe4](#)
- [Dev Deps] switch from nyc to tape [448b128](#)
- [Dev Deps] update covert, tape; remove unnecessary tap [f0fb958](#)
- [meta] create FUNDING.yml; add funding in package.json [3639e0c](#)
- [meta] use npmignore to autogenerate an npmignore file [be2e038](#)
- Only apps should have lockfiles [282b570](#)
- isConstructorProto adapted from PR [ef9153f](#)
- [Dev Deps] update libharb/eslint-config, and [098873c](#)

- [Tests] Remove duplicate test [#8](#)
- [Fix] opt.string works with multiple aliases [#9](#)

- [Dev Deps] update @ljharb/eslint-config, aud [3124ed3](#)
- [meta] add safe-publish-latest [4b927de](#)
- [Tests] add aud in posttest [b32d9bd](#)
- [meta] update repo URLs [f9fd9c0](#)
- [actions] Avoid 0.6 tests due to build failures [ba92fe6](#)
- [Dev Deps] update tape [950eaa7](#)
- [Dev Deps] add missing npmignore dev dep [3226afa](#)
- Merge tag ‘v0.2.2’ [980d7ac](#)

v1.2.7 - 2022-10-10

Commits

- [meta] add auto-changelog [0ebf4eb](#)
- [actions] add reusable workflows [e115b63](#)
- [eslint] add eslint; rules to enable later are warnings [f58745b](#)
- [Dev Deps] switch from cover to nyc [ab03356](#)
- [readme] rename and add badges [236f4a0](#)
- [meta] create FUNDING.yml; add funding in package.json [783a49b](#)
- [meta] use npmignore to autogenerate an npmignore file [f81ece6](#)
- Only apps should have lockfiles [56cad44](#)

V1.2.6 - 2022-03-21

- [Dev] Update covert, tape; remove unnecessary tap [49c5f9f](#)
- [Tests] add aud in posttest [228ae93](#)
- [meta] add safe-publish-latest [01fc23f](#)
- [meta] update repo URLs [6b164c7](#)
- move more short tests into shorts [503edb5](#)
- default bool test was wrong, not the code [1b9f5db](#)
- passing long tests tripped out of parse.js [7972c4a](#)
- badges [84c0370](#)
- all the tests now ported, some failures [64239ed](#)
- failling short test [f8a5341](#)
- fixed the numeric test [6b034f3](#)

Commits

[ef88b93](#)

- test from prototype pollution PR [bc8ecce](#)
- isConstructorOrProto adapted from PR [c2b9819](#)
- security notice for additional prototype pollution issue

v0.0.2 - 2013-08-28

Commits

- allow dotted aliases & defaults [321c33e](#)
- use a better version of ff [e40f611](#)

v0.0.1 - 2013-06-25

Commits

- remove trailing commas [6ff0fa0](#)

v0.0.0 - 2013-06-25

Commits

- half of the parse test ported [3079326](#)
- stripped down code and a passing test from optimist [7cced88](#)

v1.2.5 - 2020-03-12

v1.2.4 - 2020-03-11

Commits

- security notice [4cf1354](#)
- additional test for constructor prototype pollution [1043d21](#)

v1.2.3 - 2020-03-10

Commits

- more failing proto pollution tests [13c01a5](#)
- even more aggressive checks for protocol pollution [38a4d1c](#)

V0.0.3 - 2013-09-12

V0.0.4 - 2013-09-17

V0.0.5 - 2013-09-18

Commits

- Improve --, handling: [d11822c](#)

Commits

- failing test for single dash preceding a double dash [b465514](#)
- fix for the dot test [6a095f1](#)

- move the opts [--] example back where it belongs [#63](#)

Commits

- add test [6be5dae](#)
- fix bad boolean regexp [AC3fC79](#)

V1.2.1 - 2020-03-10

Commits

- failing test for protocol pollution [0effed03](#)
- cleanup [67d3722](#)
- console.dir -> console.log [47acf72](#)
- don't assign onto proto [63e7ed0](#)

V1.2.2 - 2020-03-10

Merged

- move the opts [--] example back where it belongs [#63](#)

v0.0.8 - 2014-02-20

Commits

- return '' if flag is string and empty [fa63ed4](#)
- handle joined single letters [66c248f](#)

v0.0.7 - 2014-02-08

Commits

- another swap of .test for .match [d1da408](#)

v0.0.6 - 2014-02-08

Commits

- use .test() instead of .match() to not crash on non-string values in the arguments array [7e0d1ad](#)

v1.2.0 - 2015-08-24

Commits

- failing -k=v short test [63416b8](#)
- kv short fix [6bbe145](#)
- failing kv short test [f72ab7f](#)
- fixed kv test [f5a48c3](#)
- enforce space between arg key and value [86b321a](#)

v1.1.3 - 2015-08-06

Commits

- add failing test - boolean alias array [0fa3c5b](#)
- fix boolean values with multiple aliases [9c0a6e7](#)

Y0.0.9 - 2014-05-08

Commits

- dedicated boolean test [46e448f](#)
- dedicated num test [9bf2d36](#)
- aliased values treated as strings [1ab743b](#)
- cover the case of already numbers, at 100% coverage [b2bb044](#)
- another test for higher coverage [3662624](#)

Commits

- check that they type of a value is a boolean, not just that it is currently set to a boolean [6863198](#)
- upgrade tape, fix type issues from old tape version [806712d](#)
- test for setting a boolean to a null default [8c44afe](#)
- if the previous value was a boolean, without an default (or with an alias) don't make an array either [e5f419a](#)

Y1.1.1 - 2015-03-10

Commits

- Convert boolean arguments to boolean values [8f3dc27](#)
- use non-ancient npm, node 0.12 and iojs [61ed1d0](#)
- an older npm for 0.8 [25cf778](#)

Y1.1.1 - 2015-03-10

Commits

- check that they type of a value is a boolean, not just that it is currently set to a boolean [6863198](#)
- upgrade tape, fix type issues from old tape version [806712d](#)
- test for setting a boolean to a null default [8c44afe](#)
- if the previous value was a boolean, without an default (or with an alias) don't make an array either [e5f419a](#)

Y0.0.10 - 2014-05-11

Commits

- dedicated boolean test [46e448f](#)
- dedicated num test [9bf2d36](#)
- aliased values treated as strings [1ab743b](#)
- cover the case of already numbers, at 100% coverage [b2bb044](#)
- another test for higher coverage [3662624](#)

Commits

- Eliminate Longest fm. [824f642](#)

Y1.1.2 - 2015-07-22

v0.2.1 - 2020-03-12

v1.1.0 - 2014-08-10

v0.2.0 - 2014-06-19

Commits

- support all-boolean mode [450a97f](#)

Commits

- add support for handling “unknown” options not registered with the parser. [6f3cc5d](#)
- reformat package.json [02ed371](#)
- coverage script [e5531ba](#)
- extra fn to get 100% coverage again [a6972da](#)

v0.1.0 - 2014-05-12

v1.0.0 - 2014-08-10

Commits

- Provide a mechanism to segregate – arguments [ce4a1e6](#)
- documented argv[‘-’] [14db0e6](#)
- Adding a test-case for notFlags segregation [715c1e3](#)

Commits

- added stopEarly option [471c7e4](#)
- fix list [fef6ae7](#)

Comits

- [meta] add auto-changelog [3923d2](#)
 - [actions] add reusable workflows [d80727d](#)
 - [eslimit] add eslimit; rules to enable later are warnings [48bc06a](#)
 - [readme] rename and add badges [5df0fe4](#)
 - [Dev Deps] switch from covert to nyc [a48b128](#)
 - [Dev Deps] update covert, tape; remove unnecessary tap [f0fb958](#)
 - [meta] create FUNDING.yml; add funding in package.json [3639e0c](#)
 - [meta] use npmignore to autogenerate an npmignore file [be2e038](#)
 - Only apps should have lockfiles [282b570](#)
 - [meta] add safe-publish-latest [4b927de](#)
 - [Tests] add aud in posttest [b32d9bd](#)
 - [meta] update repo URLs [f9fdff6](#)

Committee

- | Commits | PRs |
|---|---|
| [Tests] Remove duplicate test (#12) #8 | [Fix] opt:string works with multiple aliases (#10) #9 |
| 3639e0c | |
| [meta] use npmignore to autogenerate an npmignore file | |
| Only apps should have lockfiles 282b570 | |
| [meta] add safe-publish-latest 4b927de | |
| [Tests] add audit in posttest b32d9bd | |
| [meta] update repo URLs f9fdfc0 | |
| [eslimt] fix indentation and whitespace e5f5067 | |
| [eslimt] more cleanup 36ac5d0 | |
| [eslimt] fix indentation 34b0f1c | |
| iConstructorProto adapted from PR ef9153f | |
| [Dev] Deps] update @ljharb/eslint-config, aud | |
| 098873c | [Dev] Deps] add missing npmignore dev dep 3226afa |

Fixed

- [meta] add auto-changeLog [#3923d2](#)
 - [actions] add reusable workflows [#80727d](#)
 - [eslimit] add eslimit; rules to enable later are warmings [#48bc06a](#)
 - [readme] rename and add badges [#df0fe4](#)
 - [Dev Deps] switch from cover to nyc [#48b128](#)
 - [Dev Deps] update cover, tape; remove unnecessary tap
 - [#0fb958](#)
 - [meta] create FUNDING.yml; add funding in package.json
 - [#3639e0c](#)
 - [meta] use npmignore to autogenerate an npmignore file

Merged

- | Commits | • |
|--|---|
| [Tests] Remove duplicate test (#12) #8 | • |
| [Fix] opt.getString works with multiple aliases (#10) #9 | • |
| 3639e0c
be2e038 | • [meta] use npmignore to autogenerate an npmignore file |
| Only apps should have lockfiles 282b570 | • [meta] add safe-publish-latest 4b927de |
| b32d9bd
[Tests] add audit post-test b32d9bd | • [meta] add update repos URLs f9fdfe0 |
| e5f5067
[eslint] fix indentation and whitespace e5f5067 | • [eslint] more cleanup 36ac5d0 |
| 34b0f1c
[eslimt] fix indentation 34b0f1c | • [eslimt] more cleanup 34b0f1c |
| ef9153f
isConstructorOrProto adapted from PR ef9153f | • [Dev] Deps] update @ljharb/eslint-config, and |
| 098873c | • [Dev] Deps] add missing npmignore dev dep 3226afa |