

## **2.4.1 / 2022-02-22**

- Fix error on early async hooks implementations

## 2.4.0 / 2022-02-21

- Prevent loss of async hooks context

## **1.0.0 / 2013-12-20**

- Initial release

## **2.3.0 / 2015-05-26**

- Add defined behavior for HTTP CONNECT requests
- Add defined behavior for HTTP Upgrade requests
- deps: ee-first@1.1.1

**1.0.1 / 2013-12-20**

- Actually pass the error to the callback
- Fix `isFinished(req)` when data buffered

**2.2.1 / 2015-04-22**

## **1.1.0 / 2013-12-25**

- Call callback when called on already-errored socket

## **2.2.0 / 2014-12-22**

- Add message object to callback arguments

**1.1.1 / 2014-01-16**

- Rename module to `finished`

**2.1.1 / 2014-10-22**

- Fix handling of pipelined requests

## **1.1.2 / 2014-04-18**

- Default the `socket` to passed-in object

## **2.1.0 / 2014-08-16**

- Check if `socket` is detached
- Return `undefined` for `isFinished` if state unknown

**1.1.3 / 2014-04-30**

- Make sure errors passed as instances of Error

**2.0.0 / 2014-08-16**

- Add `isFinished` function
- Move to `jshttp` organization
- Remove support for plain socket argument
- Rename to `on-finished`
- Support both `req` and `res` as arguments
- `deps: ee-first@1.0.5`

## **1.1.4 / 2014-05-27**

- Support node.js 0.8

## **1.2.2 / 2014-06-10**

- Reduce listeners added to emitters
  - avoids “event emitter leak” warnings when used multiple times on same request

**1.2.0 / 2014-06-05**

- Call callback when called on already-finished socket

**1.2.1 / 2014-06-08**

- Fix returned value when already finished