

Release history

All notable changes to this project will be documented in this file.

The format is based on [Keep a Changelog](#) and this project adheres to [Semantic Versioning](#).

Guiding Principles

- Changelogs are for humans, not machines.
- There should be an entry for every single version.
- The same types of changes should be grouped.
- Versions and sections should be linkable.
- The latest version comes first.
- The release date of each versions is displayed.
- Mention whether you follow Semantic Versioning.

Types of changes

Changelog entries are classified using the following labels (*from [keep-a-changelog](#)*):

- Added for new features.
- Changed for changes in existing functionality.
- Deprecated for soon-to-be removed features.
- Removed for now removed features.
- Fixed for any bug fixes.
- Security in case of vulnerabilities.

- Fixes bug where file names with two dots were not being matched consistently with negation excludes containing a star (56083ef)

Fixed

2.3.0 (2021-05-21)

- Some documentation improvements (f81d236, 421e0ef).

Changed

0.1.0 - 2017-04-13

First release.

- Fixes bug when a pattern containing an expression after the closing parentheses (`/(.*.d).{ts,tsx}/`) was incorrectly converted to regexp (9f241ef).

Fixed

- numerous improvements and optimizations for matching and parsing
- better windows path handling

2.3.1 (2022-01-02)

First release.

- numerous improvements and optimizations for matching and parsing
- better windows path handling

12/commits/26aefd71f1cfaf95c37f1c1fcab68a693b037304.

Thanks to @DrPizza.

2.2.3 (2021-04-10)

2.0.0 (2019-04-10)

Fixed

- Do not skip pattern separator for square brackets ([fb08a30](#)).
- Set negatedExtGlob also if it does not span the whole pattern ([032e3f5](#)).

Added

- Adds support for `options.onIgnore`. See the readme for details
- Adds support for `options.onResult`. See the readme for details

2.2.2 (2020-03-21)

Breaking changes

- The `unixify` option was renamed to `windows`
- caching and all related options and methods have been removed

Fixed

- Correctly handle parts of the pattern after parentheses in the `scan` method ([e15b920](#)).

2.2.1 (2020-01-04)

1.0.0 (2018-11-05)

- adds `.onMatch` option
- improvements to `.scan` method

- Fixes [#49](#), so that braces with no sets or ranges are now properly treated as literals.

- remove eslint since it... ([07876fa](#))
- minor parser improvements ([19761d](#))
- minor linting ([c2a2b87](#))
- Make scan work with noext ([6c02e03](#))
- Limit unit tests ([0159b55](#))
- Limit test ([d433a34](#))
- fixes <https://github.com/micromatch/picomatch/issues/26> ([f458f45](#))
- fixes <https://github.com/micromatch/picomatch/issues/20> ([9cac07](#))
- Fix “Extglob” table in readme ([eb19dab](#))
- closes <https://github.com/micromatch/picomatch/issues/21> ([766bbcb0](#))
- Change lets to consts. Move root import up. ([4840625](#))
- Add support for nonegative in scan API ([275c9b9](#))
- Add eslimt object-curly-spacing rule ([707ce650](#))
- Add prefer-const eslimt rule ([5c7501e](#))
- add benchmarks for scan ([4793b92](#))

2.1.0 (2019-10-31)

- Add tokens, slashes, and parts to the object returned by picomatch.scan().
- Disable fastpaths mode for the parse method ([5b8433f](#))
- Add tokins, slashes, and parts to the object returned by picomatch.scan().

2.2.0 (2020-01-04)

- Run eslint during pretest, fix existing eslint findings ([0682367](#))
- support noparen in scan ([3d37569](#))
- update changeelog ([7b34e77](#))
- update travis ([777f038](#))
- Use eslint-disable-next-line instead of eslint-disable ([4e7cf1d](#))

Fixed

2.0.4 (2019-04-10)

- README link [fixed](#) by [@danez](#).
- options. capture now works as expected when fastpaths are enabled. See <https://github.com/micromatch/picomatch/pull/19761d>

2.0.7 (2019-05-14)

- Limit unit tests ([0159b55](#))
- Limit test ([d433a34](#))
- fixes <https://github.com/micromatch/picomatch/issues/26> ([f458f45](#))
- fixes <https://github.com/micromatch/picomatch/issues/20> ([9cac07](#))
- Fix “Extglob” table in readme ([eb19dab](#))
- closes <https://github.com/micromatch/picomatch/issues/21> ([766bbcb0](#))
- Change lets to consts. Move root import up. ([4840625](#))
- Add support for nonegative in scan API ([275c9b9](#))
- Add eslimt object-curly-spacing rule ([707ce650](#))
- Add prefer-const eslimt rule ([5c7501e](#))
- add benchmarks for scan ([4793b92](#))